



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2020 – 03:19 am BST

PDB ID : 1MBC
Title : X-RAY STRUCTURE AND REFINEMENT OF CARBON-MONOXY (FE II)-MYOGLOBIN AT 1.5 ANGSTROMS RESOLUTION
Authors : Kuriyan, J.; Petsko, G.A.
Deposited on : 1988-09-15
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	153	<div> <div>44%</div> <div>37%</div> <div>16%</div> <div>.</div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 1432 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	7	0
			1244	802	222	217	3			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is CARBON MONOXIDE (three-letter code: CMO) (formula: CO).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	1
			3	1 2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	137	Total 137	O 137	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: MYOGLOBIN



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.18Å 30.84Å 34.69Å 90.00° 105.84° 90.00°	Depositor
Resolution (Å)	(Not available) – 1.50	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.171 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1432	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CMO, HEM, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.84	23/1307 (1.8%)	2.26	50/1751 (2.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	109	GLU	CD-OE2	15.08	1.42	1.25
1	A	80	GLY	N-CA	8.87	1.59	1.46
1	A	59	GLU	CD-OE2	8.07	1.34	1.25
1	A	41	GLU	CD-OE2	7.95	1.34	1.25
1	A	4	GLU	CD-OE2	7.08	1.33	1.25
1	A	3	SER	CB-OG	6.78	1.51	1.42
1	A	129	GLY	N-CA	6.62	1.55	1.46
1	A	136	GLU	CD-OE2	6.06	1.32	1.25
1	A	28	ILE	N-CA	6.03	1.58	1.46
1	A	85	GLU	CD-OE2	5.99	1.32	1.25
1	A	118	ARG	C-O	5.76	1.34	1.23
1	A	105	GLU	CD-OE1	-5.70	1.19	1.25
1	A	83	GLU	CD-OE2	5.64	1.31	1.25
1	A	70	THR	CB-OG1	-5.54	1.32	1.43
1	A	107	ILE	N-CA	5.52	1.57	1.46
1	A	148	GLU	CD-OE1	-5.32	1.19	1.25
1	A	13	VAL	C-O	5.21	1.33	1.23
1	A	111	ILE	C-O	5.20	1.33	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	120	PRO	N-CD	5.18	1.55	1.47
1	A	31	ARG	NE-CZ	5.10	1.39	1.33
1	A	38	GLU	CG-CD	-5.04	1.44	1.51
1	A	136	GLU	C-O	5.04	1.32	1.23
1	A	132	ASN	CG-OD1	5.03	1.35	1.24

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	141	ASP	CB-CG-OD1	19.51	135.86	118.30
1	A	139	ARG	NE-CZ-NH2	14.81	127.70	120.30
1	A	109	GLU	OE1-CD-OE2	-12.36	108.47	123.30
1	A	60	ASP	CB-CG-OD1	-10.76	108.62	118.30
1	A	31	ARG	CD-NE-CZ	-10.37	109.08	123.60
1	A	141	ASP	OD1-CG-OD2	-8.71	106.74	123.30
1	A	38	GLU	OE1-CD-OE2	-8.60	112.98	123.30
1	A	43	PHE	CB-CG-CD1	-8.54	114.82	120.80
1	A	41	GLU	OE1-CD-OE2	-8.26	113.39	123.30
1	A	31	ARG	NE-CZ-NH2	-8.23	116.19	120.30
1	A	109	GLU	CG-CD-OE1	8.21	134.71	118.30
1	A	151	TYR	CB-CG-CD1	8.14	125.89	121.00
1	A	98	LYS	CA-CB-CG	8.03	131.06	113.40
1	A	41	GLU	CG-CD-OE1	7.93	134.17	118.30
1	A	141	ASP	CA-CB-CG	-7.54	96.82	113.40
1	A	127	ALA	N-CA-CB	-7.44	99.68	110.10
1	A	103	TYR	CB-CG-CD1	7.29	125.38	121.00
1	A	89	LEU	CB-CA-C	7.28	124.02	110.20
1	A	106	PHE	CB-CG-CD1	-7.10	115.83	120.80
1	A	144	ALA	CB-CA-C	6.97	120.55	110.10
1	A	118	ARG	NE-CZ-NH1	-6.96	116.82	120.30
1	A	55	MET	CA-CB-CG	-6.75	101.83	113.30
1	A	33	PHE	CB-CG-CD1	-6.69	116.12	120.80
1	A	43	PHE	CB-CG-CD2	6.55	125.38	120.80
1	A	46	PHE	CB-CG-CD2	6.55	125.38	120.80
1	A	103	TYR	CB-CG-CD2	-6.35	117.19	121.00
1	A	2	LEU	O-C-N	6.17	132.57	122.70
1	A	146	TYR	CA-CB-CG	6.14	125.06	113.40
1	A	118	ARG	NE-CZ-NH2	6.05	123.33	120.30
1	A	61[A]	LEU	O-C-N	-5.88	113.30	122.70
1	A	61[B]	LEU	O-C-N	-5.88	113.30	122.70
1	A	70	THR	CA-CB-CG2	-5.83	104.23	112.40
1	A	98	LYS	CB-CG-CD	5.70	126.42	111.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	PHE	CB-CG-CD1	-5.69	116.82	120.80
1	A	63	LYS	CA-CB-CG	5.67	125.88	113.40
1	A	132	ASN	CB-CG-OD1	-5.66	110.28	121.60
1	A	20	ASP	O-C-N	5.61	131.67	122.70
1	A	31	ARG	NH1-CZ-NH2	5.60	125.56	119.40
1	A	103	TYR	O-C-N	-5.53	113.85	122.70
1	A	112	ILE	O-C-N	-5.50	113.89	122.70
1	A	45[A]	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	A	45[B]	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	A	146	TYR	CG-CD1-CE1	5.43	125.64	121.30
1	A	67	THR	N-CA-CB	5.43	120.61	110.30
1	A	117	SER	N-CA-CB	5.37	118.56	110.50
1	A	54	GLU	OE1-CD-OE2	-5.29	116.96	123.30
1	A	47	LYS	CB-CA-C	-5.27	99.87	110.40
1	A	79	LYS	C-N-CA	-5.25	111.28	122.30
1	A	41	GLU	CB-CG-CD	5.19	128.22	114.20
1	A	4	GLU	CG-CD-OE2	-5.03	108.24	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	139	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1244	0	1292	109	1
2	A	5	0	0	0	0
3	A	43	0	30	10	0
4	A	3	0	0	1	0
5	A	137	0	0	30	2
All	All	1432	0	1322	112	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 43.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45[B]:ARG:HH21	3:A:155:HEM:CGD	1.51	1.24
1:A:45[B]:ARG:HH21	3:A:155:HEM:CBD	1.57	1.15
1:A:45[B]:ARG:NH2	3:A:155:HEM:HBD1	1.61	1.14
1:A:16:LYS:NZ	1:A:122:ASP:HB3	1.63	1.13
1:A:128:GLN:NE2	5:A:261:HOH:O	1.81	1.12
1:A:16:LYS:HZ2	1:A:122:ASP:HB3	1.07	1.11
1:A:147[B]:LYS:HE3	1:A:153:GLY:CA	1.81	1.09
1:A:123:PHE:HE1	1:A:131[B]:MET:HG3	1.03	1.08
1:A:123:PHE:CE1	1:A:131[B]:MET:HG3	1.88	1.07
1:A:127:ALA:O	1:A:131[B]:MET:HG2	1.56	1.04
1:A:147[B]:LYS:HE3	1:A:153:GLY:HA2	1.09	1.03
1:A:45[B]:ARG:HH21	3:A:155:HEM:HBD1	1.17	1.03
1:A:45[B]:ARG:HB3	1:A:45[B]:ARG:NH1	1.74	1.02
1:A:147[B]:LYS:CE	1:A:153:GLY:HA2	1.88	1.02
1:A:151:TYR:O	5:A:274:HOH:O	1.79	1.01
1:A:78:LYS:HE2	5:A:316:HOH:O	1.57	1.01
1:A:100:PRO:HA	1:A:152:GLN:NE2	1.82	0.95
1:A:148:GLU:OE2	5:A:282:HOH:O	1.88	0.91
1:A:141:ASP:CG	5:A:276:HOH:O	2.08	0.90
1:A:45[B]:ARG:NH2	3:A:155:HEM:CGD	2.35	0.88
1:A:16:LYS:HE2	5:A:217:HOH:O	1.75	0.85
1:A:16:LYS:NZ	1:A:122:ASP:CB	2.40	0.82
1:A:43:PHE:O	1:A:47:LYS:HG3	1.80	0.80
1:A:87:LYS:HB3	1:A:88:PRO:HD3	1.62	0.80
3:A:155:HEM:O1A	5:A:314:HOH:O	2.03	0.76
1:A:151:TYR:HB3	5:A:258:HOH:O	1.87	0.73
1:A:45[B]:ARG:HB3	1:A:45[B]:ARG:CZ	2.18	0.73
1:A:45[B]:ARG:NH2	3:A:155:HEM:O1D	2.20	0.73
1:A:44:ASP:HA	1:A:47:LYS:HD3	1.71	0.72
1:A:91[A]:GLN:OE1	5:A:320:HOH:O	2.07	0.71
1:A:41:GLU:OE1	1:A:47:LYS:HE3	1.91	0.71
1:A:45[B]:ARG:NH1	1:A:46:PHE:CE2	2.59	0.70
1:A:4:GLU:HG3	5:A:211:HOH:O	1.90	0.70
1:A:16:LYS:HZ3	1:A:122:ASP:CG	1.95	0.70
1:A:45[B]:ARG:NH2	3:A:155:HEM:CBD	2.31	0.68
1:A:151:TYR:CB	5:A:258:HOH:O	2.42	0.67
1:A:16:LYS:NZ	5:A:215:HOH:O	2.06	0.67
1:A:4:GLU:OE2	5:A:211:HOH:O	2.12	0.67
1:A:10:VAL:HA	1:A:131[B]:MET:SD	2.34	0.66
1:A:45[A]:ARG:NH1	5:A:305:HOH:O	2.26	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147[B]:LYS:HG2	1:A:153:GLY:C	2.18	0.64
1:A:123:PHE:HE1	1:A:131[B]:MET:CG	1.95	0.63
1:A:22:ALA:HB1	1:A:62:LYS:HE2	1.81	0.63
1:A:132:ASN:ND2	5:A:259:HOH:O	2.32	0.62
1:A:16:LYS:CD	5:A:217:HOH:O	2.47	0.62
1:A:147[B]:LYS:HE2	1:A:152:GLN:O	2.01	0.60
1:A:71:ALA:O	1:A:75[A]:ILE:HD12	2.02	0.60
1:A:147[B]:LYS:HE3	1:A:153:GLY:C	2.22	0.60
1:A:153:GLY:N	5:A:274:HOH:O	2.35	0.58
1:A:145:LYS:NZ	5:A:282:HOH:O	2.30	0.58
1:A:6:GLU:OE1	1:A:133:LYS:CE	2.52	0.57
1:A:136:GLU:HG2	1:A:139:ARG:NH1	2.19	0.57
1:A:45[B]:ARG:HH11	1:A:45[B]:ARG:HG2	1.69	0.56
1:A:45[B]:ARG:NH1	1:A:46:PHE:CD2	2.74	0.56
1:A:42:LYS:NZ	1:A:98:LYS:HD2	2.22	0.55
1:A:122:ASP:HA	5:A:215:HOH:O	2.06	0.54
1:A:10:VAL:HA	1:A:131[B]:MET:CE	2.38	0.54
1:A:9:LEU:O	1:A:131[B]:MET:HE1	2.07	0.54
1:A:151:TYR:CD1	5:A:258:HOH:O	2.61	0.54
1:A:26:GLN:HG3	1:A:61[B]:LEU:CD2	2.38	0.53
1:A:40:LEU:HG	5:A:239:HOH:O	2.09	0.53
1:A:151:TYR:CG	5:A:258:HOH:O	2.54	0.53
1:A:16:LYS:NZ	1:A:122:ASP:CG	2.61	0.52
1:A:101:ILE:HD13	1:A:104:LEU:HD12	1.90	0.52
1:A:147[B]:LYS:HG2	1:A:153:GLY:OXT	2.10	0.51
1:A:152:GLN:C	5:A:274:HOH:O	2.48	0.51
1:A:16:LYS:HD3	5:A:217:HOH:O	2.10	0.51
1:A:122:ASP:CB	5:A:215:HOH:O	2.58	0.51
1:A:146:TYR:HE1	1:A:152:GLN:NE2	2.08	0.51
1:A:4:GLU:OE2	1:A:79:LYS:NZ	2.37	0.50
1:A:13:VAL:HG12	1:A:131[B]:MET:HE1	1.93	0.50
1:A:45[B]:ARG:NH1	1:A:45[B]:ARG:CG	2.75	0.50
1:A:45[B]:ARG:HH11	1:A:45[B]:ARG:CG	2.24	0.50
1:A:152:GLN:N	5:A:265:HOH:O	2.43	0.49
1:A:147[B]:LYS:HG2	1:A:153:GLY:O	2.13	0.49
3:A:155:HEM:HBC2	3:A:155:HEM:HMC1	1.95	0.49
1:A:16:LYS:HZ3	1:A:122:ASP:CB	2.17	0.48
1:A:2:LEU:HD12	1:A:2:LEU:N	2.28	0.48
1:A:146:TYR:HE1	1:A:152:GLN:HE21	1.60	0.48
1:A:87:LYS:HB3	1:A:88:PRO:CD	2.40	0.47
1:A:146:TYR:CE1	1:A:152:GLN:NE2	2.83	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:HIS:CD2	1:A:49:LEU:HD13	2.50	0.47
1:A:3:SER:OG	1:A:6:GLU:HG3	2.16	0.46
1:A:136:GLU:HG2	1:A:139:ARG:HH12	1.79	0.46
3:A:155:HEM:HBC2	3:A:155:HEM:CMC	2.46	0.46
1:A:45[B]:ARG:HB3	1:A:45[B]:ARG:HH11	1.69	0.45
1:A:122:ASP:HB3	5:A:215:HOH:O	2.15	0.45
1:A:61[B]:LEU:HD23	1:A:62:LYS:N	2.32	0.45
1:A:87:LYS:CB	1:A:88:PRO:HD3	2.41	0.45
1:A:89:LEU:HD23	1:A:89:LEU:C	2.36	0.45
1:A:89:LEU:HD23	1:A:89:LEU:O	2.17	0.45
1:A:43:PHE:HD1	1:A:45[B]:ARG:HH12	1.63	0.45
1:A:42:LYS:HE2	5:A:303:HOH:O	2.18	0.43
1:A:120:PRO:C	1:A:122:ASP:H	2.22	0.43
1:A:16:LYS:CE	5:A:217:HOH:O	2.41	0.43
1:A:100:PRO:HA	1:A:152:GLN:CD	2.36	0.43
1:A:68:VAL:HG21	4:A:201[B]:CMO:O	2.18	0.43
1:A:121:GLY:C	1:A:122:ASP:OD2	2.57	0.42
1:A:26:GLN:HG2	1:A:30:ILE:CD1	2.50	0.41
1:A:26:GLN:HG3	1:A:61[B]:LEU:HD21	2.02	0.41
1:A:94:ALA:HB2	1:A:146:TYR:CD2	2.55	0.41
1:A:28:ILE:HD13	1:A:111:ILE:HG12	2.02	0.41
1:A:102:LYS:O	1:A:105:GLU:HB3	2.20	0.41
1:A:43:PHE:HB3	1:A:45[B]:ARG:HH12	1.85	0.41
1:A:52:GLU:HG2	1:A:56:LYS:HE2	2.03	0.41
1:A:89:LEU:C	1:A:89:LEU:CD2	2.88	0.41
1:A:60:ASP:OD1	5:A:331:HOH:O	2.21	0.41
1:A:94:ALA:HB2	1:A:146:TYR:CE2	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:208:HOH:O	5:A:283:HOH:O[2_546]	1.60	0.60
1:A:136:GLU:OE1	5:A:267:HOH:O[2_545]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	158/153 (103%)	152 (96%)	6 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	132/125 (106%)	124 (94%)	8 (6%)	18	2

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	VAL
1	A	9	LEU
1	A	47	LYS
1	A	49	LEU
1	A	75[A]	ILE
1	A	75[B]	ILE
1	A	89	LEU
1	A	98	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	36	HIS
1	A	81	HIS
1	A	128	GLN
1	A	152	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	CMO	A	201[A]	3	0,1,1	0.00	-	-		
2	SO4	A	154	-	4,4,4	1.02	0	6,6,6	1.38	1 (16%)
3	HEM	A	155	1,4	27,50,50	2.23	8 (29%)	17,82,82	2.88	8 (47%)
4	CMO	A	201[B]	3	0,1,1	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	155	1,4	-	0/6/54/54	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	155	HEM	C3B-C2B	-6.18	1.31	1.40
3	A	155	HEM	C3C-CAC	5.71	1.59	1.47
3	A	155	HEM	C3C-C2C	-3.42	1.35	1.40
3	A	155	HEM	C4A-NA	2.82	1.42	1.36
3	A	155	HEM	CMB-C2B	2.38	1.57	1.51
3	A	155	HEM	C3B-CAB	2.22	1.52	1.47
3	A	155	HEM	C1A-CHA	-2.12	1.35	1.41
3	A	155	HEM	CMD-C2D	2.12	1.56	1.51

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	155	HEM	CAD-CBD-CGD	6.49	123.56	112.67
3	A	155	HEM	C1D-C2D-C3D	-5.48	103.18	107.00
3	A	155	HEM	CMA-C3A-C4A	-4.63	121.34	128.46
3	A	155	HEM	CMD-C2D-C3D	3.84	132.18	124.94
2	A	154	SO4	O3-S-O2	2.93	124.60	109.31
3	A	155	HEM	CMA-C3A-C2A	2.58	129.81	124.94
3	A	155	HEM	CMD-C2D-C1D	-2.56	124.53	128.46
3	A	155	HEM	CMB-C2B-C3B	2.49	129.34	124.68
3	A	155	HEM	C4A-C3A-C2A	2.25	108.56	107.00

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	155	HEM	10	0
4	A	201[B]	CMO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.