



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 02:37 AM BST

PDB ID : 4MES
Title : Crystal structure of ThiT complexed with LMG116
Authors : Swier, L.J.Y.M.; Guskov, A.; Slotboom, D.J.
Deposited on : 2013-08-27
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	182	
1	B	182	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PG4	A	211	-	-	X	-
4	PG4	B	209	-	-	X	-
5	PEG	A	213	-	-	X	-
5	PEG	A	214	-	-	-	X
5	PEG	B	212	-	-	-	X
5	PEG	B	217	-	-	X	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 3551 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thiamine transporter ThiT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	176	Total	C	N	O	S	0	1	0
			1374	942	214	215	3			
1	B	177	Total	C	N	O	S	0	0	0
			1377	945	214	215	3			

- Molecule 2 is nonyl beta-D-glucopyranoside (three-letter code: BNG) (formula: C₁₅H₃₀O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			21	15	6		
2	A	1	Total	C	O	0	0
			21	15	6		
2	B	1	Total	C	O	0	0
			21	15	6		
2	B	1	Total	C	O	0	0
			21	15	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			21	15	6		
2	B	1	Total	C	O	0	0
			21	15	6		
2	B	1	Total	C	O	0	0
			21	15	6		

- Molecule 3 is 2-{3-[(4-amino-2-methylpyrimidin-5-yl)methyl]phenyl}ethanol (three-letter code: 26G) (formula: C₁₄H₁₇N₃O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			18	14	3	1		
3	B	1	Total	C	N	O	0	0
			18	14	3	1		

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is 2-(2-METHOXYETHOXY)ETHANOL (three-letter code: PG0) (formula: $C_5H_{12}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	5	3		
6	B	1	Total	C	O	0	0
			8	5	3		

- Molecule 7 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			19	12	7		
7	A	1	Total	C	O	0	0
			19	12	7		
7	A	1	Total	C	O	0	1
			38	24	14		
7	A	1	Total	C	O	0	0
			19	12	7		
7	B	1	Total	C	O	0	0
			19	12	7		
7	B	1	Total	C	O	0	0
			19	12	7		
7	B	1	Total	C	O	0	0
			19	12	7		

- Molecule 8 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			16	10	6		


- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	70	Total	O	0	2
			72	72		
9	B	99	Total	O	0	0
			99	99		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Thiamine transporter ThiT

Chain A:  85% 12% .



- Molecule 1: Thiamine transporter ThiT

Chain B:  85% 13% .



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	61.53Å 84.20Å 127.21Å 90.00° 93.52° 90.00°	Depositor
Resolution (Å)	42.32 – 2.00 47.01 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (42.32-2.00) 99.8 (47.01-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.00Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.174 , 0.208 0.182 , 0.211	Depositor DCC
R_{free} test set	2187 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.384	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 64.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3551	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 26G, PG0, 1PE, PG4, P6G, PEG, BNG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	0/1412	0.62	0/1925
1	B	0.59	0/1416	0.61	0/1930
All	All	0.60	0/2828	0.61	0/3855

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1374	0	1472	33	0
1	B	1377	0	1471	29	0
2	A	42	0	60	5	0
2	B	105	0	150	9	0
3	A	18	0	17	0	0
3	B	18	0	17	1	0
4	A	104	0	144	20	0
4	B	39	0	54	11	0
5	A	35	0	45	9	0
5	B	84	0	108	21	0
6	A	8	0	12	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	8	0	12	0	0
7	A	95	0	130	8	0
7	B	57	0	78	7	0
8	B	16	0	22	3	0
9	A	72	0	0	4	0
9	B	99	0	0	3	0
All	All	3551	0	3792	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:ILE:HG21	4:B:209:PG4:H62	1.54	0.89
1:A:180:SER:HB2	9:A:356:HOH:O	1.77	0.84
1:B:35:ILE:CD1	2:B:201:BNG:H3'2	2.11	0.81
1:A:164:VAL:HG13	4:A:206:PG4:H71	1.65	0.76
1:B:36:ILE:CG2	4:B:209:PG4:H62	2.16	0.76
1:B:119:LEU:HD11	5:B:217:PEG:H42	1.71	0.73
4:A:211:PG4:H52	9:A:307:HOH:O	1.87	0.72
7:A:218:P6G:H21	7:A:218:P6G:H112	1.72	0.71
1:A:145:ALA:H	6:A:217:PG0:H31	1.56	0.70
4:B:209:PG4:H61	9:B:352:HOH:O	1.91	0.70
7:A:218:P6G:H182	7:A:219:P6G:H62	1.74	0.69
1:A:78:LEU:CD2	7:A:218:P6G:H171	2.23	0.67
5:A:214:PEG:H32	5:B:212:PEG:H21	1.78	0.66
1:A:46:LEU:HD23	7:A:220[A]:P6G:H141	1.78	0.65
1:A:10:LEU:HD21	4:A:211:PG4:H32	1.78	0.64
1:B:175:LYS:HB2	5:B:216:PEG:H32	1.80	0.63
1:A:116:VAL:CG1	2:A:202:BNG:H7'2	2.29	0.62
3:B:206:26G:C30	4:B:209:PG4:H81	2.32	0.60
4:A:209:PG4:H82	9:A:367:HOH:O	2.02	0.58
1:B:34:TRP:CE3	4:B:209:PG4:H42	2.39	0.58
1:A:107:LEU:HB3	5:A:213:PEG:H21	1.86	0.58
1:B:35:ILE:HD13	2:B:201:BNG:H3'2	1.86	0.58
1:B:29:ASN:HA	5:B:214:PEG:H22	1.85	0.58
1:A:164:VAL:CG1	4:A:206:PG4:H71	2.34	0.56
1:A:107:LEU:N	5:A:213:PEG:H12	2.20	0.56
1:A:51:ARG:HA	4:A:211:PG4:H81	1.88	0.56
4:A:204:PG4:H51	4:A:208:PG4:H32	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:217:PEG:O4	7:B:225:P6G:H61	2.05	0.56
1:B:6:PHE:N	9:B:359:HOH:O	2.39	0.55
1:A:107:LEU:H	5:A:213:PEG:H32	1.72	0.55
1:B:74:TYR:OH	4:B:209:PG4:H51	2.07	0.54
1:A:108:ALA:H	5:A:213:PEG:H12	1.73	0.54
5:B:219:PEG:H21	5:B:220:PEG:O2	2.07	0.54
1:A:42:ILE:HD12	7:A:220[A]:P6G:H81	1.91	0.53
1:B:37:VAL:HB	5:B:214:PEG:H31	1.90	0.52
5:B:213:PEG:H41	7:B:226:P6G:H21	1.90	0.52
1:A:74:TYR:HE2	4:A:210:PG4:H52	1.75	0.52
1:A:141:TRP:HE1	4:A:209:PG4:H81	1.74	0.52
1:A:116:VAL:HG11	2:A:202:BNG:H7'2	1.93	0.51
1:B:90:VAL:HG11	7:B:224:P6G:H81	1.93	0.50
1:B:30:THR:OG1	4:B:209:PG4:H52	2.12	0.49
4:A:204:PG4:C5	4:A:208:PG4:H32	2.42	0.49
4:B:209:PG4:H41	4:B:209:PG4:H21	1.40	0.49
1:A:10:LEU:HD21	4:A:211:PG4:H51	1.95	0.48
4:A:205:PG4:H81	4:A:205:PG4:H61	1.47	0.48
4:A:210:PG4:H52	4:A:210:PG4:H81	1.96	0.48
1:B:34:TRP:CD2	4:B:209:PG4:H42	2.49	0.48
1:A:36:ILE:HG21	4:A:210:PG4:H51	1.95	0.47
5:B:210:PEG:H22	8:B:222:1PE:H231	1.96	0.47
1:A:182:TYR:OXT	5:A:216:PEG:H22	2.14	0.47
4:A:210:PG4:H62	4:A:210:PG4:H41	1.69	0.47
1:A:99:ARG:NH1	4:A:211:PG4:H82	2.29	0.47
1:B:138:TRP:CG	2:B:201:BNG:H5	2.50	0.47
1:B:57:LEU:HD12	4:B:207:PG4:H41	1.97	0.47
1:B:119:LEU:HA	7:B:225:P6G:H182	1.97	0.47
1:B:15:ALA:HB1	2:B:203:BNG:H4	1.98	0.46
2:A:201:BNG:H5'2	2:A:201:BNG:H2'1	1.68	0.46
5:B:220:PEG:H31	5:B:220:PEG:H12	1.53	0.46
1:A:182:TYR:OXT	5:A:216:PEG:O1	2.34	0.46
1:A:108:ALA:HB1	2:B:201:BNG:H2'1	1.97	0.46
1:B:112:LEU:HD22	5:B:212:PEG:H11	1.98	0.45
1:A:145:ALA:N	6:A:217:PG0:H31	2.30	0.45
1:A:107:LEU:H	5:A:213:PEG:H12	1.81	0.45
4:A:205:PG4:H41	4:A:205:PG4:H61	1.60	0.45
1:B:141:TRP:CZ3	2:B:202:BNG:H6'1	2.52	0.45
1:B:119:LEU:CD1	5:B:217:PEG:H42	2.43	0.45
1:B:131:ILE:HG12	5:B:219:PEG:H11	1.99	0.45
1:B:90:VAL:CG1	7:B:224:P6G:H81	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:202:BNG:H2	2:B:202:BNG:O3	2.17	0.45
7:B:226:P6G:H61	7:B:226:P6G:H92	1.70	0.45
1:A:16:PHE:CD1	1:A:17:MET:CE	3.00	0.44
1:B:54:THR:CG2	5:B:221:PEG:H41	2.48	0.44
5:B:216:PEG:H21	5:B:218:PEG:H42	2.00	0.44
1:B:54:THR:HG21	5:B:221:PEG:H41	2.00	0.44
1:A:10:LEU:CD2	4:A:211:PG4:H32	2.48	0.43
5:B:210:PEG:H22	8:B:222:1PE:H222	2.00	0.43
5:B:210:PEG:H22	8:B:222:1PE:C23	2.48	0.43
1:B:35:ILE:HD13	2:B:201:BNG:C3'	2.47	0.43
7:A:221:P6G:H141	7:A:221:P6G:H111	1.83	0.43
2:A:202:BNG:H6'2	2:B:202:BNG:H4'2	2.00	0.43
1:A:140:GLY:O	9:A:338:HOH:O	2.21	0.42
1:A:46:LEU:CD2	7:A:220[A]:P6G:H141	2.48	0.42
5:B:216:PEG:H32	5:B:216:PEG:H11	1.82	0.42
6:A:217:PG0:H11	6:A:217:PG0:H32	1.18	0.42
1:B:72:HIS:ND1	9:B:371:HOH:O	2.37	0.42
1:B:16:PHE:CD1	1:B:17:MET:CE	3.03	0.42
1:A:108:ALA:HB3	1:A:109:PRO:HD3	2.02	0.41
1:B:119:LEU:HD21	5:B:217:PEG:H42	2.01	0.41
1:A:16:PHE:CD1	1:A:17:MET:HE2	2.56	0.41
4:A:211:PG4:H51	4:A:211:PG4:H32	1.75	0.41
7:A:220[B]:P6G:H62	7:A:220[B]:P6G:H31	1.92	0.41
4:B:209:PG4:H51	4:B:209:PG4:H31	1.86	0.41
1:A:107:LEU:N	5:A:213:PEG:H32	2.35	0.40
1:A:141:TRP:NE1	4:A:209:PG4:H81	2.35	0.40
5:B:213:PEG:C4	7:B:226:P6G:H21	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	175/182 (96%)	171 (98%)	4 (2%)	0	100	100
1	B	175/182 (96%)	173 (99%)	2 (1%)	0	100	100
All	All	350/364 (96%)	344 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/146 (97%)	139 (99%)	2 (1%)	67	72
1	B	141/146 (97%)	139 (99%)	2 (1%)	67	72
All	All	282/292 (97%)	278 (99%)	4 (1%)	67	72

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	66	LEU
1	B	11	LEU
1	B	171	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

48 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BNG	B	205	-	21,21,21	0.87	0	26,26,26	0.89	2 (7%)
5	PEG	B	216	-	6,6,6	0.57	0	5,5,5	0.48	0
2	BNG	B	201	-	21,21,21	0.83	0	26,26,26	1.05	2 (7%)
3	26G	B	206	-	19,19,19	1.02	2 (10%)	25,25,25	1.27	2 (8%)
5	PEG	B	215	-	6,6,6	0.56	0	5,5,5	0.30	0
2	BNG	A	201	-	21,21,21	0.90	1 (4%)	26,26,26	1.48	3 (11%)
5	PEG	B	211	-	6,6,6	0.63	0	5,5,5	0.29	0
5	PEG	A	215	-	6,6,6	0.59	0	5,5,5	0.49	0
2	BNG	A	202	-	21,21,21	0.77	0	26,26,26	1.14	3 (11%)
2	BNG	B	204	-	21,21,21	0.86	0	26,26,26	1.16	3 (11%)
4	PG4	A	207	-	12,12,12	0.73	0	11,11,11	0.29	0
5	PEG	B	220	-	6,6,6	0.60	0	5,5,5	0.30	0
5	PEG	B	212	-	6,6,6	0.57	0	5,5,5	0.40	0
5	PEG	B	221	-	6,6,6	0.59	0	5,5,5	0.42	0
4	PG4	B	209	-	12,12,12	0.73	0	11,11,11	0.32	0
7	P6G	A	220[B]	-	18,18,18	0.74	0	17,17,17	0.20	0
2	BNG	B	202	-	21,21,21	0.77	0	26,26,26	1.30	4 (15%)
4	PG4	A	205	-	12,12,12	0.72	0	11,11,11	0.47	0
7	P6G	A	218	-	18,18,18	0.82	0	17,17,17	0.34	0
5	PEG	B	218	-	6,6,6	0.58	0	5,5,5	0.39	0
5	PEG	B	214	-	6,6,6	0.58	0	5,5,5	0.28	0
4	PG4	A	206	-	12,12,12	0.72	0	11,11,11	0.43	0
6	PG0	A	217	-	7,7,7	0.30	0	6,6,6	0.42	0
6	PG0	B	223	-	7,7,7	0.33	0	6,6,6	0.29	0
7	P6G	A	221	-	18,18,18	0.69	0	17,17,17	0.44	0
4	PG4	A	209	-	12,12,12	0.76	0	11,11,11	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PG4	A	204	-	12,12,12	0.71	0	11,11,11	0.37	0
5	PEG	A	214	-	6,6,6	0.58	0	5,5,5	0.34	0
4	PG4	B	207	-	12,12,12	0.75	0	11,11,11	0.34	0
7	P6G	A	219	-	18,18,18	0.75	0	17,17,17	0.31	0
8	1PE	B	222	-	15,15,15	0.70	0	14,14,14	0.44	0
5	PEG	A	216	-	6,6,6	0.56	0	5,5,5	0.56	0
4	PG4	A	210	-	12,12,12	0.72	0	11,11,11	0.37	0
5	PEG	A	212	-	6,6,6	0.56	0	5,5,5	0.54	0
4	PG4	A	208	-	12,12,12	0.72	0	11,11,11	0.33	0
5	PEG	A	213	-	6,6,6	0.59	0	5,5,5	0.56	0
2	BNG	B	203	-	21,21,21	0.87	1 (4%)	26,26,26	1.26	2 (7%)
5	PEG	B	213	-	6,6,6	0.60	0	5,5,5	0.77	0
4	PG4	B	208	-	12,12,12	0.75	0	11,11,11	0.35	0
7	P6G	B	226	-	18,18,18	0.77	0	17,17,17	0.25	0
5	PEG	B	219	-	6,6,6	0.57	0	5,5,5	0.42	0
7	P6G	B	224	-	18,18,18	0.76	0	17,17,17	0.24	0
7	P6G	A	220[A]	-	18,18,18	0.72	0	17,17,17	0.25	0
4	PG4	A	211	-	12,12,12	0.73	0	11,11,11	0.35	0
5	PEG	B	210	-	6,6,6	0.58	0	5,5,5	0.37	0
5	PEG	B	217	-	6,6,6	0.56	0	5,5,5	0.39	0
7	P6G	B	225	-	18,18,18	0.71	0	17,17,17	0.33	0
3	26G	A	203	-	19,19,19	1.13	2 (10%)	25,25,25	1.34	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BNG	B	205	-	-	0/12/32/32	0/1/1/1
5	PEG	B	216	-	-	2/4/4/4	-
2	BNG	B	201	-	-	0/12/32/32	0/1/1/1
3	26G	B	206	-	-	2/7/7/7	0/2/2/2
5	PEG	B	215	-	-	0/4/4/4	-
2	BNG	A	201	-	-	7/12/32/32	0/1/1/1
5	PEG	B	211	-	-	3/4/4/4	-
5	PEG	A	215	-	-	1/4/4/4	-
2	BNG	A	202	-	-	5/12/32/32	0/1/1/1
2	BNG	B	204	-	-	2/12/32/32	0/1/1/1
4	PG4	A	207	-	-	5/10/10/10	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	B	220	-	-	3/4/4/4	-
5	PEG	B	212	-	-	0/4/4/4	-
5	PEG	B	221	-	-	3/4/4/4	-
4	PG4	B	209	-	-	5/10/10/10	-
7	P6G	A	220[B]	-	-	8/16/16/16	-
2	BNG	B	202	-	-	6/12/32/32	0/1/1/1
4	PG4	A	205	-	-	4/10/10/10	-
7	P6G	A	218	-	-	9/16/16/16	-
5	PEG	B	218	-	-	2/4/4/4	-
5	PEG	B	214	-	-	0/4/4/4	-
4	PG4	A	206	-	-	5/10/10/10	-
6	PG0	A	217	-	-	4/5/5/5	-
6	PG0	B	223	-	-	1/5/5/5	-
7	P6G	A	221	-	-	9/16/16/16	-
4	PG4	A	209	-	-	5/10/10/10	-
4	PG4	A	204	-	-	5/10/10/10	-
5	PEG	A	214	-	-	2/4/4/4	-
4	PG4	B	207	-	-	4/10/10/10	-
7	P6G	A	219	-	-	12/16/16/16	-
8	1PE	B	222	-	-	9/13/13/13	-
5	PEG	A	216	-	-	3/4/4/4	-
4	PG4	A	210	-	-	5/10/10/10	-
5	PEG	A	212	-	-	0/4/4/4	-
4	PG4	A	208	-	-	3/10/10/10	-
5	PEG	A	213	-	-	3/4/4/4	-
2	BNG	B	203	-	-	4/12/32/32	0/1/1/1
5	PEG	B	213	-	-	3/4/4/4	-
4	PG4	B	208	-	-	5/10/10/10	-
7	P6G	B	226	-	-	9/16/16/16	-
5	PEG	B	219	-	-	2/4/4/4	-
7	P6G	B	224	-	-	8/16/16/16	-
7	P6G	A	220[A]	-	-	10/16/16/16	-
4	PG4	A	211	-	-	7/10/10/10	-
5	PEG	B	210	-	-	1/4/4/4	-
5	PEG	B	217	-	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	P6G	B	225	-	-	9/16/16/16	-
3	26G	A	203	-	-	2/7/7/7	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	203	26G	C4A-N4A	2.92	1.41	1.34
3	B	206	26G	C4A-N4A	2.80	1.41	1.34
3	A	203	26G	C6A-C5A	2.48	1.42	1.37
3	B	206	26G	C6A-C5A	2.34	1.42	1.37
2	A	201	BNG	O1-C1	2.27	1.44	1.40
2	B	203	BNG	O1-C1	2.01	1.43	1.40

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	BNG	O1-C1-C2	4.83	115.85	108.30
2	A	201	BNG	C1-O5-C5	-3.73	106.36	113.69
2	B	203	BNG	O1-C1-C2	3.50	113.77	108.30
2	B	202	BNG	C1-O5-C5	-3.38	107.05	113.69
3	A	203	26G	C5A-C6A-N1A	-3.28	118.36	123.82
2	B	204	BNG	C1-O5-C5	-3.26	107.29	113.69
2	B	203	BNG	C1-O5-C5	-3.17	107.47	113.69
3	A	203	26G	C6A-N1A-C2A	2.92	120.93	115.96
3	B	206	26G	C6A-N1A-C2A	2.82	120.75	115.96
2	B	201	BNG	C6-C5-C4	-2.69	106.69	113.00
2	A	201	BNG	C1'-O1-C1	2.65	118.23	113.84
3	B	206	26G	C5A-C6A-N1A	-2.58	119.52	123.82
2	A	202	BNG	C1'-O1-C1	2.56	118.09	113.84
2	B	205	BNG	C6-C5-C4	-2.42	107.33	113.00
2	B	202	BNG	O5-C5-C6	2.30	112.14	106.44
2	B	202	BNG	O1-C1-C2	2.28	111.86	108.30
2	A	202	BNG	C1-C2-C3	2.23	114.64	110.00
2	B	204	BNG	C6-C5-C4	-2.22	107.80	113.00
2	B	205	BNG	C1'-O1-C1	2.16	117.43	113.84
2	B	201	BNG	C6'-C5'-C4'	-2.15	103.50	114.42
3	A	203	26G	N4A-C4A-N3A	2.13	120.04	117.03
2	B	202	BNG	O5-C5-C4	-2.11	105.87	109.69
2	B	204	BNG	C1'-O1-C1	2.09	117.30	113.84
2	A	202	BNG	O5-C5-C6	2.02	111.45	106.44

There are no chirality outliers.

All (198) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	BNG	C2-C1-O1-C1'
7	A	221	P6G	C11-C12-O13-C14
4	B	209	PG4	C4-C3-O2-C2
7	A	219	P6G	C18-C17-O16-C15
6	A	217	PG0	C1-C2-O1-C3
4	B	209	PG4	C3-C4-O3-C5
2	B	203	BNG	O5-C5-C6-O6
4	A	210	PG4	C6-C5-O3-C4
4	A	205	PG4	C8-C7-O4-C6
5	B	220	PEG	C1-C2-O2-C3
7	A	220[A]	P6G	C2-C3-O4-C5
2	B	203	BNG	C4-C5-C6-O6
7	A	219	P6G	O4-C5-C6-O7
4	A	208	PG4	O2-C3-C4-O3
7	A	218	P6G	O13-C14-C15-O16
7	A	220[A]	P6G	O7-C8-C9-O10
7	A	218	P6G	O10-C11-C12-O13
4	B	207	PG4	O2-C3-C4-O3
7	B	225	P6G	O4-C5-C6-O7
4	A	211	PG4	O2-C3-C4-O3
4	A	204	PG4	O4-C7-C8-O5
6	A	217	PG0	OTT-C1-C2-O1
7	B	226	P6G	O13-C14-C15-O16
7	B	224	P6G	O13-C14-C15-O16
7	B	226	P6G	O4-C5-C6-O7
7	A	220[B]	P6G	O10-C11-C12-O13
7	A	221	P6G	O4-C5-C6-O7
7	A	220[B]	P6G	O4-C5-C6-O7
4	A	205	PG4	O2-C3-C4-O3
4	A	206	PG4	O3-C5-C6-O4
4	A	211	PG4	O3-C5-C6-O4
8	B	222	1PE	OH7-C16-C26-OH6
7	A	221	P6G	O1-C2-C3-O4
7	B	226	P6G	O1-C2-C3-O4
7	B	224	P6G	O1-C2-C3-O4
5	B	213	PEG	O1-C1-C2-O2
5	B	213	PEG	O2-C3-C4-O4
4	A	211	PG4	C3-C4-O3-C5
7	A	220[A]	P6G	O10-C11-C12-O13
4	B	208	PG4	O2-C3-C4-O3
5	B	211	PEG	O2-C3-C4-O4
4	A	205	PG4	O4-C7-C8-O5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	216	PEG	O1-C1-C2-O2
7	B	224	P6G	O7-C8-C9-O10
4	B	209	PG4	O2-C3-C4-O3
2	B	202	BNG	C2'-C3'-C4'-C5'
2	B	202	BNG	C5'-C6'-C7'-C8'
5	A	215	PEG	O2-C3-C4-O4
8	B	222	1PE	OH5-C14-C24-OH4
7	B	224	P6G	C15-C14-O13-C12
5	B	219	PEG	O1-C1-C2-O2
7	B	224	P6G	O4-C5-C6-O7
6	B	223	PG0	O1-C3-C4-O2
7	A	221	P6G	O7-C8-C9-O10
2	A	201	BNG	O1-C1'-C2'-C3'
8	B	222	1PE	OH6-C15-C25-OH5
5	B	220	PEG	O2-C3-C4-O4
2	B	202	BNG	C3'-C4'-C5'-C6'
7	A	220[A]	P6G	O4-C5-C6-O7
7	B	226	P6G	C9-C8-O7-C6
4	B	209	PG4	O1-C1-C2-O2
7	A	220[B]	P6G	O16-C17-C18-O19
5	B	218	PEG	O2-C3-C4-O4
7	A	221	P6G	O16-C17-C18-O19
4	A	209	PG4	O4-C7-C8-O5
4	B	207	PG4	O4-C7-C8-O5
7	A	219	P6G	O1-C2-C3-O4
4	A	208	PG4	O4-C7-C8-O5
5	A	213	PEG	O1-C1-C2-O2
7	A	220[A]	P6G	O16-C17-C18-O19
4	A	211	PG4	O4-C7-C8-O5
2	A	201	BNG	C3'-C4'-C5'-C6'
8	B	222	1PE	OH4-C13-C23-OH3
2	B	202	BNG	O5-C1-O1-C1'
2	A	201	BNG	O5-C5-C6-O6
7	A	218	P6G	O4-C5-C6-O7
7	A	218	P6G	O7-C8-C9-O10
7	A	220[B]	P6G	C12-C11-O10-C9
7	A	219	P6G	O16-C17-C18-O19
7	B	226	P6G	O16-C17-C18-O19
4	A	206	PG4	C6-C5-O3-C4
4	A	205	PG4	C6-C5-O3-C4
4	A	204	PG4	O2-C3-C4-O3
5	A	216	PEG	C1-C2-O2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	219	P6G	O13-C14-C15-O16
5	B	221	PEG	O2-C3-C4-O4
7	A	221	P6G	O13-C14-C15-O16
2	B	203	BNG	C6'-C7'-C8'-C9'
2	A	201	BNG	C4'-C5'-C6'-C7'
8	B	222	1PE	C14-C24-OH4-C13
4	B	208	PG4	O1-C1-C2-O2
5	B	217	PEG	O1-C1-C2-O2
7	A	220[A]	P6G	O13-C14-C15-O16
2	A	202	BNG	C4-C5-C6-O6
2	B	203	BNG	C1'-C2'-C3'-C4'
2	B	202	BNG	C4'-C5'-C6'-C7'
4	A	206	PG4	O4-C7-C8-O5
5	B	219	PEG	O2-C3-C4-O4
5	B	211	PEG	C4-C3-O2-C2
4	A	209	PG4	C8-C7-O4-C6
7	A	219	P6G	C2-C3-O4-C5
8	B	222	1PE	C25-C15-OH6-C26
4	A	210	PG4	C3-C4-O3-C5
2	A	202	BNG	O5-C5-C6-O6
7	B	225	P6G	C8-C9-O10-C11
4	B	209	PG4	C6-C5-O3-C4
7	A	219	P6G	C6-C5-O4-C3
7	A	218	P6G	C12-C11-O10-C9
4	A	209	PG4	C6-C5-O3-C4
7	B	225	P6G	C6-C5-O4-C3
7	A	221	P6G	C14-C15-O16-C17
4	B	208	PG4	C4-C3-O2-C2
4	B	208	PG4	C3-C4-O3-C5
7	B	225	P6G	C5-C6-O7-C8
7	A	218	P6G	C11-C12-O13-C14
4	A	206	PG4	C8-C7-O4-C6
5	A	216	PEG	C4-C3-O2-C2
7	A	220[A]	P6G	C14-C15-O16-C17
5	A	213	PEG	C1-C2-O2-C3
5	A	214	PEG	O1-C1-C2-O2
7	B	224	P6G	C8-C9-O10-C11
4	A	209	PG4	C1-C2-O2-C3
7	A	220[A]	P6G	C9-C8-O7-C6
2	A	202	BNG	C4'-C5'-C6'-C7'
6	A	217	PG0	C4-C3-O1-C2
4	A	209	PG4	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	202	BNG	C1'-C2'-C3'-C4'
7	B	226	P6G	C12-C11-O10-C9
4	A	204	PG4	C8-C7-O4-C6
5	B	218	PEG	C4-C3-O2-C2
4	A	208	PG4	C6-C5-O3-C4
4	A	204	PG4	O3-C5-C6-O4
7	B	225	P6G	C15-C14-O13-C12
4	A	204	PG4	C4-C3-O2-C2
7	A	218	P6G	C8-C9-O10-C11
4	A	207	PG4	O1-C1-C2-O2
5	A	213	PEG	O2-C3-C4-O4
7	B	224	P6G	C14-C15-O16-C17
7	B	225	P6G	C11-C12-O13-C14
5	B	216	PEG	C1-C2-O2-C3
2	B	204	BNG	C3'-C4'-C5'-C6'
7	A	220[B]	P6G	O7-C8-C9-O10
3	A	203	26G	C2-C01-C7A-C5A
3	A	203	26G	C4-C01-C7A-C5A
8	B	222	1PE	C23-C13-OH4-C24
7	A	220[B]	P6G	C6-C5-O4-C3
7	A	218	P6G	C5-C6-O7-C8
2	A	201	BNG	C2'-C3'-C4'-C5'
4	A	211	PG4	C5-C6-O4-C7
3	B	206	26G	C2-C01-C7A-C5A
2	A	202	BNG	C5'-C6'-C7'-C8'
2	B	204	BNG	C2'-C3'-C4'-C5'
4	A	211	PG4	C4-C3-O2-C2
4	A	211	PG4	C8-C7-O4-C6
4	B	208	PG4	O3-C5-C6-O4
4	A	210	PG4	C8-C7-O4-C6
8	B	222	1PE	C16-C26-OH6-C15
7	A	221	P6G	O10-C11-C12-O13
3	B	206	26G	C4-C01-C7A-C5A
4	A	207	PG4	O2-C3-C4-O3
5	B	210	PEG	C4-C3-O2-C2
4	A	207	PG4	O4-C7-C8-O5
7	B	225	P6G	O16-C17-C18-O19
7	B	226	P6G	C6-C5-O4-C3
7	A	219	P6G	C15-C14-O13-C12
5	B	220	PEG	C4-C3-O2-C2
7	A	220[B]	P6G	O13-C14-C15-O16
7	A	221	P6G	C6-C5-O4-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	207	PG4	C8-C7-O4-C6
7	A	219	P6G	C12-C11-O10-C9
7	A	220[A]	P6G	C15-C14-O13-C12
7	A	220[A]	P6G	C11-C12-O13-C14
7	A	218	P6G	O1-C2-C3-O4
7	A	219	P6G	C11-C12-O13-C14
4	B	207	PG4	C3-C4-O3-C5
7	B	226	P6G	O7-C8-C9-O10
2	A	202	BNG	C3'-C4'-C5'-C6'
2	A	201	BNG	C5'-C6'-C7'-C8'
5	A	214	PEG	C1-C2-O2-C3
7	A	219	P6G	O7-C8-C9-O10
5	B	213	PEG	C1-C2-O2-C3
7	A	219	P6G	O10-C11-C12-O13
5	B	221	PEG	O1-C1-C2-O2
4	A	206	PG4	O2-C3-C4-O3
5	B	221	PEG	C1-C2-O2-C3
4	A	210	PG4	O2-C3-C4-O3
7	B	226	P6G	O10-C11-C12-O13
7	B	225	P6G	C2-C3-O4-C5
5	B	211	PEG	O1-C1-C2-O2
4	A	210	PG4	O3-C5-C6-O4
4	A	207	PG4	O3-C5-C6-O4
7	B	224	P6G	O10-C11-C12-O13
7	B	225	P6G	O13-C14-C15-O16
4	B	207	PG4	O3-C5-C6-O4
7	A	220[B]	P6G	C11-C12-O13-C14
8	B	222	1PE	C15-C25-OH5-C14
6	A	217	PG0	O1-C3-C4-O2
5	B	216	PEG	O2-C3-C4-O4

There are no ring outliers.

38 monomers are involved in 87 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	216	PEG	3	0
2	B	201	BNG	5	0
3	B	206	26G	1	0
2	A	201	BNG	1	0
2	A	202	BNG	4	0
5	B	220	PEG	2	0
5	B	212	PEG	2	0


Continued on next page...



Continued from previous page...




Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	221	PEG	2	0
4	B	209	PG4	10	0
7	A	220[B]	P6G	1	0
2	B	202	BNG	3	0
4	A	205	PG4	2	0
7	A	218	P6G	3	0
5	B	218	PEG	1	0
5	B	214	PEG	2	0
4	A	206	PG4	2	0
6	A	217	PG0	3	0
7	A	221	P6G	1	0
4	A	209	PG4	3	0
4	A	204	PG4	2	0
5	A	214	PEG	1	0
4	B	207	PG4	1	0
7	A	219	P6G	1	0
8	B	222	1PE	3	0
5	A	216	PEG	2	0
4	A	210	PG4	4	0
4	A	208	PG4	2	0
5	A	213	PEG	6	0
2	B	203	BNG	1	0
5	B	213	PEG	2	0
7	B	226	P6G	3	0
5	B	219	PEG	2	0
7	B	224	P6G	2	0
7	A	220[A]	P6G	3	0
4	A	211	PG4	7	0
5	B	210	PEG	3	0
5	B	217	PEG	4	0
7	B	225	P6G	2	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	176/182 (96%)	-0.44	0 100 100	13, 29, 51, 71	0
1	B	177/182 (97%)	-0.42	0 100 100	15, 29, 54, 73	1 (0%)
All	All	353/364 (96%)	-0.43	0 100 100	13, 29, 52, 73	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PG0	B	223	8/8	0.57	0.30	68,76,77,82	0
5	PEG	B	212	7/7	0.65	0.40	69,71,75,75	0
5	PEG	B	219	7/7	0.69	0.29	63,71,78,78	0
2	BNG	B	203	21/21	0.70	0.23	45,59,78,82	0
4	PG4	B	208	13/13	0.71	0.28	45,75,85,85	0
4	PG4	B	207	13/13	0.73	0.24	52,61,69,73	13
4	PG4	A	206	13/13	0.73	0.31	47,73,82,87	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	PEG	B	220	7/7	0.74	0.17	59,66,74,74	0
4	PG4	A	207	13/13	0.74	0.22	52,68,74,75	0
5	PEG	A	216	7/7	0.75	0.10	59,68,74,74	0
5	PEG	A	214	7/7	0.75	0.57	77,80,83,85	0
5	PEG	B	215	7/7	0.78	0.20	55,62,78,79	0
5	PEG	B	214	7/7	0.80	0.33	67,72,73,75	0
4	PG4	A	205	13/13	0.80	0.24	36,54,74,77	0
5	PEG	B	218	7/7	0.80	0.27	75,78,86,90	0
4	PG4	A	210	13/13	0.81	0.31	44,58,83,85	0
7	P6G	B	226	19/19	0.81	0.33	69,79,92,94	0
6	PG0	A	217	8/8	0.81	0.16	26,46,54,55	0
5	PEG	B	211	7/7	0.82	0.14	49,54,75,78	0
4	PG4	B	209	13/13	0.82	0.28	46,60,68,69	0
4	PG4	A	204	13/13	0.83	0.31	64,71,78,80	0
4	PG4	A	209	13/13	0.83	0.10	48,71,82,85	0
2	BNG	A	202	21/21	0.84	0.17	34,50,88,94	0
7	P6G	A	219	19/19	0.86	0.28	51,63,74,79	0
4	PG4	A	208	13/13	0.86	0.13	45,84,90,91	0
5	PEG	B	216	7/7	0.86	0.12	43,67,82,84	0
2	BNG	A	201	21/21	0.87	0.20	55,70,79,81	21
4	PG4	A	211	13/13	0.87	0.24	55,64,75,75	0
7	P6G	B	224	19/19	0.88	0.38	49,69,79,82	0
5	PEG	B	221	7/7	0.89	0.27	64,67,71,73	0
5	PEG	A	215	7/7	0.90	0.55	46,51,60,61	7
5	PEG	B	217	7/7	0.90	0.26	66,71,74,75	0
7	P6G	A	220[B]	19/19	0.91	0.33	41,55,60,60	19
7	P6G	A	220[A]	19/19	0.91	0.33	35,54,60,60	19
8	1PE	B	222	16/16	0.92	0.14	33,81,86,86	0
7	P6G	A	218	19/19	0.92	0.16	55,64,70,71	0
5	PEG	A	213	7/7	0.92	0.20	33,43,48,51	0
5	PEG	B	213	7/7	0.92	0.17	37,54,63,65	0
5	PEG	A	212	7/7	0.93	0.14	37,46,60,72	0
7	P6G	B	225	19/19	0.93	0.16	34,47,78,79	0
2	BNG	B	202	21/21	0.93	0.13	28,52,63,63	0
2	BNG	B	205	21/21	0.94	0.13	35,46,67,70	0
5	PEG	B	210	7/7	0.94	0.15	54,56,58,60	0
2	BNG	B	204	21/21	0.94	0.14	27,48,63,75	0
7	P6G	A	221	19/19	0.94	0.14	29,48,72,73	0
2	BNG	B	201	21/21	0.95	0.13	18,31,42,51	0
3	26G	A	203	18/18	0.97	0.10	15,21,38,45	0
3	26G	B	206	18/18	0.98	0.09	14,21,39,45	0



The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around P6G B 226:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG A 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G A 219:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG A 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G B 224:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around P6G A 220 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around P6G A 220 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around P6G A 218:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around P6G B 225:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG B 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BNG B 205:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BNG B 204:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G A 221:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BNG B 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.