



Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2020 – 09:15 pm BST

PDB ID : 4MF9
Title : Crystal structure of holo-PhuS, a heme-binding protein from *Pseudomonas aeruginosa*
Authors : Lee, M.J.Y.; Jia, Z.; Montreal-Kingston Bacterial Structural Genomics Initiative (BSGI)
Deposited on : 2013-08-27
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	<div> <div>9%</div> <div>75%</div> <div>19%</div> <div>• •</div> </div>
1	B	360	<div> <div>6%</div> <div>71%</div> <div>19%</div> <div>• • 5%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5935 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemin degrading factor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	346	Total	C	N	O	S	0	0	0
			2706	1713	495	492	6			
1	B	341	Total	C	N	O	S	0	0	0
			2669	1691	488	484	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	EXPRESSION TAG	UNP O68880
A	-4	HIS	-	EXPRESSION TAG	UNP O68880
A	-3	HIS	-	EXPRESSION TAG	UNP O68880
A	-2	HIS	-	EXPRESSION TAG	UNP O68880
A	-1	HIS	-	EXPRESSION TAG	UNP O68880
A	0	HIS	-	EXPRESSION TAG	UNP O68880
B	-5	HIS	-	EXPRESSION TAG	UNP O68880
B	-4	HIS	-	EXPRESSION TAG	UNP O68880
B	-3	HIS	-	EXPRESSION TAG	UNP O68880
B	-2	HIS	-	EXPRESSION TAG	UNP O68880
B	-1	HIS	-	EXPRESSION TAG	UNP O68880
B	0	HIS	-	EXPRESSION TAG	UNP O68880

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	215	Total	O	0	0
			215	215		
3	B	259	Total	O	0	0
			259	259		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hemin degrading factor



- Molecule 1: Hemin degrading factor



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	187.00 Å 187.00 Å 42.60 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.71 – 1.95 19.71 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (19.71-1.95) 99.8 (19.71-1.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 1.94 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.198 , 0.234 0.201 , 0.227	Depositor DCC
R_{free} test set	2714 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	27.6	Xtriage
Anisotropy	0.972	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.026 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5935	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	3/2770 (0.1%)	0.86	5/3768 (0.1%)
1	B	1.21	8/2731 (0.3%)	0.96	12/3714 (0.3%)
All	All	1.12	11/5501 (0.2%)	0.91	17/7482 (0.2%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	85	GLU	CD-OE2	-7.01	1.18	1.25
1	B	235	GLU	CD-OE2	-6.41	1.18	1.25
1	A	85	GLU	CD-OE1	-6.11	1.19	1.25
1	B	232	GLU	CD-OE1	-6.04	1.19	1.25
1	B	85	GLU	CD-OE2	-5.95	1.19	1.25
1	B	206	LYS	C-O	-5.75	1.12	1.23
1	B	350	SER	CB-OG	-5.63	1.34	1.42
1	A	235	GLU	CD-OE2	-5.61	1.19	1.25
1	B	309	SER	CB-OG	-5.34	1.35	1.42
1	B	345	ARG	C-O	-5.03	1.13	1.23
1	B	352	LYS	C-O	-5.00	1.13	1.23

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	222	ARG	NE-CZ-NH1	9.22	124.91	120.30
1	A	222	ARG	NE-CZ-NH1	9.16	124.88	120.30
1	B	345	ARG	NE-CZ-NH1	8.70	124.65	120.30
1	B	112	ARG	NE-CZ-NH2	-8.36	116.12	120.30
1	B	222	ARG	NE-CZ-NH2	-8.21	116.19	120.30
1	B	112	ARG	NE-CZ-NH1	8.20	124.40	120.30
1	B	21	LEU	CB-CG-CD1	8.10	124.77	111.00
1	B	199	ARG	CG-CD-NE	-7.39	96.29	111.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	ARG	NE-CZ-NH2	-7.30	116.65	120.30
1	A	55	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	A	168	ARG	NE-CZ-NH2	-6.85	116.88	120.30
1	B	199	ARG	NE-CZ-NH2	-6.43	117.09	120.30
1	B	345	ARG	NE-CZ-NH2	-6.36	117.12	120.30
1	B	21	LEU	CA-CB-CG	6.29	129.78	115.30
1	A	55	ARG	NE-CZ-NH2	-6.13	117.23	120.30
1	B	254	LEU	CA-CB-CG	5.13	127.09	115.30
1	B	29	ARG	NE-CZ-NH2	-5.01	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2706	0	2667	59	0
1	B	2669	0	2638	76	0
2	A	43	0	30	7	0
2	B	43	0	30	5	0
3	A	215	0	0	22	0
3	B	259	0	0	20	1
All	All	5935	0	5365	139	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:26:PRO:HB2	1:B:27:GLN:NE2	1.56	1.20
1:A:101:MET:CE	3:A:629:HOH:O	1.95	1.12
1:A:101:MET:HE2	3:A:629:HOH:O	1.51	1.10
2:A:400:HEM:HHD	2:A:400:HEM:HBC2	1.35	1.04
1:B:21:LEU:HD22	1:B:44:LEU:HD11	1.46	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:ASP:OD2	3:A:656:HOH:O	1.83	0.96
1:B:257:MET:SD	3:B:713:HOH:O	2.23	0.96
1:B:22:ARG:HH11	1:B:22:ARG:HG2	1.32	0.94
1:B:207:ASP:OD1	1:B:209:HIS:HB2	1.71	0.91
1:A:199:ARG:NH2	1:A:232:GLU:OE2	2.05	0.90
1:A:130:ARG:NH2	1:B:346:GLU:OE2	2.07	0.88
1:B:180:GLU:HG3	1:B:181:PRO:HD2	1.53	0.88
1:A:280:ASP:OD2	3:A:603:HOH:O	1.94	0.85
1:A:182:ARG:HD2	1:A:183:ALA:H	1.41	0.84
1:A:130:ARG:NE	3:A:651:HOH:O	2.12	0.83
1:A:251:GLU:OE1	1:B:129:ALA:O	1.96	0.83
1:B:207:ASP:HB3	1:B:210:HIS:ND1	1.94	0.81
1:B:80:GLU:OE2	3:B:741:HOH:O	1.96	0.81
1:B:26:PRO:HB2	1:B:27:GLN:HE21	1.44	0.81
1:B:18:TRP:NE1	1:B:22:ARG:HD2	1.95	0.81
1:B:128:THR:O	1:B:130:ARG:HA	1.80	0.80
1:A:212:HIS:HB2	3:A:698:HOH:O	1.83	0.78
1:A:112:ARG:NH2	3:A:689:HOH:O	2.15	0.77
1:B:22:ARG:NH2	3:B:742:HOH:O	1.97	0.74
1:B:207:ASP:HB3	1:B:210:HIS:CE1	2.23	0.73
1:A:182:ARG:CD	1:A:183:ALA:H	2.02	0.73
2:B:400:HEM:HHC	2:B:400:HEM:HBB2	1.71	0.71
1:B:199:ARG:NH2	1:B:232:GLU:OE1	2.21	0.70
1:B:22:ARG:NH1	1:B:22:ARG:HG2	1.98	0.70
1:B:26:PRO:HB2	1:B:27:GLN:HE22	1.54	0.70
1:B:27:GLN:H	1:B:27:GLN:NE2	1.89	0.70
1:B:165:GLU:OE2	3:B:698:HOH:O	2.10	0.69
1:B:251:GLU:OE2	3:B:645:HOH:O	2.11	0.69
1:A:173:ASP:N	3:A:683:HOH:O	2.16	0.69
1:B:210:HIS:HA	3:B:647:HOH:O	1.93	0.68
1:A:38:GLN:O	1:A:38:GLN:HG3	1.94	0.68
1:B:127:GLU:O	1:B:131:GLY:O	2.11	0.67
1:A:87:LYS:HE3	3:A:659:HOH:O	1.93	0.66
1:A:80:GLU:OE1	3:A:593:HOH:O	2.14	0.66
1:B:321:ASP:HB2	1:B:322:PRO:HD2	1.77	0.66
1:A:91:ARG:HD2	1:A:92:GLU:OE2	1.99	0.63
1:B:19:GLN:NE2	3:B:691:HOH:O	2.32	0.63
1:B:18:TRP:CE2	1:B:22:ARG:HD2	2.35	0.62
1:B:26:PRO:CB	1:B:27:GLN:NE2	2.50	0.62
1:B:166:ARG:HG2	1:B:167:LEU:HD22	1.82	0.62
1:A:342:ASP:OD2	3:A:641:HOH:O	2.16	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:GLN:NE2	3:B:601:HOH:O	2.33	0.61
1:A:251:GLU:OE1	1:B:129:ALA:C	2.38	0.61
1:B:80:GLU:CD	3:B:741:HOH:O	2.36	0.61
3:A:524:HOH:O	1:B:277:LYS:HD3	2.01	0.60
1:B:19:GLN:NE2	3:B:722:HOH:O	2.34	0.60
1:A:307:LYS:HE3	2:A:400:HEM:O1D	2.02	0.60
1:B:26:PRO:HD2	1:B:28:LEU:H	1.65	0.60
1:B:130:ARG:CG	1:B:130:ARG:HH11	2.15	0.59
1:A:250:ALA:HB2	1:A:276:LEU:HD21	1.84	0.59
1:A:335:LYS:HB2	1:A:338:GLU:HG3	1.85	0.58
1:B:340:GLU:OE2	1:B:345:ARG:HD3	2.04	0.58
1:B:21:LEU:HD22	1:B:44:LEU:CD1	2.27	0.57
1:B:321:ASP:HB2	1:B:322:PRO:CD	2.35	0.57
2:A:400:HEM:CHD	2:A:400:HEM:HBC2	2.08	0.57
1:A:214:LEU:HD12	1:A:218:HIS:CE1	2.40	0.57
1:B:129:ALA:HA	1:B:130:ARG:HG3	1.88	0.56
1:A:157:VAL:HG23	3:A:688:HOH:O	2.06	0.56
1:A:214:LEU:HD12	1:A:218:HIS:HE1	1.70	0.55
1:A:10:SER:HB2	1:A:11:PRO:HD2	1.87	0.55
1:A:9:HIS:HA	1:A:13:GLU:OE1	2.06	0.55
1:A:101:MET:HE1	3:A:629:HOH:O	1.80	0.55
1:B:254:LEU:HD12	1:B:255:PRO:HD2	1.88	0.55
1:B:27:GLN:H	1:B:27:GLN:CD	2.09	0.54
2:A:400:HEM:CMA	2:A:400:HEM:HBA2	2.38	0.54
1:A:130:ARG:CD	3:A:651:HOH:O	2.50	0.54
1:B:14:LEU:HB3	3:B:652:HOH:O	2.07	0.54
1:A:250:ALA:HB2	1:A:276:LEU:CD2	2.37	0.53
1:B:55:ARG:HG3	1:B:122:PHE:CE2	2.43	0.53
1:A:207:ASP:OD1	1:A:209:HIS:HB2	2.09	0.53
1:B:280:ASP:OD2	3:B:724:HOH:O	2.19	0.53
1:B:31:ARG:NH1	3:B:741:HOH:O	2.32	0.52
1:A:21:LEU:HD13	1:A:28:LEU:HD23	1.92	0.51
1:B:130:ARG:HG2	1:B:130:ARG:NH1	2.25	0.51
1:A:156:ASP:OD1	1:A:158:ARG:CD	2.58	0.51
1:B:112:ARG:HG2	2:B:400:HEM:C3C	2.46	0.51
1:A:93:VAL:HG22	1:A:104:VAL:HG22	1.91	0.51
2:B:400:HEM:HBA1	2:B:400:HEM:HHA	1.92	0.51
1:B:18:TRP:NE1	1:B:22:ARG:CD	2.73	0.51
1:A:55:ARG:HD2	3:A:553:HOH:O	2.10	0.50
1:B:180:GLU:CG	1:B:181:PRO:HD2	2.33	0.50
1:A:247:GLU:O	1:A:251:GLU:HG3	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:91:ARG:HB2	1:B:92:GLU:HA	1.96	0.48
1:B:130:ARG:CG	1:B:130:ARG:NH1	2.73	0.47
1:A:27:GLN:NE2	3:A:701:HOH:O	2.35	0.47
1:B:282:TRP:CE2	1:B:295:LYS:HE3	2.49	0.47
1:A:335:LYS:HB2	1:A:338:GLU:CG	2.45	0.47
1:B:195:ALA:O	1:B:199:ARG:HG3	2.13	0.47
1:B:244:LYS:NZ	3:B:730:HOH:O	2.38	0.47
1:A:180:GLU:OE2	1:A:181:PRO:HD2	2.14	0.47
1:A:186:ALA:O	3:A:663:HOH:O	2.20	0.46
1:A:282:TRP:CE2	1:A:295:LYS:HE3	2.50	0.46
1:B:21:LEU:CD2	1:B:44:LEU:HD11	2.32	0.46
1:A:91:ARG:HB2	1:A:92:GLU:HA	1.98	0.45
1:B:165:GLU:O	1:B:168:ARG:HG2	2.16	0.45
1:A:321:ASP:HB2	1:A:322:PRO:HD2	1.98	0.45
1:B:118:TRP:CE3	1:B:138:VAL:HG11	2.52	0.45
1:B:281:ASP:HB2	3:B:555:HOH:O	2.16	0.45
1:B:209:HIS:O	3:B:647:HOH:O	2.21	0.45
1:A:307:LYS:CE	2:A:400:HEM:O1D	2.64	0.45
1:A:254:LEU:HD21	1:A:344:TRP:HA	2.00	0.44
1:B:22:ARG:NH2	3:B:542:HOH:O	2.51	0.44
1:A:156:ASP:OD1	1:A:158:ARG:HD3	2.19	0.43
1:B:57:ARG:HG3	1:B:167:LEU:O	2.19	0.43
1:A:10:SER:H	1:A:13:GLU:CD	2.21	0.43
2:A:400:HEM:CHD	2:A:400:HEM:CBC	2.85	0.43
1:A:34:ALA:HB2	1:A:44:LEU:HD12	2.01	0.43
1:A:163:LEU:HD23	1:A:163:LEU:C	2.38	0.43
1:B:316:SER:HB3	1:B:331:PHE:CE1	2.53	0.43
1:A:26:PRO:HB3	3:B:730:HOH:O	2.17	0.43
1:A:274:CYS:SG	3:A:532:HOH:O	2.18	0.43
1:A:16:ARG:O	1:A:16:ARG:HD2	2.19	0.42
2:B:400:HEM:HBA1	2:B:400:HEM:CHA	2.48	0.42
2:A:400:HEM:HMA1	2:A:400:HEM:HBA2	2.01	0.42
1:B:276:LEU:HG	1:B:283:PHE:CZ	2.54	0.42
1:A:329:GLN:C	1:A:330:LEU:HD12	2.40	0.42
1:A:128:THR:HB	3:B:645:HOH:O	2.19	0.42
1:A:295:LYS:HA	1:A:295:LYS:HD3	1.75	0.42
1:A:281:ASP:HB2	3:A:623:HOH:O	2.18	0.41
1:B:170:ALA:HB3	3:B:672:HOH:O	2.18	0.41
1:B:334:ARG:NH1	1:B:338:GLU:O	2.51	0.41
1:B:93:VAL:HG22	1:B:104:VAL:HG22	2.02	0.41
1:B:166:ARG:HH11	1:B:166:ARG:HD2	1.70	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:251:GLU:OE1	1:B:130:ARG:N	2.54	0.41
1:B:175:VAL:O	1:B:176:LEU:HB3	2.21	0.41
1:B:163:LEU:HD12	1:B:167:LEU:HD23	2.03	0.41
1:A:281:ASP:OD2	3:A:626:HOH:O	2.22	0.40
1:B:210:HIS:ND1	1:B:210:HIS:N	2.68	0.40
1:B:257:MET:HE2	1:B:257:MET:HB2	1.69	0.40
1:B:73:ILE:C	1:B:73:ILE:HD12	2.41	0.40
1:B:18:TRP:O	1:B:22:ARG:HD3	2.21	0.40
1:B:331:PHE:CE1	2:B:400:HEM:HBA2	2.56	0.40
1:A:210:HIS:HB3	3:A:620:HOH:O	2.20	0.40
1:B:254:LEU:HD12	1:B:255:PRO:CD	2.52	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:517:HOH:O	3:B:625:HOH:O[6_445]	2.01	0.19

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	344/360 (96%)	330 (96%)	14 (4%)	0	100	100
1	B	339/360 (94%)	326 (96%)	11 (3%)	2 (1%)	25	14
All	All	683/720 (95%)	656 (96%)	25 (4%)	2 (0%)	41	30

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	26	PRO
1	B	176	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/285 (95%)	249 (92%)	22 (8%)	11	3
1	B	267/285 (94%)	244 (91%)	23 (9%)	10	3
All	All	538/570 (94%)	493 (92%)	45 (8%)	11	3

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LEU
1	A	29	ARG
1	A	31	ARG
1	A	44	LEU
1	A	103	LEU
1	A	130	ARG
1	A	132	THR
1	A	141	GLN
1	A	158	ARG
1	A	171	GLU
1	A	173	ASP
1	A	182	ARG
1	A	198	LEU
1	A	206	LYS
1	A	216	LYS
1	A	252	SER
1	A	276	LEU
1	A	279	LEU
1	A	295	LYS
1	A	334	ARG
1	A	335	LYS
1	A	341	ARG
1	B	14	LEU
1	B	18	TRP
1	B	20	ASP
1	B	22	ARG
1	B	24	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	25	ARG
1	B	27	GLN
1	B	28	LEU
1	B	31	ARG
1	B	55	ARG
1	B	63	LEU
1	B	83	VAL
1	B	100	GLN
1	B	112	ARG
1	B	130	ARG
1	B	205	LEU
1	B	212	HIS
1	B	217	LYS
1	B	236	ARG
1	B	276	LEU
1	B	291	ASN
1	B	310	THR
1	B	345	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	27	GLN
1	B	179	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEM	A	400	1,3	27,50,50	1.48	4 (14%)	17,82,82	1.95	5 (29%)
2	HEM	B	400	1,3	27,50,50	1.55	5 (18%)	17,82,82	1.60	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	400	1,3	-	2/6/54/54	-
2	HEM	B	400	1,3	-	0/6/54/54	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	HEM	C3B-C2B	-4.25	1.34	1.40
2	B	400	HEM	CAA-C2A	-3.90	1.46	1.52
2	B	400	HEM	C3B-C2B	-3.62	1.35	1.40
2	A	400	HEM	C3C-C2C	-2.73	1.36	1.40
2	B	400	HEM	CAD-C3D	-2.45	1.47	1.52
2	B	400	HEM	C3C-C2C	-2.42	1.37	1.40
2	A	400	HEM	C2A-C3A	-2.04	1.31	1.37
2	A	400	HEM	C4D-C3D	2.02	1.47	1.42
2	B	400	HEM	C1A-CHA	-2.01	1.35	1.41

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	HEM	CAD-CBD-CGD	4.21	119.73	112.67
2	B	400	HEM	CBD-CAD-C3D	-3.56	105.92	112.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	HEM	C3C-C4C-NC	-3.40	104.53	110.94
2	A	400	HEM	CAA-CBA-CGA	-3.21	107.28	112.67
2	B	400	HEM	CAA-CBA-CGA	-3.06	107.53	112.67
2	A	400	HEM	C4C-C3C-C2C	2.56	108.69	106.90
2	A	400	HEM	CBA-CAA-C2A	2.43	116.97	112.49

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	400	HEM	C1A-C2A-CAA-CBA
2	A	400	HEM	C3A-C2A-CAA-CBA


There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	HEM	7	0
2	B	400	HEM	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	346/360 (96%)	0.57	33 (9%) 8 13	8, 20, 41, 71	0
1	B	341/360 (94%)	0.45	23 (6%) 17 26	6, 18, 36, 45	0
All	All	687/720 (95%)	0.51	56 (8%) 11 18	6, 19, 38, 71	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	175	VAL	7.6
1	B	183	ALA	6.7
1	A	183	ALA	6.5
1	A	9	HIS	6.1
1	A	184	PRO	5.5
1	B	15	TYR	5.4
1	A	182	ARG	5.3
1	B	130	ARG	4.8
1	B	170	ALA	4.8
1	A	180	GLU	4.6
1	A	185	ALA	4.4
1	B	175	VAL	4.1
1	A	10	SER	4.0
1	B	131	GLY	3.9
1	A	128	THR	3.8
1	A	130	ARG	3.7
1	A	174	ALA	3.7
1	A	186	ALA	3.6
1	A	179	HIS	3.5
1	A	178	LEU	3.5
1	A	181	PRO	3.3
1	B	97	ALA	3.3
1	A	177	ALA	3.2
1	A	187	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	24	GLU	3.1
1	A	129	ALA	3.0
1	A	322	PRO	3.0
1	B	179	HIS	2.9
1	A	158	ARG	2.7
1	B	157	VAL	2.6
1	B	128	THR	2.6
1	A	171	GLU	2.6
1	A	316	SER	2.6
1	A	97	ALA	2.5
1	B	18	TRP	2.5
1	B	127	GLU	2.5
1	A	331	PHE	2.5
1	B	20	ASP	2.5
1	B	186	ALA	2.5
1	B	25	ARG	2.5
1	A	153	GLU	2.4
1	B	180	GLU	2.4
1	B	129	ALA	2.4
1	B	177	ALA	2.4
1	B	258	VAL	2.3
1	A	131	GLY	2.3
1	B	176	LEU	2.3
1	B	182	ARG	2.3
1	B	322	PRO	2.2
1	A	305	VAL	2.2
1	A	73	ILE	2.2
1	A	189	VAL	2.2
1	A	336	PRO	2.2
1	B	132	THR	2.1
1	A	342	ASP	2.1
1	A	335	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	HEM	B	400	43/43	0.90	0.17	18,28,32,34	0
2	HEM	A	400	43/43	0.92	0.16	24,30,34,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around HEM A 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.