



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 09:43 pm BST

PDB ID : 1MNJ  
Title : INTERACTIONS AMONG RESIDUES CD3, E7, E10 AND E11 IN MYOGLOBINS: ATTEMPTS TO SIMULATE THE O<sub>2</sub> AND CO BINDING PROPERTIES OF APLYSIA MYOGLOBIN  
Authors : Krzywda, S.; Wilkinson, A.J.  
Deposited on : 1995-01-11  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	<div> <div>2%</div> <div>59%</div> <div>27%</div> <div>12%</div> <div>.</div> </div>
1	B	153	<div> <div>58%</div> <div>31%</div> <div>10%</div> <div>.</div> </div>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2638 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called MYOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	0	0
			1195	764	206	222	3			
1	B	151	Total	C	N	O	S	0	0	0
			1181	757	203	218	3			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	64	VAL	HIS	CONFLICT	UNP P02189
A	68	ILE	VAL	CONFLICT	UNP P02189
B	64	VAL	HIS	CONFLICT	UNP P02189
B	68	ILE	VAL	CONFLICT	UNP P02189

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	82	Total 82	O 82	0	0
3	B	94	Total 94	O 94	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: MYOGLOBIN



#### • Molecule 1: MYOGLOBIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	124.29Å 42.56Å 92.45Å 90.00° 92.65° 90.00°	Depositor
Resolution (Å)	10.00 – 2.20 19.81 – 2.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-2.20) 85.0 (19.81-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.72 (at 2.21Å)	Xtriage
Refinement program	PROLSQ	Depositor
R, $R_{free}$	0.162 , (Not available) 0.156 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.7	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 102.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.158 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	2638	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 100.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 0.0000e+00. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.04	0/1219	2.38	58/1633 (3.6%)
1	B	1.07	1/1205 (0.1%)	2.33	54/1616 (3.3%)
All	All	1.06	1/2424 (0.0%)	2.35	112/3249 (3.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	54	GLU	CD-OE1	-5.57	1.19	1.25

All (112) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ARG	NE-CZ-NH1	21.68	131.14	120.30
1	A	31	ARG	NE-CZ-NH2	-21.24	109.68	120.30
1	A	44	ASP	CA-CB-CG	19.85	157.07	113.40
1	B	31	ARG	NE-CZ-NH2	-18.74	110.93	120.30
1	B	63	LYS	CA-CB-CG	13.87	143.91	113.40
1	B	20	ASP	CB-CG-OD1	13.26	130.23	118.30
1	B	146	TYR	CB-CG-CD2	-12.94	113.23	121.00
1	A	109	GLU	OE1-CD-OE2	12.17	137.90	123.30
1	B	31	ARG	NE-CZ-NH1	11.32	125.96	120.30
1	B	109	GLU	OE1-CD-OE2	11.06	136.57	123.30
1	B	27	GLU	OE1-CD-OE2	10.89	136.37	123.30
1	B	126	ASP	CB-CG-OD2	-10.68	108.69	118.30
1	B	86	LEU	CB-CA-C	9.93	129.07	110.20
1	A	126	ASP	CB-CG-OD1	9.44	126.80	118.30
1	A	105	GLU	OE1-CD-OE2	9.40	134.58	123.30
1	B	146	TYR	CB-CG-CD1	9.40	126.64	121.00
1	A	59	GLU	OE1-CD-OE2	9.24	134.38	123.30
1	B	48	HIS	CA-CB-CG	9.11	129.08	113.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	85	GLU	CG-CD-OE1	8.99	136.28	118.30
1	A	139	ARG	NE-CZ-NH1	8.94	124.77	120.30
1	B	139	ARG	NE-CZ-NH2	-8.78	115.91	120.30
1	A	83	GLU	CG-CD-OE2	-8.27	101.77	118.30
1	B	132	SER	N-CA-CB	-8.19	98.21	110.50
1	B	69	LEU	O-C-N	8.05	135.57	122.70
1	B	126	ASP	CB-CG-OD1	7.71	125.24	118.30
1	B	136	GLU	CG-CD-OE2	-7.62	103.06	118.30
1	A	44	ASP	CB-CA-C	7.61	125.62	110.40
1	B	86	LEU	N-CA-CB	-7.51	95.37	110.40
1	B	20	ASP	CB-CG-OD2	-7.51	111.55	118.30
1	B	93	HIS	CA-CB-CG	-7.36	101.08	113.60
1	A	117	SER	CB-CA-C	-7.31	96.21	110.10
1	A	60	ASP	CB-CG-OD2	-7.29	111.74	118.30
1	B	27	GLU	CG-CD-OE2	-7.27	103.75	118.30
1	B	139	ARG	CD-NE-CZ	-7.23	113.48	123.60
1	B	86	LEU	CB-CG-CD2	-7.08	98.96	111.00
1	A	38	GLU	CA-CB-CG	7.01	128.81	113.40
1	A	3	SER	O-C-N	-6.94	111.60	122.70
1	A	139	ARG	NH1-CZ-NH2	-6.93	111.78	119.40
1	A	60	ASP	CB-CG-OD1	6.88	124.50	118.30
1	A	83	GLU	CG-CD-OE1	6.87	132.03	118.30
1	A	35	GLY	CA-C-O	-6.86	108.25	120.60
1	B	24	HIS	C-N-CA	6.86	136.71	122.30
1	B	83	GLU	CB-CG-CD	6.82	132.60	114.20
1	B	53	ASP	CB-CG-OD1	6.77	124.39	118.30
1	B	139	ARG	NE-CZ-NH1	6.75	123.68	120.30
1	A	49	LEU	CB-CA-C	6.73	122.98	110.20
1	A	122	ASP	CB-CG-OD2	-6.67	112.30	118.30
1	B	136	GLU	OE1-CD-OE2	6.57	131.18	123.30
1	A	125	ALA	CB-CA-C	6.47	119.80	110.10
1	A	24	HIS	O-C-N	-6.45	112.24	123.20
1	A	85	GLU	CG-CD-OE2	-6.40	105.50	118.30
1	A	6	GLU	CG-CD-OE1	6.34	130.99	118.30
1	B	117	SER	N-CA-CB	6.30	119.95	110.50
1	A	121	GLY	O-C-N	-6.20	112.79	122.70
1	B	85	GLU	CG-CD-OE2	-6.18	105.95	118.30
1	B	78	LYS	CB-CA-C	-6.15	98.10	110.40
1	A	139	ARG	NE-CZ-NH2	6.10	123.35	120.30
1	A	24	HIS	CA-C-N	6.10	128.40	116.20
1	A	40	LEU	CA-C-O	6.10	132.91	120.10
1	B	47	LYS	C-N-CA	6.09	136.94	121.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	125	ALA	CB-CA-C	6.07	119.20	110.10
1	A	139	ARG	CA-CB-CG	-6.03	100.13	113.40
1	B	89	LEU	CB-CA-C	6.00	121.59	110.20
1	A	59	GLU	CG-CD-OE2	-5.98	106.35	118.30
1	A	132	SER	CA-CB-OG	-5.97	95.08	111.20
1	B	40	LEU	CA-C-O	5.84	132.36	120.10
1	A	128	GLN	OE1-CD-NE2	5.83	135.31	121.90
1	B	3	SER	N-CA-CB	-5.79	101.81	110.50
1	A	75	ILE	CA-CB-CG1	-5.75	100.08	111.00
1	B	3	SER	O-C-N	-5.72	113.55	122.70
1	B	89	LEU	N-CA-CB	-5.71	98.97	110.40
1	A	45	LYS	CA-CB-CG	5.69	125.92	113.40
1	B	148	GLU	CA-CB-CG	5.66	125.86	113.40
1	B	131	MET	CA-C-O	5.64	131.94	120.10
1	B	34	LYS	N-CA-CB	5.63	120.74	110.60
1	A	102	LYS	N-CA-CB	5.62	120.72	110.60
1	A	59	GLU	CA-CB-CG	5.60	125.72	113.40
1	B	53	ASP	CB-CA-C	5.57	121.54	110.40
1	A	40	LEU	CB-CG-CD1	5.55	120.43	111.00
1	A	117	SER	N-CA-CB	5.52	118.78	110.50
1	A	128	GLN	CG-CD-OE1	-5.52	110.57	121.60
1	A	41	GLU	OE1-CD-OE2	5.51	129.92	123.30
1	A	24	HIS	C-N-CA	5.48	133.81	122.30
1	A	80	GLY	O-C-N	-5.48	113.93	122.70
1	A	41	GLU	CG-CD-OE2	-5.47	107.36	118.30
1	A	151	PHE	C-N-CA	5.47	135.38	121.70
1	B	103	TYR	O-C-N	5.42	131.38	122.70
1	A	30	ILE	O-C-N	-5.41	114.04	122.70
1	A	86	LEU	CB-CG-CD1	-5.41	101.80	111.00
1	B	127	ALA	CB-CA-C	5.39	118.19	110.10
1	A	43	PHE	CB-CG-CD2	-5.38	117.03	120.80
1	B	46	PHE	CA-C-O	-5.30	108.96	120.10
1	A	35	GLY	CA-C-N	5.30	128.85	117.20
1	A	49	LEU	CA-C-O	5.29	131.21	120.10
1	B	151	PHE	CA-C-O	5.29	131.20	120.10
1	B	1	GLY	O-C-N	5.28	131.15	122.70
1	B	24	HIS	CA-C-N	5.27	126.74	116.20
1	B	13	VAL	CB-CA-C	5.22	121.31	111.40
1	A	40	LEU	CB-CG-CD2	-5.21	102.15	111.00
1	A	148	GLU	CA-CB-CG	5.20	124.83	113.40
1	A	149	LEU	CB-CA-C	5.14	119.97	110.20
1	A	53	ASP	CB-CG-OD2	-5.13	113.68	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	117	SER	CB-CA-C	-5.13	100.35	110.10
1	A	122	ASP	OD1-CG-OD2	5.12	133.03	123.30
1	A	85	GLU	CG-CD-OE1	5.08	128.47	118.30
1	B	50	LYS	CA-CB-CG	5.08	124.58	113.40
1	A	87	THR	CA-CB-OG1	-5.06	98.37	109.00
1	B	13	VAL	CA-CB-CG1	5.04	118.46	110.90
1	A	103	TYR	CZ-CE2-CD2	-5.03	115.27	119.80
1	B	109	GLU	CB-CG-CD	-5.03	100.61	114.20
1	A	46	PHE	CA-C-O	-5.02	109.56	120.10
1	B	42	LYS	CD-CE-NZ	-5.01	100.17	111.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1195	0	1209	41	0
1	B	1181	0	1198	28	0
2	A	43	0	30	5	0
2	B	43	0	30	2	0
3	A	82	0	0	4	0
3	B	94	0	0	5	0
All	All	2638	0	2467	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:ASN:HB3	3:A:201:HOH:O	1.51	1.10
1:A:152:GLN:HG2	1:A:152:GLN:O	1.52	1.10
1:A:152:GLN:CG	1:A:152:GLN:O	2.25	0.84
1:B:86:LEU:C	1:B:86:LEU:HD23	2.06	0.76

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:154:HEM:HMC1	2:B:154:HEM:HBC2	1.67	0.75
1:B:147:LYS:HE3	3:B:206:HOH:O	1.86	0.74
1:A:47:LYS:NZ	1:A:47:LYS:HB3	2.02	0.73
1:A:128:GLN:HB3	3:A:211:HOH:O	1.92	0.69
1:A:95:THR:HG22	1:A:151:PHE:CE2	2.29	0.67
1:B:44:ASP:OD1	1:B:47:LYS:HE2	1.94	0.67
2:B:154:HEM:CMC	2:B:154:HEM:HBC2	2.27	0.65
1:B:44:ASP:HA	1:B:47:LYS:HE2	1.78	0.64
1:B:147:LYS:CE	3:B:206:HOH:O	2.42	0.63
1:B:95:THR:O	1:B:98:LYS:HE2	1.99	0.62
1:A:47:LYS:HZ3	1:A:47:LYS:HB3	1.63	0.62
1:A:147:LYS:HE2	1:A:153:GLY:OXT	1.99	0.62
1:B:128:GLN:HG2	3:B:231:HOH:O	1.99	0.61
1:A:34:LYS:NZ	1:A:52:GLU:OE1	2.30	0.60
1:A:95:THR:HG22	1:A:151:PHE:CZ	2.37	0.60
1:A:48:HIS:HB2	3:A:190:HOH:O	2.02	0.59
1:A:47:LYS:NZ	1:A:47:LYS:CB	2.67	0.57
1:A:144:ALA:HA	1:A:147:LYS:HE3	1.87	0.57
1:A:44:ASP:HB3	1:A:47:LYS:HE2	1.86	0.56
1:A:46:PHE:HB3	1:A:49:LEU:HD12	1.85	0.56
1:A:147:LYS:HG3	1:A:153:GLY:HA3	1.87	0.56
1:B:87:THR:OG1	1:B:145:LYS:HE3	2.05	0.56
1:A:152:GLN:NE2	3:A:202:HOH:O	2.37	0.56
1:B:96:LYS:HD2	1:B:97:HIS:CE1	2.42	0.54
1:A:40:LEU:HD12	1:A:40:LEU:O	2.09	0.53
1:A:136:GLU:HA	1:A:139:ARG:HH21	1.74	0.52
1:A:99:ILE:HD12	2:A:154:HEM:CAC	2.39	0.52
1:B:126:ASP:HB2	3:B:167:HOH:O	2.08	0.52
1:A:147:LYS:HG3	1:A:153:GLY:CA	2.39	0.52
1:B:52:GLU:O	1:B:56:LYS:HG3	2.10	0.51
1:A:59:GLU:O	1:A:63:LYS:HG3	2.11	0.51
1:B:73:GLY:O	1:B:77:LYS:HG3	2.11	0.51
1:A:86:LEU:CD2	1:A:141:ASP:HB3	2.41	0.51
1:B:51:SER:OG	1:B:54:GLU:HG3	2.11	0.50
1:A:83:GLU:HA	1:A:83:GLU:OE1	2.10	0.50
1:B:43:PHE:HB3	1:B:46:PHE:CD2	2.48	0.49
1:A:102:LYS:HD2	1:A:103:TYR:CD1	2.49	0.48
1:A:13:VAL:CG2	1:A:131:MET:CE	2.91	0.48
1:A:2:LEU:HA	1:A:6:GLU:OE1	2.13	0.48
1:A:151:PHE:O	1:A:153:GLY:N	2.45	0.47
1:B:146:TYR:CE2	1:B:151:PHE:HE2	2.33	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:HIS:NE2	2:A:154:HEM:O1A	2.39	0.47
1:A:87:THR:HB	1:A:88:PRO:HD3	1.97	0.46
1:A:86:LEU:HD12	1:A:86:LEU:HA	1.58	0.45
1:B:52:GLU:OE2	1:B:56:LYS:HE2	2.16	0.45
1:A:44:ASP:HA	1:A:47:LYS:HE2	1.98	0.45
1:B:13:VAL:HG12	1:B:131:MET:CE	2.47	0.45
1:B:45:LYS:HD3	1:B:60:ASP:OD2	2.17	0.45
1:A:13:VAL:HG22	1:A:131:MET:CE	2.47	0.45
1:B:72:LEU:HA	1:B:72:LEU:HD12	1.75	0.45
1:B:87:THR:OG1	1:B:145:LYS:CE	2.65	0.44
1:A:13:VAL:CG2	1:A:131:MET:HE3	2.48	0.44
1:B:135:LEU:O	1:B:139:ARG:HG3	2.18	0.44
1:A:139:ARG:HB2	1:A:139:ARG:HE	1.51	0.43
1:B:13:VAL:HG23	3:B:238:HOH:O	2.17	0.43
1:A:100:PRO:HB3	1:A:152:GLN:HE22	1.84	0.43
1:B:87:THR:N	1:B:88:PRO:HD2	2.35	0.42
1:B:86:LEU:CD2	1:B:145:LYS:HD3	2.50	0.41
1:A:145:LYS:O	1:A:149:LEU:HG	2.20	0.41
1:B:147:LYS:HD2	1:B:147:LYS:C	2.41	0.41
1:A:152:GLN:O	1:A:153:GLY:O	2.38	0.41
1:A:97:HIS:CE1	2:A:154:HEM:CAD	3.02	0.41
1:B:37:PRO:O	1:B:40:LEU:HB3	2.20	0.41
1:B:36:HIS:HA	1:B:37:PRO:HD2	1.77	0.41
1:B:30:ILE:HG12	1:B:55:MET:HB3	2.03	0.40
2:A:154:HEM:HMC1	2:A:154:HEM:HBC2	2.03	0.40
1:A:45:LYS:HB2	1:A:46:PHE:CE1	2.57	0.40
1:A:97:HIS:CE1	2:A:154:HEM:HAD1	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/153 (99%)	147 (97%)	3 (2%)	1 (1%)	22	22
1	B	149/153 (97%)	144 (97%)	5 (3%)	0	100	100
All	All	300/306 (98%)	291 (97%)	8 (3%)	1 (0%)	41	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	152	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/124 (100%)	114 (92%)	10 (8%)	11	12
1	B	123/124 (99%)	117 (95%)	6 (5%)	25	31
All	All	247/248 (100%)	231 (94%)	16 (6%)	17	19

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	13	VAL
1	A	42	LYS
1	A	46	PHE
1	A	47	LYS
1	A	96	LYS
1	A	102	LYS
1	A	109	GLU
1	A	132	SER
1	A	152	GLN
1	B	8	GLN
1	B	50	LYS
1	B	53	ASP
1	B	101	VAL
1	B	145	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	147	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	GLN
1	A	140	ASN
1	A	152	GLN
1	B	12	ASN
1	B	36	HIS
1	B	66	ASN
1	B	140	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	HEM	A	154	1	27,50,50	2.16	6 (22%)	17,82,82	2.82	7 (41%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	B	154	1	27,50,50	1.90	7 (25%)	17,82,82	2.99	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	154	1	-	0/6/54/54	-
2	HEM	B	154	1	-	0/6/54/54	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	154	HEM	C3B-C2B	-5.11	1.33	1.40
2	A	154	HEM	C3B-CAB	4.59	1.57	1.47
2	B	154	HEM	C3B-C2B	-4.57	1.34	1.40
2	A	154	HEM	C3C-CAC	4.26	1.56	1.47
2	A	154	HEM	C3C-C2C	-3.87	1.35	1.40
2	B	154	HEM	C3C-CAC	3.52	1.55	1.47
2	B	154	HEM	C3C-C2C	-3.50	1.35	1.40
2	A	154	HEM	CAA-C2A	3.34	1.56	1.52
2	B	154	HEM	C3B-CAB	2.89	1.53	1.47
2	A	154	HEM	C1C-C2C	2.87	1.49	1.42
2	B	154	HEM	CMD-C2D	2.67	1.57	1.51
2	B	154	HEM	C1A-NA	2.49	1.41	1.36
2	B	154	HEM	C1C-C2C	2.25	1.47	1.42

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	154	HEM	CBD-CAD-C3D	-7.82	98.07	112.48
2	B	154	HEM	CMA-C3A-C4A	-6.09	119.11	128.46
2	B	154	HEM	CBD-CAD-C3D	-5.93	101.54	112.48
2	A	154	HEM	CMA-C3A-C4A	-4.50	121.54	128.46
2	B	154	HEM	CMA-C3A-C2A	4.02	132.53	124.94
2	B	154	HEM	CMD-C2D-C1D	-3.99	122.33	128.46
2	B	154	HEM	CMD-C2D-C3D	3.44	131.43	124.94
2	A	154	HEM	CMD-C2D-C1D	-3.31	123.37	128.46
2	A	154	HEM	CMA-C3A-C2A	3.13	130.85	124.94
2	A	154	HEM	CMB-C2B-C3B	3.13	130.53	124.68
2	B	154	HEM	CAA-CBA-CGA	2.80	117.38	112.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	154	HEM	CMB-C2B-C3B	2.55	129.45	124.68
2	A	154	HEM	CMD-C2D-C3D	2.47	129.60	124.94
2	A	154	HEM	CAD-CBD-CGD	2.41	116.71	112.67
2	B	154	HEM	CMC-C2C-C3C	2.33	129.04	124.68
2	B	154	HEM	CAD-CBD-CGD	2.25	116.44	112.67

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	154	HEM	5	0
2	B	154	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	153/153 (100%)	-0.67	3 (1%) 65 63	11, 26, 57, 91	0
1	B	151/153 (98%)	-0.76	0 100 100	11, 25, 52, 70	0
All	All	304/306 (99%)	-0.71	3 (0%) 82 81	11, 26, 56, 91	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	153	GLY	5.8
1	A	152	GLN	2.8
1	A	48	HIS	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	HEM	A	154	43/43	0.97	0.09	15,19,26,27	0
2	HEM	B	154	43/43	0.97	0.08	16,18,28,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around HEM B 154:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.