



Full wwPDB NMR Structure Validation Report ⓘ

May 29, 2020 – 07:49 am BST

PDB ID : 5MPL
Title : hnRNP A1 RRM2 in complex with 5'-UCAGUU-3' RNA
Authors : Barraud, P.; Allain, F.H.-T.
Deposited on : 2016-12-16

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 75%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428
RNA backbone	4643	676

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	102	
2	B	6	

2 Ensemble composition and analysis

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:104-A:110, A:117-A:137, A:148-A:186 (67)	0.22	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

Cluster number	Models
1	2, 6, 7, 9, 10, 11, 16, 18, 19
2	1, 5, 8, 13, 15, 20
3	3, 4, 17
Single-model clusters	12; 14

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1808 atoms, of which 869 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Heterogeneous nuclear ribonucleoprotein A1.

Mol	Chain	Residues	Atoms						Trace
1	A	102	Total	C	H	N	O	S	0
			1621	506	804	152	156	3	

- Molecule 2 is a RNA chain called RNA UCAGUU.


Mol	Chain	Residues	Atoms						Trace
2	B	6	Total	C	H	N	O	P	0
			187	56	65	19	42	5	

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




Chain B:  33% 67%



4.2.2 Score per residue for model 2

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  42% 23% 34%



- Molecule 2: RNA UCAGUU


Chain B:  100%



4.2.3 Score per residue for model 3


- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  45% 21% 34%



- Molecule 2: RNA UCAGUU


Chain B:  33% 67%



4.2.4 Score per residue for model 4


- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  48% 18% 34%



- Molecule 2: RNA UCAGUU


Chain B: 17% 83%



4.2.5 Score per residue for model 5

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A: 40% 24% 34%



- Molecule 2: RNA UCAGUU


Chain B: 50% 50%



4.2.6 Score per residue for model 6

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A: 36% 29% 34%




- Molecule 2: RNA UCAGUU

Chain B: 17% 83%



4.2.7 Score per residue for model 7

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU



4.2.8 Score per residue for model 8

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU



4.2.9 Score per residue for model 9

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1



- Molecule 2: RNA UCAGUU

Chain B:  33% 67%

U1
C2
A3
G4
U5
U6

4.2.10 Score per residue for model 10

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  42% 22% 34%

S95 Q96 R97 P98 G99 A100 H101 L102 T103 V104 K105 K106 I107 G111 I112 K113 E114 D115 T116 E117 H118 H119 H120 L121 L122 R122 E126 I134 I135 I136 M137 T138 D139 R140 G141 S142 G143 K144 K145 R146 G147 F148 V151 T152 F153 V159 V163 K179 A180 L181 S182 K183 M186

A187 S188 A189 S190 S191 S192 Q193 R194 G195 R196

- Molecule 2: RNA UCAGUU

Chain B:  100%

U1
C2
A3
G4
U5
U6

4.2.11 Score per residue for model 11

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  40% 24% 34%

S95 Q96 R97 P98 G99 A100 H101 L102 T103 V104 K105 K106 I107 G111 I112 K113 E114 D115 T116 E117 H118 H119 H120 L121 L122 R122 F125 E126 K130 I134 M137 T138 D139 R140 G141 S142 G143 K144 K145 R146 G147 V151 T152 F153 D154 S158 V159 D160 K161 Q165 K166 Y167 H168

C175 E176 V177 R178 K179 A180 L181 S182 K183 M186 A187 S188 A189 S190 S191 S192 Q193 R194 G195 R196


- Molecule 2: RNA UCAGUU

Chain B:  17% 83%

U1
C2
A3
G4
U5
U6

4.2.12 Score per residue for model 12

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU




4.2.13 Score per residue for model 13

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU



4.2.14 Score per residue for model 14

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU





4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU



4.2.16 Score per residue for model 16

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UCAGUU



4.2.17 Score per residue for model 17

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1





- Molecule 2: RNA UCAGUU


Chain B: 17% 83%



4.2.18 Score per residue for model 18


- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A: 40% 24% 34%



- Molecule 2: RNA UCAGUU


Chain B: 100%



4.2.19 Score per residue for model 19

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A: 38% 26% 34%




- Molecule 2: RNA UCAGUU

Chain B: 17% 83%




4.2.20 Score per residue for model 20

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1



- Molecule 2: RNA UCAGUU



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	
CNS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1039
Number of shifts mapped to atoms	1039
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	75%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	562	548	548	18±3
2	B	122	65	65	15±4
All	All	13680	12260	12260	551

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:1:U:H4'	2:B:2:C:H5''	1.10	1.24	11	6
2:B:1:U:H4'	2:B:2:C:H5'	1.04	1.12	14	4
2:B:1:U:H3'	2:B:2:C:H5''	1.01	1.02	1	6
2:B:1:U:C3'	2:B:2:C:H5''	0.97	1.89	1	9
2:B:1:U:C4'	2:B:2:C:H5''	0.96	1.90	12	6
2:B:5:U:H5'	2:B:5:U:C6	0.91	2.01	5	2
2:B:1:U:H3'	2:B:2:C:C5'	0.89	1.95	1	3
2:B:1:U:H4'	2:B:2:C:C5'	0.89	1.97	14	9
2:B:5:U:H4'	2:B:6:U:H5'	0.88	1.40	4	1
2:B:3:A:H4'	2:B:4:G:OP1	0.88	1.68	3	4
2:B:1:U:H5''	2:B:2:C:H4'	0.83	1.49	5	3
2:B:5:U:C6	2:B:5:U:H5'	0.82	2.09	16	2
2:B:1:U:C5'	2:B:2:C:H5''	0.81	2.05	12	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:3:A:H5''	2:B:3:A:H8	0.80	1.33	3	5
2:B:3:A:H5''	2:B:3:A:C8	0.78	2.14	3	4
2:B:1:U:C4'	2:B:2:C:H5'	0.77	2.04	14	3
2:B:5:U:H3'	2:B:6:U:H5'	0.76	1.56	17	1
1:A:183:LYS:HA	1:A:186:MET:HG2	0.76	1.58	8	17
2:B:1:U:H5''	2:B:2:C:H5''	0.76	1.58	12	2
2:B:5:U:H4'	2:B:6:U:C5'	0.75	2.10	4	2
2:B:4:G:OP1	2:B:5:U:H4'	0.74	1.82	7	1
2:B:2:C:OP1	2:B:2:C:H2'	0.72	1.84	6	3
2:B:1:U:H4'	2:B:2:C:O5'	0.71	1.84	10	3
2:B:2:C:H2'	2:B:2:C:OP1	0.69	1.86	18	1
1:A:158:SER:HA	1:A:161:LYS:HE3	0.68	1.66	8	2
1:A:137:MET:HG3	1:A:148:PHE:CE1	0.66	2.26	18	6
2:B:5:U:OP1	2:B:5:U:H3'	0.65	1.91	20	2
1:A:180:ALA:HA	2:B:3:A:N1	0.65	2.06	3	18
1:A:148:PHE:HA	2:B:2:C:OP2	0.65	1.91	19	1
2:B:2:C:H4'	2:B:3:A:OP1	0.65	1.91	7	1
1:A:183:LYS:NZ	2:B:5:U:H3'	0.64	2.07	18	1
2:B:2:C:H4'	2:B:3:A:OP2	0.64	1.92	20	2
2:B:5:U:H4'	2:B:5:U:OP2	0.64	1.91	3	1
1:A:183:LYS:HB2	2:B:6:U:H5'	0.64	1.68	15	1
1:A:183:LYS:HE3	2:B:4:G:C2'	0.63	2.24	3	4
1:A:105:LYS:HA	1:A:159:VAL:HG21	0.63	1.70	19	10
1:A:186:MET:SD	2:B:3:A:H2'	0.63	2.33	4	8
2:B:1:U:O4'	2:B:2:C:H2'	0.63	1.94	20	1
2:B:1:U:H5'	2:B:2:C:C5'	0.63	2.23	15	2
2:B:5:U:C4'	2:B:6:U:H5'	0.63	2.20	4	1
2:B:1:U:H1'	2:B:2:C:OP2	0.62	1.95	20	3
2:B:5:U:OP1	2:B:6:U:H4'	0.62	1.95	17	1
1:A:148:PHE:HB3	2:B:2:C:C5'	0.61	2.25	20	1
2:B:1:U:H3'	2:B:2:C:H5'	0.61	1.72	5	1
1:A:106:LYS:HD3	1:A:152:THR:OG1	0.60	1.96	2	18
1:A:110:GLY:O	2:B:2:C:H5'	0.60	1.96	17	2
2:B:1:U:C5'	2:B:2:C:H4'	0.59	2.26	5	1
2:B:1:U:H5''	2:B:2:C:C5'	0.58	2.26	12	2
1:A:106:LYS:HE3	1:A:150:PHE:HB3	0.58	1.76	14	1
2:B:5:U:C3'	2:B:6:U:H5'	0.57	2.27	17	1
2:B:1:U:C4'	2:B:2:C:C5'	0.57	2.80	11	4
1:A:118:GLU:HG2	1:A:134:ILE:CG1	0.57	2.30	5	3
2:B:1:U:C4'	2:B:2:C:O5'	0.56	2.53	20	2
2:B:4:G:O5'	2:B:5:U:H5''	0.56	1.99	15	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:181:LEU:HD23	1:A:181:LEU:H	0.56	1.61	19	10
1:A:118:GLU:HA	1:A:134:ILE:HG21	0.56	1.78	7	19
1:A:156:HIS:O	1:A:159:VAL:HG22	0.56	2.01	12	5
1:A:148:PHE:HB3	2:B:2:C:H4'	0.55	1.77	18	3
1:A:181:LEU:H	1:A:181:LEU:HD23	0.55	1.61	6	4
1:A:167:TYR:HA	1:A:175:CYS:O	0.55	2.01	19	10
2:B:5:U:P	2:B:5:U:H3'	0.55	2.42	20	1
2:B:1:U:C3'	2:B:2:C:C5'	0.55	2.73	1	6
2:B:1:U:H4'	2:B:2:C:OP2	0.55	2.01	6	4
1:A:183:LYS:HE2	2:B:5:U:OP1	0.54	2.02	6	3
2:B:6:U:H5''	2:B:6:U:C6	0.54	2.38	13	3
1:A:153:PHE:CD2	1:A:159:VAL:HG12	0.54	2.38	12	7
1:A:110:GLY:HA2	2:B:2:C:H5'	0.54	1.78	20	1
2:B:4:G:C3'	2:B:5:U:H5''	0.54	2.33	15	2
1:A:148:PHE:HB3	2:B:2:C:H5''	0.54	1.78	7	2
1:A:148:PHE:N	2:B:1:U:H5'	0.54	2.18	17	1
1:A:179:LYS:HD2	1:A:179:LYS:H	0.54	1.63	18	1
2:B:3:A:C5'	2:B:3:A:C8	0.53	2.89	3	2
1:A:118:GLU:HG3	1:A:134:ILE:HG13	0.53	1.79	15	2
1:A:107:ILE:CG2	1:A:159:VAL:HG13	0.53	2.33	8	7
1:A:181:LEU:HD23	2:B:3:A:N1	0.53	2.19	6	17
1:A:107:ILE:HG22	1:A:159:VAL:HG13	0.53	1.79	8	1
2:B:5:U:P	2:B:5:U:H6	0.53	2.26	1	2
2:B:1:U:H5'	2:B:2:C:H5''	0.53	1.80	13	2
1:A:166:LYS:HE3	1:A:176:GLU:OE1	0.53	2.04	15	5
2:B:4:G:C4'	2:B:5:U:H5''	0.53	2.34	7	3
1:A:166:LYS:HE2	1:A:167:TYR:CE2	0.53	2.39	7	5
2:B:2:C:H1'	2:B:3:A:OP1	0.53	2.04	20	2
1:A:183:LYS:HD3	2:B:4:G:O5'	0.53	2.04	16	2
1:A:106:LYS:HE3	2:B:4:G:O6	0.52	2.04	3	4
1:A:183:LYS:HE3	2:B:4:G:H2'	0.52	1.82	3	1
2:B:1:U:H5''	2:B:2:C:C4'	0.52	2.35	12	2
1:A:148:PHE:H	2:B:1:U:H5'	0.52	1.65	17	1
2:B:3:A:C5'	2:B:3:A:H8	0.52	2.09	3	2
1:A:134:ILE:CD1	1:A:151:VAL:HG13	0.52	2.34	10	20
1:A:181:LEU:HG	1:A:186:MET:HB3	0.52	1.79	16	3
2:B:5:U:C6	2:B:5:U:C5'	0.52	2.85	5	1
2:B:6:U:OP2	2:B:6:U:H4'	0.51	2.04	19	1
1:A:117:GLU:HG2	1:A:120:HIS:ND1	0.51	2.21	10	4
1:A:166:LYS:HE3	1:A:176:GLU:OE2	0.50	2.06	9	2
1:A:130:LYS:HG3	1:A:154:ASP:HB3	0.50	1.84	11	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:183:LYS:CE	2:B:4:G:H3'	0.50	2.36	14	5
1:A:178:ARG:HD2	2:B:3:A:H62	0.49	1.66	14	1
1:A:118:GLU:CG	1:A:134:ILE:HB	0.49	2.37	19	3
2:B:2:C:OP1	2:B:2:C:H3'	0.49	2.07	15	1
1:A:137:MET:SD	2:B:4:G:H4'	0.49	2.47	18	1
2:B:3:A:H8	2:B:3:A:H5''	0.49	1.67	7	2
1:A:108:PHE:O	1:A:177:VAL:HA	0.49	2.08	6	8
1:A:180:ALA:HA	2:B:3:A:C2	0.48	2.43	3	12
2:B:1:U:H5'	2:B:2:C:H5'	0.48	1.84	15	1
1:A:183:LYS:HA	1:A:186:MET:CG	0.48	2.36	8	3
1:A:168:HIS:CD2	1:A:177:VAL:HB	0.48	2.44	11	1
1:A:124:TYR:CD1	1:A:170:VAL:HG22	0.48	2.43	19	1
1:A:167:TYR:HB3	1:A:174:ASN:OD1	0.48	2.08	15	1
1:A:148:PHE:CE2	2:B:3:A:H4'	0.48	2.44	1	1
1:A:118:GLU:HG2	1:A:134:ILE:HB	0.48	1.85	5	3
1:A:180:ALA:HB1	2:B:4:G:O6	0.48	2.09	15	2
1:A:118:GLU:HG3	1:A:134:ILE:CG1	0.47	2.39	20	3
2:B:1:U:C5'	2:B:2:C:C5'	0.47	2.92	15	1
1:A:106:LYS:HE3	1:A:150:PHE:CB	0.47	2.39	14	1
1:A:148:PHE:HB3	2:B:2:C:O5'	0.47	2.10	2	1
1:A:183:LYS:HE2	2:B:5:U:OP2	0.47	2.10	11	1
2:B:6:U:C5'	2:B:6:U:C6	0.47	2.98	13	1
2:B:3:A:N3	2:B:4:G:N2	0.47	2.63	17	3
1:A:106:LYS:HE2	2:B:4:G:O6	0.47	2.10	4	2
2:B:4:G:H4'	2:B:5:U:H5''	0.46	1.86	9	2
1:A:137:MET:HE1	2:B:4:G:O3'	0.46	2.10	10	1
2:B:6:U:H6	2:B:6:U:O5'	0.46	1.93	6	1
2:B:6:U:C6	2:B:6:U:H5''	0.46	2.44	15	1
1:A:129:GLY:HA3	1:A:158:SER:HB3	0.46	1.88	5	2
2:B:3:A:C4'	2:B:4:G:OP1	0.46	2.62	12	1
1:A:178:ARG:NH2	2:B:2:C:C2	0.46	2.84	2	2
1:A:183:LYS:HZ2	2:B:6:U:C5'	0.46	2.23	18	1
2:B:4:G:H4'	2:B:5:U:C5'	0.46	2.41	7	1
2:B:5:U:H5'	2:B:5:U:N1	0.45	2.26	5	1
1:A:168:HIS:CD2	1:A:177:VAL:HG22	0.45	2.47	18	1
2:B:5:U:OP2	2:B:6:U:H6	0.45	1.93	4	1
2:B:6:U:O5'	2:B:6:U:H6	0.45	1.94	10	1
2:B:5:U:C5'	2:B:5:U:H6	0.45	2.25	15	1
1:A:121:LEU:HD12	1:A:170:VAL:HG11	0.45	1.89	19	1
2:B:6:U:H4'	2:B:6:U:OP1	0.45	2.12	20	1
1:A:163:VAL:HB	1:A:179:LYS:HG2	0.44	1.88	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:106:LYS:HD2	1:A:150:PHE:HB3	0.44	1.90	12	3
2:B:4:G:H3'	2:B:5:U:H5''	0.44	1.89	18	2
1:A:122:ARG:HA	1:A:131:ILE:CD1	0.44	2.43	5	2
1:A:183:LYS:HZ2	2:B:5:U:H3'	0.44	1.72	18	1
1:A:137:MET:HE2	2:B:4:G:H4'	0.44	1.88	11	1
1:A:183:LYS:HB3	2:B:4:G:H21	0.44	1.72	12	2
1:A:131:ILE:HG21	1:A:134:ILE:HD11	0.44	1.90	5	1
1:A:166:LYS:HG3	1:A:176:GLU:HG3	0.44	1.89	15	3
1:A:137:MET:CE	2:B:5:U:H5'	0.44	2.43	11	1
1:A:165:GLN:HB3	1:A:168:HIS:NE2	0.44	2.27	18	1
2:B:2:C:C2'	2:B:2:C:OP1	0.44	2.64	18	1
1:A:148:PHE:CZ	2:B:3:A:H4'	0.44	2.48	17	4
1:A:118:GLU:HG3	1:A:134:ILE:HB	0.43	1.90	13	6
1:A:183:LYS:HD3	2:B:4:G:H3'	0.43	1.90	4	3
1:A:118:GLU:CB	1:A:136:ILE:HD11	0.43	2.43	20	1
2:B:2:C:OP2	2:B:2:C:H3'	0.43	2.13	14	1
1:A:121:LEU:HD23	1:A:170:VAL:HG11	0.43	1.90	7	1
1:A:164:ILE:HD12	1:A:165:GLN:N	0.43	2.29	6	3
1:A:163:VAL:HB	1:A:179:LYS:HG3	0.43	1.90	10	1
1:A:155:ASP:OD2	1:A:157:ASP:HB3	0.43	2.13	16	1
2:B:1:U:C4'	2:B:2:C:OP2	0.43	2.65	2	2
1:A:118:GLU:H	1:A:136:ILE:HD11	0.43	1.74	6	5
2:B:5:U:H3'	2:B:5:U:OP1	0.43	2.13	9	1
1:A:183:LYS:HZ3	2:B:5:U:H3'	0.43	1.74	18	1
1:A:129:GLY:HA3	1:A:158:SER:OG	0.43	2.13	9	1
1:A:153:PHE:CD2	1:A:159:VAL:HG22	0.42	2.48	10	2
1:A:183:LYS:HE2	2:B:4:G:H3'	0.42	1.91	17	1
2:B:1:U:C1'	2:B:2:C:OP2	0.42	2.67	7	1
2:B:3:A:C8	2:B:3:A:H5''	0.42	2.49	7	1
1:A:104:VAL:HG13	1:A:159:VAL:HG11	0.42	1.91	2	1
2:B:5:U:C6	2:B:5:U:OP2	0.42	2.71	18	1
2:B:1:U:C5'	2:B:2:C:H5'	0.42	2.43	15	1
2:B:1:U:H4'	2:B:2:C:OP1	0.42	2.13	11	1
1:A:148:PHE:CE1	2:B:4:G:H5''	0.42	2.50	13	1
1:A:169:THR:HA	1:A:173:HIS:O	0.42	2.15	2	1
1:A:183:LYS:NZ	2:B:6:U:H5'	0.42	2.30	18	1
2:B:3:A:O5'	2:B:3:A:H8	0.42	1.98	4	1
1:A:163:VAL:HB	1:A:179:LYS:HE3	0.42	1.91	13	2
1:A:118:GLU:HG2	1:A:134:ILE:CB	0.42	2.45	5	1
1:A:179:LYS:HD2	1:A:179:LYS:N	0.42	2.30	13	1
1:A:104:VAL:HG23	1:A:159:VAL:HG11	0.42	1.92	14	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:158:SER:HA	1:A:161:LYS:HE2	0.41	1.91	5	1
1:A:137:MET:HE2	2:B:4:G:C4'	0.41	2.45	11	1
1:A:170:VAL:O	1:A:171:ASN:HB3	0.41	2.15	12	1
1:A:137:MET:HB2	1:A:148:PHE:O	0.41	2.16	13	1
2:B:2:C:H3'	2:B:2:C:OP1	0.41	2.15	13	1
1:A:176:GLU:OE2	1:A:178:ARG:HD3	0.41	2.16	12	1
1:A:183:LYS:HE3	2:B:4:G:C3'	0.41	2.45	14	1
1:A:120:HIS:CD2	1:A:171:ASN:HD22	0.41	2.34	8	2
2:B:5:U:H6	2:B:5:U:OP2	0.41	1.98	10	1
2:B:4:G:C3'	2:B:5:U:C5'	0.41	2.98	15	1
2:B:2:C:H6	2:B:2:C:O5'	0.41	1.98	1	1
1:A:148:PHE:HA	2:B:2:C:OP1	0.41	2.15	10	1
1:A:165:GLN:HG3	1:A:168:HIS:NE2	0.41	2.31	11	1
1:A:148:PHE:HD2	2:B:2:C:OP1	0.41	1.98	7	1
1:A:110:GLY:CA	2:B:2:C:H5'	0.40	2.45	20	2
1:A:105:LYS:HE3	1:A:105:LYS:N	0.40	2.31	2	1
1:A:166:LYS:HE3	1:A:176:GLU:CD	0.40	2.36	13	2
1:A:125:PHE:CD1	1:A:151:VAL:HG21	0.40	2.51	11	1
2:B:4:G:H3'	2:B:5:U:C5'	0.40	2.47	15	1
1:A:186:MET:HE1	2:B:3:A:C4	0.40	2.51	6	1
1:A:132:GLU:HG3	1:A:154:ASP:N	0.40	2.31	19	1
1:A:104:VAL:HB	1:A:179:LYS:HZ3	0.40	1.75	6	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/102 (66%)	63±1 (94±2%)	4±1 (6±2%)	0±0 (0±0%)	54	85
All	All	1340/2040 (66%)	1261 (94%)	77 (6%)	2 (0%)	54	85

All 2 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	104	VAL	1
1	A	137	MET	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	62/88 (70%)	58±1 (93±2%)	4±1 (7±2%)	19 68
All	All	1240/1760 (70%)	1154 (93%)	86 (7%)	19 68

All 19 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	126	GLU	18
1	A	119	HIS	12
1	A	161	LYS	9
1	A	121	LEU	8
1	A	122	ARG	8
1	A	137	MET	5
1	A	117	GLU	4
1	A	184	GLN	4
1	A	105	LYS	4
1	A	179	LYS	3
1	A	171	ASN	2
1	A	130	LYS	2
1	A	158	SER	1
1	A	177	VAL	1
1	A	156	HIS	1
1	A	104	VAL	1
1	A	178	ARG	1
1	A	176	GLU	1
1	A	160	ASP	1

6.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
2	B	6/6 (100%)	5±0 (81±6%)	1±1 (21±12%)	0.01±0.02
All	All	109/120 (91%)	97 (89%)	25 (23%)	0.00

The overall RNA backbone suiteness is 0.00.

All unique RNA backbone outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
2	B	2	C	20
2	B	4	G	20
2	B	5	U	20
2	B	3	A	20
2	B	6	U	17

All unique RNA pucker outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
2	B	1	U	9
2	B	5	U	7
2	B	2	C	6
2	B	3	A	2
2	B	4	G	1

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 75% for the well-defined parts and 66% for the entire structure.

7.1 Chemical shift list 1

File name: input_cs.cif

Chemical shift list name: *RRM2-RNA.bmrB*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1039
Number of shifts mapped to atoms	1039
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	89	-0.30 ± 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	76	-0.11 ± 0.21	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	88	0.02 ± 0.54	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 75%, i.e. 739 atoms were assigned a chemical shift out of a possible 984. 9 out of 10 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	264/335 (79%)	132/134 (99%)	66/134 (49%)	66/67 (99%)
Sidechain	366/436 (84%)	226/254 (89%)	136/164 (83%)	4/18 (22%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	69/104 (66%)	45/57 (79%)	24/42 (57%)	0/5 (0%)
Overall	739/984 (75%)	443/506 (88%)	226/381 (59%)	70/97 (72%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 66%, i.e. 919 atoms were assigned a chemical shift out of a possible 1394. 10 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	354/508 (70%)	177/203 (87%)	89/204 (44%)	88/101 (87%)
Sidechain	452/666 (68%)	280/392 (71%)	168/236 (71%)	4/38 (11%)
Aromatic	73/111 (66%)	47/61 (77%)	26/44 (59%)	0/6 (0%)
Overall	919/1394 (66%)	544/717 (76%)	283/525 (54%)	92/152 (61%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	186	MET	CG	24.77	38.33 – 25.73	-5.8
2	B	4	G	H2'	5.79	5.66 – 3.46	5.6

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

