



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 04:49 AM BST

PDB ID : 5MTP
Title : Crystal structure of M. tuberculosis InhA inhibited by PT514
Authors : Eltschkner, S.; Pschibul, A.; Spagnuolo, L.A.; Yu, W.; Tonge, P.J.; Kisker, C.
Deposited on : 2017-01-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>9%</div> <div>7%</div> </div> </div>
1	B	289	<div> <div>2%</div> <div> <div></div> <div>83%</div> <div>8%</div> <div>7%</div> </div> </div>
1	C	289	<div> <div>0%</div> <div> <div></div> <div>82%</div> <div>9%</div> <div>7%</div> </div> </div>
1	D	289	<div> <div>0%</div> <div> <div></div> <div>83%</div> <div>8%</div> <div>7%</div> </div> </div>
1	E	289	<div> <div>0%</div> <div> <div></div> <div>85%</div> <div>6%</div> <div>7%</div> </div> </div>
1	F	289	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>8%</div> <div>9%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	289	<div><div><div>3%</div><div>84%</div><div>6%</div><div>9%</div></div></div>
1	H	289	<div><div><div>3%</div><div>83%</div><div>7%</div><div>9%</div></div></div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 17867 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	268	Total	C	N	O	S	0	3	0
			2009	1273	348	377	11			
1	B	268	Total	C	N	O	S	0	0	0
			1996	1264	348	374	10			
1	E	268	Total	C	N	O	S	0	1	0
			1999	1266	348	375	10			
1	G	262	Total	C	N	O	S	0	2	0
			1965	1247	342	365	11			
1	C	268	Total	C	N	O	S	0	1	0
			1999	1266	348	375	10			
1	D	268	Total	C	N	O	S	0	0	0
			1996	1264	348	374	10			
1	F	263	Total	C	N	O	S	0	1	0
			1971	1250	343	367	11			
1	H	262	Total	C	N	O	S	0	0	0
			1957	1241	342	364	10			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WGR0
A	-18	GLY	-	expression tag	UNP P9WGR0
A	-17	SER	-	expression tag	UNP P9WGR0
A	-16	SER	-	expression tag	UNP P9WGR0
A	-15	HIS	-	expression tag	UNP P9WGR0
A	-14	HIS	-	expression tag	UNP P9WGR0
A	-13	HIS	-	expression tag	UNP P9WGR0
A	-12	HIS	-	expression tag	UNP P9WGR0
A	-11	HIS	-	expression tag	UNP P9WGR0
A	-10	HIS	-	expression tag	UNP P9WGR0
A	-9	SER	-	expression tag	UNP P9WGR0
A	-8	SER	-	expression tag	UNP P9WGR0
A	-7	GLY	-	expression tag	UNP P9WGR0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	LEU	-	expression tag	UNP P9WGR0
A	-5	VAL	-	expression tag	UNP P9WGR0
A	-4	PRO	-	expression tag	UNP P9WGR0
A	-3	ARG	-	expression tag	UNP P9WGR0
A	-2	GLY	-	expression tag	UNP P9WGR0
A	-1	SER	-	expression tag	UNP P9WGR0
A	0	HIS	-	expression tag	UNP P9WGR0
B	-19	MET	-	initiating methionine	UNP P9WGR0
B	-18	GLY	-	expression tag	UNP P9WGR0
B	-17	SER	-	expression tag	UNP P9WGR0
B	-16	SER	-	expression tag	UNP P9WGR0
B	-15	HIS	-	expression tag	UNP P9WGR0
B	-14	HIS	-	expression tag	UNP P9WGR0
B	-13	HIS	-	expression tag	UNP P9WGR0
B	-12	HIS	-	expression tag	UNP P9WGR0
B	-11	HIS	-	expression tag	UNP P9WGR0
B	-10	HIS	-	expression tag	UNP P9WGR0
B	-9	SER	-	expression tag	UNP P9WGR0
B	-8	SER	-	expression tag	UNP P9WGR0
B	-7	GLY	-	expression tag	UNP P9WGR0
B	-6	LEU	-	expression tag	UNP P9WGR0
B	-5	VAL	-	expression tag	UNP P9WGR0
B	-4	PRO	-	expression tag	UNP P9WGR0
B	-3	ARG	-	expression tag	UNP P9WGR0
B	-2	GLY	-	expression tag	UNP P9WGR0
B	-1	SER	-	expression tag	UNP P9WGR0
B	0	HIS	-	expression tag	UNP P9WGR0
E	-19	MET	-	initiating methionine	UNP P9WGR0
E	-18	GLY	-	expression tag	UNP P9WGR0
E	-17	SER	-	expression tag	UNP P9WGR0
E	-16	SER	-	expression tag	UNP P9WGR0
E	-15	HIS	-	expression tag	UNP P9WGR0
E	-14	HIS	-	expression tag	UNP P9WGR0
E	-13	HIS	-	expression tag	UNP P9WGR0
E	-12	HIS	-	expression tag	UNP P9WGR0
E	-11	HIS	-	expression tag	UNP P9WGR0
E	-10	HIS	-	expression tag	UNP P9WGR0
E	-9	SER	-	expression tag	UNP P9WGR0
E	-8	SER	-	expression tag	UNP P9WGR0
E	-7	GLY	-	expression tag	UNP P9WGR0
E	-6	LEU	-	expression tag	UNP P9WGR0
E	-5	VAL	-	expression tag	UNP P9WGR0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-4	PRO	-	expression tag	UNP P9WGR0
E	-3	ARG	-	expression tag	UNP P9WGR0
E	-2	GLY	-	expression tag	UNP P9WGR0
E	-1	SER	-	expression tag	UNP P9WGR0
E	0	HIS	-	expression tag	UNP P9WGR0
G	-19	MET	-	initiating methionine	UNP P9WGR0
G	-18	GLY	-	expression tag	UNP P9WGR0
G	-17	SER	-	expression tag	UNP P9WGR0
G	-16	SER	-	expression tag	UNP P9WGR0
G	-15	HIS	-	expression tag	UNP P9WGR0
G	-14	HIS	-	expression tag	UNP P9WGR0
G	-13	HIS	-	expression tag	UNP P9WGR0
G	-12	HIS	-	expression tag	UNP P9WGR0
G	-11	HIS	-	expression tag	UNP P9WGR0
G	-10	HIS	-	expression tag	UNP P9WGR0
G	-9	SER	-	expression tag	UNP P9WGR0
G	-8	SER	-	expression tag	UNP P9WGR0
G	-7	GLY	-	expression tag	UNP P9WGR0
G	-6	LEU	-	expression tag	UNP P9WGR0
G	-5	VAL	-	expression tag	UNP P9WGR0
G	-4	PRO	-	expression tag	UNP P9WGR0
G	-3	ARG	-	expression tag	UNP P9WGR0
G	-2	GLY	-	expression tag	UNP P9WGR0
G	-1	SER	-	expression tag	UNP P9WGR0
G	0	HIS	-	expression tag	UNP P9WGR0
C	-19	MET	-	initiating methionine	UNP P9WGR0
C	-18	GLY	-	expression tag	UNP P9WGR0
C	-17	SER	-	expression tag	UNP P9WGR0
C	-16	SER	-	expression tag	UNP P9WGR0
C	-15	HIS	-	expression tag	UNP P9WGR0
C	-14	HIS	-	expression tag	UNP P9WGR0
C	-13	HIS	-	expression tag	UNP P9WGR0
C	-12	HIS	-	expression tag	UNP P9WGR0
C	-11	HIS	-	expression tag	UNP P9WGR0
C	-10	HIS	-	expression tag	UNP P9WGR0
C	-9	SER	-	expression tag	UNP P9WGR0
C	-8	SER	-	expression tag	UNP P9WGR0
C	-7	GLY	-	expression tag	UNP P9WGR0
C	-6	LEU	-	expression tag	UNP P9WGR0
C	-5	VAL	-	expression tag	UNP P9WGR0
C	-4	PRO	-	expression tag	UNP P9WGR0
C	-3	ARG	-	expression tag	UNP P9WGR0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP P9WGR0
C	-1	SER	-	expression tag	UNP P9WGR0
C	0	HIS	-	expression tag	UNP P9WGR0
D	-19	MET	-	initiating methionine	UNP P9WGR0
D	-18	GLY	-	expression tag	UNP P9WGR0
D	-17	SER	-	expression tag	UNP P9WGR0
D	-16	SER	-	expression tag	UNP P9WGR0
D	-15	HIS	-	expression tag	UNP P9WGR0
D	-14	HIS	-	expression tag	UNP P9WGR0
D	-13	HIS	-	expression tag	UNP P9WGR0
D	-12	HIS	-	expression tag	UNP P9WGR0
D	-11	HIS	-	expression tag	UNP P9WGR0
D	-10	HIS	-	expression tag	UNP P9WGR0
D	-9	SER	-	expression tag	UNP P9WGR0
D	-8	SER	-	expression tag	UNP P9WGR0
D	-7	GLY	-	expression tag	UNP P9WGR0
D	-6	LEU	-	expression tag	UNP P9WGR0
D	-5	VAL	-	expression tag	UNP P9WGR0
D	-4	PRO	-	expression tag	UNP P9WGR0
D	-3	ARG	-	expression tag	UNP P9WGR0
D	-2	GLY	-	expression tag	UNP P9WGR0
D	-1	SER	-	expression tag	UNP P9WGR0
D	0	HIS	-	expression tag	UNP P9WGR0
F	-19	MET	-	initiating methionine	UNP P9WGR0
F	-18	GLY	-	expression tag	UNP P9WGR0
F	-17	SER	-	expression tag	UNP P9WGR0
F	-16	SER	-	expression tag	UNP P9WGR0
F	-15	HIS	-	expression tag	UNP P9WGR0
F	-14	HIS	-	expression tag	UNP P9WGR0
F	-13	HIS	-	expression tag	UNP P9WGR0
F	-12	HIS	-	expression tag	UNP P9WGR0
F	-11	HIS	-	expression tag	UNP P9WGR0
F	-10	HIS	-	expression tag	UNP P9WGR0
F	-9	SER	-	expression tag	UNP P9WGR0
F	-8	SER	-	expression tag	UNP P9WGR0
F	-7	GLY	-	expression tag	UNP P9WGR0
F	-6	LEU	-	expression tag	UNP P9WGR0
F	-5	VAL	-	expression tag	UNP P9WGR0
F	-4	PRO	-	expression tag	UNP P9WGR0
F	-3	ARG	-	expression tag	UNP P9WGR0
F	-2	GLY	-	expression tag	UNP P9WGR0
F	-1	SER	-	expression tag	UNP P9WGR0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	0	HIS	-	expression tag	UNP P9WGR0
H	-19	MET	-	initiating methionine	UNP P9WGR0
H	-18	GLY	-	expression tag	UNP P9WGR0
H	-17	SER	-	expression tag	UNP P9WGR0
H	-16	SER	-	expression tag	UNP P9WGR0
H	-15	HIS	-	expression tag	UNP P9WGR0
H	-14	HIS	-	expression tag	UNP P9WGR0
H	-13	HIS	-	expression tag	UNP P9WGR0
H	-12	HIS	-	expression tag	UNP P9WGR0
H	-11	HIS	-	expression tag	UNP P9WGR0
H	-10	HIS	-	expression tag	UNP P9WGR0
H	-9	SER	-	expression tag	UNP P9WGR0
H	-8	SER	-	expression tag	UNP P9WGR0
H	-7	GLY	-	expression tag	UNP P9WGR0
H	-6	LEU	-	expression tag	UNP P9WGR0
H	-5	VAL	-	expression tag	UNP P9WGR0
H	-4	PRO	-	expression tag	UNP P9WGR0
H	-3	ARG	-	expression tag	UNP P9WGR0
H	-2	GLY	-	expression tag	UNP P9WGR0
H	-1	SER	-	expression tag	UNP P9WGR0
H	0	HIS	-	expression tag	UNP P9WGR0

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 2-(2-methylphenoxy)-5-[(4-phenyl-1H-1,2,3-triazol-1-yl)methyl]phenol (three-letter code: 53K) (formula: C₂₂H₁₉N₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			27	22	3	2		
3	B	1	Total	C	N	O	0	0
			27	22	3	2		
3	E	1	Total	C	N	O	0	0
			27	22	3	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	G	1	Total	C	N	O	0	0
			27	22	3	2		
3	C	1	Total	C	N	O	0	0
			27	22	3	2		
3	D	1	Total	C	N	O	0	0
			27	22	3	2		
3	F	1	Total	C	N	O	0	0
			27	22	3	2		
3	H	1	Total	C	N	O	0	0
			27	22	3	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	1	Total	Na	0	0
			1	1		
5	D	1	Total	Na	0	0
			1	1		
5	F	1	Total	Na	0	0
			1	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	198	Total	O	0	0
			198	198		
6	B	148	Total	O	0	0
			148	148		
6	E	153	Total	O	0	1
			154	154		
6	G	176	Total	O	0	0
			176	176		
6	C	195	Total	O	0	0
			195	195		


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	183	Total 183	O 183	0	0
6	F	163	Total 163	O 163	0	0
6	H	185	Total 185	O 185	0	0

- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]








- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]






- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	88.04Å 92.31Å 181.16Å 90.00° 96.45° 90.00°	Depositor
Resolution (Å)	47.08 – 2.00 47.08 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.08-2.00) 99.7 (47.08-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.155 , 0.178 0.165 , 0.185	Depositor DCC
R_{free} test set	9686 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	26.1	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	17867	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.09 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8066e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NA, 53K, NAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.17	6/2056 (0.3%)	1.30	22/2790 (0.8%)
1	B	1.15	7/2034 (0.3%)	1.12	15/2761 (0.5%)
1	C	1.33	19/2040 (0.9%)	1.34	24/2769 (0.9%)
1	D	1.19	9/2034 (0.4%)	1.19	22/2761 (0.8%)
1	E	1.24	11/2040 (0.5%)	1.08	10/2769 (0.4%)
1	F	1.17	8/2011 (0.4%)	1.21	23/2728 (0.8%)
1	G	1.11	4/2008 (0.2%)	1.23	16/2724 (0.6%)
1	H	1.22	8/1994 (0.4%)	1.37	20/2706 (0.7%)
All	All	1.20	72/16217 (0.4%)	1.23	152/22008 (0.7%)

All (72) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	129	SER	CB-OG	-16.36	1.21	1.42
1	B	129	SER	CB-OG	-15.15	1.22	1.42
1	D	129	SER	CB-OG	-13.42	1.24	1.42
1	G	204	GLY	N-CA	10.96	1.62	1.46
1	E	223	ASP	CB-CG	10.54	1.73	1.51
1	H	153	ARG	CZ-NH1	10.15	1.46	1.33
1	A	129	SER	CB-OG	-9.68	1.29	1.42
1	E	219	GLU	CD-OE1	9.52	1.36	1.25
1	B	269	LEU	C-O	9.26	1.41	1.23
1	E	219	GLU	CD-OE2	9.07	1.35	1.25
1	C	269	LEU	C-O	8.95	1.40	1.23
1	F	219	GLU	CG-CD	8.94	1.65	1.51
1	E	200	SER	CB-OG	-8.93	1.30	1.42
1	C	129	SER	CB-OG	-8.90	1.30	1.42
1	D	153	ARG	NE-CZ	8.72	1.44	1.33
1	E	80	GLU	CD-OE1	8.71	1.35	1.25
1	E	223	ASP	CG-OD1	8.63	1.45	1.25
1	C	195	ARG	CZ-NH2	8.47	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	152	SER	CB-OG	-8.39	1.31	1.42
1	C	195	ARG	CZ-NH1	8.27	1.43	1.33
1	A	80	GLU	CD-OE1	7.84	1.34	1.25
1	C	49	ARG	CZ-NH1	7.76	1.43	1.33
1	F	220	GLU	CD-OE1	7.75	1.34	1.25
1	E	199	MET	CG-SD	-7.70	1.61	1.81
1	E	219	GLU	CG-CD	7.67	1.63	1.51
1	C	219	GLU	CD-OE1	7.59	1.33	1.25
1	F	269	LEU	C-O	7.54	1.37	1.23
1	G	129	SER	CB-OG	-7.48	1.32	1.42
1	C	219	GLU	CG-CD	7.26	1.62	1.51
1	C	80	GLU	CD-OE1	7.13	1.33	1.25
1	D	220	GLU	CD-OE1	6.94	1.33	1.25
1	F	219	GLU	CD-OE2	6.93	1.33	1.25
1	D	269	LEU	C-O	6.86	1.36	1.23
1	C	210	GLU	CD-OE1	6.83	1.33	1.25
1	C	220	GLU	CD-OE1	6.77	1.33	1.25
1	D	177	ARG	CZ-NH2	6.67	1.41	1.33
1	B	152	SER	CB-OG	-6.64	1.33	1.42
1	H	211	ALA	C-O	-6.50	1.11	1.23
1	E	223	ASP	CG-OD2	6.40	1.40	1.25
1	F	129	SER	CB-OG	-6.20	1.34	1.42
1	C	212	GLY	C-O	-6.10	1.13	1.23
1	C	219	GLU	CD-OE2	6.08	1.32	1.25
1	F	219	GLU	CD-OE1	6.04	1.32	1.25
1	A	80	GLU	C-O	-5.97	1.12	1.23
1	E	73	SER	CB-OG	5.87	1.49	1.42
1	G	153	ARG	NE-CZ	5.85	1.40	1.33
1	D	2	THR	CB-CG2	5.82	1.71	1.52
1	H	177	ARG	CZ-NH2	5.76	1.40	1.33
1	B	3	GLY	N-CA	-5.74	1.37	1.46
1	F	211	ALA	C-N	5.74	1.43	1.33
1	F	80	GLU	CG-CD	-5.63	1.43	1.51
1	H	153	ARG	NE-CZ	5.61	1.40	1.33
1	C	3	GLY	N-CA	-5.60	1.37	1.46
1	E	129	SER	CB-OG	-5.60	1.34	1.42
1	D	209	GLU	CD-OE1	-5.60	1.19	1.25
1	C	153	ARG	CZ-NH2	5.58	1.40	1.33
1	A	269	LEU	C-O	5.57	1.33	1.23
1	C	205	GLY	N-CA	5.53	1.54	1.46
1	C	209	GLU	CD-OE1	5.50	1.31	1.25
1	B	62	GLU	CD-OE1	-5.38	1.19	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	153	ARG	NE-CZ	5.37	1.40	1.33
1	G	68	GLU	CD-OE1	5.37	1.31	1.25
1	H	220	GLU	CG-CD	5.34	1.59	1.51
1	C	2	THR	CA-C	5.33	1.66	1.52
1	C	68	GLU	CD-OE1	5.31	1.31	1.25
1	D	80	GLU	CD-OE1	5.28	1.31	1.25
1	H	225	ARG	CZ-NH1	-5.22	1.26	1.33
1	B	177	ARG	CZ-NH2	5.14	1.39	1.33
1	A	106	ASN	CG-ND2	-5.12	1.20	1.32
1	C	106	ASN	CG-ND2	-5.11	1.20	1.32
1	D	31	GLU	CD-OE1	5.07	1.31	1.25
1	A	68	GLU	CD-OE2	-5.06	1.20	1.25

All (152) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	153	ARG	NE-CZ-NH1	32.89	136.75	120.30
1	G	153	ARG	NE-CZ-NH1	24.78	132.69	120.30
1	C	153	ARG	NE-CZ-NH2	24.24	132.42	120.30
1	H	153	ARG	NE-CZ-NH2	-20.65	109.98	120.30
1	G	153	ARG	NE-CZ-NH2	-17.41	111.59	120.30
1	A	153	ARG	NE-CZ-NH2	17.40	129.00	120.30
1	A	103	MET	CG-SD-CE	-15.71	75.06	100.20
1	A	153	ARG	NE-CZ-NH1	-14.97	112.81	120.30
1	C	153	ARG	NE-CZ-NH1	-14.95	112.83	120.30
1	F	46	LEU	CB-CG-CD1	12.35	132.00	111.00
1	C	43	ARG	NE-CZ-NH2	-12.15	114.22	120.30
1	A	53	ARG	CB-CG-CD	11.85	142.42	111.60
1	C	223	ASP	CB-CG-OD1	10.94	128.15	118.30
1	D	232	MET	CG-SD-CE	10.79	117.46	100.20
1	A	43	ARG	NE-CZ-NH2	-10.64	114.98	120.30
1	C	195	ARG	NE-CZ-NH1	-10.54	115.03	120.30
1	A	53	ARG	NE-CZ-NH2	-10.07	115.27	120.30
1	D	6	ASP	CB-CG-OD2	-10.04	109.26	118.30
1	F	103	MET	CG-SD-CE	9.82	115.91	100.20
1	F	6	ASP	CB-CG-OD2	-9.66	109.60	118.30
1	C	53	ARG	CB-CG-CD	9.65	136.70	111.60
1	D	153	ARG	NE-CZ-NH1	9.32	124.96	120.30
1	B	177	ARG	NE-CZ-NH2	9.16	124.88	120.30
1	B	43	ARG	NE-CZ-NH2	-8.97	115.82	120.30
1	H	103	MET	CG-SD-CE	8.95	114.52	100.20
1	C	232	MET	CG-SD-CE	-8.94	85.90	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	44	LEU	CB-CG-CD2	-8.93	95.81	111.00
1	H	77	ARG	NE-CZ-NH1	8.73	124.66	120.30
1	B	129	SER	CB-CA-C	-8.57	93.82	110.10
1	A	177	ARG	NE-CZ-NH2	8.55	124.58	120.30
1	G	103	MET	CG-SD-CE	8.53	113.85	100.20
1	F	225	ARG	NE-CZ-NH1	8.52	124.56	120.30
1	D	153	ARG	NH1-CZ-NH2	-8.44	110.12	119.40
1	A	225	ARG	NE-CZ-NH2	8.20	124.40	120.30
1	C	177	ARG	NE-CZ-NH2	8.17	124.38	120.30
1	B	44	LEU	CB-CG-CD1	-8.14	97.15	111.00
1	D	225	ARG	NE-CZ-NH1	8.10	124.35	120.30
1	E	177	ARG	NE-CZ-NH2	8.09	124.35	120.30
1	H	129	SER	CB-CA-C	-8.09	94.73	110.10
1	F	43	ARG	NE-CZ-NH1	8.06	124.33	120.30
1	D	153	ARG	NE-CZ-NH2	7.97	124.28	120.30
1	H	211	ALA	N-CA-CB	7.95	121.23	110.10
1	D	129	SER	CB-CA-C	-7.89	95.11	110.10
1	E	199	MET	CB-CG-SD	7.85	135.96	112.40
1	C	49	ARG	NE-CZ-NH2	-7.85	116.37	120.30
1	H	177	ARG	NE-CZ-NH2	7.85	124.22	120.30
1	G	153	ARG	CD-NE-CZ	7.80	134.51	123.60
1	E	44	LEU	CB-CG-CD1	-7.78	97.77	111.00
1	D	49	ARG	NE-CZ-NH1	7.77	124.18	120.30
1	G	6	ASP	CB-CG-OD2	-7.76	111.32	118.30
1	F	177	ARG	NE-CZ-NH2	7.71	124.15	120.30
1	H	223	ASP	CB-CG-OD1	7.60	125.14	118.30
1	C	53	ARG	NE-CZ-NH1	7.53	124.06	120.30
1	G	44	LEU	CB-CG-CD2	7.52	123.78	111.00
1	C	195	ARG	NH1-CZ-NH2	7.43	127.57	119.40
1	B	223	ASP	CB-CG-OD1	7.35	124.92	118.30
1	B	9	ARG	NE-CZ-NH2	7.33	123.97	120.30
1	D	177	ARG	NE-CZ-NH2	7.30	123.95	120.30
1	H	153	ARG	CD-NE-CZ	7.28	133.79	123.60
1	A	223	ASP	CB-CG-OD1	7.22	124.80	118.30
1	F	43	ARG	NE-CZ-NH2	-7.14	116.73	120.30
1	F	45	ARG	NE-CZ-NH2	7.12	123.86	120.30
1	A	44	LEU	CB-CG-CD2	-7.04	99.04	111.00
1	A	53	ARG	NE-CZ-NH1	7.01	123.80	120.30
1	H	49	ARG	NE-CZ-NH2	6.99	123.80	120.30
1	H	153	ARG	NH1-CZ-NH2	-6.90	111.81	119.40
1	F	195	ARG	NE-CZ-NH2	-6.89	116.85	120.30
1	B	45	ARG	NE-CZ-NH2	6.84	123.72	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	223	ASP	CB-CG-OD1	6.83	124.44	118.30
1	F	80	GLU	OE1-CD-OE2	6.75	131.40	123.30
1	A	49	ARG	NE-CZ-NH1	6.75	123.67	120.30
1	F	9	ARG	NE-CZ-NH2	6.70	123.65	120.30
1	H	44	LEU	CB-CG-CD1	-6.70	99.60	111.00
1	D	44	LEU	CB-CG-CD1	-6.61	99.76	111.00
1	A	153	ARG	CD-NE-CZ	6.58	132.82	123.60
1	D	77	ARG	NE-CZ-NH1	6.55	123.58	120.30
1	E	9	ARG	NE-CZ-NH2	6.55	123.58	120.30
1	F	44	LEU	CB-CG-CD1	6.53	122.10	111.00
1	A	132	LYS	CD-CE-NZ	-6.50	96.74	111.70
1	C	177	ARG	NE-CZ-NH1	-6.42	117.09	120.30
1	H	6	ASP	CB-CG-OD2	-6.38	112.56	118.30
1	A	185	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	D	9	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	E	77	ARG	NE-CZ-NH1	6.36	123.48	120.30
1	F	77	ARG	NE-CZ-NH1	6.33	123.47	120.30
1	D	177	ARG	NE-CZ-NH1	-6.25	117.17	120.30
1	E	200	SER	N-CA-CB	6.24	119.86	110.50
1	G	9	ARG	NE-CZ-NH2	6.21	123.41	120.30
1	F	45	ARG	NE-CZ-NH1	6.21	123.41	120.30
1	F	256	ASP	CB-CG-OD2	-6.17	112.75	118.30
1	G	177	ARG	NE-CZ-NH2	6.13	123.37	120.30
1	F	45	ARG	NH1-CZ-NH2	-6.12	112.67	119.40
1	C	44	LEU	CB-CG-CD1	-6.12	100.59	111.00
1	E	42	ASP	CB-CG-OD2	6.10	123.79	118.30
1	D	57	LYS	CB-CG-CD	6.06	127.36	111.60
1	F	195	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	B	220	GLU	OE1-CD-OE2	6.00	130.50	123.30
1	B	53	ARG	NE-CZ-NH1	5.93	123.26	120.30
1	C	195	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	A	9	ARG	NE-CZ-NH2	5.91	123.25	120.30
1	F	43	ARG	CG-CD-NE	5.91	124.20	111.80
1	G	53	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	C	9	ARG	NE-CZ-NH2	5.89	123.25	120.30
1	A	43	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	D	43	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	B	150	ASP	CB-CG-OD2	-5.83	113.05	118.30
1	F	195	ARG	NH1-CZ-NH2	5.81	125.79	119.40
1	C	53	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	G	43	ARG	CG-CD-NE	-5.76	99.70	111.80
1	D	43	ARG	NE-CZ-NH1	5.75	123.18	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	220	GLU	OE1-CD-OE2	5.72	130.17	123.30
1	A	195	ARG	NE-CZ-NH2	5.69	123.15	120.30
1	C	53	ARG	CG-CD-NE	5.68	123.74	111.80
1	H	43	ARG	NE-CZ-NH2	5.67	123.14	120.30
1	G	77	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	H	57	LYS	CB-CG-CD	5.62	126.22	111.60
1	F	177	ARG	NE-CZ-NH1	-5.61	117.49	120.30
1	C	220	GLU	OE1-CD-OE2	5.61	130.03	123.30
1	B	132	LYS	CD-CE-NZ	-5.58	98.86	111.70
1	G	211	ALA	N-CA-CB	5.57	117.89	110.10
1	C	49	ARG	CG-CD-NE	5.54	123.43	111.80
1	H	49	ARG	NH1-CZ-NH2	-5.53	113.32	119.40
1	C	153	ARG	CD-NE-CZ	5.50	131.29	123.60
1	F	53	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	D	223	ASP	CB-CG-OD1	5.43	123.19	118.30
1	A	269	LEU	CB-CA-C	-5.40	99.94	110.20
1	B	177	ARG	NE-CZ-NH1	-5.38	117.61	120.30
1	E	42	ASP	CB-CG-OD1	-5.38	113.46	118.30
1	H	211	ALA	CA-C-O	-5.38	108.81	120.10
1	D	256	ASP	CB-CG-OD2	-5.37	113.47	118.30
1	E	6	ASP	CB-CG-OD2	-5.34	113.49	118.30
1	D	240	LYS	CD-CE-NZ	-5.33	99.44	111.70
1	F	210	GLU	CA-C-O	5.33	131.29	120.10
1	C	45	ARG	CD-NE-CZ	5.29	131.01	123.60
1	B	57	LYS	CB-CG-CD	5.28	125.33	111.60
1	B	43	ARG	CG-CD-NE	-5.27	100.73	111.80
1	A	211	ALA	CB-CA-C	5.22	117.93	110.10
1	H	42	ASP	CB-CG-OD2	5.22	123.00	118.30
1	B	43	ARG	NE-CZ-NH1	5.19	122.90	120.30
1	C	103	MET	CG-SD-CE	-5.17	91.94	100.20
1	G	153	ARG	NH1-CZ-NH2	-5.14	113.75	119.40
1	H	49	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	A	225	ARG	NH1-CZ-NH2	-5.11	113.78	119.40
1	E	185	ARG	NE-CZ-NH2	5.09	122.85	120.30
1	G	185	ARG	NE-CZ-NH2	5.09	122.84	120.30
1	D	42	ASP	CB-CG-OD2	5.07	122.86	118.30
1	D	225	ARG	NH1-CZ-NH2	-5.07	113.82	119.40
1	C	153	ARG	NH1-CZ-NH2	-5.06	113.83	119.40
1	H	185	ARG	NE-CZ-NH2	5.05	122.83	120.30
1	C	269	LEU	CB-CA-C	-5.04	100.62	110.20
1	G	53	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	A	216	GLN	CA-CB-CG	5.03	124.47	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2009	0	2031	15	0
1	B	1996	0	2013	5	1
1	C	1999	0	2018	7	0
1	D	1996	0	2013	4	0
1	E	1999	0	2018	4	0
1	F	1971	0	1993	12	0
1	G	1965	0	1992	1	0
1	H	1957	0	1978	3	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
2	E	44	0	26	0	0
2	F	44	0	26	0	0
2	G	44	0	26	0	0
2	H	44	0	26	0	0
3	A	27	0	18	0	0
3	B	27	0	19	0	0
3	C	27	0	18	0	0
3	D	27	0	18	1	0
3	E	27	0	18	1	0
3	F	27	0	18	1	0
3	G	27	0	18	0	0
3	H	27	0	19	1	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	D	1	0	0	0	0
5	F	1	0	0	0	0
5	H	1	0	0	0	0
6	A	198	0	0	1	0
6	B	148	0	0	1	0
6	C	195	0	0	0	0
6	D	183	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	E	154	0	0	3	0
6	F	163	0	0	1	0
6	G	176	0	0	0	0
6	H	185	0	0	0	0
All	All	17867	0	16410	42	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:THR:HG23	6:E:537:HOH:O	1.42	1.20
1:E:223:ASP:HB3	6:E:510:HOH:O	1.74	0.87
1:C:195:ARG:HH22	1:C:215:ILE:HD11	1.47	0.77
1:B:106:ASN:OD1	6:B:401:HOH:O	2.07	0.71
1:A:201:ALA:HB1	1:F:211:ALA:HB2	1.73	0.70
1:A:201:ALA:CB	1:F:211:ALA:CB	2.77	0.62
1:C:195:ARG:CZ	1:C:232:MET:CE	2.81	0.58
1:A:201:ALA:HB1	1:F:211:ALA:CB	2.35	0.57
1:A:225:ARG:NH1	6:A:401:HOH:O	2.38	0.56
1:B:2:THR:CG2	6:E:537:HOH:O	2.20	0.56
1:C:195:ARG:CZ	1:C:232:MET:HE1	2.38	0.54
1:A:44:LEU:HD21	1:A:62:GLU:HB2	1.90	0.53
1:B:105:ILE:CG2	1:B:210:GLU:HG3	2.39	0.53
1:C:195:ARG:CZ	1:C:232:MET:HE2	2.39	0.52
1:F:44:LEU:HD21	1:F:62:GLU:HB2	1.92	0.52
1:D:225:ARG:NH2	6:D:404:HOH:O	2.45	0.50
1:A:201:ALA:CB	1:F:211:ALA:HB2	2.35	0.50
1:A:265:HIS:O	1:E:153:ARG:HD3	2.12	0.49
1:F:195:ARG:NH1	6:F:403:HOH:O	2.45	0.48
1:C:195:ARG:NH2	1:C:232:MET:HE1	2.30	0.47
1:C:45:ARG:HG3	1:C:45:ARG:HH21	1.80	0.46
1:A:195:ARG:HG2	1:A:195:ARG:HH21	1.80	0.46
1:E:199:MET:HB2	3:E:302:53K:H4	1.98	0.46
1:D:49:ARG:NH2	6:D:405:HOH:O	2.49	0.46
1:A:212:GLY:HA3	1:F:43:ARG:NH2	2.32	0.45
1:C:148:ASP:OD2	1:C:169:GLU:OE2	2.37	0.43
1:F:148:ASP:OD2	1:F:169:GLU:OE2	2.37	0.43
1:A:103:MET:HE3	1:A:202:ILE:HG22	2.00	0.42
1:D:158:TYR:HB2	3:D:302:53K:H19	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:THR:HG22	1:F:215:ILE:HG21	2.01	0.42
1:F:158:TYR:HB2	3:F:302:53K:H19	2.01	0.42
1:A:103:MET:CE	1:A:202:ILE:HG22	2.49	0.42
1:A:201:ALA:HB2	1:F:211:ALA:CB	2.50	0.42
1:H:158:TYR:HB2	3:H:302:53K:H19	2.02	0.42
1:D:148:ASP:OD2	1:D:169:GLU:OE2	2.38	0.41
1:B:148:ASP:OD2	1:B:169:GLU:OE2	2.39	0.41
1:H:148:ASP:OD2	1:H:169:GLU:OE2	2.39	0.41
1:E:148:ASP:OD2	1:E:169:GLU:OE2	2.39	0.41
1:F:113:TYR:CE2	1:H:121:HIS:HB2	2.55	0.41
1:G:148:ASP:OD2	1:G:169:GLU:OE2	2.39	0.41
1:A:148:ASP:OD2	1:A:169:GLU:OE2	2.38	0.40
1:A:157:ALA:HB2	1:A:207:LEU:HD21	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:43:ARG:NH2	1:B:207:LEU:O[2_556]	2.11	0.09

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/289 (93%)	259 (96%)	10 (4%)	0	100	100
1	B	266/289 (92%)	254 (96%)	12 (4%)	0	100	100
1	C	267/289 (92%)	256 (96%)	11 (4%)	0	100	100
1	D	266/289 (92%)	253 (95%)	13 (5%)	0	100	100
1	E	267/289 (92%)	256 (96%)	11 (4%)	0	100	100
1	F	260/289 (90%)	249 (96%)	11 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	260/289 (90%)	247 (95%)	13 (5%)	0	100	100
1	H	258/289 (89%)	247 (96%)	11 (4%)	0	100	100
All	All	2113/2312 (91%)	2021 (96%)	92 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/222 (93%)	205 (99%)	2 (1%)	76	81
1	B	204/222 (92%)	198 (97%)	6 (3%)	42	43
1	C	205/222 (92%)	203 (99%)	2 (1%)	76	81
1	D	204/222 (92%)	200 (98%)	4 (2%)	55	58
1	E	205/222 (92%)	198 (97%)	7 (3%)	37	36
1	F	203/222 (91%)	199 (98%)	4 (2%)	55	58
1	G	203/222 (91%)	200 (98%)	3 (2%)	65	69
1	H	201/222 (90%)	199 (99%)	2 (1%)	76	81
All	All	1632/1776 (92%)	1602 (98%)	30 (2%)	59	63

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	209	GLU
1	A	216	GLN
1	B	2	THR
1	B	6	ASP
1	B	57	LYS
1	B	170	SER
1	B	217	LEU
1	B	269	LEU
1	E	2	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	6	ASP
1	E	195	ARG
1	E	200	SER
1	E	209	GLU
1	E	223	ASP
1	E	224	GLN
1	G	2	THR
1	G	6	ASP
1	G	170	SER
1	C	6	ASP
1	C	170	SER
1	D	6	ASP
1	D	57	LYS
1	D	162	THR
1	D	170	SER
1	F	2	THR
1	F	6	ASP
1	F	162	THR
1	F	233	LYS
1	H	6	ASP
1	H	57	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	224	GLN
1	F	224	GLN
1	H	224	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 21 ligands modelled in this entry, 5 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	53K	E	302	-	29,30,30	3.44	13 (44%)	37,41,41	2.85	10 (27%)
2	NAD	B	301	-	42,48,48	0.92	1 (2%)	50,73,73	1.25	5 (10%)
3	53K	H	302	-	29,30,30	3.50	12 (41%)	37,41,41	2.70	9 (24%)
3	53K	A	302	-	29,30,30	3.23	13 (44%)	37,41,41	3.50	12 (32%)
3	53K	F	302	-	29,30,30	3.56	11 (37%)	37,41,41	3.04	11 (29%)
2	NAD	D	301	-	42,48,48	0.93	2 (4%)	50,73,73	1.19	5 (10%)
3	53K	D	302	-	29,30,30	3.46	10 (34%)	37,41,41	3.27	9 (24%)
2	NAD	G	301	-	42,48,48	1.03	2 (4%)	50,73,73	1.28	8 (16%)
2	NAD	A	301	-	42,48,48	0.86	2 (4%)	50,73,73	1.18	5 (10%)
2	NAD	C	301	-	42,48,48	0.88	2 (4%)	50,73,73	1.08	5 (10%)
2	NAD	H	301	-	42,48,48	1.10	2 (4%)	50,73,73	1.28	5 (10%)
3	53K	C	302	-	29,30,30	3.76	11 (37%)	37,41,41	3.12	12 (32%)
3	53K	G	302	-	29,30,30	3.23	9 (31%)	37,41,41	3.03	13 (35%)
2	NAD	E	301	-	42,48,48	0.99	2 (4%)	50,73,73	1.15	5 (10%)
2	NAD	F	301	-	42,48,48	0.90	2 (4%)	50,73,73	1.29	5 (10%)
3	53K	B	302	-	29,30,30	3.41	13 (44%)	37,41,41	3.10	13 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	53K	E	302	-	-	0/12/12/12	0/4/4/4
2	NAD	B	301	-	-	10/26/62/62	0/5/5/5
3	53K	H	302	-	-	1/12/12/12	0/4/4/4
3	53K	A	302	-	-	2/12/12/12	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	53K	F	302	-	-	0/12/12/12	0/4/4/4
2	NAD	D	301	-	-	10/26/62/62	0/5/5/5
3	53K	D	302	-	-	0/12/12/12	0/4/4/4
2	NAD	G	301	-	-	8/26/62/62	0/5/5/5
2	NAD	A	301	-	-	8/26/62/62	0/5/5/5
2	NAD	C	301	-	-	7/26/62/62	0/5/5/5
2	NAD	H	301	-	-	9/26/62/62	0/5/5/5
3	53K	C	302	-	-	0/12/12/12	0/4/4/4
3	53K	G	302	-	-	0/12/12/12	0/4/4/4
2	NAD	E	301	-	-	8/26/62/62	0/5/5/5
2	NAD	F	301	-	-	8/26/62/62	0/5/5/5
3	53K	B	302	-	-	0/12/12/12	0/4/4/4

All (107) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	53K	C20-C15	10.52	1.61	1.39
3	F	302	53K	C17-C16	9.91	1.59	1.38
3	E	302	53K	C18-C17	8.38	1.60	1.38
3	D	302	53K	C16-C15	8.38	1.57	1.39
3	H	302	53K	C20-C15	8.30	1.57	1.39
3	E	302	53K	C16-C15	7.81	1.56	1.39
3	D	302	53K	C18-C19	7.57	1.58	1.38
3	G	302	53K	C17-C16	7.55	1.54	1.38
3	F	302	53K	C20-C15	7.54	1.55	1.39
3	D	302	53K	C17-C16	7.47	1.54	1.38
3	C	302	53K	C16-C15	7.47	1.55	1.39
3	G	302	53K	C16-C15	7.24	1.54	1.39
3	B	302	53K	C16-C15	7.13	1.54	1.39
3	F	302	53K	C16-C15	7.10	1.54	1.39
3	C	302	53K	C18-C17	7.01	1.56	1.38
3	H	302	53K	C16-C15	6.98	1.54	1.39
3	E	302	53K	C18-C19	6.85	1.56	1.38
3	G	302	53K	C18-C19	6.83	1.56	1.38
3	B	302	53K	C18-C17	6.79	1.56	1.38
3	H	302	53K	C18-C19	6.79	1.56	1.38
3	B	302	53K	C19-C20	6.74	1.53	1.38
3	E	302	53K	C20-C15	6.72	1.53	1.39
3	B	302	53K	C18-C19	6.60	1.55	1.38
3	F	302	53K	C18-C19	6.56	1.55	1.38
3	B	302	53K	C17-C16	6.47	1.52	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	53K	C15-C14	6.42	1.59	1.48
3	H	302	53K	C19-C20	6.41	1.52	1.38
3	H	302	53K	C17-C16	6.40	1.52	1.38
3	F	302	53K	C18-C17	6.12	1.54	1.38
3	C	302	53K	C17-C16	6.02	1.51	1.38
3	D	302	53K	C19-C20	6.02	1.51	1.38
3	D	302	53K	C20-C15	5.99	1.52	1.39
3	A	302	53K	C17-C16	5.85	1.51	1.38
3	C	302	53K	C19-C20	5.71	1.50	1.38
3	A	302	53K	C1-C2	-5.68	1.39	1.51
3	F	302	53K	C19-C20	5.67	1.50	1.38
3	A	302	53K	C18-C17	5.62	1.52	1.38
3	A	302	53K	C16-C15	5.62	1.51	1.39
3	A	302	53K	C15-C14	5.56	1.57	1.48
3	C	302	53K	C18-C19	5.55	1.52	1.38
3	D	302	53K	C15-C14	5.50	1.57	1.48
3	A	302	53K	C20-C15	5.45	1.51	1.39
3	B	302	53K	C1-C2	-5.34	1.40	1.51
3	G	302	53K	C1-C2	-5.17	1.40	1.51
3	A	302	53K	C18-C19	5.14	1.51	1.38
3	G	302	53K	C20-C15	5.03	1.50	1.39
3	H	302	53K	C18-C17	4.98	1.51	1.38
3	H	302	53K	N2-N3	-4.98	1.25	1.34
3	G	302	53K	C18-C17	4.91	1.51	1.38
3	E	302	53K	C19-C20	4.81	1.49	1.38
3	B	302	53K	C20-C15	4.68	1.49	1.39
3	A	302	53K	C19-C20	4.65	1.48	1.38
3	G	302	53K	C19-C20	4.64	1.48	1.38
3	A	302	53K	N2-N3	-4.57	1.26	1.34
3	G	302	53K	C12-C11	-4.57	1.40	1.51
3	E	302	53K	C17-C16	4.56	1.48	1.38
3	D	302	53K	C18-C17	4.43	1.49	1.38
3	H	302	53K	C12-C11	-4.31	1.41	1.51
2	H	301	NAD	C2N-N1N	4.22	1.40	1.35
3	C	302	53K	N3-N1	4.03	1.42	1.34
3	D	302	53K	C1-C2	-3.95	1.43	1.51
3	E	302	53K	C12-C11	-3.81	1.42	1.51
3	C	302	53K	C1-C2	-3.76	1.43	1.51
2	H	301	NAD	O7N-C7N	-3.74	1.17	1.24
2	E	301	NAD	C2D-C1D	-3.69	1.48	1.53
2	G	301	NAD	C2N-N1N	3.63	1.39	1.35
3	E	302	53K	C1-C2	-3.62	1.43	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAD	C2N-N1N	3.59	1.39	1.35
3	A	302	53K	N3-N1	3.42	1.41	1.34
3	B	302	53K	C12-C11	-3.25	1.43	1.51
3	E	302	53K	C15-C14	3.23	1.54	1.48
3	F	302	53K	C15-C14	3.21	1.54	1.48
3	H	302	53K	N3-N1	2.99	1.40	1.34
3	E	302	53K	N2-N3	-2.98	1.29	1.34
3	H	302	53K	C1-C2	-2.98	1.45	1.51
3	A	302	53K	C13-N1	-2.84	1.32	1.35
2	C	301	NAD	O4D-C1D	2.84	1.45	1.41
2	D	301	NAD	C2N-N1N	2.82	1.38	1.35
3	D	302	53K	C12-N1	2.75	1.52	1.47
3	A	302	53K	C12-C11	-2.75	1.44	1.51
3	F	302	53K	N2-N3	-2.74	1.29	1.34
3	F	302	53K	C1-C2	-2.67	1.45	1.51
3	E	302	53K	N3-N1	2.67	1.39	1.34
2	G	301	NAD	C2D-C1D	2.66	1.57	1.53
3	C	302	53K	C12-C11	-2.66	1.45	1.51
3	G	302	53K	C15-C14	2.64	1.53	1.48
3	B	302	53K	C15-C14	2.62	1.53	1.48
3	D	302	53K	C12-C11	-2.54	1.45	1.51
2	A	301	NAD	C2D-C1D	2.52	1.57	1.53
2	F	301	NAD	C2D-C1D	-2.48	1.50	1.53
3	B	302	53K	O1-C7	-2.47	1.34	1.39
3	H	302	53K	C15-C14	2.42	1.52	1.48
3	B	302	53K	N3-N1	2.39	1.39	1.34
3	C	302	53K	C22-C8	2.37	1.44	1.40
2	E	301	NAD	O4D-C1D	2.31	1.44	1.41
2	A	301	NAD	C2N-N1N	2.29	1.37	1.35
2	F	301	NAD	C2N-N1N	2.28	1.37	1.35
3	H	302	53K	C12-N1	2.26	1.51	1.47
3	F	302	53K	C13-N1	-2.24	1.33	1.35
3	B	302	53K	C22-C8	2.20	1.44	1.40
3	E	302	53K	C9-C10	2.17	1.42	1.38
3	B	302	53K	C7-C2	-2.16	1.34	1.39
3	E	302	53K	C12-N1	2.15	1.50	1.47
3	F	302	53K	N3-N1	2.12	1.38	1.34
2	D	301	NAD	O7N-C7N	-2.08	1.20	1.24
3	A	302	53K	C12-N1	-2.04	1.43	1.47
2	C	301	NAD	C3N-C7N	2.01	1.53	1.50

All (132) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	53K	C18-C17-C16	-10.45	104.27	120.19
3	A	302	53K	C19-C20-C15	-10.14	107.82	120.56
3	D	302	53K	C18-C17-C16	-8.77	106.83	120.19
3	G	302	53K	C18-C17-C16	-8.42	107.36	120.19
3	B	302	53K	C18-C17-C16	-8.41	107.38	120.19
3	B	302	53K	C19-C20-C15	-8.09	110.39	120.56
3	D	302	53K	C19-C20-C15	-7.98	110.53	120.56
3	G	302	53K	C19-C20-C15	-7.92	110.61	120.56
3	C	302	53K	C17-C16-C15	-7.82	110.73	120.56
3	E	302	53K	C18-C17-C16	-7.78	108.34	120.19
3	F	302	53K	C18-C17-C16	-7.75	108.39	120.19
3	A	302	53K	C18-C19-C20	-7.52	108.73	120.19
3	H	302	53K	C20-C15-C14	-7.33	109.70	121.28
3	C	302	53K	C18-C19-C20	-7.32	109.04	120.19
3	F	302	53K	C17-C16-C15	-7.05	111.70	120.56
3	D	302	53K	C19-C18-C17	-6.98	106.96	119.93
3	C	302	53K	C20-C15-C14	-6.97	110.28	121.28
3	A	302	53K	C16-C15-C14	-6.88	110.42	121.28
3	F	302	53K	C19-C20-C15	-6.72	112.12	120.56
3	F	302	53K	C16-C15-C14	-6.63	110.82	121.28
3	C	302	53K	C18-C17-C16	-6.57	110.18	120.19
3	D	302	53K	C17-C16-C15	-6.45	112.45	120.56
3	A	302	53K	C20-C15-C14	-6.34	111.27	121.28
3	D	302	53K	C18-C19-C20	-6.23	110.70	120.19
3	E	302	53K	C19-C20-C15	-6.21	112.76	120.56
3	D	302	53K	C16-C15-C14	-6.18	111.52	121.28
3	H	302	53K	C19-C20-C15	-6.15	112.83	120.56
3	C	302	53K	C19-C20-C15	-6.14	112.84	120.56
3	F	302	53K	C19-C18-C17	-6.14	108.52	119.93
3	A	302	53K	C19-C18-C17	-5.97	108.83	119.93
3	C	302	53K	C16-C15-C14	-5.89	111.99	121.28
3	B	302	53K	C19-C18-C17	-5.89	108.99	119.93
3	E	302	53K	C19-C18-C17	-5.81	109.14	119.93
3	D	302	53K	C20-C15-C14	-5.78	112.15	121.28
3	E	302	53K	C16-C15-C20	-5.77	106.09	117.59
3	G	302	53K	C17-C16-C15	-5.76	113.32	120.56
3	H	302	53K	C18-C17-C16	-5.67	111.55	120.19
3	F	302	53K	C16-C15-C20	-5.57	106.47	117.59
3	B	302	53K	C18-C19-C20	-5.57	111.71	120.19
3	H	302	53K	C17-C16-C15	-5.55	113.58	120.56
3	G	302	53K	C16-C15-C14	-5.55	112.52	121.28
3	B	302	53K	C20-C15-C14	-5.54	112.53	121.28
3	H	302	53K	C16-C15-C14	-5.54	112.54	121.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	53K	C17-C16-C15	-5.48	113.68	120.56
3	G	302	53K	C19-C18-C17	-5.36	109.97	119.93
3	B	302	53K	C16-C15-C14	-5.29	112.93	121.28
3	G	302	53K	C18-C19-C20	-5.25	112.19	120.19
3	E	302	53K	C20-C15-C14	-5.16	113.13	121.28
2	H	301	NAD	C3D-C2D-C1D	-4.86	93.66	100.98
3	E	302	53K	C17-C16-C15	-4.80	114.53	120.56
3	D	302	53K	C16-C15-C20	-4.77	108.08	117.59
3	F	302	53K	C18-C19-C20	-4.71	113.01	120.19
3	E	302	53K	C16-C15-C14	-4.69	113.88	121.28
2	A	301	NAD	C3D-C2D-C1D	-4.63	94.01	100.98
2	G	301	NAD	C3D-C2D-C1D	-4.49	94.22	100.98
3	G	302	53K	C16-C15-C20	-4.45	108.72	117.59
3	H	302	53K	C19-C18-C17	-4.35	111.84	119.93
3	E	302	53K	C18-C19-C20	-4.35	113.56	120.19
3	H	302	53K	C18-C19-C20	-4.33	113.59	120.19
2	F	301	NAD	C3D-C2D-C1D	-4.25	94.58	100.98
3	C	302	53K	C16-C15-C20	-4.23	109.16	117.59
3	B	302	53K	C16-C15-C20	-4.07	109.47	117.59
2	D	301	NAD	PN-O3-PA	4.04	146.68	132.83
3	C	302	53K	C19-C18-C17	-3.81	112.85	119.93
2	E	301	NAD	PN-O3-PA	3.78	145.80	132.83
2	B	301	NAD	PN-O3-PA	3.73	145.63	132.83
3	F	302	53K	C20-C15-C14	-3.70	115.44	121.28
3	G	302	53K	C20-C15-C14	-3.68	115.48	121.28
3	H	302	53K	C16-C15-C20	-3.64	110.33	117.59
2	F	301	NAD	O2A-PA-O1A	3.30	128.54	112.24
2	E	301	NAD	O4B-C1B-C2B	-3.20	102.25	106.93
3	E	302	53K	C15-C14-N2	3.18	126.04	120.96
2	C	301	NAD	C3D-C2D-C1D	-3.06	96.37	100.98
3	A	302	53K	C17-C16-C15	-3.04	116.74	120.56
2	B	301	NAD	C3D-C2D-C1D	-3.03	96.42	100.98
3	G	302	53K	N2-N3-N1	3.01	109.58	107.31
2	B	301	NAD	O4B-C1B-C2B	-3.01	102.53	106.93
2	G	301	NAD	PN-O3-PA	2.97	143.02	132.83
2	B	301	NAD	O2A-PA-O1A	2.94	126.79	112.24
2	F	301	NAD	PN-O3-PA	2.91	142.81	132.83
2	H	301	NAD	PN-O3-PA	2.91	142.81	132.83
3	H	302	53K	C4-C5-C6	-2.88	115.80	120.19
3	G	302	53K	C15-C14-N2	2.88	125.56	120.96
2	D	301	NAD	O2A-PA-O1A	2.86	126.40	112.24
2	F	301	NAD	O4B-C1B-C2B	-2.82	102.81	106.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	53K	C16-C15-C20	-2.68	112.25	117.59
2	C	301	NAD	PN-O3-PA	2.66	141.97	132.83
3	C	302	53K	C8-O1-C7	2.64	124.31	118.04
2	G	301	NAD	C5A-C6A-N6A	2.61	124.32	120.35
2	A	301	NAD	PN-O3-PA	2.59	141.70	132.83
2	G	301	NAD	O2A-PA-O5B	-2.55	95.91	107.75
3	G	302	53K	C9-C8-C22	-2.52	116.71	119.86
2	A	301	NAD	O2A-PA-O5B	-2.51	96.09	107.75
2	H	301	NAD	O4B-C1B-C2B	-2.49	103.28	106.93
3	D	302	53K	O1-C8-C22	2.49	120.88	116.22
3	A	302	53K	C15-C14-N2	2.49	124.93	120.96
3	F	302	53K	C12-N1-C13	2.45	132.32	129.19
2	E	301	NAD	C3D-C2D-C1D	-2.44	97.31	100.98
3	C	302	53K	C1-C2-C7	2.41	124.49	120.95
3	G	302	53K	C13-C14-C15	-2.40	123.72	129.15
2	D	301	NAD	O4B-C1B-C2B	-2.40	103.42	106.93
2	F	301	NAD	C5A-C6A-N6A	2.39	123.98	120.35
2	B	301	NAD	O2A-PA-O5B	-2.37	96.72	107.75
3	G	302	53K	O1-C8-C22	2.36	120.63	116.22
2	E	301	NAD	O2A-PA-O1A	2.36	123.89	112.24
2	A	301	NAD	C6N-N1N-C2N	-2.34	119.84	121.97
3	C	302	53K	C1-C2-C3	-2.33	115.75	120.31
3	A	302	53K	C1-C2-C7	2.31	124.36	120.95
2	E	301	NAD	O5B-C5B-C4B	-2.31	101.06	108.99
3	C	302	53K	N2-N3-N1	-2.29	105.59	107.31
2	H	301	NAD	O2A-PA-O5B	-2.29	97.09	107.75
3	B	302	53K	N2-N3-N1	2.28	109.04	107.31
2	A	301	NAD	C5A-C6A-N6A	2.26	123.79	120.35
3	B	302	53K	O1-C7-C2	-2.25	113.91	119.00
2	D	301	NAD	C3D-C2D-C1D	-2.22	97.63	100.98
2	D	301	NAD	C5A-C6A-N6A	2.21	123.72	120.35
2	G	301	NAD	O2A-PA-O1A	2.21	123.16	112.24
3	B	302	53K	C15-C14-N2	2.20	124.47	120.96
2	G	301	NAD	C6N-N1N-C2N	-2.19	119.97	121.97
3	B	302	53K	C3-C2-C7	2.18	122.08	117.16
3	F	302	53K	C1-C2-C7	2.17	124.14	120.95
2	C	301	NAD	O4D-C1D-C2D	-2.16	103.76	106.93
2	H	301	NAD	C5A-C6A-N6A	2.16	123.63	120.35
3	B	302	53K	C13-N1-N3	-2.15	105.15	109.45
3	A	302	53K	O1-C8-C22	2.14	120.22	116.22
2	C	301	NAD	O4B-C1B-C2B	-2.12	103.83	106.93
3	E	302	53K	C13-C14-C15	-2.11	124.38	129.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	NAD	O4B-C1B-C2B	-2.08	103.89	106.93
2	C	301	NAD	O2A-PA-O1A	2.07	122.48	112.24
3	A	302	53K	C5-C4-C3	-2.04	117.09	120.19
3	F	302	53K	C15-C14-N2	2.03	124.21	120.96
2	G	301	NAD	O2N-PN-O1N	2.01	122.20	112.24

There are no chirality outliers.

All (71) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301	NAD	C5D-O5D-PN-O1N
2	B	301	NAD	C5D-O5D-PN-O2N
2	B	301	NAD	O4D-C1D-N1N-C2N
2	B	301	NAD	O4D-C1D-N1N-C6N
2	B	301	NAD	C2D-C1D-N1N-C6N
2	D	301	NAD	C5D-O5D-PN-O1N
2	D	301	NAD	C5D-O5D-PN-O2N
2	D	301	NAD	O4D-C1D-N1N-C2N
2	D	301	NAD	O4D-C1D-N1N-C6N
2	E	301	NAD	C5D-O5D-PN-O1N
2	E	301	NAD	C5D-O5D-PN-O2N
2	E	301	NAD	O4D-C1D-N1N-C2N
2	E	301	NAD	O4D-C1D-N1N-C6N
2	G	301	NAD	C5D-O5D-PN-O1N
2	G	301	NAD	C5D-O5D-PN-O2N
2	G	301	NAD	O4D-C1D-N1N-C2N
2	G	301	NAD	O4D-C1D-N1N-C6N
2	A	301	NAD	PN-O3-PA-O5B
2	A	301	NAD	C5D-O5D-PN-O1N
2	A	301	NAD	C5D-O5D-PN-O2N
2	A	301	NAD	O4D-C1D-N1N-C2N
2	A	301	NAD	O4D-C1D-N1N-C6N
2	C	301	NAD	PN-O3-PA-O5B
2	C	301	NAD	C5D-O5D-PN-O1N
2	C	301	NAD	C5D-O5D-PN-O2N
2	C	301	NAD	O4D-C1D-N1N-C2N
2	H	301	NAD	C5D-O5D-PN-O1N
2	H	301	NAD	C5D-O5D-PN-O2N
2	H	301	NAD	O4D-C1D-N1N-C2N
2	H	301	NAD	O4D-C1D-N1N-C6N
2	F	301	NAD	PN-O3-PA-O5B
2	F	301	NAD	C5D-O5D-PN-O1N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	F	301	NAD	C5D-O5D-PN-O2N
2	F	301	NAD	O4D-C1D-N1N-C2N
2	F	301	NAD	O4D-C1D-N1N-C6N
2	F	301	NAD	C2D-C1D-N1N-C6N
2	B	301	NAD	PA-O3-PN-O1N
3	A	302	53K	C13-C14-C15-C16
3	A	302	53K	N2-C14-C15-C16
2	B	301	NAD	PN-O3-PA-O5B
2	E	301	NAD	PN-O3-PA-O5B
2	G	301	NAD	PN-O3-PA-O5B
2	D	301	NAD	PA-O3-PN-O1N
2	H	301	NAD	PA-O3-PN-O1N
2	A	301	NAD	O4B-C4B-C5B-O5B
2	F	301	NAD	O4B-C4B-C5B-O5B
2	E	301	NAD	O4B-C4B-C5B-O5B
2	B	301	NAD	PA-O3-PN-O2N
2	D	301	NAD	PA-O3-PN-O2N
2	H	301	NAD	PA-O3-PN-O2N
2	H	301	NAD	O4B-C4B-C5B-O5B
2	D	301	NAD	PN-O3-PA-O5B
2	B	301	NAD	O4B-C4B-C5B-O5B
2	C	301	NAD	O4B-C4B-C5B-O5B
2	B	301	NAD	C5D-O5D-PN-O3
2	D	301	NAD	C5D-O5D-PN-O3
2	D	301	NAD	C2D-C1D-N1N-C6N
2	E	301	NAD	C5D-O5D-PN-O3
2	E	301	NAD	C2D-C1D-N1N-C6N
2	G	301	NAD	C5D-O5D-PN-O3
2	G	301	NAD	C2D-C1D-N1N-C6N
2	A	301	NAD	C5D-O5D-PN-O3
2	A	301	NAD	C2D-C1D-N1N-C6N
2	C	301	NAD	C5D-O5D-PN-O3
2	C	301	NAD	C2D-C1D-N1N-C6N
2	H	301	NAD	C5D-O5D-PN-O3
2	H	301	NAD	C2D-C1D-N1N-C6N
2	F	301	NAD	C5D-O5D-PN-O3
2	D	301	NAD	O4B-C4B-C5B-O5B
2	G	301	NAD	O4B-C4B-C5B-O5B
3	H	302	53K	C13-C14-C15-C16



There are no ring outliers.

4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	302	53K	1	0
3	H	302	53K	1	0
3	F	302	53K	1	0
3	D	302	53K	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand 53K A 302




Bond lengths



Bond angles




Torsions




Rings


Ligand 53K F 302




Bond lengths





Bond angles





Torsions





Rings














Ligand 53K G 302



Ligand NAD E 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	268/289 (92%)	-0.50	8 (2%)	50	49	17, 25, 48, 86	0
1	B	268/289 (92%)	-0.22	6 (2%)	62	60	19, 32, 56, 82	0
1	C	268/289 (92%)	-0.59	2 (0%)	87	87	16, 25, 41, 76	0
1	D	268/289 (92%)	-0.34	4 (1%)	73	72	17, 28, 49, 72	0
1	E	268/289 (92%)	-0.42	4 (1%)	73	72	19, 30, 50, 77	0
1	F	263/289 (91%)	-0.41	6 (2%)	60	59	19, 29, 50, 76	0
1	G	262/289 (90%)	-0.43	8 (3%)	49	48	18, 28, 49, 68	0
1	H	262/289 (90%)	-0.37	8 (3%)	49	48	18, 29, 48, 70	0
All	All	2127/2312 (91%)	-0.41	46 (2%)	62	60	16, 28, 50, 86	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	211	ALA	6.2
1	E	2	THR	5.9
1	B	57	LYS	5.2
1	H	204	GLY	5.0
1	B	2	THR	4.8
1	D	2	THR	4.5
1	F	211	ALA	4.3
1	H	211	ALA	4.3
1	F	2	THR	3.9
1	G	204	GLY	3.8
1	C	57	LYS	3.7
1	H	84	ALA	3.7
1	E	57	LYS	3.5
1	B	45	ARG	3.4
1	C	2	THR	3.4
1	G	2	THR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	84	ALA	3.3
1	G	212	GLY	3.2
1	H	212	GLY	3.2
1	G	84	ALA	3.1
1	A	209	GLU	3.0
1	A	208	GLY	2.8
1	A	2	THR	2.7
1	A	201	ALA	2.7
1	A	211	ALA	2.7
1	F	57	LYS	2.6
1	A	210	GLU	2.6
1	D	57	LYS	2.6
1	H	2	THR	2.5
1	H	216	GLN	2.5
1	D	84	ALA	2.4
1	D	45	ARG	2.4
1	H	80	GLU	2.3
1	G	83	GLY	2.3
1	G	85	GLY	2.3
1	G	216	GLN	2.2
1	F	45	ARG	2.2
1	H	85	GLY	2.2
1	F	84	ALA	2.2
1	E	85	GLY	2.1
1	F	83	GLY	2.1
1	E	84	ALA	2.1
1	A	202	ILE	2.0
1	A	57	LYS	2.0
1	B	52	ASP	2.0
1	B	85	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	53K	H	302	27/27	0.95	0.08	19,23,25,25	0
5	NA	F	303	1/1	0.96	0.27	43,43,43,43	0
4	CL	A	303	1/1	0.96	0.05	35,35,35,35	0
3	53K	A	302	27/27	0.97	0.07	18,21,29,32	0
3	53K	F	302	27/27	0.97	0.07	20,22,24,25	0
2	NAD	B	301	44/44	0.97	0.08	22,26,30,33	0
5	NA	H	303	1/1	0.97	0.14	35,35,35,35	0
3	53K	C	302	27/27	0.97	0.07	19,21,26,29	0
3	53K	G	302	27/27	0.97	0.08	22,24,26,27	0
3	53K	D	302	27/27	0.97	0.08	19,22,26,27	0
3	53K	E	302	27/27	0.97	0.07	20,22,23,25	0
3	53K	B	302	27/27	0.97	0.08	21,25,30,30	0
2	NAD	H	301	44/44	0.98	0.07	20,23,29,31	0
2	NAD	D	301	44/44	0.98	0.07	19,23,27,28	0
2	NAD	E	301	44/44	0.98	0.07	19,23,27,28	0
2	NAD	G	301	44/44	0.98	0.07	20,24,27,29	0
2	NAD	C	301	44/44	0.98	0.06	16,19,21,24	0
4	CL	C	303	1/1	0.98	0.05	35,35,35,35	0
2	NAD	F	301	44/44	0.98	0.07	19,24,27,29	0
5	NA	D	303	1/1	0.98	0.10	32,32,32,32	0
2	NAD	A	301	44/44	0.99	0.06	17,20,22,23	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 53K H 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 53K A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 53K F 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 53K C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 53K G 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 53K D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 53K E 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 53K B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD H 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD E 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.