



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 10:06 PM BST

PDB ID : 4NA1  
Title : Crystal Structure of the second ketosynthase from the bacillaene polyketide synthase  
Authors : Gay, D.C.; Gay, G.R.; Keatinge-Clay, A.T.  
Deposited on : 2013-10-21  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	637	<div> <div>8%</div> <div>82%</div> <div>12%</div> <div>6%</div> </div>
1	B	637	<div> <div>5%</div> <div>80%</div> <div>12%</div> <div>7%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9934 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyketide synthase PksJ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	597	Total	C	N	O	S	0	0	0
			4659	2929	811	897	22			
1	B	591	Total	C	N	O	S	0	0	0
			4611	2901	808	880	22			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	EXPRESSION TAG	UNP P40806
A	-17	SER	-	EXPRESSION TAG	UNP P40806
A	-16	SER	-	EXPRESSION TAG	UNP P40806
A	-15	HIS	-	EXPRESSION TAG	UNP P40806
A	-14	HIS	-	EXPRESSION TAG	UNP P40806
A	-13	HIS	-	EXPRESSION TAG	UNP P40806
A	-12	HIS	-	EXPRESSION TAG	UNP P40806
A	-11	HIS	-	EXPRESSION TAG	UNP P40806
A	-10	HIS	-	EXPRESSION TAG	UNP P40806
A	-9	SER	-	EXPRESSION TAG	UNP P40806
A	-8	SER	-	EXPRESSION TAG	UNP P40806
A	-7	GLY	-	EXPRESSION TAG	UNP P40806
A	-6	LEU	-	EXPRESSION TAG	UNP P40806
A	-5	VAL	-	EXPRESSION TAG	UNP P40806
A	-4	PRO	-	EXPRESSION TAG	UNP P40806
A	-3	ARG	-	EXPRESSION TAG	UNP P40806
A	-2	GLY	-	EXPRESSION TAG	UNP P40806
A	-1	SER	-	EXPRESSION TAG	UNP P40806
A	0	SER	-	EXPRESSION TAG	UNP P40806
A	617	GLY	GLU	SEE REMARK 999	UNP P40806
B	-18	GLY	-	EXPRESSION TAG	UNP P40806
B	-17	SER	-	EXPRESSION TAG	UNP P40806
B	-16	SER	-	EXPRESSION TAG	UNP P40806
B	-15	HIS	-	EXPRESSION TAG	UNP P40806
B	-14	HIS	-	EXPRESSION TAG	UNP P40806

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	HIS	-	EXPRESSION TAG	UNP P40806
B	-12	HIS	-	EXPRESSION TAG	UNP P40806
B	-11	HIS	-	EXPRESSION TAG	UNP P40806
B	-10	HIS	-	EXPRESSION TAG	UNP P40806
B	-9	SER	-	EXPRESSION TAG	UNP P40806
B	-8	SER	-	EXPRESSION TAG	UNP P40806
B	-7	GLY	-	EXPRESSION TAG	UNP P40806
B	-6	LEU	-	EXPRESSION TAG	UNP P40806
B	-5	VAL	-	EXPRESSION TAG	UNP P40806
B	-4	PRO	-	EXPRESSION TAG	UNP P40806
B	-3	ARG	-	EXPRESSION TAG	UNP P40806
B	-2	GLY	-	EXPRESSION TAG	UNP P40806
B	-1	SER	-	EXPRESSION TAG	UNP P40806
B	0	SER	-	EXPRESSION TAG	UNP P40806
B	617	GLY	GLU	SEE REMARK 999	UNP P40806

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	330	Total	O	0	0
			330	330		
3	B	304	Total	O	0	0
			304	304		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	77.86 Å 113.09 Å 96.48 Å 90.00° 107.00° 90.00°	Depositor
Resolution (Å)	30.71 – 1.95 30.71 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.9 (30.71-1.95) 98.9 (30.71-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.32 (at 1.95 Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.210 , 0.240 0.208 , 0.238	Depositor DCC
$R_{free}$ test set	5797 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.4	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	9934	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.34 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.5427e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.59	1/4759 (0.0%)	0.69	2/6442 (0.0%)
1	B	0.61	0/4709	0.68	1/6370 (0.0%)
All	All	0.60	1/9468 (0.0%)	0.68	3/12812 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	241	GLU	CB-CG	-5.21	1.42	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	548	GLU	CB-CA-C	-7.60	95.21	110.40
1	B	559	MET	CG-SD-CE	-6.60	89.64	100.20
1	A	549	THR	N-CA-C	-5.52	96.08	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	548	GLU	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4659	0	4550	48	1
1	B	4611	0	4518	59	1
2	A	10	0	0	1	0
2	B	20	0	0	0	0
3	A	330	0	0	6	0
3	B	304	0	0	9	0
All	All	9934	0	9068	106	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:ARG:NH2	1:A:336:MET:O	2.08	0.86
1:B:301:ASP:OD1	1:B:337:ARG:NH1	2.11	0.83
1:B:301:ASP:OD2	1:B:303:SER:OG	1.96	0.81
1:A:531:GLY:HA3	1:A:532:LYS:C	2.04	0.77
1:A:301:ASP:OD2	1:A:303:SER:OG	2.02	0.74
1:B:111:PRO:HG2	3:B:1066:HOH:O	1.87	0.74
1:A:347:HIS:ND1	3:A:992:HOH:O	2.20	0.74
1:A:547:LYS:O	1:A:548:GLU:HB2	1.89	0.72
1:B:296:ARG:NH1	1:B:336:MET:SD	2.60	0.72
1:A:414:VAL:HG22	3:A:951:HOH:O	1.92	0.69
1:A:127:ASN:OD1	1:B:127:ASN:ND2	2.30	0.65
1:A:469:LYS:HE2	3:A:1006:HOH:O	1.97	0.64
2:A:702:SO4:O1	3:A:1042:HOH:O	2.14	0.63
1:A:323:ILE:HG13	1:A:395:LEU:HD22	1.82	0.62
1:A:400:SER:HB2	1:A:401:PRO:HD2	1.83	0.60
1:A:118:GLY:O	1:A:195:CYS:HB2	2.02	0.59
1:A:548:GLU:O	1:A:552:ILE:HG13	2.01	0.59
1:B:268:THR:HG22	1:B:440:ILE:HG12	1.86	0.58
1:A:300:ILE:HD12	1:A:425:ARG:HD3	1.86	0.58
1:B:26:TRP:HB2	1:B:375:LEU:HD13	1.85	0.57
1:B:139:LEU:CD1	1:B:613:VAL:HG13	2.34	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:ASN:HA	1:A:509:GLU:HG3	1.86	0.57
1:A:319:ASP:HB2	1:A:320:PRO:HD3	1.88	0.56
1:B:468:ASN:HA	1:B:509:GLU:HG3	1.88	0.55
1:A:566:TRP:CE2	1:A:574:LYS:HE3	2.42	0.55
1:B:176:CYS:HB2	1:B:431:PHE:O	2.06	0.55
1:A:122:PHE:CD1	1:A:185:ARG:HG2	2.42	0.54
1:B:266:ARG:NH1	1:B:443:GLU:OE1	2.41	0.54
1:B:331:LYS:NZ	3:B:968:HOH:O	2.20	0.54
1:A:528:PHE:CE1	1:A:540:ARG:HD2	2.43	0.54
1:B:296:ARG:NH2	1:B:336:MET:HB2	2.22	0.53
1:B:84:ARG:HG3	3:B:1034:HOH:O	2.08	0.53
1:B:187:VAL:O	1:B:191:GLN:HG2	2.08	0.53
1:A:524:LYS:NZ	3:A:995:HOH:O	2.40	0.53
1:B:180:LEU:HG	1:B:440:ILE:HD12	1.90	0.53
1:A:246:VAL:HG13	1:A:367:ILE:HD11	1.90	0.52
1:B:519:GLN:N	1:B:519:GLN:OE1	2.43	0.52
1:B:400:SER:O	3:B:1070:HOH:O	2.19	0.52
1:A:176:CYS:HB2	1:A:431:PHE:O	2.10	0.51
1:B:139:LEU:HD11	1:B:613:VAL:HG13	1.93	0.51
1:B:537:GLU:N	1:B:537:GLU:OE1	2.44	0.51
1:A:124:GLY:HA2	1:A:172:VAL:O	2.11	0.51
1:A:335:ASN:O	1:A:336:MET:HB2	2.10	0.51
1:B:57:VAL:O	1:B:59:LYS:HG2	2.11	0.51
1:B:118:GLY:O	1:B:195:CYS:HB2	2.11	0.50
1:A:530:ASP:HB2	1:A:533:GLU:OE1	2.10	0.50
1:B:414:VAL:HG23	1:B:422:LEU:HD12	1.94	0.50
1:B:508:ASP:OD2	1:B:544:HIS:ND1	2.42	0.50
1:B:139:LEU:HD11	1:B:613:VAL:CG1	2.42	0.50
1:A:531:GLY:CA	1:A:532:LYS:C	2.80	0.49
1:A:187:VAL:O	1:A:191:GLN:HG2	2.13	0.49
1:B:471:ARG:NH1	1:B:474:ASP:OD1	2.45	0.49
1:B:97:MET:SD	1:B:158:ARG:HD2	2.53	0.48
1:B:176:CYS:SG	1:B:433:ILE:HG23	2.54	0.48
1:A:176:CYS:SG	1:A:433:ILE:HG23	2.54	0.47
1:B:554:THR:O	3:B:1041:HOH:O	2.20	0.47
1:B:296:ARG:HH21	1:B:333:LEU:HA	1.80	0.47
1:B:136:ARG:C	1:B:138:ASN:H	2.18	0.47
1:B:482:VAL:CG2	1:B:487:LYS:HD2	2.45	0.47
1:A:597:ARG:NH2	3:A:1042:HOH:O	2.48	0.46
1:A:302:PRO:HG3	1:A:333:LEU:HB3	1.98	0.45
1:A:463:VAL:HB	1:A:579:TRP:CH2	2.50	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:VAL:HG13	1:B:367:ILE:HD11	1.98	0.45
1:A:463:VAL:HB	1:A:579:TRP:CZ3	2.51	0.45
1:B:293:ARG:HD2	3:B:1045:HOH:O	2.17	0.45
1:A:528:PHE:HE1	1:A:540:ARG:HD2	1.81	0.45
1:A:534:GLU:N	1:A:534:GLU:OE1	2.50	0.45
1:B:389:GLU:OE1	3:B:1079:HOH:O	2.21	0.45
1:A:122:PHE:O	1:A:200:ALA:HA	2.18	0.44
1:B:30:GLU:OE2	1:B:408:LYS:NZ	2.42	0.44
1:B:389:GLU:CD	3:B:1079:HOH:O	2.56	0.44
1:B:30:GLU:O	1:B:408:LYS:HE2	2.18	0.44
1:B:416:ASP:OD1	1:B:420:ASN:N	2.48	0.43
1:B:319:ASP:HB2	1:B:320:PRO:HD3	1.99	0.43
1:B:520:GLU:HG2	1:B:524:LYS:HE3	2.01	0.43
1:A:97:MET:SD	1:A:158:ARG:HD2	2.58	0.43
1:B:302:PRO:HG3	1:B:333:LEU:HB3	2.00	0.43
1:B:122:PHE:O	1:B:200:ALA:HA	2.18	0.43
1:A:26:TRP:HB2	1:A:375:LEU:HD13	2.00	0.43
1:B:296:ARG:HE	1:B:333:LEU:HD23	1.84	0.43
1:B:465:SER:HA	1:B:509:GLU:O	2.18	0.43
1:A:111:PRO:CG	1:A:505:GLU:HB2	2.49	0.43
1:B:421:GLU:OE1	1:B:421:GLU:N	2.43	0.42
1:B:471:ARG:HA	1:B:471:ARG:HD3	1.90	0.42
1:B:124:GLY:HA2	1:B:172:VAL:O	2.18	0.42
1:A:5:GLU:HA	1:A:6:PRO:HD2	1.91	0.42
1:B:468:ASN:CA	1:B:509:GLU:HG3	2.50	0.42
1:A:197:MET:HG2	1:A:249:LYS:HG2	2.01	0.42
1:A:554:THR:O	1:A:554:THR:HG22	2.20	0.42
1:A:570:ARG:HB3	1:A:572:TYR:CZ	2.54	0.42
1:B:104:LEU:HD22	1:B:114:LEU:HD11	2.02	0.42
1:B:25:PHE:O	1:B:29:LEU:HG	2.20	0.42
1:B:493:LEU:O	1:B:493:LEU:HG	2.19	0.42
1:B:566:TRP:CD1	1:B:571:LYS:HD2	2.55	0.42
1:B:354:VAL:HB	1:B:372:LYS:HD3	2.02	0.41
1:B:520:GLU:O	1:B:524:LYS:HG3	2.19	0.41
1:A:531:GLY:HA3	1:A:532:LYS:HB2	2.02	0.41
1:B:556:ASP:N	3:B:982:HOH:O	2.51	0.41
1:B:323:ILE:HG13	1:B:395:LEU:HD22	2.03	0.41
1:B:508:ASP:CG	1:B:544:HIS:HD1	2.23	0.41
1:A:568:ARG:HG2	1:A:568:ARG:HH11	1.85	0.41
1:A:76:PRO:HB2	1:A:81:ILE:O	2.21	0.41
1:A:345:PRO:O	1:A:346:ASP:HB2	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:PRO:HG3	1:A:505:GLU:HB2	2.03	0.41
1:A:140:PRO:HB3	1:B:57:VAL:HG13	2.02	0.40
1:A:311:HIS:N	1:A:322:GLU:OE2	2.53	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:566:TRP:CZ2	1:B:559:MET:CE[1_454]	2.01	0.19

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	591/637 (93%)	577 (98%)	14 (2%)	0	100	100
1	B	583/637 (92%)	566 (97%)	17 (3%)	0	100	100
All	All	1174/1274 (92%)	1143 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/527 (94%)	494 (99%)	3 (1%)	86	85

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	490/527 (93%)	488 (100%)	2 (0%)	91	90
All	All	987/1054 (94%)	982 (100%)	5 (0%)	88	88

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	360	HIS
1	A	471	ARG
1	A	540	ARG
1	B	360	HIS
1	B	471	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	B	703	-	4,4,4	0.27	0	6,6,6	0.12	0
2	SO4	B	704	-	4,4,4	0.24	0	6,6,6	0.62	0
2	SO4	A	701	-	4,4,4	0.26	0	6,6,6	0.27	0
2	SO4	A	702	-	4,4,4	0.18	0	6,6,6	0.22	0
2	SO4	B	702	-	4,4,4	0.17	0	6,6,6	0.23	0
2	SO4	B	701	-	4,4,4	0.10	0	6,6,6	0.27	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	702	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	597/637 (93%)	0.31	48 (8%)	12 19	24, 38, 71, 95	0
1	B	591/637 (92%)	0.25	35 (5%)	22 30	24, 40, 63, 98	0
All	All	1188/1274 (93%)	0.28	83 (6%)	16 24	24, 39, 67, 98	0

All (83) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	535	THR	9.1
1	A	536	ASP	8.1
1	B	417	ARG	7.5
1	B	336	MET	6.9
1	A	417	ARG	6.0
1	A	345	PRO	5.1
1	A	532	LYS	4.8
1	A	336	MET	4.7
1	A	534	GLU	4.7
1	A	419	GLY	4.6
1	A	344	VAL	4.6
1	B	346	ASP	4.5
1	A	533	GLU	4.4
1	A	308	ILE	4.0
1	A	418	ASP	3.8
1	A	531	GLY	3.8
1	A	421	GLU	3.8
1	B	84	ARG	3.7
1	A	420	ASN	3.6
1	A	346	ASP	3.6
1	A	530	ASP	3.6
1	A	554	THR	3.6
1	B	399	ASP	3.5
1	A	343	ASP	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	421	GLU	3.5
1	A	593	GLU	3.4
1	B	337	ARG	3.3
1	A	3	ASP	3.3
1	B	458	GLN	3.3
1	A	537	GLU	3.3
1	A	458	GLN	3.2
1	B	491	GLN	3.2
1	A	519	GLN	3.1
1	B	416	ASP	3.0
1	B	418	ASP	3.0
1	B	428	ILE	3.0
1	B	481	GLU	3.0
1	B	559	MET	3.0
1	A	416	ASP	3.0
1	A	428	ILE	2.9
1	B	138	ASN	2.9
1	A	414	VAL	2.9
1	A	548	GLU	2.8
1	A	551	THR	2.8
1	A	447	PRO	2.7
1	B	554	THR	2.7
1	B	442	ILE	2.6
1	A	594	THR	2.5
1	B	593	GLU	2.5
1	B	50	TYR	2.5
1	A	457	GLU	2.4
1	A	415	THR	2.4
1	A	112	GLN	2.4
1	A	463	VAL	2.4
1	A	370	LEU	2.3
1	B	300	ILE	2.3
1	A	547	LYS	2.3
1	B	544	HIS	2.3
1	A	469	LYS	2.3
1	A	446	MET	2.3
1	B	373	VAL	2.3
1	B	545	ARG	2.2
1	B	427	GLY	2.2
1	A	335	ASN	2.2
1	A	180	LEU	2.2
1	A	427	GLY	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	135	HIS	2.2
1	B	420	ASN	2.1
1	A	491	GLN	2.1
1	B	441	VAL	2.1
1	B	419	GLY	2.1
1	B	308	ILE	2.1
1	A	486	LYS	2.1
1	B	352	GLY	2.1
1	A	389	GLU	2.1
1	B	412	LYS	2.1
1	B	415	THR	2.0
1	B	3	ASP	2.0
1	A	246	VAL	2.0
1	A	442	ILE	2.0
1	A	487	LYS	2.0
1	B	532	LYS	2.0
1	B	55	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	B	702	5/5	0.90	0.35	68,70,73,87	0
2	SO4	B	704	5/5	0.92	0.26	44,49,66,67	0
2	SO4	B	703	5/5	0.94	0.27	42,54,69,72	0
2	SO4	A	701	5/5	0.96	0.17	38,46,61,64	0
2	SO4	A	702	5/5	0.97	0.20	64,67,75,81	0
2	SO4	B	701	5/5	0.97	0.13	55,68,69,70	0

## 6.5 Other polymers

There are no such residues in this entry.