



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 07:55 am BST

PDB ID : 3NDB  
Title : Crystal structure of a signal sequence bound to the signal recognition particle  
Authors : Hainzl, T.; Huang, S.; Sauer-Eriksson, E.  
Deposited on : 2010-06-07  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)
RNA backbone	3102	1173 (3.30-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	87	<div> <div>2%</div> <div> <div></div> <div>44%</div> <div>44%</div> <div>13%</div> </div> </div>
2	B	454	<div> <div>2%</div> <div> <div></div> <div>40%</div> <div>41%</div> <div>12%</div> <div>7%</div> </div> </div>
3	M	136	<div> <div>2%</div> <div> <div></div> <div>13%</div> <div>31%</div> <div>29%</div> <div>26%</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Signal recognition particle 19 kDa protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	87	Total	C	N	O	S	0	0	0
			727	468	130	125	4			

- Molecule 2 is a protein called Signal recognition 54 kDa protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	420	Total	C	N	O	S	0	0	0
			3273	2084	561	618	10			

There are 25 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	2	MET	-	INSERTION	UNP Q57565
B	432	SER	-	EXPRESSION TAG	UNP Q57565
B	433	GLY	-	EXPRESSION TAG	UNP Q57565
B	434	SER	-	EXPRESSION TAG	UNP Q57565
B	435	GLY	-	EXPRESSION TAG	UNP Q57565
B	436	GLY	-	EXPRESSION TAG	UNP Q57565
B	437	SER	-	EXPRESSION TAG	UNP Q57565
B	438	GLY	-	EXPRESSION TAG	UNP Q57565
B	439	SER	-	EXPRESSION TAG	UNP Q57565
B	440	GLY	-	EXPRESSION TAG	UNP Q57565
B	441	LYS	-	EXPRESSION TAG	UNP Q57565
B	442	LEU	-	EXPRESSION TAG	UNP Q57565
B	443	ALA	-	EXPRESSION TAG	UNP Q57565
B	444	LEU	-	EXPRESSION TAG	UNP Q57565
B	445	ALA	-	EXPRESSION TAG	UNP Q57565
B	446	LEU	-	EXPRESSION TAG	UNP Q57565
B	447	LEU	-	EXPRESSION TAG	UNP Q57565
B	448	LEU	-	EXPRESSION TAG	UNP Q57565
B	449	LEU	-	EXPRESSION TAG	UNP Q57565
B	450	LEU	-	EXPRESSION TAG	UNP Q57565

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	451	LEU	-	EXPRESSION TAG	UNP Q57565
B	452	ALA	-	EXPRESSION TAG	UNP Q57565
B	453	LEU	-	EXPRESSION TAG	UNP Q57565
B	454	ALA	-	EXPRESSION TAG	UNP Q57565
B	455	LEU	-	EXPRESSION TAG	UNP Q57565

- Molecule 3 is a RNA chain called SRP RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	136	Total	C	N	O	P	0	0	0
			2921	1299	538	949	135			

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	O	P	0	0
			5	4	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Signal recognition particle 19 kDa protein



- Molecule 2: Signal recognition 54 kDa protein



● Molecule 3: SRP RNA



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	108.83 Å   126.28 Å   201.76 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	20.00 – 3.00 19.92 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (20.00-3.00) 98.4 (19.92-3.00)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.80 (at 2.98 Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.228   ,   0.267 0.233   ,   0.263	Depositor DCC
$R_{free}$ test set	1385 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	93.3	Xtriage
Anisotropy	0.213	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 49.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6926	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	99.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.73	0/740	0.84	0/984
2	B	0.71	0/3299	0.93	4/4411 (0.1%)
3	M	1.15	2/3267 (0.1%)	2.05	155/5099 (3.0%)
All	All	0.94	2/7306 (0.0%)	1.57	159/10494 (1.5%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	245	C	N1-C2	-5.30	1.34	1.40
3	M	215	G	N3-C4	5.11	1.39	1.35

All (159) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	193	G	P-O3'-C3'	13.48	135.88	119.70
3	M	186	A	C1'-O4'-C4'	-13.37	99.20	109.90
3	M	236	C	N1-C1'-C2'	-12.18	98.17	114.00
3	M	130	C	O4'-C1'-N1	10.53	116.62	108.20
3	M	130	C	C4'-C3'-C2'	-9.31	93.29	102.60
3	M	199	C	P-O3'-C3'	-9.20	108.66	119.70
3	M	175	U	O4'-C1'-N1	9.07	115.46	108.20
3	M	186	A	O4'-C1'-N9	8.91	115.33	108.20
3	M	146	G	O4'-C1'-N9	8.63	115.11	108.20
3	M	153	A	C5'-C4'-C3'	-8.62	102.20	116.00
3	M	198	C	C5'-C4'-O4'	-8.59	98.80	109.10
3	M	226	G	C3'-C2'-C1'	-8.23	94.92	101.50
3	M	140	U	P-O3'-C3'	8.14	129.47	119.70
3	M	250	G	P-O3'-C3'	-8.09	109.99	119.70
3	M	153	A	P-O3'-C3'	-7.83	110.31	119.70
3	M	130	C	O4'-C4'-C3'	-7.71	96.29	104.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	152	G	C3'-C2'-C1'	-7.50	95.50	101.50
3	M	126	U	C3'-C2'-C1'	-7.48	95.52	101.50
3	M	236	C	O4'-C1'-N1	7.47	114.18	108.20
3	M	242	U	P-O3'-C3'	7.26	128.41	119.70
3	M	190	G	O4'-C1'-N9	7.23	113.99	108.20
3	M	128	G	N9-C1'-C2'	-7.16	104.12	112.00
3	M	197	C	O5'-P-OP2	7.04	119.14	110.70
3	M	169	G	C5'-C4'-O4'	-7.03	100.67	109.10
3	M	161	C	O4'-C1'-N1	7.02	113.81	108.20
3	M	162	U	O4'-C4'-C3'	-6.99	97.01	104.00
3	M	191	C	C3'-C2'-C1'	-6.88	95.99	101.50
3	M	244	A	OP1-P-OP2	-6.88	109.28	119.60
3	M	167	G	C3'-C2'-C1'	-6.87	96.01	101.50
3	M	164	U	O4'-C1'-N1	6.86	113.69	108.20
3	M	215	G	OP1-P-OP2	-6.86	109.32	119.60
3	M	169	G	O4'-C1'-N9	6.82	113.66	108.20
3	M	245	C	OP1-P-OP2	-6.80	109.40	119.60
3	M	176	A	N9-C1'-C2'	-6.74	104.58	112.00
3	M	162	U	C3'-C2'-C1'	-6.71	96.13	101.50
3	M	168	G	OP1-P-OP2	-6.66	109.61	119.60
3	M	200	G	O4'-C4'-C3'	-6.61	97.39	104.00
3	M	195	A	P-O3'-C3'	6.60	127.62	119.70
3	M	251	U	O4'-C1'-N1	6.58	113.46	108.20
3	M	169	G	O5'-P-OP1	6.53	118.53	110.70
3	M	133	G	OP1-P-OP2	-6.50	109.85	119.60
3	M	247	G	OP1-P-OP2	-6.50	109.86	119.60
3	M	187	C	N1-C1'-C2'	-6.49	104.86	112.00
3	M	166	G	OP1-P-OP2	-6.49	109.87	119.60
3	M	153	A	C4'-C3'-C2'	6.47	109.07	102.60
3	M	132	C	OP1-P-OP2	-6.46	109.90	119.60
3	M	130	C	C3'-C2'-C1'	-6.46	96.33	101.50
3	M	151	G	P-O3'-C3'	-6.46	111.95	119.70
3	M	163	G	O4'-C4'-C3'	-6.44	97.56	104.00
3	M	245	C	O4'-C4'-C3'	-6.43	97.57	104.00
3	M	124	U	C4'-C3'-C2'	-6.41	96.19	102.60
3	M	151	G	C3'-C2'-C1'	-6.39	96.39	101.50
3	M	192	C	O4'-C4'-C3'	-6.37	97.63	104.00
3	M	210	G	OP1-P-OP2	-6.36	110.06	119.60
3	M	232	A	N9-C1'-C2'	-6.35	105.02	112.00
3	M	164	U	O5'-P-OP2	-6.34	99.99	105.70
3	M	129	U	O4'-C1'-N1	6.34	113.28	108.20
3	M	134	U	OP1-P-OP2	-6.31	110.13	119.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	206	C	OP1-P-OP2	-6.31	110.14	119.60
3	M	144	C	O4'-C4'-C3'	-6.30	97.70	104.00
3	M	214	G	OP1-P-OP2	-6.25	110.22	119.60
3	M	143	G	O4'-C4'-C3'	-6.23	97.77	104.00
3	M	150	G	C3'-C2'-C1'	-6.20	96.54	101.50
3	M	202	C	O4'-C1'-N1	6.20	113.16	108.20
3	M	149	G	O4'-C4'-C3'	-6.17	97.83	104.00
3	M	224	U	OP1-P-OP2	-6.14	110.39	119.60
3	M	222	G	C4'-C3'-C2'	-6.14	96.46	102.60
3	M	246	G	OP1-P-OP2	-6.07	110.49	119.60
3	M	132	C	O4'-C4'-C3'	-6.07	97.93	104.00
3	M	229	A	O4'-C1'-N9	6.07	113.05	108.20
3	M	160	C	O4'-C1'-N1	6.03	113.03	108.20
3	M	223	G	O4'-C1'-N9	6.03	113.03	108.20
3	M	194	A	O4'-C1'-N9	6.03	113.02	108.20
3	M	178	C	O4'-C1'-N1	6.01	113.01	108.20
3	M	163	G	C5-C6-O6	-5.99	125.00	128.60
2	B	85	LEU	CA-CB-CG	5.98	129.06	115.30
3	M	163	G	OP1-P-OP2	5.98	128.57	119.60
3	M	252	G	C5-N7-C8	-5.98	101.31	104.30
3	M	213	G	C4'-C3'-C2'	-5.95	96.65	102.60
3	M	215	G	C8-N9-C4	-5.95	104.02	106.40
3	M	218	C	OP1-P-OP2	-5.90	110.75	119.60
3	M	187	C	C4'-C3'-C2'	-5.87	96.73	102.60
2	B	223	ILE	CG1-CB-CG2	-5.86	98.50	111.40
3	M	156	A	C5'-C4'-C3'	-5.85	106.64	116.00
3	M	206	C	O4'-C4'-C3'	-5.84	98.16	104.00
3	M	130	C	C1'-O4'-C4'	-5.82	105.24	109.90
3	M	174	G	O4'-C1'-N9	5.82	112.85	108.20
3	M	152	G	O4'-C1'-N9	5.82	112.85	108.20
3	M	144	C	C4'-C3'-C2'	-5.81	96.79	102.60
3	M	180	C	O4'-C4'-C3'	-5.80	98.20	104.00
3	M	152	G	N3-C4-N9	-5.80	122.52	126.00
3	M	217	G	O4'-C4'-C3'	-5.79	98.21	104.00
3	M	163	G	N1-C6-O6	5.77	123.36	119.90
3	M	223	G	C5-C6-O6	-5.72	125.17	128.60
3	M	167	G	OP1-P-OP2	-5.69	111.06	119.60
3	M	237	G	C3'-C2'-C1'	-5.68	96.95	101.50
3	M	173	U	C3'-C2'-C1'	-5.65	96.98	101.50
3	M	179	C	O4'-C1'-N1	5.65	112.72	108.20
3	M	212	A	C3'-C2'-C1'	-5.63	96.99	101.50
3	M	230	G	O4'-C1'-N9	5.60	112.68	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	233	C	O4'-C1'-N1	5.60	112.68	108.20
3	M	144	C	O4'-C1'-N1	-5.60	103.72	108.20
3	M	193	G	C2'-C3'-O3'	5.58	122.63	113.70
3	M	157	U	C4'-C3'-C2'	-5.57	97.03	102.60
3	M	127	C	O4'-C1'-N1	5.51	112.61	108.20
3	M	166	G	C4-C5-N7	5.49	113.00	110.80
3	M	189	U	O4'-C1'-N1	5.47	112.58	108.20
3	M	180	C	P-O3'-C3'	-5.47	113.14	119.70
3	M	207	C	C6-N1-C2	5.47	122.49	120.30
3	M	213	G	C5-C6-N1	5.46	114.23	111.50
3	M	202	C	C4-C5-C6	5.43	120.11	117.40
3	M	223	G	N3-C2-N2	-5.42	116.11	119.90
3	M	177	A	N1-C6-N6	-5.41	115.36	118.60
3	M	250	G	C4'-C3'-C2'	5.39	108.00	102.60
2	B	144	TYR	CB-CA-C	-5.39	99.61	110.40
3	M	217	G	C6-C5-N7	-5.37	127.18	130.40
3	M	163	G	C6-C5-N7	-5.36	127.19	130.40
3	M	256	G	O4'-C1'-N9	5.35	112.48	108.20
3	M	133	G	C3'-C2'-C1'	-5.35	97.22	101.50
3	M	193	G	C8-N9-C4	-5.35	104.26	106.40
3	M	201	C	O4'-C1'-N1	5.34	112.47	108.20
3	M	124	U	P-O3'-C3'	5.33	126.10	119.70
3	M	189	U	C3'-C2'-C1'	-5.32	97.25	101.50
3	M	255	G	P-O3'-C3'	5.31	126.08	119.70
3	M	222	G	C8-N9-C4	-5.31	104.28	106.40
3	M	217	G	C5-C6-O6	-5.30	125.42	128.60
3	M	186	A	O4'-C4'-C3'	-5.28	98.72	104.00
3	M	247	G	C8-N9-C4	-5.27	104.29	106.40
3	M	129	U	N1-C1'-C2'	5.25	120.83	114.00
3	M	258	C	O4'-C1'-N1	5.24	112.39	108.20
3	M	221	C	C3'-C2'-C1'	-5.24	97.31	101.50
3	M	213	G	OP1-P-O3'	5.22	116.69	105.20
3	M	149	G	O4'-C1'-N9	5.22	112.38	108.20
3	M	217	G	C3'-C2'-C1'	-5.22	97.32	101.50
3	M	252	G	C4-C5-N7	5.22	112.89	110.80
3	M	206	C	O5'-C5'-C4'	-5.21	101.79	111.70
3	M	218	C	O4'-C1'-N1	5.21	112.37	108.20
3	M	227	G	C5'-C4'-C3'	-5.20	107.67	116.00
2	B	274	ILE	CB-CA-C	-5.19	101.22	111.60
3	M	252	G	N1-C6-O6	5.18	123.01	119.90
3	M	218	C	O4'-C4'-C3'	-5.18	98.82	104.00
3	M	237	G	C5-C6-N1	5.17	114.09	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	203	A	N1-C6-N6	5.13	121.68	118.60
3	M	213	G	C5-C6-O6	-5.13	125.52	128.60
3	M	251	U	P-O3'-C3'	5.12	125.84	119.70
3	M	213	G	C6-N1-C2	-5.11	122.04	125.10
3	M	152	G	N3-C4-C5	5.10	131.15	128.60
3	M	253	C	O4'-C1'-N1	5.10	112.28	108.20
3	M	180	C	C3'-C2'-C1'	-5.09	97.42	101.50
3	M	202	C	N3-C4-C5	-5.09	119.86	121.90
3	M	187	C	C5'-C4'-O4'	5.08	115.19	109.10
3	M	199	C	O5'-P-OP1	-5.06	101.15	105.70
3	M	152	G	C8-N9-C1'	5.05	133.57	127.00
3	M	167	G	C4-C5-N7	5.05	112.82	110.80
3	M	213	G	O4'-C1'-N9	5.05	112.24	108.20
3	M	129	U	N3-C2-O2	-5.04	118.67	122.20
3	M	165	A	O5'-C5'-C4'	-5.03	102.14	111.70
3	M	193	G	C5-C6-O6	-5.03	125.58	128.60
3	M	183	U	O4'-C1'-N1	5.01	112.21	108.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	727	0	786	37	0
2	B	3273	0	3522	196	0
3	M	2921	0	1478	99	0
4	D	5	0	0	0	0
All	All	6926	0	5786	324	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (324) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:412:GLU:HG2	2:B:415:ARG:NH2	1.52	1.24
2:B:176:MET:SD	2:B:210:THR:CG2	2.37	1.11
2:B:166:LYS:HB3	2:B:171:ILE:HG21	1.24	1.11
2:B:196:GLU:O	2:B:197:LYS:HG3	1.50	1.11
2:B:164:ARG:HG2	2:B:164:ARG:O	1.44	1.09
3:M:197:C:H5''	3:M:197:C:H6	1.14	1.07
1:A:15:ARG:HH11	1:A:15:ARG:HG2	1.09	1.06
2:B:176:MET:SD	2:B:210:THR:HG21	1.98	1.02
2:B:412:GLU:CG	2:B:415:ARG:NH2	2.22	1.02
2:B:328:LEU:HD13	2:B:380:MET:CE	1.92	1.00
2:B:166:LYS:HB3	2:B:171:ILE:CG2	1.92	0.99
3:M:236:C:O2'	3:M:237:G:H5''	1.63	0.98
2:B:64:THR:O	2:B:64:THR:CG2	2.11	0.98
3:M:197:C:H5''	3:M:197:C:C6	2.01	0.94
1:A:38:LEU:HB3	1:A:45:PRO:HG3	1.46	0.94
2:B:94:GLU:O	2:B:95:LEU:HD23	1.71	0.91
2:B:164:ARG:CG	2:B:164:ARG:O	2.14	0.91
3:M:130:C:H3'	3:M:130:C:OP2	1.71	0.90
3:M:239:C:H3'	3:M:240:G:H5''	1.51	0.89
3:M:127:C:H2'	3:M:128:G:C8	2.07	0.89
2:B:96:ASN:ND2	2:B:96:ASN:O	2.06	0.89
2:B:412:GLU:HG2	2:B:415:ARG:HH21	1.30	0.86
1:A:15:ARG:NH1	1:A:15:ARG:HG2	1.78	0.86
2:B:328:LEU:HD13	2:B:380:MET:HE1	1.55	0.86
2:B:54:GLU:HA	2:B:54:GLU:OE1	1.76	0.86
2:B:329:ASN:HD21	2:B:385:ARG:HH11	1.24	0.85
2:B:64:THR:O	2:B:64:THR:HG22	1.76	0.85
1:A:38:LEU:CB	1:A:45:PRO:HG3	2.07	0.84
2:B:322:MET:O	2:B:427:LEU:HD21	1.75	0.84
2:B:327:THR:HG21	2:B:386:GLU:HG3	1.59	0.84
2:B:309:MET:O	2:B:313:LYS:HD2	1.78	0.83
2:B:328:LEU:HD13	2:B:380:MET:HE3	1.60	0.83
3:M:254:G:H2'	3:M:255:G:O4'	1.80	0.81
1:A:15:ARG:CG	1:A:15:ARG:HH11	1.94	0.80
2:B:73:HIS:O	2:B:77:ILE:HG13	1.82	0.79
3:M:250:G:N3	3:M:250:G:H2'	1.98	0.77
1:A:11:LYS:O	1:A:11:LYS:HE3	1.84	0.77
2:B:449:LEU:HD12	2:B:449:LEU:C	2.05	0.77
2:B:206:ILE:HG13	2:B:206:ILE:O	1.86	0.76
3:M:197:C:C5'	3:M:197:C:H6	1.96	0.76
2:B:196:GLU:O	2:B:197:LYS:CG	2.33	0.74
2:B:216:ILE:HG12	2:B:243:SER:HB2	1.68	0.74

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HE3	1:A:68:TYR:O	1.86	0.74
2:B:172:VAL:HG21	2:B:206:ILE:CD1	2.17	0.74
3:M:127:C:H2'	3:M:128:G:H8	1.54	0.72
3:M:236:C:O2'	3:M:237:G:C5'	2.36	0.72
2:B:130:LYS:O	2:B:183:ASP:HB2	1.90	0.71
2:B:375:VAL:HG11	3:M:205:G:O4'	1.91	0.71
2:B:446:LEU:HD12	2:B:449:LEU:HD21	1.72	0.71
2:B:57:ARG:O	2:B:61:GLU:CB	2.39	0.71
1:A:52:ARG:HD2	1:A:57:HIS:O	1.91	0.70
2:B:64:THR:O	2:B:64:THR:HG23	1.90	0.69
2:B:172:VAL:HG21	2:B:206:ILE:HD12	1.72	0.69
2:B:321:ILE:HG12	2:B:326:PHE:HD2	1.55	0.69
2:B:111:SER:HA	2:B:220:ASP:HB2	1.74	0.69
2:B:192:ARG:HD2	2:B:198:GLY:O	1.92	0.68
1:A:18:ARG:NH2	3:M:159:U:OP2	2.27	0.68
3:M:193:G:H8	3:M:193:G:OP2	1.77	0.67
2:B:172:VAL:O	2:B:176:MET:HG3	1.94	0.67
2:B:124:ILE:HG12	2:B:184:VAL:HG11	1.76	0.66
2:B:384:GLU:HA	2:B:390:ILE:HD11	1.76	0.66
2:B:193:HIS:H	2:B:193:HIS:CD2	2.11	0.66
2:B:376:ILE:HG21	2:B:413:VAL:HG21	1.76	0.66
3:M:126:U:H1'	3:M:256:G:N2	2.10	0.66
3:M:126:U:H1'	3:M:256:G:H22	1.61	0.66
2:B:446:LEU:CD1	2:B:449:LEU:HD21	2.27	0.65
2:B:180:LYS:C	2:B:182:ALA:H	1.99	0.65
3:M:168:G:C2'	3:M:169:G:H5'	2.27	0.65
2:B:315:GLU:HA	2:B:318:ILE:HG12	1.80	0.64
2:B:5:LEU:O	2:B:9:LEU:HB2	1.98	0.64
2:B:66:LYS:HB2	2:B:313:LYS:NZ	2.13	0.63
2:B:176:MET:SD	2:B:210:THR:HG22	2.37	0.63
3:M:156:A:H5'	3:M:157:U:OP2	1.99	0.63
2:B:412:GLU:CD	2:B:415:ARG:NH2	2.52	0.63
1:A:69:LYS:HE2	3:M:164:U:OP1	1.98	0.63
2:B:68:LEU:HD21	2:B:306:ALA:HA	1.80	0.63
2:B:16:LEU:HD21	2:B:74:ILE:HB	1.80	0.63
3:M:188:C:O2	3:M:188:C:H2'	1.97	0.63
3:M:152:G:H5'	3:M:153:A:OP2	1.99	0.62
3:M:197:C:H5'	3:M:198:C:O5'	1.98	0.62
2:B:425:ASP:C	2:B:427:LEU:H	2.02	0.62
2:B:72:GLU:HG2	2:B:302:LEU:HD21	1.80	0.62
2:B:167:SER:O	2:B:171:ILE:HG23	2.00	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:239:C:H3'	3:M:240:G:C5'	2.28	0.62
3:M:250:G:N2	3:M:251:U:O4'	2.33	0.62
2:B:412:GLU:CD	2:B:415:ARG:HH22	2.04	0.61
2:B:94:GLU:O	2:B:95:LEU:CD2	2.45	0.61
2:B:229:ILE:HA	2:B:232:LYS:HD2	1.83	0.61
3:M:128:G:H2'	3:M:129:U:O4'	2.00	0.61
2:B:57:ARG:O	2:B:61:GLU:HB2	2.01	0.60
2:B:76:LYS:O	2:B:80:GLU:HG3	2.01	0.60
2:B:57:ARG:O	2:B:61:GLU:HB3	2.01	0.60
2:B:133:LEU:HD23	2:B:186:ILE:HB	1.83	0.60
2:B:101:ASN:HB2	2:B:183:ASP:O	2.02	0.59
2:B:176:MET:HE1	2:B:210:THR:HG22	1.84	0.59
2:B:387:ASN:O	2:B:390:ILE:HG12	2.02	0.59
2:B:52:SER:HA	2:B:55:ILE:HD12	1.85	0.59
2:B:58:ARG:HG3	2:B:62:GLU:HG2	1.83	0.59
1:A:34:ILE:HG21	1:A:64:VAL:HG11	1.85	0.59
2:B:317:SER:OG	2:B:330:GLU:HG3	2.03	0.59
2:B:5:LEU:HD13	2:B:293:LEU:HD21	1.85	0.59
2:B:79:TYR:CE1	2:B:303:LEU:HD11	2.37	0.58
1:A:55:ARG:HH21	3:M:167:G:P	2.26	0.58
2:B:34:ILE:O	2:B:37:ALA:HB3	2.04	0.58
2:B:93:LEU:HD13	2:B:93:LEU:O	2.03	0.58
2:B:321:ILE:HG12	2:B:326:PHE:CD2	2.38	0.58
2:B:62:GLU:CG	2:B:62:GLU:O	2.51	0.58
3:M:206:C:H42	3:M:215:G:H1	1.52	0.58
3:M:255:G:H3'	3:M:256:G:H8	1.69	0.58
2:B:176:MET:SD	2:B:210:THR:HG23	2.39	0.58
3:M:251:U:O2'	3:M:252:G:OP1	2.21	0.57
3:M:131:C:H42	3:M:247:G:H1	1.52	0.57
3:M:196:C:N4	3:M:197:C:N4	2.51	0.57
3:M:250:G:C6	3:M:251:U:C4	2.92	0.57
3:M:256:G:H3'	3:M:257:A:C8	2.39	0.57
3:M:201:C:H6	3:M:201:C:O5'	1.88	0.56
2:B:317:SER:O	2:B:321:ILE:HG13	2.05	0.56
2:B:72:GLU:HG2	2:B:302:LEU:CD2	2.36	0.56
3:M:130:C:H3'	3:M:130:C:H6	1.70	0.56
2:B:66:LYS:HB2	2:B:313:LYS:HZ1	1.70	0.56
3:M:197:C:C5'	3:M:197:C:C6	2.78	0.55
3:M:255:G:H3'	3:M:256:G:H5''	1.87	0.55
2:B:176:MET:CE	2:B:210:THR:HG22	2.37	0.55
3:M:168:G:H2'	3:M:169:G:H5'	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:ILE:HG13	1:A:29:PRO:HB3	1.88	0.55
2:B:103:ILE:HD12	2:B:184:VAL:CG2	2.37	0.55
2:B:54:GLU:OE2	2:B:57:ARG:NH1	2.39	0.55
3:M:197:C:H5'	3:M:198:C:C5'	2.37	0.55
3:M:255:G:H3'	3:M:256:G:C8	2.42	0.54
2:B:62:GLU:O	2:B:62:GLU:HG3	2.07	0.54
3:M:131:C:H3'	3:M:132:C:H6	1.72	0.54
3:M:168:G:O2'	3:M:169:G:H5'	2.06	0.54
2:B:98:LYS:O	2:B:99:LYS:HE3	2.07	0.54
2:B:327:THR:CG2	2:B:386:GLU:HG3	2.35	0.54
2:B:16:LEU:O	2:B:19:ALA:HB2	2.08	0.54
2:B:171:ILE:HA	2:B:174:GLU:HG2	1.89	0.54
2:B:384:GLU:OE2	2:B:395:ARG:NH1	2.39	0.53
2:B:83:VAL:HG22	2:B:290:ILE:HG13	1.91	0.53
2:B:136:ALA:HB3	2:B:188:ASP:O	2.08	0.53
2:B:83:VAL:HG13	2:B:286:PRO:HB2	1.91	0.53
2:B:66:LYS:HG3	2:B:313:LYS:HD3	1.91	0.53
2:B:139:TYR:O	2:B:141:PRO:HD3	2.08	0.53
2:B:166:LYS:HD3	2:B:174:GLU:OE1	2.10	0.52
2:B:81:GLU:OE2	2:B:81:GLU:HA	2.09	0.52
3:M:210:G:H8	3:M:210:G:OP1	1.92	0.52
2:B:377:ILE:HA	2:B:380:MET:SD	2.49	0.52
2:B:384:GLU:OE1	2:B:398:ARG:NH2	2.36	0.52
2:B:370:ILE:HG22	2:B:371:LYS:N	2.25	0.52
2:B:63:LYS:HE2	2:B:70:LYS:NZ	2.25	0.51
1:A:35:GLU:HG3	1:A:45:PRO:HB2	1.92	0.51
2:B:104:LEU:HB3	2:B:215:ILE:HG23	1.93	0.51
3:M:129:U:C5	3:M:130:C:N3	2.78	0.51
1:A:30:SER:OG	1:A:33:ASP:HB2	2.11	0.51
2:B:16:LEU:HD11	2:B:74:ILE:HD12	1.92	0.51
3:M:191:C:OP2	3:M:191:C:H6	1.94	0.50
3:M:146:G:H1'	3:M:186:A:H8	1.76	0.50
3:M:223:G:H2'	3:M:224:U:H6	1.76	0.50
2:B:139:TYR:O	2:B:141:PRO:CD	2.60	0.50
2:B:244:ILE:HG22	2:B:245:ILE:N	2.26	0.50
3:M:128:G:C2	3:M:129:U:H1'	2.46	0.50
3:M:257:A:C5	3:M:258:C:N4	2.79	0.50
3:M:210:G:H2'	3:M:211:A:O4'	2.11	0.50
2:B:410:VAL:HA	2:B:413:VAL:HG23	1.93	0.50
2:B:28:LYS:C	2:B:28:LYS:HD3	2.32	0.50
3:M:184:U:HO2'	3:M:186:A:H2	1.54	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:140:ARG:CZ	2:B:191:GLY:HA3	2.42	0.50
2:B:275:GLY:C	2:B:276:GLU:OE1	2.51	0.49
2:B:335:LEU:HD22	2:B:370:ILE:HG13	1.94	0.49
2:B:189:THR:HG21	2:B:203:MET:HB2	1.94	0.49
2:B:321:ILE:HG22	2:B:322:MET:N	2.27	0.49
1:A:43:LEU:HD22	1:A:68:TYR:HB2	1.93	0.49
3:M:155:C:O2	3:M:155:C:H2'	2.12	0.49
2:B:282:GLU:OE2	2:B:292:ARG:NH2	2.45	0.49
2:B:332:MET:SD	2:B:374:LYS:HG2	2.52	0.49
3:M:129:U:C5	3:M:130:C:C4	3.01	0.49
3:M:130:C:OP2	3:M:131:C:P	2.71	0.49
2:B:172:VAL:HG21	2:B:206:ILE:HD11	1.94	0.49
2:B:274:ILE:HD11	2:B:282:GLU:OE2	2.12	0.49
2:B:415:ARG:HG3	2:B:416:TYR:N	2.27	0.49
1:A:21:PRO:O	1:A:25:ALA:HB2	2.13	0.49
2:B:167:SER:O	2:B:168:PRO:C	2.50	0.48
2:B:244:ILE:CG2	2:B:245:ILE:N	2.75	0.48
2:B:328:LEU:HD11	2:B:388:PRO:HB3	1.94	0.48
1:A:12:LYS:HD2	1:A:56:GLN:NE2	2.28	0.48
2:B:412:GLU:HG2	2:B:415:ARG:CZ	2.32	0.48
2:B:449:LEU:O	2:B:449:LEU:HD12	2.13	0.48
2:B:54:GLU:OE1	2:B:54:GLU:CA	2.46	0.48
1:A:1:MET:N	3:M:164:U:H1'	2.29	0.48
2:B:412:GLU:HA	2:B:415:ARG:HG2	1.96	0.48
2:B:106:VAL:HG12	2:B:189:THR:CG2	2.44	0.48
3:M:127:C:H1'	3:M:255:G:N2	2.29	0.48
2:B:244:ILE:N	2:B:244:ILE:HD12	2.29	0.48
3:M:130:C:H3'	3:M:130:C:C6	2.48	0.48
3:M:192:C:H2'	3:M:193:G:O4'	2.13	0.47
3:M:129:U:C6	3:M:130:C:C4	3.01	0.47
2:B:446:LEU:HD12	2:B:449:LEU:HD11	1.96	0.47
3:M:132:C:H2'	3:M:133:G:C8	2.49	0.47
3:M:136:G:H1	3:M:242:U:H3	1.63	0.47
1:A:52:ARG:O	3:M:208:C:H5'	2.14	0.47
2:B:82:LEU:O	2:B:85:LEU:HB3	2.15	0.47
3:M:253:C:H3'	3:M:254:G:C8	2.49	0.47
2:B:197:LYS:HB2	2:B:201:GLU:HG3	1.97	0.47
2:B:318:ILE:HA	2:B:321:ILE:HB	1.96	0.47
3:M:223:G:H8	3:M:223:G:H5''	1.80	0.47
2:B:449:LEU:CD1	2:B:449:LEU:C	2.77	0.47
2:B:142:ALA:O	2:B:145:GLU:HB3	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:44:ASN:HB2	2:B:225:GLN:OE1	2.15	0.46
3:M:223:G:H2'	3:M:224:U:C6	2.50	0.46
3:M:226:G:H5''	3:M:226:G:C8	2.49	0.46
1:A:31:LEU:HD23	1:A:49:ARG:HG3	1.97	0.46
3:M:128:G:C5	3:M:129:U:C6	3.04	0.46
3:M:133:G:H8	3:M:133:G:O5'	1.98	0.46
1:A:38:LEU:HB2	1:A:45:PRO:HG3	1.94	0.46
2:B:264:GLU:C	2:B:264:GLU:CD	2.74	0.46
2:B:47:LEU:HD21	2:B:264:GLU:HG2	1.97	0.46
2:B:35:GLN:O	2:B:36:ARG:C	2.52	0.46
2:B:93:LEU:CD1	2:B:95:LEU:HD21	2.46	0.46
1:A:14:ARG:HH21	3:M:160:C:H5	1.63	0.46
1:A:58:TRP:C	1:A:58:TRP:CD1	2.88	0.46
2:B:421:LYS:O	2:B:424:ILE:HG22	2.16	0.46
2:B:391:ILE:HG22	2:B:396:ILE:HG13	1.98	0.46
3:M:232:A:H8	3:M:232:A:O5'	1.97	0.46
3:M:243:C:H2'	3:M:244:A:C8	2.51	0.46
1:A:86:LYS:HD3	1:A:87:ASN:H	1.81	0.46
2:B:223:ILE:HG13	2:B:226:GLN:HB2	1.99	0.45
3:M:197:C:C4'	3:M:197:C:C6	2.99	0.45
2:B:30:VAL:O	2:B:33:ASP:N	2.49	0.45
2:B:422:ASN:O	2:B:425:ASP:OD2	2.35	0.45
1:A:55:ARG:HB3	1:A:56:GLN:OE1	2.16	0.45
2:B:371:LYS:O	2:B:375:VAL:HG23	2.17	0.45
3:M:251:U:O2'	3:M:252:G:P	2.75	0.45
3:M:255:G:H3'	3:M:256:G:O4'	2.17	0.45
2:B:144:TYR:O	2:B:145:GLU:C	2.54	0.45
2:B:180:LYS:C	2:B:182:ALA:N	2.70	0.45
3:M:177:A:H2	3:M:198:C:O2	2.00	0.45
2:B:105:LEU:CD2	2:B:216:ILE:HG22	2.47	0.45
1:A:34:ILE:CG2	1:A:64:VAL:HG11	2.45	0.45
2:B:338:ILE:HD11	2:B:447:LEU:HD13	1.99	0.45
2:B:423:ALA:C	2:B:425:ASP:H	2.19	0.45
3:M:206:C:N4	3:M:215:G:H1	2.13	0.45
3:M:223:G:C2'	3:M:224:U:O5'	2.64	0.45
1:A:9:ASP:HA	1:A:29:PRO:HG3	1.99	0.44
2:B:231:ALA:O	2:B:232:LYS:C	2.55	0.44
3:M:195:A:O2'	3:M:219:A:OP1	2.32	0.44
2:B:93:LEU:O	2:B:127:ARG:NH2	2.37	0.44
2:B:51:MET:O	2:B:51:MET:HG2	2.18	0.44
2:B:425:ASP:O	2:B:427:LEU:N	2.46	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:LYS:HD2	1:A:56:GLN:HE21	1.82	0.44
1:A:1:MET:SD	1:A:72:LYS:HG3	2.58	0.44
3:M:254:G:C2'	3:M:255:G:O4'	2.60	0.43
3:M:131:C:H3'	3:M:132:C:C6	2.50	0.43
1:A:53:TYR:CE2	1:A:55:ARG:HD2	2.54	0.43
2:B:139:TYR:O	2:B:141:PRO:N	2.51	0.43
2:B:413:VAL:O	2:B:417:TYR:N	2.44	0.43
3:M:193:G:C8	3:M:193:G:OP2	2.65	0.43
2:B:58:ARG:HB3	2:B:77:ILE:HD13	2.00	0.43
3:M:155:C:C2'	3:M:155:C:O2	2.65	0.43
2:B:12:ALA:O	2:B:15:LYS:HB2	2.18	0.43
2:B:406:THR:HG23	2:B:409:ASP:OD1	2.18	0.43
2:B:96:ASN:CG	2:B:96:ASN:O	2.57	0.43
1:A:55:ARG:C	1:A:56:GLN:OE1	2.57	0.43
2:B:38:LEU:O	2:B:41:ALA:HB3	2.19	0.43
2:B:58:ARG:HG2	2:B:58:ARG:HH11	1.83	0.43
2:B:79:TYR:O	2:B:83:VAL:HG23	2.19	0.43
3:M:130:C:OP2	3:M:130:C:C3'	2.54	0.43
3:M:236:C:HO2'	3:M:237:G:H5''	1.73	0.43
2:B:106:VAL:HG12	2:B:189:THR:HG23	2.00	0.42
2:B:409:ASP:O	2:B:413:VAL:HG23	2.19	0.42
2:B:66:LYS:O	2:B:68:LEU:N	2.52	0.42
2:B:31:ILE:O	2:B:32:LYS:C	2.57	0.42
2:B:179:PHE:O	2:B:182:ALA:HB2	2.19	0.42
2:B:376:ILE:HG13	2:B:405:THR:HG21	2.02	0.42
3:M:253:C:H5'	3:M:254:G:P	2.59	0.42
2:B:145:GLU:O	2:B:149:GLN:HG3	2.19	0.42
2:B:22:VAL:CG2	2:B:22:VAL:O	2.67	0.42
2:B:307:GLU:C	2:B:309:MET:H	2.21	0.42
3:M:188:C:O2	3:M:188:C:C2'	2.64	0.42
2:B:134:ILE:HD12	2:B:187:ILE:HG12	2.00	0.42
1:A:55:ARG:NE	3:M:167:G:OP1	2.52	0.42
2:B:13:LEU:HD21	2:B:78:VAL:HG11	2.01	0.42
2:B:180:LYS:HD3	2:B:180:LYS:O	2.19	0.42
2:B:5:LEU:HD21	2:B:38:LEU:HD23	2.02	0.42
3:M:241:C:H5''	3:M:241:C:C6	2.54	0.42
2:B:92:LYS:O	2:B:270:LYS:HE2	2.20	0.42
3:M:218:C:H2'	3:M:219:A:O4'	2.20	0.42
3:M:227:G:H8	3:M:227:G:H5''	1.84	0.42
2:B:264:GLU:C	2:B:266:LYS:H	2.22	0.42
2:B:220:ASP:OD2	2:B:248:LYS:HE2	2.19	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:193:G:H21	3:M:225:A:H62	1.68	0.41
3:M:251:U:HO2'	3:M:252:G:P	2.41	0.41
1:A:37:ALA:HB1	1:A:82:ILE:HD12	2.01	0.41
2:B:243:SER:C	2:B:244:ILE:HD12	2.40	0.41
2:B:308:ASP:HA	2:B:311:ASP:OD1	2.19	0.41
2:B:87:GLY:O	2:B:89:GLU:N	2.53	0.41
2:B:94:GLU:HA	2:B:94:GLU:OE1	2.20	0.41
3:M:125:C:O2	3:M:256:G:N2	2.54	0.41
2:B:182:ALA:HB1	2:B:185:LEU:HD22	2.01	0.41
2:B:202:GLU:C	2:B:202:GLU:CD	2.79	0.41
2:B:58:ARG:HG2	2:B:58:ARG:NH1	2.35	0.41
2:B:27:ILE:HA	2:B:30:VAL:HG23	2.02	0.41
3:M:130:C:C3'	3:M:130:C:C6	3.03	0.41
2:B:210:THR:O	2:B:212:PRO:HD3	2.20	0.41
2:B:446:LEU:HA	2:B:449:LEU:HG	2.03	0.41
3:M:202:C:H4'	3:M:202:C:OP1	2.21	0.41
1:A:46:LYS:HE3	1:A:65:GLU:O	2.20	0.41
2:B:222:THR:HB	2:B:252:SER:HB3	2.02	0.41
2:B:328:LEU:CD1	2:B:380:MET:CE	2.82	0.41
2:B:104:LEU:O	2:B:216:ILE:N	2.46	0.41
2:B:122:ARG:HG3	2:B:278:ILE:HG13	2.03	0.41
2:B:87:GLY:O	2:B:286:PRO:HG2	2.20	0.41
3:M:234:G:C5	3:M:235:U:C4	3.08	0.41
2:B:9:LEU:HD11	2:B:34:ILE:HG23	2.03	0.41
2:B:210:THR:O	2:B:212:PRO:CD	2.68	0.41
2:B:216:ILE:CG1	2:B:243:SER:HB2	2.45	0.41
1:A:49:ARG:HB2	1:A:49:ARG:HH11	1.85	0.40
2:B:22:VAL:O	2:B:22:VAL:HG23	2.20	0.40
2:B:234:PHE:HE2	2:B:242:GLY:HA3	1.86	0.40
3:M:134:U:H5'	3:M:135:G:OP2	2.21	0.40
2:B:130:LYS:HD2	2:B:183:ASP:OD2	2.22	0.40
1:A:26:ILE:CG1	1:A:29:PRO:HB3	2.51	0.40
2:B:172:VAL:HG12	2:B:173:LYS:N	2.36	0.40
2:B:329:ASN:HA	2:B:329:ASN:HD22	1.75	0.40
3:M:252:G:C8	3:M:252:G:H3'	2.56	0.40
3:M:223:G:H2'	3:M:224:U:O5'	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	85/87 (98%)	77 (91%)	6 (7%)	2 (2%)	6	29
2	B	414/454 (91%)	338 (82%)	61 (15%)	15 (4%)	3	19
All	All	499/541 (92%)	415 (83%)	67 (13%)	17 (3%)	3	20

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	24	LYS
2	B	211	ASN
2	B	88	GLU
2	B	181	LYS
2	B	182	ALA
2	B	404	GLY
1	A	70	GLY
2	B	99	LYS
2	B	139	TYR
2	B	426	LYS
1	A	57	HIS
2	B	67	GLY
2	B	140	ARG
2	B	31	ILE
2	B	154	ILE
2	B	65	PRO
2	B	424	ILE

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	80/80 (100%)	58 (72%)	22 (28%)	0	2
2	B	352/376 (94%)	268 (76%)	84 (24%)	0	3
All	All	432/456 (95%)	326 (76%)	106 (24%)	0	3

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	11	LYS
1	A	14	ARG
1	A	15	ARG
1	A	19	LYS
1	A	22	GLU
1	A	24	LEU
1	A	28	LYS
1	A	31	LEU
1	A	32	LYS
1	A	36	LYS
1	A	38	LEU
1	A	41	LEU
1	A	44	GLU
1	A	46	LYS
1	A	51	LYS
1	A	55	ARG
1	A	64	VAL
1	A	66	VAL
1	A	74	GLN
1	A	80	CYS
1	A	86	LYS
2	B	2	MET
2	B	4	LYS
2	B	5	LEU
2	B	17	LYS
2	B	24	LYS
2	B	26	LEU
2	B	29	GLU
2	B	30	VAL
2	B	49	LEU
2	B	51	MET
2	B	53	LYS
2	B	58	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	60	LEU
2	B	61	GLU
2	B	62	GLU
2	B	64	THR
2	B	68	LEU
2	B	71	LYS
2	B	82	LEU
2	B	84	LYS
2	B	96	ASN
2	B	100	GLN
2	B	115	THR
2	B	120	LEU
2	B	122	ARG
2	B	124	ILE
2	B	126	LYS
2	B	127	ARG
2	B	130	LYS
2	B	137	ASP
2	B	138	THR
2	B	139	TYR
2	B	146	GLN
2	B	147	LEU
2	B	148	LYS
2	B	152	GLU
2	B	153	LYS
2	B	163	THR
2	B	164	ARG
2	B	165	THR
2	B	169	VAL
2	B	172	VAL
2	B	180	LYS
2	B	183	ASP
2	B	188	ASP
2	B	189	THR
2	B	192	ARG
2	B	195	GLU
2	B	196	GLU
2	B	197	LYS
2	B	203	MET
2	B	206	ILE
2	B	210	THR
2	B	222	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	235	LYS
2	B	264	GLU
2	B	266	LYS
2	B	278	ILE
2	B	279	ASP
2	B	296	MET
2	B	300	GLU
2	B	302	LEU
2	B	303	LEU
2	B	317	SER
2	B	321	ILE
2	B	323	ARG
2	B	329	ASN
2	B	330	GLU
2	B	334	GLN
2	B	367	GLU
2	B	375	VAL
2	B	378	SER
2	B	381	THR
2	B	386	GLU
2	B	387	ASN
2	B	401	ARG
2	B	410	VAL
2	B	411	ARG
2	B	415	ARG
2	B	422	ASN
2	B	427	LEU
2	B	442	LEU
2	B	449	LEU
2	B	455	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	73	HIS
2	B	101	ASN
2	B	193	HIS
2	B	230	GLN
2	B	329	ASN
2	B	387	ASN



## 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	M	135/136 (99%)	68 (50%)	14 (10%)

All (68) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	M	125	C
3	M	127	C
3	M	130	C
3	M	131	C
3	M	132	C
3	M	133	G
3	M	134	U
3	M	135	G
3	M	136	G
3	M	137	G
3	M	138	G
3	M	139	C
3	M	140	U
3	M	141	C
3	M	142	G
3	M	146	G
3	M	147	U
3	M	151	G
3	M	152	G
3	M	153	A
3	M	156	A
3	M	157	U
3	M	161	C
3	M	163	G
3	M	164	U
3	M	165	A
3	M	169	G
3	M	176	A
3	M	177	A
3	M	180	C
3	M	181	C
3	M	185	U
3	M	187	C
3	M	191	C
3	M	193	G
3	M	194	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	M	195	A
3	M	196	C
3	M	197	C
3	M	198	C
3	M	200	G
3	M	202	C
3	M	211	A
3	M	214	G
3	M	221	C
3	M	223	G
3	M	224	U
3	M	227	G
3	M	229	A
3	M	232	A
3	M	237	G
3	M	239	C
3	M	240	G
3	M	241	C
3	M	242	U
3	M	243	C
3	M	244	A
3	M	245	C
3	M	246	G
3	M	247	G
3	M	250	G
3	M	251	U
3	M	252	G
3	M	253	C
3	M	254	G
3	M	256	G
3	M	257	A
3	M	258	C

All (14) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	M	130	C
3	M	139	C
3	M	140	U
3	M	164	U
3	M	192	C
3	M	193	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	M	194	A
3	M	195	A
3	M	223	G
3	M	236	C
3	M	245	C
3	M	251	U
3	M	255	G
3	M	256	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	PO4	D	1	-	4,4,4	0.85	0	6,6,6	1.30	2 (33%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1	PO4	O3-P-O2	-2.32	100.54	107.97
4	D	1	PO4	O4-P-O2	2.18	114.97	107.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	87/87 (100%)	-0.18	1 (1%) 80 56	54, 84, 112, 144	0
2	B	420/454 (92%)	-0.01	11 (2%) 56 27	44, 86, 144, 213	0
3	M	136/136 (100%)	-0.07	3 (2%) 62 33	44, 92, 216, 235	0
All	All	643/677 (94%)	-0.05	15 (2%) 60 31	44, 87, 185, 235	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	455	LEU	5.6
2	B	365	LEU	5.2
2	B	341	MET	4.2
1	A	87	ASN	3.7
3	M	128	G	3.6
2	B	251	GLY	3.0
2	B	340	ASN	2.7
2	B	182	ALA	2.7
2	B	196	GLU	2.4
2	B	197	LYS	2.4
3	M	140	U	2.3
2	B	339	GLU	2.3
2	B	250	ASP	2.3
3	M	129	U	2.1
2	B	428	ARG	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	PO4	D	1	5/5	0.96	0.11	55,57,59,60	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.