



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2020 – 05:17 am BST

PDB ID : 1NG3
Title : Complex of ThiO (glycine oxidase) with acetyl-glycine
Authors : Settembre, E.C.; Dorrestein, P.C.; Park, J.; Augustine, A.; Begley, T.P.; Eal-
ick, S.E.
Deposited on : 2002-12-16
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	<div> <div> <div></div> <div>67%</div> <div>24%</div> <div>• 7%</div> </div> <div> <div></div> <div>67%</div> <div>24%</div> <div>• 7%</div> </div> </div>
1	B	390	<div> <div> <div></div> <div>67%</div> <div>24%</div> <div>• 7%</div> </div> <div> <div></div> <div>67%</div> <div>24%</div> <div>• 7%</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5926 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycine oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	364	Total	C	N	O	S	0	0	0
			2846	1819	488	522	17			
1	B	364	Total	C	N	O	S	0	0	0
			2846	1819	488	522	17			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	288	PRO	ALA	SEE REMARK 999	UNP O31616
A	-20	MET	-	EXPRESSION TAG	UNP O31616
A	-19	GLY	-	EXPRESSION TAG	UNP O31616
A	-18	HIS	-	EXPRESSION TAG	UNP O31616
A	-17	HIS	-	EXPRESSION TAG	UNP O31616
A	-16	HIS	-	EXPRESSION TAG	UNP O31616
A	-15	HIS	-	EXPRESSION TAG	UNP O31616
A	-14	HIS	-	EXPRESSION TAG	UNP O31616
A	-13	HIS	-	EXPRESSION TAG	UNP O31616
A	-12	HIS	-	EXPRESSION TAG	UNP O31616
A	-11	HIS	-	EXPRESSION TAG	UNP O31616
A	-10	HIS	-	EXPRESSION TAG	UNP O31616
A	-9	HIS	-	EXPRESSION TAG	UNP O31616
A	-8	SER	-	EXPRESSION TAG	UNP O31616
A	-7	SER	-	EXPRESSION TAG	UNP O31616
A	-6	GLY	-	EXPRESSION TAG	UNP O31616
A	-5	HIS	-	EXPRESSION TAG	UNP O31616
A	-4	ILE	-	EXPRESSION TAG	UNP O31616
A	-3	GLU	-	EXPRESSION TAG	UNP O31616
A	-2	GLY	-	EXPRESSION TAG	UNP O31616
A	-1	ARG	-	EXPRESSION TAG	UNP O31616
A	0	HIS	-	EXPRESSION TAG	UNP O31616
B	288	PRO	ALA	SEE REMARK 999	UNP O31616
B	-20	MET	-	EXPRESSION TAG	UNP O31616
B	-19	GLY	-	EXPRESSION TAG	UNP O31616

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	HIS	-	EXPRESSION TAG	UNP O31616
B	-17	HIS	-	EXPRESSION TAG	UNP O31616
B	-16	HIS	-	EXPRESSION TAG	UNP O31616
B	-15	HIS	-	EXPRESSION TAG	UNP O31616
B	-14	HIS	-	EXPRESSION TAG	UNP O31616
B	-13	HIS	-	EXPRESSION TAG	UNP O31616
B	-12	HIS	-	EXPRESSION TAG	UNP O31616
B	-11	HIS	-	EXPRESSION TAG	UNP O31616
B	-10	HIS	-	EXPRESSION TAG	UNP O31616
B	-9	HIS	-	EXPRESSION TAG	UNP O31616
B	-8	SER	-	EXPRESSION TAG	UNP O31616
B	-7	SER	-	EXPRESSION TAG	UNP O31616
B	-6	GLY	-	EXPRESSION TAG	UNP O31616
B	-5	HIS	-	EXPRESSION TAG	UNP O31616
B	-4	ILE	-	EXPRESSION TAG	UNP O31616
B	-3	GLU	-	EXPRESSION TAG	UNP O31616
B	-2	GLY	-	EXPRESSION TAG	UNP O31616
B	-1	ARG	-	EXPRESSION TAG	UNP O31616
B	0	HIS	-	EXPRESSION TAG	UNP O31616


- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:

C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is ACETYLAMINO-ACETIC ACID (three-letter code: AAC) (formula: C₄H₇NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			8	4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	53	Total	O	0	0
			53	53		
5	B	54	Total	O	0	0
			54	54		

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
-
- 67% 24% 7%
- MET GLY HIS HIS HIS HIS HIS HIS SER SER GLY ILE GLU ARG HIS K1 K2 R3 R4 E5 E6 A7 I10 I19 L23 E26 R27 K28 R29 T30 A31 L32 A46 A47 R59 A66 Q70 K74 E78 I88 R89 Q90 T91 L1215 L220 P221 V222 K223 C226 S228 V229 Y241 H242 V248 P249 R250 L255 V256 V257 D258 A259 K262 T269 P270 L275 M279 K280 K281 A282 P287 P288 D295 W298 R302 P310 E317 D318 S319 R320 T321 L322 H327 P328 R329 N330 L334 A335 P336 M347 R357 R360 I361 D362 R363 K364 GLU VAL GLN ILE

- [illegible]

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	139.38 Å 139.38 Å 208.16 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.17 – 2.60 52.21 – 2.60	Depositor EDS
% Data completeness (in resolution range)	95.3 (49.17-2.60) 95.3 (52.21-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.81 (at 2.61 Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.208 , 0.235 0.208 , 0.235	Depositor DCC
R_{free} test set	1905 reflections (5.34%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5926	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, FAD, AAC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2917	0.66	2/3941 (0.1%)
1	B	0.37	0/2917	0.65	4/3941 (0.1%)
All	All	0.37	0/5834	0.65	6/7882 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	258	GLY	N-CA-C	10.30	138.84	113.10
1	B	259	ALA	N-CA-C	7.78	132.01	111.00
1	A	258	GLY	CA-C-N	-6.43	103.04	117.20
1	B	258	GLY	N-CA-C	5.89	127.82	113.10
1	B	258	GLY	CA-C-N	-5.87	104.29	117.20
1	B	260	THR	N-CA-C	-5.14	97.12	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2846	0	2797	89	0
1	B	2846	0	2797	74	0
2	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	53	0	31	2	0
3	B	53	0	31	2	0
4	A	8	0	6	1	0
4	B	8	0	6	1	0
5	A	53	0	0	3	0
5	B	54	0	0	3	0
All	All	5926	0	5668	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:ALA:HB3	1:A:30:THR:HG22	1.41	1.02
1:B:7:ALA:HB3	1:B:30:THR:HG22	1.49	0.94
1:A:360:ARG:HH12	1:A:363:ARG:HA	1.34	0.92
1:B:225:GLU:HG2	1:B:260:THR:OG1	1.78	0.83
1:B:220:LEU:HD22	1:B:221:PRO:HD2	1.67	0.77
1:A:335:ALA:HB3	1:A:336:PRO:HD3	1.68	0.76
1:B:62:PHE:HB2	1:B:309:LYS:HE2	1.67	0.74
1:A:88:ILE:HG22	1:A:153:VAL:HA	1.70	0.74
1:A:269:THR:HB	5:A:427:HOH:O	1.87	0.73
1:A:357:HIS:O	1:A:360:ARG:HG3	1.87	0.72
1:B:335:ALA:HB3	1:B:336:PRO:HD3	1.70	0.71
1:B:209:PHE:O	1:B:213:LEU:HD22	1.91	0.71
1:A:105:VAL:O	1:A:109:ARG:HG2	1.91	0.70
1:B:8:VAL:HG11	1:B:186:ILE:HD13	1.71	0.70
1:A:111:MET:HB2	1:A:114:LEU:HD12	1.74	0.68
1:B:59:ARG:HH21	1:B:114:LEU:HD21	1.57	0.68
1:B:160:ALA:O	1:B:164:LEU:HD13	1.94	0.68
1:A:154:CYS:O	1:A:158:VAL:HG23	1.94	0.67
1:B:242:HIS:HD2	1:B:281:LYS:NZ	1.94	0.66
1:B:178:GLU:HB2	1:B:185:PHE:HB3	1.77	0.65
1:B:244:HIS:HB3	1:B:329:ARG:NH2	2.11	0.65
1:A:259:ALA:HB1	1:A:302:ARG:NH2	2.12	0.64
1:A:78:GLU:H	1:A:78:GLU:CD	2.01	0.64
1:A:91:HIS:HB3	1:A:147:HIS:CE1	2.33	0.64
1:A:174:VAL:HG13	1:A:186:ILE:HG23	1.81	0.63
1:A:257:VAL:HG12	1:A:258:GLY:N	2.13	0.63
1:A:275:LEU:O	1:A:279:MET:HG3	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:MET:O	1:B:164:LEU:HD12	1.99	0.62
1:B:5:TYR:O	1:B:195:ALA:HA	2.00	0.61
1:B:28:LYS:O	1:B:30:THR:HG23	2.00	0.61
1:A:5:TYR:HA	1:A:29:ASN:ND2	2.16	0.60
1:A:23:LEU:HB3	1:A:30:THR:HG21	1.83	0.60
1:B:7:ALA:HB3	1:B:30:THR:CG2	2.27	0.60
5:A:433:HOH:O	1:B:159:LYS:HE2	2.02	0.59
1:B:59:ARG:NH2	1:B:114:LEU:HD21	2.17	0.59
1:A:142:ILE:N	1:A:142:ILE:HD12	2.18	0.58
1:A:242:HIS:HD2	1:A:281:LYS:NZ	2.01	0.58
1:A:59:ARG:HH11	1:A:59:ARG:HG2	1.66	0.58
1:A:250:ARG:HD2	5:A:426:HOH:O	2.04	0.56
1:B:222:VAL:HG21	1:B:328:PHE:HE1	1.70	0.56
1:B:8:VAL:HG11	1:B:186:ILE:CD1	2.35	0.56
1:A:186:ILE:HD12	1:A:186:ILE:N	2.21	0.56
1:A:122:LYS:O	1:A:126:LEU:HG	2.06	0.55
1:B:55:GLU:HG3	1:B:330:ASN:HD21	1.72	0.55
1:B:91:HIS:O	1:B:146:VAL:HB	2.07	0.55
1:A:183:ALA:HB1	1:A:195:ALA:O	2.06	0.54
1:A:6:GLU:HB3	1:A:28:LYS:NZ	2.21	0.54
1:A:78:GLU:N	1:A:78:GLU:CD	2.61	0.53
1:B:123:GLU:CD	1:B:123:GLU:H	2.11	0.53
1:B:26:GLU:HB3	1:B:347:MET:CE	2.39	0.53
1:A:149:GLU:O	1:A:153:VAL:HG12	2.09	0.53
1:B:242:HIS:HD2	1:B:281:LYS:HZ1	1.56	0.53
1:B:32:LEU:HD23	1:B:33:PHE:N	2.23	0.53
1:B:162:LYS:C	1:B:164:LEU:H	2.12	0.52
1:A:215:LEU:HD13	1:A:361:ILE:HG21	1.91	0.52
1:A:5:TYR:HA	1:A:29:ASN:HD22	1.75	0.52
1:A:257:VAL:CG1	1:A:258:GLY:N	2.72	0.52
1:A:5:TYR:O	1:A:195:ALA:HA	2.10	0.52
1:A:70:GLN:NE2	1:A:144:ASP:HB3	2.25	0.52
1:B:84:SER:HB2	1:B:159:LYS:HB3	1.92	0.52
1:B:70:GLN:NE2	1:B:144:ASP:HB3	2.24	0.52
1:A:259:ALA:HB1	1:A:302:ARG:HH21	1.74	0.51
1:B:55:GLU:OE1	1:B:329:ARG:HD3	2.10	0.51
1:A:32:LEU:HD23	1:A:32:LEU:C	2.30	0.51
1:B:26:GLU:HB3	1:B:347:MET:HE1	1.93	0.51
1:A:6:GLU:HG3	1:A:29:ASN:HB3	1.92	0.51
1:B:184:LEU:HD22	1:B:184:LEU:N	2.26	0.51
1:A:168:ILE:N	1:A:168:ILE:HD12	2.26	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:LEU:HD21	1:A:320:ARG:HB3	1.92	0.50
1:A:174:VAL:HG13	1:A:186:ILE:CG2	2.41	0.50
1:A:101:SER:O	1:A:105:VAL:HG23	2.11	0.50
1:A:220:LEU:HD22	1:A:221:PRO:HD2	1.93	0.50
1:B:89:ARG:HB2	1:B:149:GLU:HG3	1.93	0.50
1:A:226:CYS:SG	3:A:400:FAD:HM72	2.52	0.49
1:B:293:LYS:HD3	5:B:548:HOH:O	2.12	0.49
1:A:248:VAL:HG22	1:A:256:VAL:HB	1.95	0.49
1:B:96:PHE:CE2	1:B:238:LYS:HD2	2.48	0.49
1:A:74:LYS:NZ	1:A:74:LYS:HB2	2.27	0.49
1:A:28:LYS:O	1:A:30:THR:HG23	2.14	0.48
1:A:360:ARG:HH12	1:A:363:ARG:CA	2.15	0.48
1:A:47:ALA:O	1:A:250:ARG:NH2	2.46	0.48
1:A:213:LEU:HD13	1:A:321:ILE:HG21	1.95	0.48
1:B:222:VAL:HG21	1:B:328:PHE:CE1	2.48	0.47
1:B:257:VAL:HG21	1:B:289:ILE:HD11	1.95	0.47
1:A:330:ASN:CG	1:A:334:LEU:HD22	2.34	0.47
1:A:357:HIS:CD2	1:A:360:ARG:HD3	2.49	0.47
1:A:360:ARG:NH1	1:A:363:ARG:HA	2.16	0.46
1:B:2:LYS:HB2	1:B:5:TYR:CZ	2.50	0.46
1:B:259:ALA:HB1	5:B:523:HOH:O	2.14	0.46
1:A:59:ARG:NH1	1:A:59:ARG:HG2	2.30	0.46
1:B:193:VAL:HG12	1:B:194:TRP:N	2.30	0.46
1:B:87:ASP:HA	5:B:517:HOH:O	2.14	0.46
1:A:19:ILE:HD13	1:A:199:VAL:HG11	1.98	0.46
1:B:41:ARG:HD2	1:B:41:ARG:HA	1.80	0.46
1:A:150:PRO:O	1:A:153:VAL:HG13	2.16	0.46
1:A:270:PRO:HG3	1:A:298:TRP:O	2.16	0.46
1:A:26:GLU:HB3	1:A:347:MET:HE1	1.98	0.46
1:A:102:GLU:O	1:A:106:LEU:HD13	2.16	0.46
1:B:303:PRO:HB2	1:B:326:GLY:HA2	1.98	0.46
1:A:317:GLU:O	1:A:318:ASP:HB2	2.16	0.45
1:B:53:HIS:HB2	1:B:142:ILE:HD13	1.98	0.45
1:B:221:PRO:HG3	1:B:266:TRP:CE2	2.52	0.45
1:B:275:LEU:O	1:B:279:MET:HG3	2.16	0.45
1:B:315:HIS:HB3	1:B:318:ASP:O	2.17	0.45
1:A:6:GLU:HB3	1:A:28:LYS:HZ2	1.81	0.45
1:A:242:HIS:HD2	1:A:281:LYS:HZ2	1.64	0.45
1:A:229:VAL:HG22	1:A:255:LEU:HB2	1.98	0.45
1:B:163:MET:C	1:B:164:LEU:HD12	2.37	0.44
1:B:33:PHE:CE2	1:B:186:ILE:HD11	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:LYS:O	1:A:30:THR:N	2.50	0.44
1:A:2:LYS:HB2	1:A:5:TYR:CZ	2.53	0.44
1:A:360:ARG:HB2	1:A:360:ARG:NH1	2.33	0.44
1:A:3:ARG:HG2	1:A:3:ARG:HH11	1.83	0.44
1:B:184:LEU:HD21	1:B:320:ARG:HB3	1.99	0.44
1:A:26:GLU:HB3	1:A:347:MET:CE	2.48	0.44
1:A:89:ARG:HB2	1:A:149:GLU:HG3	1.99	0.44
1:A:91:HIS:O	1:A:146:VAL:HB	2.17	0.44
1:B:6:GLU:OE1	1:B:29:ASN:HB3	2.17	0.44
1:A:59:ARG:HD2	1:A:59:ARG:N	2.32	0.44
1:B:32:LEU:HD23	1:B:32:LEU:C	2.38	0.44
1:B:346:ILE:C	1:B:348:ASN:H	2.20	0.43
1:A:46:ALA:HB2	3:A:400:FAD:O2'	2.18	0.43
1:A:223:LYS:HB3	1:A:262:LYS:HB2	2.00	0.43
1:A:66:ALA:HA	1:A:334:LEU:HD11	2.00	0.43
1:B:242:HIS:HD2	1:B:281:LYS:HZ2	1.65	0.43
1:B:48:GLY:HA3	1:B:148:VAL:O	2.17	0.43
1:A:91:HIS:CB	1:A:147:HIS:CE1	3.00	0.43
1:A:241:TYR:OH	4:A:401:AAC:HC43	2.18	0.43
1:B:225:GLU:HG2	1:B:260:THR:HG1	1.79	0.43
1:B:35:SER:O	1:B:171:HIS:HA	2.18	0.43
1:A:229:VAL:CG2	1:A:255:LEU:HB2	2.48	0.42
1:B:17:SER:OG	1:B:158:VAL:HG23	2.19	0.42
1:B:287:PRO:HB2	1:B:288:PRO:HD3	2.01	0.42
1:A:228:SER:OG	1:A:295:ASP:HB3	2.19	0.42
1:B:331:GLY:HA3	3:B:500:FAD:H4'	2.02	0.42
1:A:59:ARG:HD2	1:A:59:ARG:H	1.83	0.42
1:A:213:LEU:HD13	1:A:321:ILE:HD13	2.01	0.42
1:A:310:PRO:HG3	1:A:327:HIS:HA	2.01	0.42
1:B:105:VAL:O	1:B:109:ARG:HG2	2.20	0.42
1:B:226:CYS:SG	3:B:500:FAD:HM72	2.59	0.42
1:A:186:ILE:HD11	1:A:198:VAL:HG22	2.02	0.42
1:B:185:PHE:CZ	1:B:192:ASP:HB3	2.55	0.41
1:A:287:PRO:HB2	1:A:288:PRO:HD3	2.01	0.41
1:A:257:VAL:HG11	1:A:282:ALA:HB2	2.02	0.41
1:A:357:HIS:CE1	1:A:360:ARG:HE	2.38	0.41
1:A:115:ASP:O	1:A:116:SER:HB2	2.19	0.41
1:A:322:LEU:N	1:A:322:LEU:HD12	2.36	0.41
1:A:363:ARG:O	1:A:364:LYS:C	2.58	0.41
1:B:312:ILE:HA	1:B:323:PHE:O	2.20	0.41
1:A:98:LEU:HA	1:A:139:ALA:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:159:LYS:O	1:B:163:MET:HG2	2.21	0.41
1:B:204:VAL:O	1:B:204:VAL:HG22	2.21	0.41
1:A:10:ILE:HG23	1:A:174:VAL:HG21	2.03	0.41
1:B:286:LEU:O	1:B:289:ILE:HG22	2.20	0.41
1:A:174:VAL:CG1	1:A:186:ILE:HG23	2.50	0.41
1:B:23:LEU:HD13	1:B:30:THR:HG21	2.03	0.41
1:B:329:ARG:O	4:B:501:AAC:HC43	2.21	0.41
1:A:150:PRO:HA	1:A:153:VAL:CG1	2.51	0.41
1:B:91:HIS:HB3	1:B:147:HIS:CE1	2.56	0.41
1:B:19:ILE:HD13	1:B:199:VAL:HG11	2.03	0.41
1:B:314:ARG:HD3	1:B:319:SER:HB2	2.03	0.40
1:B:225:GLU:H	1:B:225:GLU:HG2	1.70	0.40
1:B:352:ASN:OD1	1:B:354:ASP:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/390 (93%)	335 (92%)	22 (6%)	5 (1%)	11	22
1	B	362/390 (93%)	333 (92%)	25 (7%)	4 (1%)	14	30
All	All	724/780 (93%)	668 (92%)	47 (6%)	9 (1%)	13	27

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	B	328	PHE
1	A	318	ASP
1	A	259	ALA
1	A	328	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	60	ASP
1	B	163	MET
1	A	180	ASP
1	B	2	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	296/318 (93%)	290 (98%)	6 (2%)	55	78
1	B	296/318 (93%)	287 (97%)	9 (3%)	41	67
All	All	592/636 (93%)	577 (98%)	15 (2%)	47	73

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	ARG
1	A	96	PHE
1	A	123	GLU
1	A	153	VAL
1	A	248	VAL
1	A	334	LEU
1	B	96	PHE
1	B	107	GLN
1	B	123	GLU
1	B	213	LEU
1	B	216	ASN
1	B	225	GLU
1	B	240	LEU
1	B	248	VAL
1	B	286	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	53	HIS
1	A	90	GLN
1	A	147	HIS
1	A	197	HIS
1	A	216	ASN
1	A	242	HIS
1	A	353	GLN
1	B	27	ASN
1	B	53	HIS
1	B	70	GLN
1	B	90	GLN
1	B	216	ASN
1	B	242	HIS
1	B	330	ASN
1	B	348	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	402	-	4,4,4	1.40	0	6,6,6	2.01	3 (50%)
4	AAC	A	401	-	4,7,7	1.37	1 (25%)	5,8,8	1.53	2 (40%)
3	FAD	B	500	-	51,58,58	2.78	15 (29%)	60,89,89	2.36	11 (18%)
3	FAD	A	400	-	51,58,58	2.75	14 (27%)	60,89,89	2.35	9 (15%)
4	AAC	B	501	-	4,7,7	1.27	1 (25%)	5,8,8	1.80	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AAC	A	401	-	-	0/3/5/5	-
3	FAD	B	500	-	-	2/30/50/50	0/6/6/6
3	FAD	A	400	-	-	4/30/50/50	0/6/6/6
4	AAC	B	501	-	-	1/3/5/5	-

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	500	FAD	C9A-N10	8.79	1.50	1.38
3	A	400	FAD	C9A-N10	8.74	1.50	1.38
3	B	500	FAD	C4X-N5	8.35	1.45	1.33
3	A	400	FAD	C4X-N5	8.19	1.45	1.33
3	B	500	FAD	C4A-N3A	5.61	1.43	1.35
3	A	400	FAD	C2A-N3A	5.58	1.41	1.32
3	B	500	FAD	C2A-N3A	5.50	1.41	1.32
3	A	400	FAD	C4-N3	5.25	1.42	1.33
3	B	500	FAD	C4-N3	5.24	1.42	1.33
3	A	400	FAD	C4A-N3A	5.15	1.42	1.35
3	B	500	FAD	C1'-N10	-5.04	1.43	1.48
3	A	400	FAD	C1'-N10	-4.86	1.43	1.48
3	A	400	FAD	C5X-N5	4.76	1.43	1.35
3	A	400	FAD	C4X-C10	4.70	1.43	1.38
3	B	500	FAD	C5X-N5	4.37	1.42	1.35
3	B	500	FAD	C4X-C10	4.11	1.42	1.38
3	B	500	FAD	C10-N1	3.74	1.38	1.33
3	B	500	FAD	C5A-C4A	-3.67	1.31	1.40
3	A	400	FAD	C5A-C4A	-3.59	1.31	1.40
3	A	400	FAD	C10-N1	3.36	1.37	1.33
3	A	400	FAD	C5'-C4'	-3.36	1.47	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	500	FAD	C5'-C4'	-3.31	1.47	1.51
3	A	400	FAD	C2B-C3B	-2.74	1.45	1.53
3	A	400	FAD	C9A-C5X	2.70	1.48	1.42
3	B	500	FAD	C2B-C3B	-2.68	1.46	1.53
4	A	401	AAC	C2-N1	-2.60	1.41	1.46
4	B	501	AAC	C2-N1	-2.47	1.41	1.46
3	B	500	FAD	C9A-C5X	2.45	1.47	1.42
3	B	500	FAD	C8A-N7A	-2.31	1.30	1.34
3	B	500	FAD	C6-C7	2.18	1.43	1.37
3	A	400	FAD	C6-C7	2.12	1.43	1.37

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	400	FAD	C4-N3-C2	12.31	125.54	115.14
3	B	500	FAD	C4-N3-C2	12.29	125.52	115.14
3	A	400	FAD	C4X-C4-N3	-6.65	114.33	123.43
3	B	500	FAD	C4X-C4-N3	-6.36	114.73	123.43
3	A	400	FAD	C1'-N10-C10	4.67	122.59	118.41
3	B	500	FAD	C1'-N10-C10	4.63	122.56	118.41
3	B	500	FAD	C1'-N10-C9A	-4.53	114.73	118.29
3	A	400	FAD	C1'-N10-C9A	-4.18	115.00	118.29
3	B	500	FAD	C5X-C9A-N10	-3.50	115.18	117.72
3	A	400	FAD	C5X-C9A-N10	-3.49	115.19	117.72
4	B	501	AAC	C1-C2-N1	3.46	117.10	110.43
2	A	402	PO4	O3-P-O1	3.00	121.86	110.89
3	B	500	FAD	O5B-C5B-C4B	-2.91	98.97	108.99
3	B	500	FAD	N3A-C2A-N1A	-2.75	124.39	128.68
3	B	500	FAD	C10-C4X-N5	2.64	123.08	121.26
3	A	400	FAD	O5B-C5B-C4B	-2.63	99.92	108.99
4	A	401	AAC	C1-C2-N1	2.62	115.47	110.43
3	A	400	FAD	N3A-C2A-N1A	-2.58	124.65	128.68
3	A	400	FAD	C10-C4X-N5	2.53	123.01	121.26
2	A	402	PO4	O2-P-O1	-2.47	101.85	110.89
3	A	400	FAD	O4B-C1B-C2B	-2.35	103.49	106.93
3	B	500	FAD	O4B-C1B-C2B	-2.30	103.56	106.93
3	B	500	FAD	O2B-C2B-C3B	2.27	119.17	111.82
2	A	402	PO4	O3-P-O2	2.23	115.11	107.97
4	A	401	AAC	C2-N1-C3	2.18	127.89	122.46
3	B	500	FAD	C3B-C2B-C1B	2.16	104.23	100.98

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	500	FAD	O4B-C4B-C5B-O5B
3	A	400	FAD	O4B-C4B-C5B-O5B
3	A	400	FAD	P-O3P-PA-O1A
4	B	501	AAC	C1-C2-N1-C3
3	A	400	FAD	P-O3P-PA-O2A
3	B	500	FAD	C5B-O5B-PA-O1A
3	A	400	FAD	C5B-O5B-PA-O1A


There are no ring outliers.

4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	AAC	1	0
3	B	500	FAD	2	0
3	A	400	FAD	2	0
4	B	501	AAC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand FAD B 500



Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	364/390 (93%)	-0.11	4 (1%) 80 78	19, 39, 65, 87	0
1	B	364/390 (93%)	-0.27	6 (1%) 72 68	18, 38, 68, 90	0
All	All	728/780 (93%)	-0.19	10 (1%) 75 71	18, 39, 68, 90	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	182	GLU	4.2
1	A	180	ASP	3.9
1	A	183	ALA	3.5
1	B	180	ASP	3.0
1	B	182	GLU	2.6
1	B	179	ARG	2.4
1	B	350	GLU	2.2
1	B	27	ASN	2.2
1	B	29	ASN	2.1
1	A	3	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	AAC	A	401	8/8	0.82	0.33	61,68,76,76	0
2	PO4	A	402	5/5	0.94	0.24	60,62,63,64	0
4	AAC	B	501	8/8	0.94	0.27	58,58,62,66	0
3	FAD	A	400	53/53	0.98	0.16	15,27,31,33	0
3	FAD	B	500	53/53	0.98	0.14	17,27,33,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.