



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 06:13 pm BST

PDB ID : 1NIH  
Title : Structure of deoxy-quaternary haemoglobin with liganded beta subunits  
Authors : Luisi, B.; Liddington, B.  
Deposited on : 1990-03-14  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	141	
1	C	141	
2	B	146	
2	D	146	

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4648 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called HEMOGLOBIN (NICKELOUS DEOXY) (ALPHA CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			
1	C	141	Total	C	N	O	S	0	0	0
			1069	685	187	194	3			

- Molecule 2 is a protein called HEMOGLOBIN (FERROUS CARBONMONOXY) (BETA CHAIN).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	146	Total	C	N	O	S	0	0	0
			1123	724	195	201	3			
2	D	146	Total	C	N	O	S	0	0	0
			1123	724	195	201	3			


- Molecule 3 is PROTOPORPHYRIN IX CONTAINING NI(II) (three-letter code: HNI) (formula:  $C_{34}H_{32}N_4NiO_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	N 4	Ni 1	O 4	0	0
3	C	1	Total 43	C 34	N 4	Ni 1	O 4	0	0


- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			2	1	1		
5	D	1	Total	C	O	0	0
			2	1	1		

- Molecule 6 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula:  $C_6H_{18}O_{24}P_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	O	P	0	0
			36	6	24	6		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	19	Total 19	O 19	0	0
7	B	13	Total 13	O 13	0	0
7	C	12	Total 12	O 12	0	0
7	D	8	Total 8	O 8	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: HEMOGLOBIN (NICKELOUS DEOXY) (ALPHA CHAIN)




- Molecule 1: HEMOGLOBIN (NICKELOUS DEOXY) (ALPHA CHAIN)



- Molecule 2: HEMOGLOBIN (FERROUS CARBONMONOXY) (BETA CHAIN)



- Molecule 2: HEMOGLOBIN (FERROUS CARBONMONOXY) (BETA CHAIN)



L80	L81	S89	E90	L91	D94	K95	L96	H97	V98	D99	P100	R104	L105	L106	H117	T123	Y130	Q131	A135	N139	A140	L141	A142	H143	K144	Y145	H146
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.18 Å 82.26 Å 55.06 Å 90.00° 98.42° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.60	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.60)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	EREF	Depositor
R, $R_{free}$	0.214 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4648	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CMO, HNI, IHP, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.09	0/1097	2.08	26/1491 (1.7%)
1	C	1.20	1/1097 (0.1%)	2.13	38/1491 (2.5%)
2	B	1.17	2/1153 (0.2%)	2.10	43/1566 (2.7%)
2	D	1.52	4/1153 (0.3%)	2.17	43/1566 (2.7%)
All	All	1.26	7/4500 (0.2%)	2.12	150/6114 (2.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
2	B	0	1
2	D	0	4
All	All	0	7

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	47	ASP	CG-OD2	24.87	1.82	1.25
1	C	92	ARG	NE-CZ	6.79	1.41	1.33
2	B	44	SER	CB-OG	5.57	1.49	1.42
2	D	89	SER	CA-CB	-5.34	1.45	1.52
2	D	3	LEU	N-CA	-5.24	1.35	1.46
2	B	44	SER	CA-CB	5.19	1.60	1.52
2	D	2	HIS	C-N	-5.09	1.22	1.34

All (150) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	92	ARG	NE-CZ-NH2	-26.77	106.92	120.30
2	B	40	ARG	NE-CZ-NH1	18.64	129.62	120.30
2	D	30	ARG	NE-CZ-NH2	-17.92	111.34	120.30
1	C	31	ARG	NE-CZ-NH1	16.23	128.41	120.30
2	D	47	ASP	OD1-CG-OD2	-13.97	96.76	123.30
1	A	92	ARG	NE-CZ-NH1	12.70	126.65	120.30
1	C	31	ARG	NE-CZ-NH2	-12.15	114.22	120.30
1	C	16	LYS	CB-CG-CD	-11.05	82.88	111.60
2	D	30	ARG	NE-CZ-NH1	10.65	125.63	120.30
2	D	139	ASN	CA-CB-CG	-10.55	90.19	113.40
1	C	92	ARG	NE-CZ-NH1	10.46	125.53	120.30
1	C	40	LYS	CD-CE-NZ	-10.21	88.22	111.70
2	B	104	ARG	CG-CD-NE	-9.63	91.59	111.80
1	C	92	ARG	CG-CD-NE	9.56	131.89	111.80
2	D	143	HIS	CA-CB-CG	-9.39	97.64	113.60
2	D	2	HIS	CA-CB-CG	8.28	127.67	113.60
2	B	43	GLU	CB-CA-C	-8.24	93.93	110.40
2	B	52	ASP	CB-CG-OD2	-8.05	111.05	118.30
2	D	40	ARG	NE-CZ-NH2	8.01	124.31	120.30
1	A	86	LEU	CB-CG-CD2	-7.95	97.49	111.00
2	D	139	ASN	CB-CG-OD1	-7.73	106.14	121.60
2	D	20	VAL	CA-CB-CG2	7.67	122.41	110.90
2	D	77	HIS	CA-CB-CG	-7.64	100.61	113.60
1	A	92	ARG	CD-NE-CZ	-7.60	112.96	123.60
1	A	20	HIS	CA-CB-CG	7.40	126.19	113.60
2	D	1	VAL	CB-CA-C	7.37	125.39	111.40
1	C	137	THR	C-N-CA	7.36	140.11	121.70
1	A	105	LEU	CB-CG-CD2	-7.36	98.49	111.00
2	B	44	SER	CA-CB-OG	7.34	131.03	111.20
2	B	51	PRO	C-N-CA	-7.31	103.43	121.70
1	C	16	LYS	CA-CB-CG	7.23	129.31	113.40
1	A	137	THR	CA-CB-CG2	7.19	122.47	112.40
2	D	104	ARG	CA-CB-CG	7.18	129.20	113.40
2	B	144	LYS	CG-CD-CE	7.06	133.08	111.90
1	A	137	THR	C-N-CA	7.04	139.29	121.70
2	B	40	ARG	CD-NE-CZ	7.03	133.44	123.60
2	D	68	LEU	CB-CG-CD2	6.92	122.77	111.00
1	C	87	HIS	CA-CB-CG	-6.91	101.85	113.60
2	B	73	ASP	CB-CA-C	-6.91	96.58	110.40
2	D	22	GLU	CA-C-N	6.88	132.33	117.20
2	D	123	THR	CA-CB-CG2	-6.83	102.83	112.40
2	D	6	GLU	CA-CB-CG	6.82	128.40	113.40
1	A	14	TRP	CA-CB-CG	-6.81	100.76	113.70

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	130	TYR	CB-CG-CD2	-6.80	116.92	121.00
1	C	6	ASP	CB-CG-OD2	-6.79	112.19	118.30
1	A	140	TYR	CB-CG-CD1	-6.76	116.94	121.00
1	C	46	PHE	CA-C-N	-6.75	102.34	117.20
2	D	43	GLU	C-N-CA	6.73	138.52	121.70
2	D	79	ASP	CA-CB-CG	-6.70	98.65	113.40
2	B	90	GLU	O-C-N	-6.65	112.06	122.70
1	A	141	ARG	NE-CZ-NH2	-6.62	116.99	120.30
1	C	18	GLY	C-N-CA	-6.62	105.16	121.70
1	C	64	ASP	CB-CG-OD1	6.58	124.22	118.30
2	D	23	VAL	CA-CB-CG2	-6.57	101.05	110.90
2	D	44	SER	C-N-CA	6.54	138.05	121.70
2	B	40	ARG	NE-CZ-NH2	-6.54	117.03	120.30
2	B	104	ARG	CA-CB-CG	-6.40	99.32	113.40
2	D	14	LEU	CB-CG-CD1	-6.40	100.12	111.00
1	A	92	ARG	NH1-CZ-NH2	6.40	126.44	119.40
2	D	50	THR	CA-CB-CG2	6.36	121.30	112.40
1	C	44	PRO	N-CD-CG	6.34	112.72	103.20
1	C	24	TYR	CB-CG-CD1	-6.34	117.20	121.00
1	C	61	LYS	CA-CB-CG	-6.26	99.64	113.40
2	D	66	LYS	CA-CB-CG	6.19	127.02	113.40
1	C	16	LYS	CB-CA-C	-6.19	98.02	110.40
2	D	77	HIS	O-C-N	6.17	132.56	122.70
1	A	89	HIS	CA-C-N	6.13	130.68	117.20
1	C	117	PHE	CB-CG-CD1	-6.11	116.53	120.80
2	B	122	PHE	CB-CG-CD1	-6.09	116.53	120.80
2	D	104	ARG	NE-CZ-NH1	6.09	123.35	120.30
2	D	20	VAL	CG1-CB-CG2	-6.09	101.16	110.90
2	D	19	ASN	CA-C-O	-6.08	107.33	120.10
2	D	90	GLU	CB-CG-CD	-6.08	97.79	114.20
2	B	99	ASP	CB-CG-OD1	6.02	123.72	118.30
1	C	46	PHE	O-C-N	6.01	132.32	122.70
1	C	118	THR	N-CA-CB	-6.01	98.88	110.30
1	C	118	THR	CA-CB-OG1	6.00	121.60	109.00
1	C	106	LEU	CB-CG-CD2	-5.98	100.83	111.00
1	A	40	LYS	CA-C-N	5.96	130.32	117.20
2	B	132	LYS	CA-CB-CG	5.96	126.52	113.40
2	B	106	LEU	CB-CG-CD2	-5.94	100.90	111.00
1	A	47	ASP	CB-CG-OD2	-5.94	112.96	118.30
2	B	94	ASP	C-N-CA	-5.93	106.88	121.70
1	C	92	ARG	CB-CG-CD	-5.90	96.27	111.60
1	A	46	PHE	CB-CG-CD1	-5.89	116.68	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	42	TYR	CA-CB-CG	-5.89	102.21	113.40
2	D	67	VAL	CA-CB-CG2	-5.87	102.10	110.90
2	B	61	LYS	O-C-N	5.83	132.02	122.70
1	A	92	ARG	CB-CG-CD	-5.82	96.46	111.60
1	A	17	VAL	CG1-CB-CG2	-5.79	101.63	110.90
1	A	74	ASP	CB-CG-OD2	5.79	123.51	118.30
2	B	3	LEU	CB-CA-C	5.79	121.20	110.20
1	C	46	PHE	CB-CG-CD1	-5.76	116.77	120.80
2	B	47	ASP	CB-CG-OD2	5.73	123.45	118.30
2	D	21	ASP	CA-C-N	5.72	129.79	117.20
2	B	125	PRO	CA-N-CD	-5.72	103.50	111.50
2	B	21	ASP	CB-CG-OD1	5.71	123.44	118.30
1	C	44	PRO	CA-N-CD	-5.69	103.53	111.50
2	B	99	ASP	CB-CG-OD2	-5.66	113.20	118.30
1	C	141	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	C	75	ASP	CB-CG-OD1	5.64	123.37	118.30
1	A	92	ARG	CG-CD-NE	5.63	123.63	111.80
2	D	1	VAL	CA-CB-CG2	5.63	119.34	110.90
2	D	22	GLU	CA-CB-CG	5.62	125.77	113.40
2	D	35	TYR	CB-CG-CD2	-5.60	117.64	121.00
2	B	52	ASP	CB-CG-OD1	5.56	123.31	118.30
2	B	63	HIS	N-CA-CB	-5.56	100.59	110.60
2	B	97	HIS	CA-CB-CG	-5.56	104.15	113.60
1	C	48	LEU	CB-CG-CD1	-5.54	101.58	111.00
2	B	145	TYR	O-C-N	5.53	131.55	122.70
2	B	40	ARG	NH1-CZ-NH2	-5.50	113.35	119.40
1	C	108	THR	CA-CB-CG2	-5.49	104.71	112.40
2	B	23	VAL	CA-CB-CG2	-5.49	102.67	110.90
2	B	52	ASP	CA-C-O	-5.49	108.58	120.10
2	B	131	GLN	CG-CD-OE1	-5.48	110.64	121.60
2	B	103	PHE	CA-C-O	-5.46	108.64	120.10
1	C	15	GLY	CA-C-O	-5.46	110.78	120.60
1	C	44	PRO	N-CA-CB	5.44	109.83	103.30
2	B	117	HIS	CA-CB-CG	-5.44	104.36	113.60
1	A	127	LYS	CG-CD-CE	-5.42	95.63	111.90
1	C	91	LEU	CA-CB-CG	-5.42	102.83	115.30
2	D	21	ASP	O-C-N	-5.42	114.03	122.70
1	A	1	VAL	CB-CA-C	5.40	121.66	111.40
2	D	105	LEU	CA-C-N	5.37	129.01	117.20
1	C	91	LEU	CB-CG-CD1	-5.37	101.88	111.00
2	B	17	LYS	CG-CD-CE	-5.35	95.84	111.90
2	D	79	ASP	CB-CG-OD1	-5.34	113.50	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	135	VAL	CA-C-N	5.32	128.90	117.20
1	C	6	ASP	CB-CG-OD1	5.31	123.08	118.30
2	D	142	ALA	O-C-N	5.29	131.17	122.70
1	A	30	GLU	CA-CB-CG	-5.29	101.76	113.40
2	B	120	LYS	CB-CG-CD	5.28	125.33	111.60
1	C	92	ARG	CA-CB-CG	5.27	125.00	113.40
2	B	20	VAL	CA-C-N	-5.23	105.69	117.20
1	C	55	VAL	CA-CB-CG2	-5.23	103.06	110.90
2	B	71	PHE	N-CA-CB	-5.20	101.25	110.60
1	A	36	PHE	CB-CG-CD1	-5.18	117.17	120.80
2	B	114	LEU	CB-CG-CD2	5.16	119.77	111.00
2	B	85	PHE	CA-C-O	-5.15	109.29	120.10
2	B	8	LYS	N-CA-CB	-5.12	101.38	110.60
2	D	104	ARG	O-C-N	5.10	130.85	122.70
1	A	19	ALA	C-N-CA	5.09	134.41	121.70
2	B	3	LEU	N-CA-C	-5.08	97.29	111.00
1	C	85	ASP	CA-CB-CG	5.07	124.55	113.40
2	B	145	TYR	CB-CG-CD1	-5.07	117.96	121.00
2	B	104	ARG	NE-CZ-NH1	5.05	122.83	120.30
2	D	2	HIS	C-N-CA	-5.04	109.11	121.70
2	D	22	GLU	O-C-N	-5.03	114.66	122.70
2	D	104	ARG	CD-NE-CZ	5.01	130.62	123.60
2	D	36	PRO	N-CD-CG	5.01	110.71	103.20

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	92	ARG	Sidechain
2	B	104	ARG	Sidechain
1	C	92	ARG	Sidechain
2	D	104	ARG	Sidechain
2	D	30	ARG	Sidechain
2	D	40	ARG	Sidechain
2	D	47	ASP	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1069	0	1073	17	0
1	C	1069	0	1072	18	6
2	B	1123	0	1118	27	31
2	D	1123	0	1118	37	36
3	A	43	0	30	0	0
3	C	43	0	30	0	0
4	B	43	0	30	3	0
4	D	43	0	30	0	1
5	B	2	0	0	0	0
5	D	2	0	0	0	0
6	B	36	0	6	5	0
7	A	19	0	0	1	0
7	B	13	0	0	4	0
7	C	12	0	0	1	1
7	D	8	0	0	1	5
All	All	4648	0	4507	91	44

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:21:ASP:OD2	2:D:65:LYS:NZ	1.71	1.21
2:B:82:LYS:NZ	6:B:203:IHP:O43	1.73	1.20
2:D:47:ASP:CG	2:D:47:ASP:OD2	1.82	1.18
2:D:21:ASP:CG	2:D:65:LYS:NZ	2.11	1.03
2:D:47:ASP:OD1	7:D:734:HOH:O	1.77	1.02
2:B:82:LYS:NZ	6:B:203:IHP:P3	2.35	0.99
2:D:21:ASP:CG	2:D:65:LYS:HZ2	1.68	0.95
2:D:91:LEU:HD12	2:D:95:LYS:HD3	1.53	0.91
2:B:86:ALA:HB1	2:B:144:LYS:HD2	1.55	0.89
2:B:24:GLY:HA2	2:B:68:LEU:HG	1.62	0.81
2:D:20:VAL:HG12	2:D:68:LEU:HB3	1.65	0.77
1:C:35:SER:OG	2:D:131:GLN:HG3	1.85	0.75
2:B:82:LYS:HZ1	6:B:203:IHP:P3	2.04	0.74
1:C:118:THR:HG22	1:C:121:VAL:H	1.55	0.72
2:B:4:THR:OG1	2:B:6:GLU:HG2	1.91	0.71
2:D:21:ASP:CG	2:D:65:LYS:HZ3	1.83	0.70
2:B:63:HIS:CE1	4:B:201:HEM:HBD2	2.27	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:82:LYS:HZ3	6:B:203:IHP:P3	2.00	0.67
1:A:40:LYS:NZ	2:D:146:HIS:OXT	2.22	0.67
2:B:86:ALA:HA	7:B:715:HOH:O	1.97	0.62
1:A:113:LEU:HB3	1:A:116:GLU:HB2	1.80	0.62
2:B:75:LEU:HA	2:B:78:LEU:HD11	1.82	0.61
2:D:21:ASP:HA	2:D:65:LYS:HD2	1.82	0.61
2:D:58:PRO:HA	2:D:61:LYS:HD2	1.83	0.60
1:A:92:ARG:HD3	2:D:40:ARG:HB2	1.84	0.60
2:B:40:ARG:HB3	1:C:92:ARG:HD3	1.84	0.60
2:D:22:GLU:OE2	2:D:117:HIS:HE1	1.85	0.59
1:A:44:PRO:HA	7:A:699:HOH:O	2.00	0.58
1:A:133:SER:O	1:A:137:THR:HB	2.04	0.57
1:C:103:HIS:HE1	2:D:131:GLN:OE1	1.87	0.56
2:B:47:ASP:OD1	2:B:49:SER:OG	2.25	0.55
2:D:91:LEU:CD1	2:D:95:LYS:HD3	2.31	0.53
2:B:63:HIS:O	2:B:67:VAL:HG23	2.08	0.53
2:D:135:ALA:O	2:D:139:ASN:HB2	2.08	0.53
1:C:38:THR:OG1	7:C:720:HOH:O	2.01	0.53
2:B:92:HIS:HA	2:B:96:LEU:HB2	1.91	0.52
2:D:24:GLY:N	2:D:68:LEU:HD12	2.25	0.52
1:A:92:ARG:HB3	2:D:37:TRP:HB2	1.92	0.52
2:D:5:PRO:HA	2:D:8:LYS:HB2	1.91	0.52
1:C:57:GLY:O	1:C:61:LYS:HG3	2.10	0.51
2:D:3:LEU:HB2	2:D:8:LYS:HD2	1.93	0.50
2:B:86:ALA:HB2	7:B:715:HOH:O	2.10	0.50
1:C:27:GLU:OE1	1:C:112:HIS:HE1	1.94	0.50
2:B:86:ALA:CB	7:B:715:HOH:O	2.59	0.50
2:B:63:HIS:HE1	4:B:201:HEM:HBD2	1.75	0.49
2:D:50:THR:HB	2:D:51:PRO:HD2	1.94	0.49
2:D:31:LEU:HD22	2:D:106:LEU:HD13	1.96	0.47
2:D:51:PRO:O	2:D:55:MET:HG2	2.14	0.47
1:C:103:HIS:O	1:C:107:VAL:HG23	2.15	0.47
2:D:140:ALA:O	2:D:143:HIS:HB2	2.14	0.47
2:B:63:HIS:HE1	4:B:201:HEM:CHA	2.28	0.46
2:B:8:LYS:O	2:B:12:THR:HB	2.15	0.46
2:B:86:ALA:CA	7:B:715:HOH:O	2.58	0.46
2:D:42:PHE:O	2:D:45:PHE:HB2	2.15	0.46
1:C:16:LYS:HD2	1:C:116:GLU:CD	2.36	0.46
1:C:116:GLU:H	1:C:116:GLU:HG2	1.20	0.46
2:D:143:HIS:ND1	2:D:144:LYS:HE2	2.31	0.46
2:B:113:VAL:O	2:B:117:HIS:HB2	2.17	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:138:SER:HB3	1:C:139:LYS:HG3	1.99	0.45
2:D:61:LYS:HG3	2:D:61:LYS:H	1.60	0.45
2:D:73:ASP:OD1	2:D:73:ASP:N	2.49	0.45
2:D:47:ASP:OD1	2:D:47:ASP:OD2	2.31	0.45
2:D:4:THR:O	2:D:7:GLU:HB2	2.17	0.45
2:D:14:LEU:HD22	2:D:14:LEU:HA	1.76	0.44
1:A:42:TYR:OH	2:D:99:ASP:OD2	2.32	0.44
2:D:75:LEU:HA	2:D:78:LEU:HD13	2.00	0.43
1:C:113:LEU:HB3	1:C:116:GLU:HG3	2.00	0.43
2:B:43:GLU:HG2	2:B:43:GLU:H	1.69	0.43
1:A:7:LYS:HD3	1:A:73:VAL:HG13	2.01	0.42
1:A:7:LYS:O	1:A:11:LYS:HG3	2.19	0.42
1:A:69:ALA:HB2	1:A:80:LEU:HD21	2.01	0.42
1:A:91:LEU:HD23	1:A:91:LEU:HA	1.84	0.42
1:C:42:TYR:C	1:C:44:PRO:HD3	2.39	0.42
2:B:91:LEU:HG	2:B:91:LEU:O	2.16	0.42
1:C:106:LEU:HD12	1:C:106:LEU:HA	1.76	0.42
1:C:132:VAL:O	1:C:136:LEU:HG	2.20	0.42
1:A:38:THR:HG21	2:D:100:PRO:HG2	2.00	0.41
1:A:66:LEU:HA	1:A:66:LEU:HD23	1.82	0.41
1:C:83:LEU:HA	1:C:83:LEU:HD23	1.67	0.41
2:D:3:LEU:HB3	2:D:7:GLU:CB	2.50	0.41
2:B:58:PRO:HA	2:B:61:LYS:HB2	2.01	0.41
1:A:2:LEU:HA	1:A:2:LEU:HD23	1.88	0.41
1:A:29:LEU:HD11	1:A:58:HIS:HD2	1.86	0.41
6:B:203:IHP:O22	6:B:203:IHP:H1	2.20	0.41
1:C:61:LYS:HE2	1:C:61:LYS:HB3	1.83	0.41
1:A:3:SER:O	1:A:7:LYS:HG3	2.21	0.41
2:B:7:GLU:OE2	2:B:132:LYS:HE3	2.21	0.40
2:B:32:LEU:HG	2:B:39:GLN:HG2	2.02	0.40
2:D:81:LEU:HA	2:D:81:LEU:HD23	1.77	0.40
2:B:99:ASP:OD2	1:C:42:TYR:OH	2.26	0.40
1:A:109:LEU:HD23	1:A:125:LEU:HD13	2.04	0.40

All (44) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:44:SER:O	2:D:95:LYS:CA[1_556]	0.79	1.41
2:B:44:SER:O	2:D:95:LYS:C[1_556]	0.82	1.38

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:41:PHE:CA	7:D:736:HOH:O[1_556]	1.08	1.12
2:B:41:PHE:C	7:D:736:HOH:O[1_556]	1.22	0.98
1:C:90:LYS:CE	2:D:59:LYS:CD[1_556]	1.30	0.90
2:D:5:PRO:CB	2:D:47:ASP:OD2[2_655]	1.32	0.88
1:C:90:LYS:NZ	2:D:59:LYS:CD[1_556]	1.36	0.84
2:B:44:SER:C	2:D:95:LYS:C[1_556]	1.36	0.84
2:B:44:SER:C	2:D:95:LYS:O[1_556]	1.45	0.75
2:B:44:SER:C	2:D:95:LYS:CA[1_556]	1.52	0.68
2:B:41:PHE:O	7:D:736:HOH:O[1_556]	1.54	0.66
2:B:59:LYS:CE	2:D:94:ASP:O[1_556]	1.60	0.60
2:B:44:SER:O	2:D:95:LYS:O[1_556]	1.64	0.56
2:D:9:SER:CB	2:D:49:SER:CB[2_655]	1.65	0.55
2:D:5:PRO:CG	2:D:47:ASP:OD2[2_655]	1.69	0.51
2:B:44:SER:CB	2:D:95:LYS:CB[1_556]	1.71	0.49
2:D:5:PRO:O	7:D:734:HOH:O[2_655]	1.75	0.45
2:B:44:SER:OG	2:D:95:LYS:CB[1_556]	1.80	0.40
2:D:5:PRO:CA	2:D:47:ASP:OD2[2_655]	1.84	0.36
2:B:43:GLU:OE2	4:D:201:HEM:O2D[1_556]	1.87	0.33
2:B:44:SER:O	2:D:95:LYS:N[1_556]	1.87	0.33
2:B:59:LYS:NZ	2:D:94:ASP:CB[1_556]	1.87	0.33
2:D:5:PRO:O	2:D:49:SER:OG[2_655]	1.88	0.32
2:D:5:PRO:C	2:D:47:ASP:OD2[2_655]	1.92	0.28
2:B:44:SER:C	2:D:95:LYS:CB[1_556]	1.92	0.28
2:B:118:PHE:O	7:C:730:HOH:O[1_455]	1.93	0.27
2:B:120:LYS:CB	1:C:115:ALA:CB[1_455]	1.94	0.26
2:B:44:SER:OG	2:D:95:LYS:CG[1_556]	2.01	0.19
2:B:45:PHE:N	2:D:95:LYS:O[1_556]	2.02	0.18
2:D:6:GLU:OE1	2:D:47:ASP:CG[2_655]	2.03	0.17
2:B:120:LYS:CB	1:C:116:GLU:OE2[1_455]	2.03	0.17
2:B:59:LYS:CE	2:D:94:ASP:C[1_556]	2.04	0.16
2:B:46:GLY:CA	2:D:97:HIS:NE2[1_556]	2.05	0.15
2:B:44:SER:CA	2:D:95:LYS:C[1_556]	2.05	0.15
2:B:44:SER:OG	2:D:95:LYS:CD[1_556]	2.06	0.14
2:B:44:SER:O	2:D:96:LEU:N[1_556]	2.06	0.14
2:B:59:LYS:NZ	2:D:94:ASP:CA[1_556]	2.07	0.13
1:C:90:LYS:CE	2:D:59:LYS:CE[1_556]	2.09	0.11
2:B:44:SER:O	2:D:95:LYS:CB[1_556]	2.09	0.11
1:C:90:LYS:CD	2:D:59:LYS:CE[1_556]	2.11	0.09
2:B:41:PHE:CB	7:D:736:HOH:O[1_556]	2.13	0.07
2:B:44:SER:CA	2:D:95:LYS:CB[1_556]	2.13	0.07
2:D:6:GLU:N	2:D:47:ASP:OD1[2_655]	2.16	0.04

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:59:LYS:CD	2:D:94:ASP:O[1_556]	2.18	0.02

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	131 (94%)	8 (6%)	0	100	100
1	C	139/141 (99%)	129 (93%)	9 (6%)	1 (1%)	22	43
2	B	144/146 (99%)	141 (98%)	3 (2%)	0	100	100
2	D	144/146 (99%)	137 (95%)	7 (5%)	0	100	100
All	All	566/574 (99%)	538 (95%)	27 (5%)	1 (0%)	47	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	15	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	104 (92%)	9 (8%)	12	24
1	C	113/113 (100%)	101 (89%)	12 (11%)	6	12
2	B	118/118 (100%)	100 (85%)	18 (15%)	2	4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	118/118 (100%)	105 (89%)	13 (11%)	6	11
All	All	462/462 (100%)	410 (89%)	52 (11%)	6	10

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	VAL
1	A	16	LYS
1	A	60	LYS
1	A	73	VAL
1	A	84	SER
1	A	99	LYS
1	A	105	LEU
1	A	109	LEU
1	A	137	THR
2	B	1	VAL
2	B	6	GLU
2	B	8	LYS
2	B	12	THR
2	B	22	GLU
2	B	32	LEU
2	B	43	GLU
2	B	49	SER
2	B	59	LYS
2	B	61	LYS
2	B	65	LYS
2	B	66	LYS
2	B	68	LEU
2	B	78	LEU
2	B	82	LYS
2	B	117	HIS
2	B	120	LYS
2	B	146	HIS
1	C	1	VAL
1	C	3	SER
1	C	35	SER
1	C	38	THR
1	C	52	SER
1	C	60	LYS
1	C	61	LYS
1	C	83	LEU
1	C	106	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	116	GLU
1	C	118	THR
1	C	138	SER
2	D	2	HIS
2	D	6	GLU
2	D	14	LEU
2	D	20	VAL
2	D	26	GLU
2	D	40	ARG
2	D	43	GLU
2	D	44	SER
2	D	49	SER
2	D	68	LEU
2	D	78	LEU
2	D	95	LYS
2	D	146	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	HIS
1	A	72	HIS
1	A	103	HIS
2	B	63	HIS
1	C	58	HIS
1	C	72	HIS
1	C	103	HIS
1	C	112	HIS
2	D	117	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	IHP	B	203	-	36,36,36	1.26	6 (16%)	54,60,60	1.08	2 (3%)
3	HNI	C	201	-	33,50,50	4.36	18 (54%)	22,82,82	5.30	13 (59%)
4	HEM	D	201	2,5	27,50,50	1.42	3 (11%)	17,82,82	2.57	6 (35%)
4	HEM	B	201	2,5	27,50,50	1.57	4 (14%)	17,82,82	2.28	7 (41%)
3	HNI	A	201	-	33,50,50	4.02	14 (42%)	22,82,82	5.67	12 (54%)
5	CMO	D	202	4	0,1,1	0.00	-	-	-	-
5	CMO	B	202	4	0,1,1	0.00	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	D	201	2,5	-	0/6/54/54	-
4	HEM	B	201	2,5	-	0/6/54/54	-
6	IHP	B	203	-	-	11/30/54/54	0/1/1/1
3	HNI	C	201	-	-	2/8/94/94	-
3	HNI	A	201	-	-	0/8/94/94	-

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	HNI	CHB-C4A	-10.25	1.35	1.53
3	C	201	HNI	CHB-C4A	-10.18	1.35	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	201	HNI	CHD-C4C	-9.37	1.37	1.53
3	C	201	HNI	CHA-C1A	-9.14	1.37	1.53
3	A	201	HNI	CHD-C4C	-8.78	1.38	1.53
3	A	201	HNI	CHC-C1C	-8.08	1.39	1.53
3	C	201	HNI	CHC-C1C	-7.65	1.40	1.53
3	A	201	HNI	CHA-C1A	-7.51	1.40	1.53
3	C	201	HNI	CHB-C1B	-6.39	1.35	1.51
3	C	201	HNI	C1D-ND	6.18	1.42	1.37
3	A	201	HNI	CHB-C1B	-6.00	1.36	1.51
3	C	201	HNI	CHD-C1D	-5.69	1.37	1.51
3	A	201	HNI	CHD-C1D	-5.42	1.38	1.51
3	C	201	HNI	C4D-ND	5.24	1.41	1.37
3	C	201	HNI	CHC-C4B	-5.22	1.38	1.51
3	A	201	HNI	CHA-C4D	-5.03	1.38	1.51
3	A	201	HNI	C4D-C3D	4.88	1.44	1.38
3	A	201	HNI	C1D-C2D	4.68	1.44	1.38
3	C	201	HNI	C4D-C3D	4.47	1.44	1.38
3	C	201	HNI	C1D-C2D	4.46	1.44	1.38
3	A	201	HNI	C4C-C3C	-4.40	1.44	1.51
3	C	201	HNI	CHA-C4D	-4.26	1.40	1.51
3	A	201	HNI	C1B-C2B	4.24	1.43	1.38
3	A	201	HNI	CHC-C4B	-4.14	1.41	1.51
3	C	201	HNI	C4C-C3C	-4.09	1.44	1.51
3	C	201	HNI	C1B-C2B	3.88	1.43	1.38
4	B	201	HEM	C3C-C2C	-3.81	1.35	1.40
4	B	201	HEM	C4A-NA	3.64	1.43	1.36
4	B	201	HEM	C1D-ND	3.40	1.43	1.36
6	B	203	IHP	P4-O14	3.06	1.65	1.59
3	A	201	HNI	C1D-ND	2.94	1.39	1.37
6	B	203	IHP	C6-C1	2.77	1.58	1.52
4	D	201	HEM	C4A-NA	2.76	1.41	1.36
3	C	201	HNI	C3B-C2B	-2.71	1.36	1.40
4	D	201	HEM	C1D-ND	2.71	1.41	1.36
4	B	201	HEM	C1A-NA	2.70	1.41	1.36
4	D	201	HEM	C1A-NA	2.60	1.41	1.36
3	A	201	HNI	CAA-C2A	2.48	1.54	1.51
6	B	203	IHP	P2-O12	2.40	1.63	1.59
3	C	201	HNI	C3A-C2A	2.23	1.35	1.34
6	B	203	IHP	P3-O13	2.18	1.63	1.59
3	C	201	HNI	C1B-NB	-2.11	1.35	1.37
3	C	201	HNI	NI-ND	-2.09	1.83	1.95
6	B	203	IHP	P5-O15	2.04	1.63	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	203	IHP	C6-C5	2.01	1.56	1.52

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	201	HNI	CHD-C4C-NC	12.72	126.13	110.03
3	C	201	HNI	CHC-C1C-NC	12.47	125.80	110.03
3	A	201	HNI	CHA-C1A-NA	11.91	125.10	110.03
3	C	201	HNI	CHB-C4A-NA	11.61	124.72	110.03
3	A	201	HNI	CHB-C4A-NA	11.34	124.38	110.03
3	A	201	HNI	CHC-C1C-NC	10.95	123.88	110.03
3	C	201	HNI	CHD-C4C-NC	9.76	122.38	110.03
3	C	201	HNI	CHA-C1A-NA	9.27	121.75	110.03
3	A	201	HNI	CHC-C4B-C3B	-7.58	119.36	129.55
4	D	201	HEM	CAD-CBD-CGD	-6.76	101.33	112.67
3	C	201	HNI	CHB-C1B-C2B	-4.83	121.09	129.45
4	B	201	HEM	CMA-C3A-C4A	-4.72	121.21	128.46
3	A	201	HNI	CHB-C1B-C2B	-4.65	121.41	129.45
3	C	201	HNI	CAD-C3D-C4D	-4.38	124.22	127.30
3	C	201	HNI	CHD-C1D-C2D	-4.34	121.94	129.45
4	D	201	HEM	CBA-CAA-C2A	4.26	120.35	112.49
3	C	201	HNI	C3B-C4B-NB	4.17	112.92	107.17
3	A	201	HNI	C3B-C4B-NB	4.13	112.87	107.17
3	A	201	HNI	CMB-C2B-C3B	4.12	132.40	124.68
4	B	201	HEM	CBD-CAD-C3D	3.95	119.75	112.48
3	C	201	HNI	CHC-C4B-C3B	-3.93	124.27	129.55
3	C	201	HNI	CAA-CBA-CGA	-3.92	106.10	112.67
4	B	201	HEM	CMB-C2B-C3B	3.86	131.89	124.68
3	C	201	HNI	CMB-C2B-C3B	3.39	131.02	124.68
3	C	201	HNI	CBD-CAD-C3D	-3.15	106.67	112.49
3	A	201	HNI	CHD-C1D-C2D	-3.15	124.00	129.45
4	D	201	HEM	CMA-C3A-C4A	-3.04	123.79	128.46
3	A	201	HNI	CBA-CAA-C2A	2.97	119.61	114.35
6	B	203	IHP	C5-C4-C3	2.89	116.73	110.41
3	A	201	HNI	CAA-CBA-CGA	2.86	117.47	112.67
4	D	201	HEM	CMD-C2D-C1D	-2.80	124.16	128.46
4	B	201	HEM	CAA-CBA-CGA	-2.66	108.22	112.67
4	D	201	HEM	CMC-C2C-C3C	2.57	129.49	124.68
4	D	201	HEM	CMB-C2B-C3B	2.51	129.37	124.68
4	B	201	HEM	CMD-C2D-C1D	-2.30	124.93	128.46
4	B	201	HEM	C4A-C3A-C2A	2.15	108.49	107.00
6	B	203	IHP	C3-C2-C1	2.13	115.07	110.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	201	HEM	CMC-C2C-C3C	2.04	128.50	124.68
3	C	201	HNI	CBC-CAC-C3C	-2.04	120.11	127.20
3	A	201	HNI	CBD-CAD-C3D	-2.04	108.72	112.49

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	203	IHP	C2-C1-O11-P1
6	B	203	IHP	C6-C1-O11-P1
6	B	203	IHP	C1-C2-O12-P2
6	B	203	IHP	C3-C2-O12-P2
3	C	201	HNI	C3A-C2A-CAA-CBA
6	B	203	IHP	C4-O14-P4-O44
6	B	203	IHP	C6-O16-P6-O46
3	C	201	HNI	C1A-C2A-CAA-CBA
6	B	203	IHP	C5-O15-P5-O25
6	B	203	IHP	C2-O12-P2-O32
6	B	203	IHP	C2-O12-P2-O42
6	B	203	IHP	C4-O14-P4-O34
6	B	203	IHP	C5-O15-P5-O35


There are no ring outliers.

3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	203	IHP	5	0
4	D	201	HEM	0	1
4	B	201	HEM	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


## Ligand IHP B 203




Bond lengths



Bond angles





Torsions





Rings

## Ligand HNI C 201









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.