



# Full wwPDB X-ray Structure Validation Report ⓘ

May 27, 2020 – 11:32 pm BST

PDB ID : 3NOU  
Title : Light-induced intermediate structure L3 of P. aeruginosa bacteriophytochrome  
Authors : Yang, X.; Ren, Z.; Moffat, K.  
Deposited on : 2010-06-25  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	C	505	<div> <div style="width: 65%; background-color: green;"></div> <div style="width: 28%; background-color: yellow;"></div> <div style="width: 7%; background-color: orange;"></div> <div style="width: 2%; background-color: red;"></div> <div style="width: 0%; background-color: grey;"></div> </div> <div>65% 28% . .</div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BLA	C	900	-	-	X	-

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3860 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriophytochrome.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	483	Total	C	N	O	S	0	0	0
			3817	2401	689	708	19			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	498	LEU	ALA	CONFLICT	UNP Q9HWR3
C	500	HIS	-	EXPRESSION TAG	UNP Q9HWR3
C	501	HIS	-	EXPRESSION TAG	UNP Q9HWR3
C	502	HIS	-	EXPRESSION TAG	UNP Q9HWR3
C	503	HIS	-	EXPRESSION TAG	UNP Q9HWR3
C	504	HIS	-	EXPRESSION TAG	UNP Q9HWR3
C	505	HIS	-	EXPRESSION TAG	UNP Q9HWR3

- Molecule 2 is BILIVERDINE IX ALPHA (three-letter code: BLA) (formula:  $C_{33}H_{34}N_4O_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			43	33	4	6		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Bacteriophytochrome



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	154.38 Å   162.98 Å   436.10 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	50.00 – 3.00 49.89 – 2.51	Depositor EDS
% Data completeness (in resolution range)	99.0 (50.00-3.00) 92.9 (49.89-2.51)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.21 (at 2.51 Å)	Xtriage
Refinement program	DynamiX	Depositor
R, $R_{free}$	(Not available) , (Not available) 0.380 , 0.382	Depositor DCC
$R_{free}$ test set	8759 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.5	Xtriage
Anisotropy	0.477	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 33.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.83	EDS
Total number of atoms	3860	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.23% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	C	0.36	1/3902 (0.0%)	0.52	2/5296 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	188	GLN	C-N	-14.15	1.01	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	188	GLN	O-C-N	-10.74	105.51	122.70
1	C	188	GLN	CA-C-N	6.54	131.58	117.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	188	GLN	Mainchain
1	C	62	GLU	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3817	0	3751	150	0
2	C	43	0	30	35	0
All	All	3860	0	3781	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:163:TYR:OH	1:C:275:SER:CB	1.77	1.30
1:C:163:TYR:OH	1:C:275:SER:HB3	1.21	1.30
1:C:247:HIS:CE1	2:C:900:BLA:HAA2	1.76	1.18
1:C:161:MET:CE	1:C:277:HIS:HE1	1.70	1.03
1:C:247:HIS:CE1	2:C:900:BLA:CAA	2.41	1.03
1:C:161:MET:CE	1:C:277:HIS:CE1	2.43	1.00
1:C:163:TYR:CZ	1:C:275:SER:HB2	1.99	0.97
1:C:171:GLY:HA3	1:C:190:TYR:CZ	2.03	0.93
1:C:163:TYR:CZ	1:C:275:SER:CB	2.51	0.93
1:C:203:TYR:OH	2:C:900:BLA:HBA1	1.67	0.93
1:C:203:TYR:OH	2:C:900:BLA:CBA	2.19	0.90
1:C:163:TYR:HH	1:C:275:SER:CB	1.82	0.88
1:C:171:GLY:HA3	1:C:190:TYR:CE2	2.08	0.88
1:C:453:ARG:NH2	2:C:900:BLA:HMC3	1.91	0.84
1:C:247:HIS:NE2	2:C:900:BLA:HAA2	1.92	0.83
1:C:45:ILE:HD12	1:C:46:GLN:H	1.44	0.82
1:C:84:ASN:HD22	1:C:85:SER:H	1.29	0.79
1:C:173:VAL:CG2	2:C:900:BLA:CBB	2.59	0.79
1:C:161:MET:HE2	1:C:277:HIS:CE1	2.17	0.77
1:C:475:SER:HB2	1:C:478:ASP:H	1.50	0.76
1:C:247:HIS:HE1	2:C:900:BLA:CAA	2.01	0.73
1:C:161:MET:HE3	1:C:277:HIS:HE1	1.50	0.71
1:C:173:VAL:CG2	2:C:900:BLA:HBB1	2.20	0.71
1:C:45:ILE:HD12	1:C:46:GLN:N	2.06	0.71
1:C:163:TYR:CD2	1:C:163:TYR:N	2.55	0.71

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:163:TYR:CZ	1:C:275:SER:HB3	2.19	0.71
1:C:62:GLU:OE2	1:C:62:GLU:HA	1.90	0.70
1:C:247:HIS:CE1	2:C:900:BLA:C2A	2.75	0.69
1:C:172:GLU:HB2	1:C:189:ARG:HD2	1.74	0.68
1:C:163:TYR:HD2	1:C:163:TYR:N	1.89	0.67
1:C:414:ILE:HD12	1:C:486:ARG:HB2	1.76	0.67
1:C:188:GLN:HB3	2:C:900:BLA:HBB2	1.75	0.66
1:C:209:ARG:HG2	1:C:209:ARG:HH11	1.61	0.65
1:C:328:ARG:HH12	1:C:344:ASP:HB2	1.60	0.65
1:C:257:ARG:HD3	1:C:281:PRO:HD3	1.77	0.65
1:C:196:PRO:HD3	2:C:900:BLA:CHD	2.27	0.64
1:C:163:TYR:HB3	1:C:190:TYR:OH	1.98	0.64
1:C:84:ASN:ND2	1:C:85:SER:H	1.96	0.63
1:C:250:TYR:OH	2:C:900:BLA:HMB3	1.98	0.62
1:C:199:ALA:HB1	2:C:900:BLA:CAD	2.29	0.62
1:C:203:TYR:OH	2:C:900:BLA:HBA2	1.99	0.62
1:C:173:VAL:HG23	2:C:900:BLA:CBB	2.30	0.62
1:C:161:MET:HE1	1:C:277:HIS:CE1	2.31	0.62
1:C:173:VAL:HG21	2:C:900:BLA:CBB	2.29	0.61
1:C:417:HIS:HD2	1:C:420:GLU:H	1.48	0.61
1:C:247:HIS:HE1	2:C:900:BLA:C2A	2.14	0.61
1:C:148:THR:HG23	1:C:160:VAL:HG22	1.82	0.60
1:C:161:MET:HB2	1:C:163:TYR:HE2	1.66	0.60
1:C:172:GLU:HB2	1:C:189:ARG:CD	2.32	0.60
1:C:129:ARG:HE	1:C:154:MET:HG2	1.65	0.60
1:C:347:ALA:HB2	1:C:366:ILE:HD11	1.83	0.59
1:C:250:TYR:OH	2:C:900:BLA:CMB	2.50	0.59
1:C:220:ARG:HG3	1:C:220:ARG:HH11	1.67	0.59
1:C:210:LEU:HD12	1:C:289:ARG:HD3	1.86	0.58
1:C:366:ILE:O	1:C:367:ARG:HB2	2.03	0.58
1:C:173:VAL:HG21	2:C:900:BLA:HBB2	1.86	0.58
1:C:165:PHE:HD1	1:C:272:GLY:HA2	1.69	0.57
1:C:229:THR:HG23	1:C:231:GLU:H	1.69	0.56
1:C:315:LEU:O	1:C:319:THR:HG23	2.04	0.56
1:C:162:ALA:C	1:C:163:TYR:HD2	2.08	0.56
1:C:347:ALA:CB	1:C:366:ILE:HD11	2.35	0.56
1:C:165:PHE:CD1	1:C:272:GLY:HA2	2.41	0.56
1:C:134:VAL:HG12	1:C:302:ILE:HG12	1.88	0.55
1:C:173:VAL:CG2	2:C:900:BLA:HBB2	2.34	0.55
1:C:169:ASP:O	1:C:192:ALA:HA	2.06	0.55
1:C:199:ALA:HB1	2:C:900:BLA:HAD2	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:900:BLA:OB	2:C:900:BLA:HBB1	2.07	0.54
1:C:467:VAL:O	1:C:470:HIS:HB2	2.06	0.54
1:C:94:LEU:HD22	1:C:94:LEU:H	1.72	0.54
1:C:84:ASN:HD22	1:C:85:SER:N	2.00	0.54
1:C:319:THR:HG22	1:C:322:ARG:HH21	1.71	0.54
1:C:391:HIS:HA	1:C:411:VAL:O	2.08	0.53
1:C:196:PRO:CD	2:C:900:BLA:CHD	2.86	0.53
1:C:453:ARG:NH2	2:C:900:BLA:CMC	2.69	0.52
1:C:313:GLU:O	1:C:317:VAL:HG13	2.10	0.52
1:C:24:GLN:HE22	1:C:211:ILE:HA	1.75	0.52
1:C:220:ARG:HG3	1:C:220:ARG:NH1	2.24	0.52
1:C:171:GLY:N	1:C:190:TYR:O	2.42	0.51
1:C:257:ARG:HH11	1:C:281:PRO:HG3	1.76	0.51
1:C:42:SER:O	1:C:45:ILE:HG13	2.10	0.51
1:C:201:ARG:O	1:C:205:GLN:HG2	2.12	0.50
1:C:7:VAL:HG23	1:C:7:VAL:O	2.12	0.49
1:C:196:PRO:CG	2:C:900:BLA:HMD3	2.41	0.49
1:C:185:TYR:O	1:C:188:GLN:HB2	2.13	0.49
1:C:199:ALA:HB2	2:C:900:BLA:HMD1	1.94	0.49
1:C:339:LEU:HD12	1:C:357:VAL:HG11	1.95	0.49
1:C:341:HIS:O	1:C:345:GLY:HA3	2.13	0.49
1:C:196:PRO:HD2	2:C:900:BLA:C2D	2.43	0.48
1:C:188:GLN:CB	2:C:900:BLA:HBB2	2.42	0.48
1:C:168:ASP:O	1:C:192:ALA:HB2	2.14	0.48
1:C:284:ILE:HG22	1:C:289:ARG:HG2	1.94	0.48
1:C:161:MET:CB	1:C:163:TYR:HE2	2.25	0.48
1:C:163:TYR:CE1	1:C:275:SER:HB2	2.47	0.48
1:C:60:THR:H	1:C:63:GLN:HE21	1.60	0.47
1:C:165:PHE:CE2	1:C:190:TYR:HE2	2.32	0.47
1:C:196:PRO:HD2	2:C:900:BLA:C1D	2.45	0.47
1:C:286:TYR:N	1:C:287:PRO:HD2	2.30	0.47
1:C:417:HIS:CD2	1:C:420:GLU:H	2.30	0.47
1:C:288:VAL:O	1:C:291:SER:HB2	2.15	0.47
1:C:444:LEU:HD12	1:C:444:LEU:N	2.29	0.46
1:C:94:LEU:N	1:C:94:LEU:HD13	2.31	0.46
1:C:196:PRO:HG2	2:C:900:BLA:HMD3	1.96	0.46
1:C:124:THR:O	1:C:128:GLN:HG3	2.16	0.46
1:C:152:ARG:HB2	1:C:160:VAL:CG1	2.45	0.45
1:C:131:ILE:HG22	1:C:295:PHE:HD1	1.81	0.45
1:C:155:THR:OG1	1:C:157:TYR:HD1	2.00	0.45
1:C:8:THR:H	1:C:11:ASN:HD22	1.65	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:199:ALA:HB2	2:C:900:BLA:CMD	2.47	0.45
1:C:161:MET:HB2	1:C:163:TYR:CE2	2.51	0.44
1:C:172:GLU:CG	1:C:189:ARG:HD3	2.47	0.44
1:C:30:VAL:HG12	1:C:32:LEU:CD1	2.48	0.44
1:C:257:ARG:NH1	1:C:281:PRO:HG3	2.32	0.44
1:C:354:GLY:HA3	1:C:370:PHE:CE1	2.51	0.44
1:C:51:PHE:CE2	1:C:63:GLN:O	2.71	0.44
1:C:159:ARG:NH1	1:C:183:GLU:O	2.51	0.44
1:C:139:ASP:HB3	1:C:142:SER:OG	2.18	0.44
1:C:284:ILE:HG22	1:C:289:ARG:CG	2.47	0.44
1:C:33:ARG:HB3	1:C:39:LEU:HD11	1.99	0.43
1:C:152:ARG:HB2	1:C:160:VAL:HG13	2.01	0.43
1:C:440:LYS:O	1:C:441:PRO:C	2.57	0.43
1:C:188:GLN:NE2	1:C:189:ARG:O	2.52	0.43
2:C:900:BLA:HBA2	2:C:900:BLA:HHA	2.00	0.43
1:C:264:ILE:HB	1:C:272:GLY:O	2.19	0.43
1:C:44:ASN:CG	1:C:219:MET:HG2	2.40	0.42
1:C:356:LEU:HB3	1:C:425:PHE:HB2	2.00	0.42
1:C:32:LEU:HD23	1:C:72:LEU:HD21	2.01	0.42
1:C:147:VAL:HG21	1:C:274:PHE:CZ	2.55	0.42
1:C:171:GLY:O	1:C:189:ARG:HA	2.20	0.42
1:C:140:THR:HG21	1:C:307:GLU:OE2	2.18	0.42
1:C:358:MET:O	1:C:358:MET:HG2	2.19	0.42
1:C:134:VAL:HG12	1:C:134:VAL:O	2.19	0.42
1:C:147:VAL:O	1:C:151:LEU:HG	2.20	0.42
1:C:60:THR:O	1:C:63:GLN:HG2	2.20	0.42
1:C:186:LEU:HA	1:C:186:LEU:HD23	1.89	0.41
1:C:163:TYR:CE1	1:C:273:LEU:HD11	2.55	0.41
1:C:305:ARG:HA	1:C:305:ARG:HD2	1.99	0.41
1:C:475:SER:HB2	1:C:478:ASP:CG	2.41	0.41
1:C:209:ARG:CG	1:C:209:ARG:HH11	2.31	0.41
1:C:485:LEU:O	1:C:488:ASP:HB2	2.20	0.41
1:C:19:VAL:O	1:C:19:VAL:HG23	2.19	0.41
1:C:364:LEU:HD23	1:C:364:LEU:HA	1.87	0.41
1:C:464:GLU:O	1:C:468:ARG:HG2	2.21	0.41
1:C:356:LEU:HD13	1:C:357:VAL:N	2.35	0.41
1:C:261:SER:HA	1:C:274:PHE:O	2.21	0.41
1:C:284:ILE:CG2	1:C:289:ARG:HG2	2.51	0.41
1:C:64:VAL:O	1:C:68:VAL:HG21	2.20	0.41
1:C:45:ILE:H	1:C:45:ILE:HG13	1.66	0.41
1:C:199:ALA:CB	2:C:900:BLA:CAD	2.97	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:5:THR:HA	1:C:6:PRO:HD3	1.99	0.40
1:C:199:ALA:CB	2:C:900:BLA:HAD1	2.51	0.40
1:C:62:GLU:N	1:C:65:GLY:H	2.19	0.40
1:C:193:SER:C	1:C:195:ILE:H	2.24	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	C	479/505 (95%)	456 (95%)	21 (4%)	2 (0%)	34 72

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	81	PRO
1	C	66	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	C	410/431 (95%)	375 (92%)	35 (8%)	10 38

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	18	HIS
1	C	29	LEU
1	C	32	LEU
1	C	62	GLU
1	C	84	ASN
1	C	89	ARG
1	C	94	LEU
1	C	98	ILE
1	C	114	THR
1	C	117	THR
1	C	143	LEU
1	C	160	VAL
1	C	163	TYR
1	C	164	ARG
1	C	186	LEU
1	C	188	GLN
1	C	194	ASP
1	C	210	LEU
1	C	221	VAL
1	C	232	SER
1	C	252	THR
1	C	259	SER
1	C	260	MET
1	C	297	GLN
1	C	304	GLU
1	C	305	ARG
1	C	317	VAL
1	C	325	LEU
1	C	330	ARG
1	C	356	LEU
1	C	364	LEU
1	C	366	ILE
1	C	373	GLN
1	C	393	ASP
1	C	485	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	11	ASN
1	C	24	GLN
1	C	61	GLN
1	C	63	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	84	ASN
1	C	126	ASN
1	C	137	HIS
1	C	146	ASN
1	C	198	GLN
1	C	247	HIS
1	C	293	GLN
1	C	417	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	BLA	C	900	1	36,46,46	3.06	16 (44%)	47,67,67	2.13	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BLA	C	900	1	-	6/22/74/74	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	900	BLA	CHB-C1B	9.19	1.53	1.34
2	C	900	BLA	CHD-C4C	5.97	1.52	1.38
2	C	900	BLA	CHD-C1D	5.28	1.52	1.40
2	C	900	BLA	CHA-C4D	5.19	1.39	1.35
2	C	900	BLA	CBC-CAC	4.54	1.52	1.30
2	C	900	BLA	C4A-CHB	4.41	1.58	1.41
2	C	900	BLA	C4D-C3D	-4.21	1.39	1.45
2	C	900	BLA	C3C-C4C	-3.73	1.39	1.45
2	C	900	BLA	C1D-C2D	-3.68	1.37	1.45
2	C	900	BLA	C1C-C2C	-3.40	1.38	1.47
2	C	900	BLA	C1B-C2B	-3.12	1.39	1.45
2	C	900	BLA	C3B-C4B	-3.12	1.38	1.47
2	C	900	BLA	CAB-C3B	-2.96	1.39	1.47
2	C	900	BLA	CAC-C3C	2.46	1.54	1.47
2	C	900	BLA	C4C-NC	-2.22	1.34	1.37
2	C	900	BLA	C1C-NC	-2.05	1.33	1.38

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	900	BLA	C1A-CHA-C4D	-8.83	118.26	128.81
2	C	900	BLA	C4C-CHD-C1D	-6.26	112.80	128.08
2	C	900	BLA	CHA-C4D-ND	3.27	133.36	128.83
2	C	900	BLA	C3B-C4B-NB	3.07	109.66	106.19
2	C	900	BLA	CHA-C4D-C3D	-2.92	118.58	125.32
2	C	900	BLA	CBC-CAC-C3C	-2.69	114.22	127.62
2	C	900	BLA	CHD-C1D-ND	2.38	129.92	124.93
2	C	900	BLA	C3C-C4C-NC	2.24	110.31	106.80
2	C	900	BLA	C4C-NC-C1C	-2.13	107.96	110.67
2	C	900	BLA	CHD-C4C-C3C	-2.02	122.71	127.91

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	900	BLA	NA-C1A-CHA-C4D
2	C	900	BLA	C2A-C1A-CHA-C4D
2	C	900	BLA	C2A-CAA-CBA-CGA
2	C	900	BLA	NB-C1B-CHB-C4A
2	C	900	BLA	NC-C4C-CHD-C1D
2	C	900	BLA	C2B-C1B-CHB-C4A


There are no ring outliers.

1 monomer is involved in 35 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	900	BLA	35	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	188:GLN	C	189:ARG	N	1.01

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.