



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 14, 2022 – 03:26 pm GMT

PDB ID : 7NP8  
Title : Crystal structure of the Coenzyme F420-dependent sulfite reductase from  
Methanocaldococcus jannaschii at 2.3-Å resolution  
Authors : Jespersen, M.; Wagner, T.  
Deposited on : 2021-02-26  
Resolution : 2.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.27  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.27


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	620	<div> <div>95%</div> <div>5%</div> </div>
1	B	620	<div> <div>%</div> <div>95%</div> <div>5%</div> </div>
1	C	620	<div> <div>94%</div> <div>6%</div> </div>
1	D	620	<div> <div>96%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO3	B	1013	-	-	X	-
6	GOL	A	1114	-	-	-	X
6	GOL	D	1117	-	-	-	X

## 2 Entry composition [i](#)


There are 11 unique types of molecules in this entry. The entry contains 21246 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Coenzyme F420-dependent sulfite reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	619	Total	C	N	O	S	0	0	0
			4883	3102	834	911	36			
1	B	620	Total	C	N	O	S	0	1	0
			4895	3109	835	914	37			
1	C	619	Total	C	N	O	S	0	0	0
			4883	3102	834	911	36			
1	D	620	Total	C	N	O	S	0	1	0
			4893	3107	835	913	38			

- Molecule 2 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Fe	S	0	0
			8	4	4		
2	A	1	Total	Fe	S	0	0
			8	4	4		

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total 8	Fe 4	S 4	0	0
2	A	1	Total 8	Fe 4	S 4	0	0
2	A	1	Total 8	Fe 4	S 4	0	0
2	A	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	B	1	Total 8	Fe 4	S 4	0	0
2	C	1	Total 8	Fe 4	S 4	0	0
2	C	1	Total 8	Fe 4	S 4	0	0
2	C	1	Total 8	Fe 4	S 4	0	0
2	C	1	Total 8	Fe 4	S 4	0	0
2	C	1	Total 8	Fe 4	S 4	0	0
2	C	1	Total 8	Fe 4	S 4	0	0
2	D	1	Total 8	Fe 4	S 4	0	0
2	D	1	Total 8	Fe 4	S 4	0	0
2	D	1	Total 8	Fe 4	S 4	0	0
2	D	1	Total 8	Fe 4	S 4	0	0
2	D	1	Total 8	Fe 4	S 4	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
2	D	1	8	4	4	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C<sub>27</sub>H<sub>33</sub>N<sub>9</sub>O<sub>15</sub>P<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	53	27	9	15	2	0	0
3	B	1	53	27	9	15	2	0	0
3	C	1	53	27	9	15	2	0	0
3	D	1	53	27	9	15	2	0	0

- Molecule 4 is SULFITE ION (three-letter code: SO3) (formula: O<sub>3</sub>S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 4	O 3	S 1	0	0
4	B	1	Total 4	O 3	S 1	0	0
4	C	1	Total 4	O 3	S 1	0	0
4	D	1	Total 4	O 3	S 1	0	0

- Molecule 5 is SIROHEME (three-letter code: SRM) (formula:  $\text{C}_{42}\text{H}_{42}\text{FeN}_4\text{O}_{16}$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			63	42	1	4	16		
5	B	1	Total	C	Fe	N	O	0	0
			63	42	1	4	16		
5	C	1	Total	C	Fe	N	O	0	0
			63	42	1	4	16		
5	D	1	Total	C	Fe	N	O	0	0
			63	42	1	4	16		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula:  $C_6H_{14}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			8	6	2		
7	B	1	Total	C	O	0	0
			8	6	2		
7	C	1	Total	C	O	0	0
			8	6	2		
7	C	1	Total	C	O	0	0
			8	6	2		
7	D	1	Total	C	O	0	0
			8	6	2		

- Molecule 8 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Ca	0	0
			1	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	2	Total 2	Ca 2	0	0
8	C	3	Total 3	Ca 3	0	0
8	D	3	Total 3	Ca 3	0	1

- Molecule 9 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	2	Total 2	Cl 2	0	0
9	B	1	Total 1	Cl 1	0	0
9	C	2	Total 2	Cl 2	0	0
9	D	1	Total 1	Cl 1	0	0

- Molecule 10 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	D	1	Total 1	Fe 1	0	0


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	168	Total 168	O 168	0	0
11	B	215	Total 215	O 215	0	2
11	C	193	Total 193	O 193	0	1
11	D	196	Total 196	O 196	0	1


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Coenzyme F420-dependent sulfite reductase




- Molecule 1: Coenzyme F420-dependent sulfite reductase



- Molecule 1: Coenzyme F420-dependent sulfite reductase



- Molecule 1: Coenzyme F420-dependent sulfite reductase





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	167.26Å 172.20Å 195.89Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	78.82 – 2.30 78.82 – 2.30	Depositor EDS
% Data completeness (in resolution range)	83.2 (78.82-2.30) 83.2 (78.82-2.30)	Depositor EDS
$R_{merge}$	0.25	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.32 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, $R_{free}$	0.182 , 0.205 0.181 , 0.205	Depositor DCC
$R_{free}$ test set	5170 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.5	Xtriage
Anisotropy	0.027	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.118 for -k,-h,-l	Xtriage
Reported twinning fraction	0.050 for -k,-h,-l	Depositor
Outliers	1 of 104064 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	21246	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, CL, GOL, MPD, FAD, SO3, SRM, FE, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.25	0/4965	0.42	0/6663
1	B	0.24	0/4980	0.43	0/6683
1	C	0.25	0/4965	0.44	0/6663
1	D	0.25	0/4978	0.42	0/6679
All	All	0.25	0/19888	0.43	0/26688

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4883	0	4949	12	0
1	B	4895	0	4960	17	0
1	C	4883	0	4948	18	0
1	D	4893	0	4957	10	0
2	A	48	0	0	1	0
2	B	48	0	0	0	0
2	C	48	0	0	1	0
2	D	48	0	0	0	0
3	A	53	0	31	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	53	0	31	0	0
3	C	53	0	31	1	0
3	D	53	0	31	1	0
4	A	4	0	0	1	0
4	B	4	0	0	2	0
4	C	4	0	0	1	0
4	D	4	0	0	0	0
5	A	63	0	34	6	0
5	B	63	0	34	3	0
5	C	63	0	34	4	0
5	D	63	0	34	2	0
6	A	36	0	48	0	0
6	B	42	0	56	0	0
6	C	36	0	48	2	0
6	D	78	0	104	1	0
7	A	8	0	14	0	0
7	B	8	0	14	0	0
7	C	16	0	28	0	0
7	D	8	0	14	1	0
8	A	1	0	0	0	0
8	B	2	0	0	0	0
8	C	3	0	0	0	0
8	D	3	0	0	0	0
9	A	2	0	0	0	0
9	B	1	0	0	0	0
9	C	2	0	0	0	0
9	D	1	0	0	0	0
10	D	1	0	0	0	0
11	A	168	0	0	0	0
11	B	215	0	0	4	0
11	C	193	0	0	2	0
11	D	196	0	0	2	0
All	All	21246	0	20400	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 66 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:460:LYS:NZ	4:B:1013:SO3:O3	2.24	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:529:LYS:NZ	11:B:1101:HOH:O	2.32	0.62
1:D:294:LYS:HG2	1:D:295:ASN:N	2.18	0.58
1:C:565:LYS:NZ	11:C:1201:HOH:O	2.35	0.58
1:B:213:VAL:O	1:B:217:HIS:ND1	2.35	0.56

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	617/620 (100%)	608 (98%)	9 (2%)	0	100	100
1	B	619/620 (100%)	608 (98%)	11 (2%)	0	100	100
1	C	617/620 (100%)	608 (98%)	9 (2%)	0	100	100
1	D	619/620 (100%)	609 (98%)	10 (2%)	0	100	100
All	All	2472/2480 (100%)	2433 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	526/527 (100%)	515 (98%)	11 (2%)	53	70
1	B	528/527 (100%)	520 (98%)	8 (2%)	65	79

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	526/527 (100%)	516 (98%)	10 (2%)	57	73
1	D	528/527 (100%)	515 (98%)	13 (2%)	47	65
All	All	2108/2108 (100%)	2066 (98%)	42 (2%)	55	72

5 of 42 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	619	ILE
1	D	440	ASP
1	D	35	ARG
1	D	216	LYS
1	D	466	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 89 ligands modelled in this entry, 16 are monoatomic - leaving 73 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SF4	B	1007	1	0,12,12	-	-	-		
6	GOL	B	1014	-	5,5,5	0.36	0	5,5,5	0.24	0
6	GOL	A	1115	-	5,5,5	0.33	0	5,5,5	0.31	0
2	SF4	C	1103	1	0,12,12	-	-	-		
6	GOL	A	1110	-	5,5,5	0.15	0	5,5,5	0.53	0
6	GOL	A	1111	-	5,5,5	0.43	0	5,5,5	0.38	0
6	GOL	B	1016	-	5,5,5	0.29	0	5,5,5	0.29	0
6	GOL	D	1124	-	5,5,5	0.08	0	5,5,5	0.32	0
7	MPD	C	1113	-	7,7,7	0.29	0	9,10,10	0.28	0
6	GOL	D	1125	-	5,5,5	0.08	0	5,5,5	0.32	0
2	SF4	D	1107	1	0,12,12	-	-	-		
3	FAD	B	1006	-	51,58,58	1.09	2 (3%)	60,89,89	1.73	7 (11%)
2	SF4	B	1004	1	0,12,12	-	-	-		
5	SRM	D	1109	4,1	34,70,70	2.20	15 (44%)	38,112,112	2.65	11 (28%)
6	GOL	B	1017	-	5,5,5	0.09	0	5,5,5	0.32	0
6	GOL	D	1120	-	5,5,5	0.32	0	5,5,5	0.34	0
3	FAD	D	1106	-	51,58,58	1.08	2 (3%)	60,89,89	1.71	7 (11%)
2	SF4	B	1005	1	0,12,12	-	-	-		
7	MPD	B	1010	-	7,7,7	0.12	0	9,10,10	0.32	0
2	SF4	A	1101	1	0,12,12	-	-	-		
2	SF4	B	1001	1	0,12,12	-	-	-		
2	SF4	D	1102	1	0,12,12	-	-	-		
6	GOL	A	1114	-	5,5,5	0.30	0	5,5,5	0.27	0
6	GOL	A	1117	-	5,5,5	0.10	0	5,5,5	0.34	0
6	GOL	D	1112	-	5,5,5	0.40	0	5,5,5	0.26	0
6	GOL	D	1122	-	5,5,5	0.09	0	5,5,5	0.32	0
6	GOL	B	1018	-	5,5,5	0.08	0	5,5,5	0.59	0
6	GOL	C	1110	-	5,5,5	0.09	0	5,5,5	0.32	0
6	GOL	C	1111	-	5,5,5	0.08	0	5,5,5	0.32	0
2	SF4	C	1104	1	0,12,12	-	-	-		
4	SO3	C	1117	5	1,3,3	1.34	0	0,3,3	-	-
4	SO3	D	1108	5	1,3,3	1.29	0	0,3,3	-	-
6	GOL	D	1118	-	5,5,5	0.14	0	5,5,5	0.26	0
6	GOL	D	1117	-	5,5,5	0.39	0	5,5,5	0.47	0
2	SF4	B	1003	1	0,12,12	-	-	-		
2	SF4	D	1105	1	0,12,12	-	-	-		
6	GOL	D	1119	-	5,5,5	0.10	0	5,5,5	0.33	0
2	SF4	B	1002	1	0,12,12	-	-	-		
6	GOL	C	1120	-	5,5,5	0.19	0	5,5,5	0.49	0
5	SRM	C	1108	4,1	34,70,70	2.15	13 (38%)	38,112,112	2.61	13 (34%)
5	SRM	A	1109	4,1	34,70,70	2.17	13 (38%)	38,112,112	2.71	12 (31%)
6	GOL	B	1019	-	5,5,5	0.08	0	5,5,5	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SF4	C	1106	1	0,12,12	-	-	-		
7	MPD	A	1112	-	7,7,7	0.30	0	9,10,10	0.52	0
2	SF4	A	1102	1	0,12,12	-	-	-		
2	SF4	D	1101	1	0,12,12	-	-	-		
6	GOL	C	1119	-	5,5,5	0.31	0	5,5,5	0.26	0
6	GOL	A	1116	-	5,5,5	0.37	0	5,5,5	0.32	0
4	SO3	B	1013	-	1,3,3	1.32	0	0,3,3	-	-
6	GOL	D	1121	-	5,5,5	0.09	0	5,5,5	0.32	0
6	GOL	D	1110	-	5,5,5	0.36	0	5,5,5	0.49	0
4	SO3	A	1108	5	1,3,3	1.33	0	0,3,3	-	-
3	FAD	C	1107	-	51,58,58	1.89	6 (11%)	60,89,89	1.93	13 (21%)
2	SF4	A	1105	1	0,12,12	-	-	-		
2	SF4	C	1105	1	0,12,12	-	-	-		
2	SF4	C	1101	1	0,12,12	-	-	-		
3	FAD	A	1106	-	51,58,58	1.09	2 (3%)	60,89,89	1.74	6 (10%)
6	GOL	B	1009	-	5,5,5	0.09	0	5,5,5	0.32	0
2	SF4	C	1102	1	0,12,12	-	-	-		
6	GOL	B	1015	-	5,5,5	0.35	0	5,5,5	0.33	0
6	GOL	C	1109	-	5,5,5	0.42	0	5,5,5	0.45	0
6	GOL	D	1111	-	5,5,5	0.43	0	5,5,5	0.32	0
7	MPD	D	1113	-	7,7,7	0.12	0	9,10,10	0.33	0
5	SRM	B	1008	1	34,70,70	2.13	12 (35%)	38,112,112	2.58	13 (34%)
6	GOL	C	1118	-	5,5,5	0.36	0	5,5,5	0.15	0
2	SF4	A	1104	1	0,12,12	-	-	-		
2	SF4	D	1104	1	0,12,12	-	-	-		
6	GOL	D	1123	-	5,5,5	0.09	0	5,5,5	0.32	0
2	SF4	A	1103	1	0,12,12	-	-	-		
6	GOL	D	1126	-	5,5,5	0.15	0	5,5,5	0.60	0
2	SF4	D	1103	1	0,12,12	-	-	-		
2	SF4	A	1107	1	0,12,12	-	-	-		
7	MPD	C	1112	-	7,7,7	0.30	0	9,10,10	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	1014	-	-	0/4/4/4	-
2	SF4	B	1007	1	-	-	0/6/5/5
6	GOL	A	1115	-	-	2/4/4/4	-
2	SF4	C	1103	1	-	-	0/6/5/5

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	1110	-	-	2/4/4/4	-
6	GOL	A	1111	-	-	2/4/4/4	-
6	GOL	B	1016	-	-	0/4/4/4	-
6	GOL	D	1124	-	-	1/4/4/4	-
7	MPD	C	1113	-	-	0/5/5/5	-
6	GOL	D	1125	-	-	3/4/4/4	-
3	FAD	B	1006	-	-	2/30/50/50	0/6/6/6
5	SRM	D	1109	4,1	-	8/22/126/126	-
6	GOL	B	1017	-	-	3/4/4/4	-
6	GOL	D	1120	-	-	4/4/4/4	-
2	SF4	B	1004	1	-	-	0/6/5/5
2	SF4	D	1107	1	-	-	0/6/5/5
3	FAD	D	1106	-	-	1/30/50/50	0/6/6/6
2	SF4	B	1005	1	-	-	0/6/5/5
2	SF4	A	1101	1	-	-	0/6/5/5
6	GOL	A	1117	-	-	2/4/4/4	-
6	GOL	D	1112	-	-	4/4/4/4	-
6	GOL	A	1114	-	-	0/4/4/4	-
2	SF4	B	1001	1	-	-	0/6/5/5
2	SF4	D	1102	1	-	-	0/6/5/5
6	GOL	D	1122	-	-	3/4/4/4	-
6	GOL	B	1018	-	-	2/4/4/4	-
6	GOL	C	1110	-	-	2/4/4/4	-
6	GOL	C	1111	-	-	3/4/4/4	-
2	SF4	C	1104	1	-	-	0/6/5/5
6	GOL	D	1118	-	-	4/4/4/4	-
2	SF4	A	1107	1	-	-	0/6/5/5
6	GOL	D	1117	-	-	3/4/4/4	-
2	SF4	B	1003	1	-	-	0/6/5/5
2	SF4	D	1105	1	-	-	0/6/5/5
6	GOL	D	1119	-	-	4/4/4/4	-
2	SF4	B	1002	1	-	-	0/6/5/5
6	GOL	C	1120	-	-	2/4/4/4	-
5	SRM	C	1108	4,1	-	8/22/126/126	-
5	SRM	A	1109	4,1	-	8/22/126/126	-
6	GOL	B	1019	-	-	0/4/4/4	-
7	MPD	A	1112	-	-	2/5/5/5	-
2	SF4	C	1106	1	-	-	0/6/5/5

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	1119	-	-	0/4/4/4	-
2	SF4	A	1102	1	-	-	0/6/5/5
2	SF4	D	1101	1	-	-	0/6/5/5
6	GOL	A	1116	-	-	1/4/4/4	-
6	GOL	D	1121	-	-	3/4/4/4	-
6	GOL	D	1110	-	-	0/4/4/4	-
3	FAD	C	1107	-	-	1/30/50/50	0/6/6/6
6	GOL	C	1109	-	-	0/4/4/4	-
3	FAD	A	1106	-	-	1/30/50/50	0/6/6/6
6	GOL	B	1009	-	-	4/4/4/4	-
6	GOL	B	1015	-	-	2/4/4/4	-
2	SF4	A	1105	1	-	-	0/6/5/5
2	SF4	C	1101	1	-	-	0/6/5/5
2	SF4	C	1102	1	-	-	0/6/5/5
2	SF4	C	1105	1	-	-	0/6/5/5
6	GOL	D	1111	-	-	2/4/4/4	-
7	MPD	D	1113	-	-	4/5/5/5	-
5	SRM	B	1008	1	-	9/22/126/126	-
6	GOL	C	1118	-	-	2/4/4/4	-
2	SF4	A	1104	1	-	-	0/6/5/5
2	SF4	D	1104	1	-	-	0/6/5/5
6	GOL	D	1123	-	-	2/4/4/4	-
2	SF4	A	1103	1	-	-	0/6/5/5
6	GOL	D	1126	-	-	0/4/4/4	-
2	SF4	D	1103	1	-	-	0/6/5/5
7	MPD	B	1010	-	-	4/5/5/5	-
7	MPD	C	1112	-	-	2/5/5/5	-

The worst 5 of 65 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1107	FAD	C4X-C10	9.65	1.48	1.38
5	A	1109	SRM	C4A-NA	-6.61	1.26	1.39
5	D	1109	SRM	C4A-NA	-6.51	1.27	1.39
5	B	1008	SRM	C4A-NA	-6.42	1.27	1.39
5	C	1108	SRM	C4A-NA	-6.37	1.27	1.39

The worst 5 of 82 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1109	SRM	CAB-C3B-C2B	-10.20	111.99	123.52
5	D	1109	SRM	CAB-C3B-C2B	-9.99	112.22	123.52
5	B	1008	SRM	CAB-C3B-C2B	-9.43	112.86	123.52
5	C	1108	SRM	CAB-C3B-C2B	-9.34	112.96	123.52
3	C	1107	FAD	C2-N3-C4	8.32	122.17	115.14

There are no chirality outliers.

5 of 112 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1109	SRM	C1A-C2A-CDA-CEA
5	A	1109	SRM	CMA-C2A-CDA-CEA
5	A	1109	SRM	C3A-C2A-CDA-CEA
5	A	1109	SRM	C2C-C3C-CAC-CBC
5	A	1109	SRM	C4C-C3C-CAC-CBC


There are no ring outliers.


14 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	1125	GOL	1	0
5	D	1109	SRM	2	0
3	D	1106	FAD	1	0
6	C	1111	GOL	2	0
4	C	1117	SO3	1	0
5	C	1108	SRM	4	0
5	A	1109	SRM	6	0
2	A	1102	SF4	1	0
4	B	1013	SO3	2	0
4	A	1108	SO3	1	0
3	C	1107	FAD	1	0
2	C	1102	SF4	1	0
7	D	1113	MPD	1	0
5	B	1008	SRM	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
















































































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	619/620 (99%)	-0.34	3 (0%) 91 94	25, 39, 66, 116	0
1	B	620/620 (100%)	-0.24	6 (0%) 82 86	24, 39, 65, 104	0
1	C	619/620 (99%)	-0.25	2 (0%) 94 96	24, 38, 68, 125	0
1	D	620/620 (100%)	-0.26	3 (0%) 91 94	23, 37, 67, 91	0
All	All	2478/2480 (99%)	-0.27	14 (0%) 89 92	23, 38, 67, 125	0

The worst 5 of 14 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	5.6
1	C	1	MET	4.9
1	B	124	GLU	4.8
1	B	2	TYR	3.7
1	A	619	ILE	3.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	GOL	B	1017	6/6	0.58	0.39	68,73,79,82	0
6	GOL	D	1112	6/6	0.58	0.32	67,70,71,72	0
8	CA	C	1116	1/1	0.60	0.14	94,94,94,94	0
6	GOL	A	1116	6/6	0.62	0.22	65,70,73,74	0
6	GOL	B	1016	6/6	0.64	0.23	76,79,80,81	0
6	GOL	D	1120	6/6	0.64	0.24	72,73,76,78	0
6	GOL	A	1110	6/6	0.64	0.17	71,74,75,76	0
6	GOL	D	1117	6/6	0.65	0.48	79,81,81,82	0
6	GOL	C	1119	6/6	0.66	0.21	68,69,71,72	0
7	MPD	C	1112	8/8	0.67	0.19	61,65,69,69	0
6	GOL	D	1126	6/6	0.67	0.21	57,66,69,70	0
6	GOL	B	1019	6/6	0.69	0.22	74,78,83,85	0
6	GOL	A	1114	6/6	0.69	0.43	84,90,93,93	0
6	GOL	A	1115	6/6	0.71	0.17	60,63,66,68	0
6	GOL	C	1118	6/6	0.71	0.21	61,70,72,73	0
8	CA	A	1113	1/1	0.71	0.10	77,77,77,77	0
6	GOL	D	1125	6/6	0.71	0.20	73,75,76,77	0
8	CA	C	1115	1/1	0.72	0.09	99,99,99,99	0
8	CA	D	1114	1/1	0.72	0.10	73,73,73,73	0
7	MPD	C	1113	8/8	0.74	0.36	102,105,108,108	0
6	GOL	A	1117	6/6	0.75	0.17	67,69,70,70	0
6	GOL	B	1015	6/6	0.75	0.17	59,65,68,70	0
7	MPD	B	1010	8/8	0.76	0.33	67,69,72,76	0
8	CA	D	1116	1/1	0.76	0.14	84,84,84,84	0
6	GOL	C	1111	6/6	0.77	0.26	54,57,64,66	0
6	GOL	D	1124	6/6	0.77	0.16	65,71,73,75	0
6	GOL	C	1110	6/6	0.78	0.24	68,69,70,71	0
6	GOL	B	1018	6/6	0.78	0.15	63,64,65,66	0
7	MPD	A	1112	8/8	0.79	0.31	85,86,86,86	0
6	GOL	D	1123	6/6	0.79	0.24	72,73,73,73	0
6	GOL	D	1119	6/6	0.79	0.20	57,61,65,69	0
6	GOL	B	1014	6/6	0.80	0.35	68,69,71,71	0
6	GOL	D	1118	6/6	0.83	0.26	104,108,114,117	0
6	GOL	C	1120	6/6	0.83	0.17	70,77,80,83	0
7	MPD	D	1113	8/8	0.84	0.21	59,63,67,69	0
6	GOL	D	1111	6/6	0.84	0.18	50,50,53,54	0
6	GOL	B	1009	6/6	0.84	0.22	49,53,55,55	0
8	CA	D	1115[A]	1/1	0.86	0.12	70,70,70,70	0
6	GOL	D	1121	6/6	0.86	0.21	39,50,53,56	0
9	CL	A	1118	1/1	0.86	0.21	78,78,78,78	0
6	GOL	D	1122	6/6	0.87	0.17	59,62,65,66	0
8	CA	B	1012	1/1	0.87	0.08	104,104,104,104	0
8	CA	B	1011	1/1	0.89	0.11	68,68,68,68	0

Continued on next page...



*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	GOL	D	1110	6/6	0.89	0.10	59,62,65,66	0
8	CA	C	1114	1/1	0.91	0.05	72,72,72,72	0
6	GOL	A	1111	6/6	0.92	0.17	45,48,52,56	0
6	GOL	C	1109	6/6	0.93	0.17	47,50,50,55	0
4	SO3	B	1013	4/4	0.93	0.30	83,83,85,86	0
5	SRM	D	1109	63/63	0.95	0.12	20,34,42,58	0
4	SO3	D	1108	4/4	0.95	0.26	76,77,77,81	0
5	SRM	B	1008	63/63	0.95	0.12	25,34,42,64	0
5	SRM	C	1108	63/63	0.95	0.13	27,35,43,67	0
3	FAD	D	1106	53/53	0.96	0.12	18,37,48,51	0
4	SO3	A	1108	4/4	0.96	0.17	58,58,59,63	0
3	FAD	A	1106	53/53	0.96	0.10	26,40,48,48	0
4	SO3	C	1117	4/4	0.96	0.26	60,64,64,66	0
3	FAD	B	1006	53/53	0.96	0.11	25,37,46,49	0
5	SRM	A	1109	63/63	0.96	0.11	28,37,45,54	0
3	FAD	C	1107	53/53	0.96	0.10	29,38,43,47	0
10	FE	D	1127	1/1	0.96	0.06	47,47,47,47	0
9	CL	C	1122	1/1	0.97	0.09	40,40,40,40	0
9	CL	C	1121	1/1	0.97	0.13	54,54,54,54	0
2	SF4	B	1002	8/8	0.98	0.10	34,38,40,41	0
2	SF4	B	1003	8/8	0.98	0.09	31,34,38,40	0
2	SF4	B	1007	8/8	0.98	0.08	34,38,39,43	0
9	CL	A	1119	1/1	0.98	0.14	39,39,39,39	0
9	CL	B	1020	1/1	0.98	0.10	40,40,40,40	0
2	SF4	D	1101	8/8	0.98	0.10	29,31,34,38	0
2	SF4	A	1104	8/8	0.98	0.09	35,37,43,45	0
9	CL	D	1128	1/1	0.98	0.09	36,36,36,36	0
2	SF4	B	1001	8/8	0.98	0.09	34,38,39,45	0
2	SF4	C	1106	8/8	0.99	0.10	31,34,36,39	0
2	SF4	A	1107	8/8	0.99	0.10	32,34,38,39	0
2	SF4	D	1102	8/8	0.99	0.12	23,28,31,32	0
2	SF4	D	1103	8/8	0.99	0.10	25,28,32,35	0
2	SF4	D	1104	8/8	0.99	0.10	29,34,37,40	0
2	SF4	D	1105	8/8	0.99	0.11	27,31,35,35	0
2	SF4	D	1107	8/8	0.99	0.10	24,29,31,33	0
2	SF4	A	1102	8/8	0.99	0.12	30,36,38,41	0
2	SF4	A	1103	8/8	0.99	0.09	31,34,39,42	0
2	SF4	A	1101	8/8	0.99	0.07	33,36,39,43	0
2	SF4	B	1004	8/8	0.99	0.11	34,36,39,41	0
2	SF4	B	1005	8/8	0.99	0.09	33,37,38,40	0
2	SF4	A	1105	8/8	0.99	0.10	28,33,34,37	0
2	SF4	C	1101	8/8	0.99	0.08	33,35,37,38	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SF4	C	1102	8/8	0.99	0.12	27,34,36,36	0
2	SF4	C	1103	8/8	0.99	0.10	26,30,32,37	0
2	SF4	C	1104	8/8	0.99	0.08	27,31,33,34	0
2	SF4	C	1105	8/8	0.99	0.11	23,28,31,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around SRM D 1109:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SO3 D 1108:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SRM B 1008:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SRM C 1108:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around FAD D 1106:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SO3 A 1108:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around FAD A 1106:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO3 C 1117:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around FAD B 1006:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SRM A 1109:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD C 1107:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 B 1002:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 B 1003:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 B 1007:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 D 1101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 A 1104:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 C 1106:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 A 1107:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 D 1102:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 D 1103:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 D 1104:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 D 1105:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 D 1107:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 A 1102:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 A 1103:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 A 1101:**




2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 B 1004:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 B 1005:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 A 1105:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SF4 C 1101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 C 1102:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 C 1103:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 C 1104:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SF4 C 1105:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.