



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 06:56 pm BST

PDB ID : 4NQV
Title : Crystal Structure of HLA A*0101 in complex with NP44, an 9-mer influenza epitope
Authors : Rossjohn, J.; Gras, S.
Deposited on : 2013-11-25
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	274	<div> <div>2%</div> <div>86%</div> <div>14%</div> <div>.</div> </div>
1	C	274	<div> <div>10%</div> <div>86%</div> <div>12%</div> <div>.</div> </div>
1	E	274	<div> <div>16%</div> <div>81%</div> <div>17%</div> <div>.</div> </div>
1	G	274	<div> <div>13%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
1	I	274	<div> <div>4%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
1	K	274	<div> <div>21%</div> <div>80%</div> <div>17%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	100	
2	D	100	
2	F	100	
2	H	100	
2	J	100	
2	L	100	
3	M	9	
3	N	9	
3	O	9	
3	P	9	
3	Q	9	
3	R	9	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 19628 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA class I histocompatibility antigen, A-1 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2227	1383	408	426	10			
1	C	274	Total	C	N	O	S	0	0	0
			2227	1383	408	426	10			
1	E	274	Total	C	N	O	S	0	0	0
			2227	1383	408	426	10			
1	G	274	Total	C	N	O	S	0	0	0
			2227	1383	408	426	10			
1	I	274	Total	C	N	O	S	0	0	0
			2227	1383	408	426	10			
1	K	274	Total	C	N	O	S	0	0	0
			2227	1383	408	426	10			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	D	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	F	99	Total	C	N	O	S	0	0	0
			829	528	140	158	3			
2	H	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	J	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			
2	L	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	EXPRESSION TAG	UNP P61769

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	0	MET	-	EXPRESSION TAG	UNP P61769
F	0	MET	-	EXPRESSION TAG	UNP P61769
H	0	MET	-	EXPRESSION TAG	UNP P61769
J	0	MET	-	EXPRESSION TAG	UNP P61769
L	0	MET	-	EXPRESSION TAG	UNP P61769

- Molecule 3 is a protein called Nucleoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	9	Total 74	C 46	N 10	O 17	S 1	0	0	0
3	N	9	Total 74	C 46	N 10	O 17	S 1	0	0	0
3	O	9	Total 74	C 46	N 10	O 17	S 1	0	0	0
3	P	9	Total 74	C 46	N 10	O 17	S 1	0	0	0
3	Q	9	Total 74	C 46	N 10	O 17	S 1	0	0	0
3	R	9	Total 74	C 46	N 10	O 17	S 1	0	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	114	Total	O	0	0
			114	114		
4	B	44	Total	O	0	0
			44	44		
4	C	106	Total	O	0	0
			106	106		
4	D	40	Total	O	0	0
			40	40		
4	E	107	Total	O	0	0
			107	107		
4	F	28	Total	O	0	0
			28	28		
4	G	86	Total	O	0	0
			86	86		
4	H	33	Total	O	0	0
			33	33		
4	I	94	Total	O	0	0
			94	94		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	J	28	Total 28	O 28	0	0
4	K	84	Total 84	O 84	0	0
4	L	27	Total 27	O 27	0	0
4	M	4	Total 4	O 4	0	0
4	N	3	Total 3	O 3	0	0
4	O	2	Total 2	O 2	0	0
4	P	3	Total 3	O 3	0	0
4	Q	2	Total 2	O 2	0	0
4	R	3	Total 3	O 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA class I histocompatibility antigen, A-1 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-1 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-1 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-1 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-1 alpha chain




- Molecule 1: HLA class I histocompatibility antigen, A-1 alpha chain




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin




- Molecule 2: Beta-2-microglobulin





- Molecule 3: Nucleoprotein





- Molecule 3: Nucleoprotein




- Molecule 3: Nucleoprotein




• Molecule 3: Nucleoprotein



• Molecule 3: Nucleoprotein



• Molecule 3: Nucleoprotein



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	265.54 Å 81.50 Å 140.07 Å 90.00° 121.58° 90.00°	Depositor
Resolution (Å)	43.49 – 2.39 43.49 – 2.39	Depositor EDS
% Data completeness (in resolution range)	98.8 (43.49-2.39) 98.2 (43.49-2.39)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.39 Å)	Xtriage
Refinement program	BUSTER-TNT, BUSTER 2.10.0	Depositor
R, R_{free}	0.256 , 0.291 0.261 , 0.281	Depositor DCC
R_{free} test set	4976 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	47.6	Xtriage
Anisotropy	0.208	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 39.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.095 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	19628	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.23 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8202e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/2287	0.62	0/3101
1	C	0.39	0/2287	0.62	0/3101
1	E	0.42	0/2287	0.64	0/3101
1	G	0.40	0/2287	0.61	0/3101
1	I	0.38	0/2287	0.62	0/3101
1	K	0.39	0/2287	0.62	0/3101
2	B	0.40	0/860	0.67	0/1162
2	D	0.43	0/860	0.68	0/1162
2	F	0.48	0/852	0.80	0/1152
2	H	0.41	0/860	0.61	0/1162
2	J	0.39	0/860	0.62	0/1162
2	L	0.42	0/860	0.63	0/1162
3	M	0.44	0/74	0.68	0/97
3	N	0.39	0/74	0.58	0/97
3	O	0.41	0/74	0.63	0/97
3	P	0.41	0/74	0.69	0/97
3	Q	0.43	0/74	0.69	0/97
3	R	0.39	0/74	0.60	0/97
All	All	0.41	0/19318	0.63	0/26150

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2227	0	2090	17	0
1	C	2227	0	2090	14	0
1	E	2227	0	2090	23	0
1	G	2227	0	2090	18	0
1	I	2227	0	2090	18	0
1	K	2227	0	2090	27	0
2	B	837	0	805	5	0
2	D	837	0	805	10	0
2	F	829	0	796	24	0
2	H	837	0	805	5	0
2	J	837	0	805	6	0
2	L	837	0	805	7	0
3	M	74	0	73	0	0
3	N	74	0	73	2	0
3	O	74	0	73	4	0
3	P	74	0	73	1	0
3	Q	74	0	73	0	0
3	R	74	0	73	1	0
4	A	114	0	0	0	0
4	B	44	0	0	0	0
4	C	106	0	0	0	0
4	D	40	0	0	0	0
4	E	107	0	0	0	0
4	F	28	0	0	1	0
4	G	86	0	0	0	0
4	H	33	0	0	0	0
4	I	94	0	0	1	0
4	J	28	0	0	0	0
4	K	84	0	0	1	0
4	L	27	0	0	0	0
4	M	4	0	0	0	0
4	N	3	0	0	0	0
4	O	2	0	0	0	0
4	P	3	0	0	0	0
4	Q	2	0	0	0	0
4	R	3	0	0	0	0
All	All	19628	0	17799	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:7:ILE:HD11	2:B:80:CYS:SG	2.09	0.91
1:G:204:TRP:HZ2	2:H:99:MET:HB3	1.43	0.83
1:K:12:VAL:HG12	1:K:94:THR:HG22	1.59	0.83
1:E:261:VAL:HG22	1:E:270:LEU:HB2	1.69	0.75
2:F:25:CYS:SG	4:F:103:HOH:O	2.45	0.74
1:K:226:GLN:HE21	3:O:8:ASP:HB2	1.53	0.74
1:E:207:GLY:HA2	1:E:240:THR:HG21	1.69	0.73
1:K:207:GLY:HA2	1:K:240:THR:HG21	1.71	0.71
1:E:101:CYS:HG	1:E:164:CYS:HG	1.40	0.68
1:K:226:GLN:OE1	4:K:312:HOH:O	2.12	0.67
1:I:44:LYS:HG3	1:I:64:THR:OG1	1.94	0.67
1:E:207:GLY:HA2	1:E:240:THR:CG2	2.24	0.66
1:K:207:GLY:HA2	1:K:240:THR:CG2	2.25	0.66
1:I:5:MET:HB2	1:I:168:LEU:HD13	1.78	0.66
1:K:226:GLN:NE2	3:O:8:ASP:HB2	2.10	0.65
1:G:189:MET:HE2	1:G:274:TRP:HB2	1.78	0.65
2:B:97:ARG:HG2	2:B:98:ASP:N	2.11	0.65
2:L:96:ASP:HB3	2:L:99:MET:HG2	1.79	0.65
1:C:204:TRP:HZ2	2:D:99:MET:HB2	1.62	0.65
1:G:10:THR:HG21	2:H:54:LEU:HD23	1.79	0.65
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.77	0.65
1:K:261:VAL:HG13	1:K:270:LEU:HB2	1.78	0.64
1:C:5:MET:HB2	1:C:168:LEU:HD13	1.81	0.63
1:A:203:CYS:HG	1:A:259:CYS:HG	1.43	0.63
2:F:24:ASN:HB3	2:F:65:LEU:HD11	1.80	0.63
1:E:5:MET:HB2	1:E:168:LEU:HD13	1.80	0.62
1:K:5:MET:HB2	1:K:168:LEU:HD13	1.82	0.61
2:L:24:ASN:HB3	2:L:65:LEU:HD11	1.82	0.61
2:F:79:ALA:HB2	2:F:94:LYS:HA	1.82	0.61
1:A:268:LYS:HD3	1:I:268:LYS:HD3	1.81	0.61
1:C:70:HIS:CE1	3:N:6:LEU:HD13	2.35	0.61
1:I:33:PHE:HD2	1:I:52:ILE:HG13	1.65	0.60
1:E:163:ARG:HG3	3:O:1:CYS:SG	2.41	0.60
2:F:5:PRO:HB3	2:F:30:PHE:HB3	1.83	0.60
1:G:5:MET:HB2	1:G:168:LEU:HD13	1.82	0.60
1:G:203:CYS:HG	1:G:259:CYS:HG	1.47	0.60
2:D:20:SER:HB3	1:I:106:ASP:HA	1.83	0.60
1:E:150:VAL:HG22	1:K:229:GLU:HB2	1.84	0.60
2:J:7:ILE:HG12	2:J:82:VAL:HG21	1.82	0.59
1:A:188:HIS:HB2	1:C:16:GLY:HA3	1.82	0.59
2:F:23:LEU:HG	2:F:78:TYR:CE2	2.37	0.59
1:C:203:CYS:SG	1:C:259:CYS:SG	3.01	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:203:CYS:HG	1:I:259:CYS:HG	1.51	0.58
1:E:150:VAL:CG2	1:K:229:GLU:HB2	2.34	0.58
1:E:10:THR:HG21	2:F:54:LEU:HD23	1.86	0.57
1:A:203:CYS:SG	1:A:259:CYS:SG	3.00	0.57
1:E:146:LYS:HG2	1:K:248:VAL:HG11	1.87	0.56
1:A:230:LEU:HD12	1:A:245:ALA:HB2	1.87	0.56
1:I:101:CYS:HG	1:I:164:CYS:HG	1.51	0.56
1:A:256:ARG:HH11	1:I:256:ARG:HD2	1.72	0.55
2:L:40:LEU:HD11	2:L:81:ARG:HB2	1.89	0.55
1:I:203:CYS:SG	1:I:259:CYS:SG	3.05	0.55
2:D:97:ARG:C	2:D:99:MET:H	2.11	0.54
2:B:73:THR:HB	2:B:75:LYS:HE3	1.90	0.54
2:F:12:ARG:HG2	2:F:13:HIS:CE1	2.43	0.54
2:L:20:SER:HA	2:L:72:PRO:HD2	1.90	0.53
1:E:226:GLN:HG3	3:P:8:ASP:HB2	1.90	0.53
1:I:154:GLU:OE1	1:I:157:ARG:NH2	2.40	0.52
2:L:25:CYS:HG	2:L:80:CYS:HG	1.57	0.52
1:A:111:ARG:HD3	1:A:128:GLU:HG3	1.91	0.52
1:K:203:CYS:SG	1:K:259:CYS:SG	3.04	0.52
2:L:32:PRO:O	2:L:84:HIS:HE1	1.92	0.52
2:F:30:PHE:O	2:F:61:SER:O	2.26	0.52
1:C:236:ALA:O	2:D:12:ARG:HG3	2.10	0.52
2:F:42:ASN:HA	2:F:77:GLU:HB3	1.92	0.51
1:K:109:PHE:HD1	1:K:165:VAL:HG11	1.76	0.51
1:K:63:GLU:OE2	3:R:2:THR:HG22	2.09	0.51
1:C:63:GLU:OE2	3:N:2:THR:HG22	2.10	0.51
1:A:189:MET:HE2	1:A:274:TRP:HB2	1.94	0.50
1:K:35:ARG:HG2	1:K:48:ARG:HB2	1.93	0.50
2:H:80:CYS:O	2:H:92:ILE:HA	2.11	0.50
2:J:37:VAL:HG22	2:J:82:VAL:HG12	1.94	0.50
1:E:216:THR:HG23	1:E:260:HIS:HB2	1.94	0.49
2:F:91:LYS:HE2	1:G:131:ARG:HG2	1.94	0.49
1:E:213:ILE:HD11	1:E:243:LYS:HD2	1.95	0.49
2:H:39:LEU:O	2:H:46:ILE:HG12	2.12	0.49
1:A:130:LEU:O	1:A:157:ARG:NH1	2.46	0.49
1:C:101:CYS:SG	1:C:164:CYS:SG	3.04	0.49
1:E:28:VAL:HG11	1:E:179:LEU:HD13	1.96	0.48
1:G:189:MET:HE2	1:G:201:LEU:HD22	1.94	0.48
2:H:39:LEU:HD13	2:H:49:VAL:HG11	1.95	0.48
2:F:78:TYR:O	2:F:95:TRP:HB2	2.13	0.48
2:B:37:VAL:HG22	2:B:82:VAL:HG12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:97:ARG:O	2:D:99:MET:N	2.46	0.48
2:D:7:ILE:HD13	2:D:91:LYS:HG2	1.96	0.48
2:F:13:HIS:HB2	2:F:21:ASN:HB3	1.96	0.48
1:K:103:VAL:HG13	1:K:107:GLY:HA2	1.96	0.47
1:K:93:HIS:ND1	1:K:118:TYR:OH	2.47	0.47
1:A:268:LYS:HD2	1:A:269:PRO:HD2	1.96	0.47
1:C:119:ASP:HB3	2:D:0:MET:HG3	1.97	0.47
1:G:101:CYS:SG	1:G:164:CYS:SG	3.11	0.46
1:C:156:ARG:HA	1:C:156:ARG:HD3	1.80	0.46
1:I:130:LEU:O	1:I:157:ARG:NH1	2.48	0.46
1:A:189:MET:HE3	1:A:217:TRP:HH2	1.80	0.46
2:B:97:ARG:HG2	2:B:98:ASP:H	1.77	0.46
2:F:57:SER:HB2	2:F:58:LYS:HG3	1.97	0.46
1:G:95:ILE:HD12	1:G:117:ALA:O	2.15	0.46
1:C:200:THR:HG22	1:C:248:VAL:HG22	1.98	0.46
1:G:101:CYS:HG	1:G:164:CYS:HG	1.57	0.46
2:L:36:GLU:HB3	2:L:83:ASN:HB3	1.98	0.46
1:K:62:GLN:HE21	1:K:66:ASN:HD21	1.64	0.46
2:J:22:PHE:HD2	2:J:67:TYR:HB2	1.81	0.45
2:D:37:VAL:HA	2:D:81:ARG:O	2.17	0.45
1:E:101:CYS:SG	1:E:164:CYS:SG	3.07	0.45
1:I:33:PHE:CD2	1:I:52:ILE:HG13	2.48	0.45
2:F:75:LYS:HB2	2:F:97:ARG:HH22	1.82	0.45
1:I:268:LYS:HD2	1:I:269:PRO:HD2	1.99	0.45
1:A:13:SER:HA	1:A:20:PRO:HB3	1.98	0.45
1:E:213:ILE:HG23	1:E:263:HIS:HD2	1.81	0.45
2:F:19:LYS:HB3	2:F:20:SER:HB2	1.99	0.44
2:F:40:LEU:HD11	2:F:79:ALA:HB3	1.98	0.44
1:G:224:GLN:O	1:G:228:THR:HG21	2.18	0.44
1:A:156:ARG:HD3	1:A:156:ARG:HA	1.89	0.44
1:E:66:ASN:O	1:E:70:HIS:ND1	2.51	0.44
2:F:51:HIS:O	2:F:64:LEU:CD2	2.65	0.44
1:K:227:ASP:OD1	3:O:8:ASP:HB3	2.17	0.44
1:E:117:ALA:HB2	2:F:60:TRP:CE2	2.53	0.44
1:E:186:LYS:HD2	1:E:206:LEU:HD12	1.98	0.44
1:I:101:CYS:SG	1:I:164:CYS:SG	3.10	0.44
2:F:13:HIS:HB3	2:F:14:PRO:HD2	1.99	0.44
1:K:147:TRP:HA	1:K:150:VAL:HG12	2.00	0.44
2:J:24:ASN:HB3	2:J:65:LEU:HD11	2.00	0.44
1:A:189:MET:CE	1:A:274:TRP:HB2	2.47	0.43
1:G:16:GLY:C	1:G:18:GLY:H	2.20	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:93:HIS:ND1	1:G:118:TYR:OH	2.47	0.43
1:I:147:TRP:HA	1:I:150:VAL:HG12	2.00	0.43
1:K:193:PRO:HA	1:K:199:ALA:HA	2.00	0.43
2:F:74:GLU:HA	2:F:75:LYS:HG2	2.00	0.43
1:G:203:CYS:SG	1:G:259:CYS:SG	3.04	0.43
1:C:61:ASP:HB3	1:C:65:ARG:HH21	1.84	0.43
2:F:57:SER:HA	2:F:58:LYS:HA	1.80	0.43
1:K:109:PHE:HD1	1:K:165:VAL:CG1	2.31	0.43
1:K:71:SER:O	1:K:75:ARG:HG2	2.18	0.43
1:E:147:TRP:HA	1:E:150:VAL:HG12	2.00	0.42
1:K:203:CYS:HG	1:K:259:CYS:HG	1.45	0.42
2:F:59:ASP:CG	2:F:60:TRP:H	2.22	0.42
2:F:51:HIS:C	2:F:53:ASP:H	2.23	0.42
1:K:58:GLU:H	1:K:58:GLU:HG3	1.59	0.42
1:E:248:VAL:HG21	1:G:146:LYS:HG2	2.02	0.42
1:E:139:ALA:O	1:E:142:ILE:HG12	2.20	0.42
2:F:29:GLY:HA2	2:F:61:SER:HB3	2.01	0.41
1:G:227:ASP:HB3	1:G:248:VAL:HG13	2.02	0.41
1:I:214:THR:HB	1:I:262:GLN:HB2	2.02	0.41
2:J:5:PRO:HB3	2:J:30:PHE:HB3	2.01	0.41
1:K:139:ALA:O	1:K:142:ILE:HG23	2.20	0.41
2:D:5:PRO:HB3	2:D:30:PHE:HB3	2.03	0.41
1:E:259:CYS:O	1:E:271:THR:HA	2.21	0.41
1:K:214:THR:HB	1:K:262:GLN:HB2	2.03	0.41
1:C:20:PRO:HD2	1:C:75:ARG:HG2	2.03	0.41
1:I:264:GLU:HG2	4:I:369:HOH:O	2.20	0.41
1:A:214:THR:HB	1:A:262:GLN:HB2	2.02	0.41
1:C:214:THR:HB	1:C:262:GLN:HB2	2.02	0.41
1:I:193:PRO:HA	1:I:199:ALA:HA	2.03	0.41
1:G:129:ASP:HB3	1:G:131:ARG:HD2	2.03	0.40
2:J:17:ASN:HD21	2:J:74:GLU:N	2.20	0.40
1:G:93:HIS:CG	1:G:118:TYR:HH	2.38	0.40
1:A:62:GLN:HE21	1:A:66:ASN:HD21	1.69	0.40
2:D:35:ILE:HD11	2:D:64:LEU:CD1	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/274 (99%)	267 (98%)	4 (2%)	1 (0%)	34	48
1	C	272/274 (99%)	267 (98%)	4 (2%)	1 (0%)	34	48
1	E	272/274 (99%)	265 (97%)	7 (3%)	0	100	100
1	G	272/274 (99%)	266 (98%)	5 (2%)	1 (0%)	34	48
1	I	272/274 (99%)	268 (98%)	3 (1%)	1 (0%)	34	48
1	K	272/274 (99%)	267 (98%)	5 (2%)	0	100	100
2	B	98/100 (98%)	90 (92%)	7 (7%)	1 (1%)	15	23
2	D	98/100 (98%)	94 (96%)	2 (2%)	2 (2%)	7	9
2	F	97/100 (97%)	74 (76%)	13 (13%)	10 (10%)	0	0
2	H	98/100 (98%)	91 (93%)	5 (5%)	2 (2%)	7	9
2	J	98/100 (98%)	91 (93%)	6 (6%)	1 (1%)	15	23
2	L	98/100 (98%)	90 (92%)	7 (7%)	1 (1%)	15	23
3	M	7/9 (78%)	7 (100%)	0	0	100	100
3	N	7/9 (78%)	7 (100%)	0	0	100	100
3	O	7/9 (78%)	7 (100%)	0	0	100	100
3	P	7/9 (78%)	7 (100%)	0	0	100	100
3	Q	7/9 (78%)	7 (100%)	0	0	100	100
3	R	7/9 (78%)	7 (100%)	0	0	100	100
All	All	2261/2298 (98%)	2172 (96%)	68 (3%)	21 (1%)	17	25

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	17	ARG
2	D	98	ASP
2	F	15	ALA
2	F	52	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	62	PHE
2	F	85	VAL
2	F	89	GLN
1	G	17	ARG
2	F	16	GLU
2	F	48	LYS
2	F	61	SER
2	L	75	LYS
2	B	98	ASP
2	F	72	PRO
2	H	48	LYS
2	D	75	LYS
2	H	75	LYS
2	F	59	ASP
1	I	16	GLY
2	J	75	LYS
1	A	16	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/231 (100%)	215 (93%)	16 (7%)	15	25
1	C	231/231 (100%)	213 (92%)	18 (8%)	12	19
1	E	231/231 (100%)	207 (90%)	24 (10%)	7	10
1	G	231/231 (100%)	214 (93%)	17 (7%)	13	22
1	I	231/231 (100%)	216 (94%)	15 (6%)	17	27
1	K	231/231 (100%)	206 (89%)	25 (11%)	6	9
2	B	95/95 (100%)	89 (94%)	6 (6%)	18	28
2	D	95/95 (100%)	88 (93%)	7 (7%)	13	22
2	F	94/95 (99%)	84 (89%)	10 (11%)	6	9
2	H	95/95 (100%)	90 (95%)	5 (5%)	22	37
2	J	95/95 (100%)	91 (96%)	4 (4%)	30	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	L	95/95 (100%)	91 (96%)	4 (4%)	30	47
3	M	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	N	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	O	9/9 (100%)	9 (100%)	0	100	100
3	P	9/9 (100%)	9 (100%)	0	100	100
3	Q	9/9 (100%)	8 (89%)	1 (11%)	6	8
3	R	9/9 (100%)	8 (89%)	1 (11%)	6	8
All	All	2009/2010 (100%)	1854 (92%)	155 (8%)	13	20

All (155) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	48	ARG
1	A	61	ASP
1	A	63	GLU
1	A	89	GLU
1	A	110	LEU
1	A	111	ARG
1	A	116	ASP
1	A	156	ARG
1	A	176	LYS
1	A	180	GLN
1	A	183	ASP
1	A	194	ILE
1	A	196	ASP
1	A	222	GLU
1	A	228	THR
2	B	9	VAL
2	B	36	GLU
2	B	45	ARG
2	B	70	PHE
2	B	75	LYS
2	B	97	ARG
1	C	12	VAL
1	C	14	ARG
1	C	35	ARG
1	C	61	ASP
1	C	63	GLU
1	C	110	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	116	ASP
1	C	121	LYS
1	C	138	MET
1	C	156	ARG
1	C	183	ASP
1	C	188	HIS
1	C	190	THR
1	C	194	ILE
1	C	196	ASP
1	C	222	GLU
1	C	228	THR
1	C	230	LEU
2	D	9	VAL
2	D	34	ASP
2	D	37	VAL
2	D	42	ASN
2	D	46	ILE
2	D	70	PHE
2	D	97	ARG
1	E	19	GLU
1	E	35	ARG
1	E	52	ILE
1	E	54	GLN
1	E	63	GLU
1	E	68	LYS
1	E	90	ASP
1	E	110	LEU
1	E	111	ARG
1	E	113	TYR
1	E	116	ASP
1	E	121	LYS
1	E	142	ILE
1	E	156	ARG
1	E	177	GLU
1	E	181	ARG
1	E	183	ASP
1	E	186	LYS
1	E	194	ILE
1	E	213	ILE
1	E	219	ARG
1	E	222	GLU
1	E	224	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	240	THR
2	F	12	ARG
2	F	37	VAL
2	F	38	ASP
2	F	40	LEU
2	F	75	LYS
2	F	85	VAL
2	F	87	LEU
2	F	92	ILE
2	F	93	VAL
2	F	99	MET
1	G	12	VAL
1	G	17	ARG
1	G	35	ARG
1	G	63	GLU
1	G	68	LYS
1	G	98	MET
1	G	103	VAL
1	G	116	ASP
1	G	129	ASP
1	G	134	THR
1	G	138	MET
1	G	156	ARG
1	G	183	ASP
1	G	194	ILE
1	G	222	GLU
1	G	248	VAL
1	G	268	LYS
2	H	34	ASP
2	H	46	ILE
2	H	75	LYS
2	H	98	ASP
2	H	99	MET
1	I	17	ARG
1	I	21	ARG
1	I	35	ARG
1	I	44	LYS
1	I	52	ILE
1	I	63	GLU
1	I	90	ASP
1	I	98	MET
1	I	110	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	116	ASP
1	I	156	ARG
1	I	183	ASP
1	I	194	ILE
1	I	222	GLU
1	I	228	THR
2	J	22	PHE
2	J	35	ILE
2	J	74	GLU
2	J	98	ASP
1	K	11	SER
1	K	28	VAL
1	K	35	ARG
1	K	58	GLU
1	K	61	ASP
1	K	63	GLU
1	K	68	LYS
1	K	90	ASP
1	K	103	VAL
1	K	110	LEU
1	K	116	ASP
1	K	138	MET
1	K	142	ILE
1	K	156	ARG
1	K	163	ARG
1	K	178	THR
1	K	180	GLN
1	K	183	ASP
1	K	188	HIS
1	K	194	ILE
1	K	216	THR
1	K	222	GLU
1	K	231	VAL
1	K	240	THR
1	K	261	VAL
2	L	6	LYS
2	L	9	VAL
2	L	37	VAL
2	L	47	GLU
3	M	8	ASP
3	N	8	ASP
3	Q	8	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	R	8	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	ASN
1	A	115	GLN
1	C	62	GLN
1	C	127	ASN
2	F	13	HIS
2	F	31	HIS
2	F	51	HIS
1	G	54	GLN
1	G	96	GLN
1	G	155	GLN
1	G	174	ASN
2	J	17	ASN
1	K	62	GLN
1	K	226	GLN
2	L	84	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	274/274 (100%)	0.20	6 (2%) 62 60	18, 44, 72, 110	0
1	C	274/274 (100%)	0.82	28 (10%) 6 6	34, 58, 93, 109	0
1	E	274/274 (100%)	1.05	43 (15%) 2 1	36, 60, 90, 114	0
1	G	274/274 (100%)	0.93	36 (13%) 3 3	32, 63, 101, 127	0
1	I	274/274 (100%)	0.48	12 (4%) 34 33	26, 56, 101, 127	0
1	K	274/274 (100%)	1.26	58 (21%) 0 0	36, 69, 123, 145	0
2	B	100/100 (100%)	0.26	2 (2%) 65 63	24, 43, 77, 97	0
2	D	100/100 (100%)	0.58	8 (8%) 12 11	32, 51, 78, 85	0
2	F	99/100 (99%)	2.16	42 (42%) 0 0	41, 81, 120, 128	0
2	H	100/100 (100%)	0.78	13 (13%) 3 3	32, 60, 84, 96	0
2	J	100/100 (100%)	1.29	23 (23%) 0 0	34, 71, 107, 116	0
2	L	100/100 (100%)	1.95	38 (38%) 0 0	38, 83, 131, 147	0
3	M	9/9 (100%)	0.00	0 100 100	28, 35, 43, 48	0
3	N	9/9 (100%)	0.89	1 (11%) 5 4	50, 55, 74, 75	0
3	O	9/9 (100%)	0.77	1 (11%) 5 4	60, 63, 65, 76	0
3	P	9/9 (100%)	1.26	3 (33%) 0 0	54, 62, 66, 78	0
3	Q	9/9 (100%)	-0.01	0 100 100	36, 38, 47, 50	0
3	R	9/9 (100%)	1.89	4 (44%) 0 0	74, 83, 86, 102	0
All	All	2297/2298 (99%)	0.89	318 (13%) 2 2	18, 59, 105, 147	0

All (318) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	78	TYR	9.3
1	K	47	PRO	9.2
2	L	21	ASN	8.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	39	LEU	7.9
2	J	79	ALA	7.3
1	K	49	ALA	7.1
1	K	52	ILE	7.0
2	L	76	ASP	7.0
1	K	172	LEU	7.0
1	K	18	GLY	6.7
1	C	41	ALA	6.7
1	I	18	GLY	6.6
1	K	44	LYS	6.5
2	F	41	LYS	6.5
2	F	79	ALA	6.5
1	K	62	GLN	6.0
2	F	37	VAL	5.9
1	K	51	TRP	5.8
2	F	16	GLU	5.8
2	L	74	GLU	5.8
1	G	172	LEU	5.8
1	G	158	VAL	5.7
1	G	41	ALA	5.7
2	L	37	VAL	5.6
2	F	82	VAL	5.6
1	E	194	ILE	5.6
1	A	177	GLU	5.5
2	F	91	LYS	5.5
2	F	76	ASP	5.5
2	L	79	ALA	5.4
1	G	179	LEU	5.4
2	F	78	TYR	5.4
2	J	0	MET	5.4
2	L	82	VAL	5.3
1	G	175	GLY	5.2
2	H	40	LEU	5.1
2	L	22	PHE	5.0
2	F	74	GLU	5.0
1	K	40	ALA	5.0
2	F	93	VAL	4.9
2	J	81	ARG	4.7
2	F	40	LEU	4.7
1	K	65	ARG	4.6
2	F	75	LYS	4.6
2	L	68	THR	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	0	MET	4.6
2	J	78	TYR	4.5
2	J	67	TYR	4.4
2	L	19	LYS	4.4
2	F	15	ALA	4.4
2	L	75	LYS	4.4
2	L	45	ARG	4.3
2	J	40	LEU	4.3
2	J	68	THR	4.3
1	E	59	TYR	4.3
1	E	47	PRO	4.2
1	K	179	LEU	4.2
1	C	54	GLN	4.1
2	H	0	MET	4.1
1	K	237	GLY	4.1
1	G	17	ARG	4.1
2	L	97	ARG	4.0
2	F	38	ASP	4.0
2	L	18	GLY	3.9
2	F	87	LEU	3.9
2	L	20	SER	3.9
1	E	113	TYR	3.8
1	K	99	TYR	3.8
2	F	19	LYS	3.8
1	K	48	ARG	3.8
2	L	41	LYS	3.8
1	E	239	GLY	3.7
1	I	56	GLY	3.7
3	R	6	LEU	3.7
2	F	98	ASP	3.7
1	E	38	SER	3.7
1	G	194	ILE	3.7
2	F	80	CYS	3.6
2	F	21	ASN	3.6
1	E	76	ALA	3.6
1	G	177	GLU	3.6
2	L	14	PRO	3.6
1	G	54	GLN	3.6
2	H	72	PRO	3.6
2	L	73	THR	3.6
2	D	98	ASP	3.6
2	H	46	ILE	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	110	LEU	3.5
2	J	77	GLU	3.5
2	D	99	MET	3.5
1	K	36	PHE	3.5
2	J	23	LEU	3.4
2	J	43	GLY	3.4
2	F	95	TRP	3.4
2	L	40	LEU	3.4
1	E	16	GLY	3.4
1	K	59	TYR	3.4
2	F	57	SER	3.3
2	F	73	THR	3.3
1	G	84	TYR	3.3
2	J	76	ASP	3.3
1	K	41	ALA	3.3
2	F	94	LYS	3.3
1	K	38	SER	3.3
2	F	96	ASP	3.3
2	F	68	THR	3.3
1	E	265	GLY	3.2
1	C	52	ILE	3.2
2	F	86	THR	3.2
1	E	112	GLY	3.2
1	G	109	PHE	3.2
1	G	140	ALA	3.2
1	C	179	LEU	3.2
1	E	176	LYS	3.2
2	F	70	PHE	3.2
2	L	71	THR	3.2
2	F	18	GLY	3.2
1	E	80	THR	3.1
1	K	50	PRO	3.1
2	F	49	VAL	3.1
2	H	16	GLU	3.1
1	K	70	HIS	3.1
3	R	4	LEU	3.1
1	K	14	ARG	3.1
1	G	12	VAL	3.1
1	K	162	GLY	3.1
2	H	70	PHE	3.1
1	E	69	ALA	3.1
2	D	9	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	1	GLY	3.0
2	L	43	GLY	3.0
2	D	87	LEU	3.0
2	J	18	GLY	3.0
1	G	60	TRP	3.0
1	I	179	LEU	3.0
1	G	174	ASN	3.0
1	E	42	SER	3.0
2	H	98	ASP	3.0
2	L	48	LYS	3.0
2	D	81	ARG	3.0
1	K	53	GLU	3.0
1	C	196	ASP	3.0
1	A	1	GLY	2.9
1	G	126	LEU	2.9
1	K	55	GLU	2.9
1	G	142	ILE	2.9
1	E	50	PRO	2.9
1	K	255	GLN	2.9
1	K	28	VAL	2.9
2	L	69	GLU	2.9
1	E	48	ARG	2.9
1	E	166	ASP	2.9
2	L	91	LYS	2.9
1	K	173	GLU	2.9
2	J	88	SER	2.9
2	L	77	GLU	2.9
1	K	60	TRP	2.9
1	E	20	PRO	2.9
3	R	5	LYS	2.8
1	E	150	VAL	2.8
2	L	93	VAL	2.8
1	G	171	TYR	2.8
1	K	43	GLN	2.8
1	K	61	ASP	2.8
1	K	54	GLN	2.8
2	L	99	MET	2.8
1	C	16	GLY	2.8
1	C	61	ASP	2.7
2	J	80	CYS	2.7
1	I	57	PRO	2.7
1	E	107	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	181	ARG	2.7
1	E	83	GLY	2.7
1	G	18	GLY	2.7
1	C	78	LEU	2.7
1	G	65	ARG	2.7
1	K	17	ARG	2.6
2	F	36	GLU	2.6
2	F	52	SER	2.6
1	C	60	TRP	2.6
1	E	142	ILE	2.6
1	K	169	ARG	2.6
2	J	1	ILE	2.6
1	E	81	LEU	2.6
1	K	165	VAL	2.6
2	L	17	ASN	2.6
1	I	107	GLY	2.6
2	J	42	ASN	2.6
2	H	37	VAL	2.6
1	C	90	ASP	2.6
2	J	45	ARG	2.6
2	H	81	ARG	2.5
1	C	91	GLY	2.5
2	F	92	ILE	2.5
1	A	18	GLY	2.5
1	G	19	GLU	2.5
2	F	72	PRO	2.5
1	G	98	MET	2.5
2	F	20	SER	2.5
1	E	170	ARG	2.5
1	C	194	ILE	2.5
2	B	0	MET	2.5
1	E	75	ARG	2.5
1	E	157	ARG	2.5
1	E	106	ASP	2.5
1	E	168	LEU	2.5
2	J	65	LEU	2.5
1	K	34	VAL	2.4
1	I	51	TRP	2.4
1	C	25	VAL	2.4
1	C	245	ALA	2.4
3	P	4	LEU	2.4
1	K	9	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	68	THR	2.4
2	L	35	ILE	2.4
1	I	174	ASN	2.4
2	F	58	LYS	2.4
2	H	44	GLU	2.4
1	G	95	ILE	2.3
1	I	274	TRP	2.3
2	F	99	MET	2.3
1	C	248	VAL	2.3
1	K	63	GLU	2.3
1	K	95	ILE	2.3
1	K	7	TYR	2.3
2	J	15	ALA	2.3
1	K	196	ASP	2.3
1	G	52	ILE	2.3
1	C	274	TRP	2.3
1	E	15	PRO	2.3
2	L	42	ASN	2.3
1	K	84	TYR	2.3
1	E	74	ASP	2.3
1	C	56	GLY	2.3
1	E	70	HIS	2.3
1	I	177	GLU	2.3
2	J	37	VAL	2.3
2	F	14	PRO	2.3
1	K	42	SER	2.3
1	K	72	GLN	2.3
2	B	7	ILE	2.3
2	J	89	GLN	2.3
2	H	99	MET	2.2
1	C	70	HIS	2.2
1	G	51	TRP	2.2
1	K	147	TRP	2.2
2	L	86	THR	2.2
1	E	19	GLU	2.2
1	K	12	VAL	2.2
1	C	130	LEU	2.2
1	C	85	TYR	2.2
2	L	66	TYR	2.2
1	A	268	LYS	2.2
1	K	241	PHE	2.2
1	G	91	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	K	141	GLN	2.2
1	K	75	ARG	2.2
1	E	267	PRO	2.2
1	I	171	TYR	2.2
2	F	88	SER	2.2
2	L	49	VAL	2.2
2	F	1	ILE	2.2
2	L	95	TRP	2.2
1	E	13	SER	2.2
1	G	59	TYR	2.2
1	K	25	VAL	2.2
1	G	200	THR	2.2
3	R	2	THR	2.2
1	E	51	TRP	2.2
2	J	48	LYS	2.1
1	K	194	ILE	2.1
1	K	183	ASP	2.1
3	O	5	LYS	2.1
1	C	108	ARG	2.1
1	E	17	ARG	2.1
1	G	181	ARG	2.1
1	K	19	GLU	2.1
1	C	153	ALA	2.1
1	G	36	PHE	2.1
1	E	179	LEU	2.1
1	C	17	ARG	2.1
1	G	34	VAL	2.1
1	K	248	VAL	2.1
2	D	46	ILE	2.1
1	K	78	LEU	2.1
3	N	1	CYS	2.1
1	C	51	TRP	2.1
1	K	200	THR	2.1
2	D	49	VAL	2.1
1	C	65	ARG	2.1
1	E	177	GLU	2.1
2	L	7	ILE	2.1
1	C	110	LEU	2.1
2	L	39	LEU	2.1
1	G	90	ASP	2.1
1	K	249	VAL	2.1
1	K	171	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	52	ILE	2.1
1	G	63	GLU	2.1
1	E	64	THR	2.1
1	E	241	PHE	2.1
2	L	67	TYR	2.1
1	C	21	ARG	2.0
1	E	82	ARG	2.0
2	F	35	ILE	2.0
1	A	221	GLY	2.0
2	F	33	SER	2.0
1	E	250	PRO	2.0
1	C	75	ARG	2.0
1	E	14	ARG	2.0
1	K	257	TYR	2.0
1	A	225	THR	2.0
3	P	2	THR	2.0
1	G	40	ALA	2.0
3	P	7	SER	2.0
2	H	48	LYS	2.0
2	J	75	LYS	2.0
2	L	80	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.