wwPDB X-ray Structure Validation Summary Report (i)

Jun 19, 2020 – 08:30 pm BST

PDB ID	:	4NS1
Title	:	Crystal structure of purine nucleoside phosphorylase from Porphyromonas gingivalis ATCC 33277, NYSGRC Target 30972
Authors	:	Malashkevich, V.N.; Bhosle, R.; Toro, R.; Hillerich, B.; Gizzi, A.; Garforth, S.; Kar, A.; Chan, M.K.; Lafluer, J.; Patel, H.; Matikainen, B.; Chamala, S.; Lim, S.; Celikgil, A.; Villegas, G.; Evans, B.; Love, J.; Fiser, A.; Seidel, R.; Bonanno, J.B.; Almo, S.C.; New York Structural Genomics Research Consortium (NYSGRC)
Deposited on	:	2013-11-27
Resolution	:	1.64 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3122 (1.66-1.62)
Clashscore	141614	3268 (1.66-1.62)
Ramachandran outliers	138981	3215 (1.66-1.62)
Sidechain outliers	138945	3215 (1.66-1.62)
RSRZ outliers	127900	3079 (1.66-1.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	2% 83% 7% • 9%
1	B	295	4% 85% 6% 8%
1	C	295	8% 83% 7% 10%
1	D	295	2% 85% 6% • 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	304	-	-	X	-
4	GOL	D	305	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9991 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Purine nucleoside phosphorylase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	268	Total	C	N	O	S	Se	0	9	0
			2097	1342	352	389	2	12			
1	B	270	Total	C	N	O	S	Se	0	5	0
			2096	1339	353	389	2	13			
1	C	266	Total	C	N	O	S	Se	0	1	0
			2043	1305	344	381	2	11			
1	D	270	Total	C	N	O	S	Se	0	7	0
			2102	1345	351	391	2	13			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MSE	-	EXPRESSION TAG	UNP B2RKN6
A	-5	HIS	-	EXPRESSION TAG	UNP B2RKN6
A	-4	HIS	-	EXPRESSION TAG	UNP B2RKN6
A	-3	HIS	-	EXPRESSION TAG	UNP B2RKN6
A	-2	HIS	-	EXPRESSION TAG	UNP B2RKN6
A	-1	HIS	-	EXPRESSION TAG	UNP B2RKN6
A	0	HIS	-	EXPRESSION TAG	UNP B2RKN6
A	1	SER	-	EXPRESSION TAG	UNP B2RKN6
A	2	SER	-	EXPRESSION TAG	UNP B2RKN6
A	3	GLY	-	EXPRESSION TAG	UNP B2RKN6
A	4	VAL	-	EXPRESSION TAG	UNP B2RKN6
A	5	ASP	-	EXPRESSION TAG	UNP B2RKN6
A	6	LEU	-	EXPRESSION TAG	UNP B2RKN6
A	7	GLY	-	EXPRESSION TAG	UNP B2RKN6
A	8	THR	-	EXPRESSION TAG	UNP B2RKN6
A	9	GLU	-	EXPRESSION TAG	UNP B2RKN6
A	10	ASN	-	EXPRESSION TAG	UNP B2RKN6
A	11	LEU	-	EXPRESSION TAG	UNP B2RKN6
A	12	TYR	-	EXPRESSION TAG	UNP B2RKN6
A	13	PHE	-	EXPRESSION TAG	UNP B2RKN6
A	14	GLN	-	EXPRESSION TAG	UNP B2RKN6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	SER	-	EXPRESSION TAG	UNP B2RKN6
B	-6	MSE	-	EXPRESSION TAG	UNP B2RKN6
B	-5	HIS	-	EXPRESSION TAG	UNP B2RKN6
B	-4	HIS	-	EXPRESSION TAG	UNP B2RKN6
B	-3	HIS	-	EXPRESSION TAG	UNP B2RKN6
B	-2	HIS	-	EXPRESSION TAG	UNP B2RKN6
B	-1	HIS	-	EXPRESSION TAG	UNP B2RKN6
B	0	HIS	-	EXPRESSION TAG	UNP B2RKN6
B	1	SER	-	EXPRESSION TAG	UNP B2RKN6
B	2	SER	-	EXPRESSION TAG	UNP B2RKN6
B	3	GLY	-	EXPRESSION TAG	UNP B2RKN6
B	4	VAL	-	EXPRESSION TAG	UNP B2RKN6
B	5	ASP	-	EXPRESSION TAG	UNP B2RKN6
B	6	LEU	-	EXPRESSION TAG	UNP B2RKN6
B	7	GLY	-	EXPRESSION TAG	UNP B2RKN6
B	8	THR	-	EXPRESSION TAG	UNP B2RKN6
B	9	GLU	-	EXPRESSION TAG	UNP B2RKN6
B	10	ASN	-	EXPRESSION TAG	UNP B2RKN6
B	11	LEU	-	EXPRESSION TAG	UNP B2RKN6
B	12	TYR	-	EXPRESSION TAG	UNP B2RKN6
B	13	PHE	-	EXPRESSION TAG	UNP B2RKN6
B	14	GLN	-	EXPRESSION TAG	UNP B2RKN6
B	15	SER	-	EXPRESSION TAG	UNP B2RKN6
C	-6	MSE	-	EXPRESSION TAG	UNP B2RKN6
C	-5	HIS	-	EXPRESSION TAG	UNP B2RKN6
C	-4	HIS	-	EXPRESSION TAG	UNP B2RKN6
C	-3	HIS	-	EXPRESSION TAG	UNP B2RKN6
C	-2	HIS	-	EXPRESSION TAG	UNP B2RKN6
C	-1	HIS	-	EXPRESSION TAG	UNP B2RKN6
C	0	HIS	-	EXPRESSION TAG	UNP B2RKN6
C	1	SER	-	EXPRESSION TAG	UNP B2RKN6
C	2	SER	-	EXPRESSION TAG	UNP B2RKN6
C	3	GLY	-	EXPRESSION TAG	UNP B2RKN6
C	4	VAL	-	EXPRESSION TAG	UNP B2RKN6
C	5	ASP	-	EXPRESSION TAG	UNP B2RKN6
C	6	LEU	-	EXPRESSION TAG	UNP B2RKN6
C	7	GLY	-	EXPRESSION TAG	UNP B2RKN6
C	8	THR	-	EXPRESSION TAG	UNP B2RKN6
C	9	GLU	-	EXPRESSION TAG	UNP B2RKN6
C	10	ASN	-	EXPRESSION TAG	UNP B2RKN6
C	11	LEU	-	EXPRESSION TAG	UNP B2RKN6
C	12	TYR	-	EXPRESSION TAG	UNP B2RKN6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	13	PHE	-	EXPRESSION TAG	UNP B2RKN6
C	14	GLN	-	EXPRESSION TAG	UNP B2RKN6
C	15	SER	-	EXPRESSION TAG	UNP B2RKN6
D	-6	MSE	-	EXPRESSION TAG	UNP B2RKN6
D	-5	HIS	-	EXPRESSION TAG	UNP B2RKN6
D	-4	HIS	-	EXPRESSION TAG	UNP B2RKN6
D	-3	HIS	-	EXPRESSION TAG	UNP B2RKN6
D	-2	HIS	-	EXPRESSION TAG	UNP B2RKN6
D	-1	HIS	-	EXPRESSION TAG	UNP B2RKN6
D	0	HIS	-	EXPRESSION TAG	UNP B2RKN6
D	1	SER	-	EXPRESSION TAG	UNP B2RKN6
D	2	SER	-	EXPRESSION TAG	UNP B2RKN6
D	3	GLY	-	EXPRESSION TAG	UNP B2RKN6
D	4	VAL	-	EXPRESSION TAG	UNP B2RKN6
D	5	ASP	-	EXPRESSION TAG	UNP B2RKN6
D	6	LEU	-	EXPRESSION TAG	UNP B2RKN6
D	7	GLY	-	EXPRESSION TAG	UNP B2RKN6
D	8	THR	-	EXPRESSION TAG	UNP B2RKN6
D	9	GLU	-	EXPRESSION TAG	UNP B2RKN6
D	10	ASN	-	EXPRESSION TAG	UNP B2RKN6
D	11	LEU	-	EXPRESSION TAG	UNP B2RKN6
D	12	TYR	-	EXPRESSION TAG	UNP B2RKN6
D	13	PHE	-	EXPRESSION TAG	UNP B2RKN6
D	14	GLN	-	EXPRESSION TAG	UNP B2RKN6
D	15	SER	-	EXPRESSION TAG	UNP B2RKN6

- Molecule 2 is 2'-DEOXYADENOSINE-5'-MONOPHOSPHATE (three-letter code: DA) (formula: $C_{10}H_{14}N_5O_6P$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N 10 5 5	0	0
2	B	1	Total C N 10 5 5	0	0
2	C	1	Total C N 10 5 5	0	0
2	D	1	Total C N 10 5 5	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	399	Total O 402 402	0	3
5	B	385	Total O 388 388	0	3
5	C	286	Total O 289 289	0	3
5	D	429	Total O 433 433	0	4

3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Purine nucleoside phosphorylase

Chain A:



- Molecule 1: Purine nucleoside phosphorylase

Chain B:



- Molecule 1: Purine nucleoside phosphorylase

Chain C:



- Molecule 1: Purine nucleoside phosphorylase

Chain D:




MSE
HIS
HIS
HIS
HIS
HIS
SER
SER
GLY
VAL
ASP
LEU
GLY
THR
GLU
ASN
LEU
TYR
F13
Q14
S15
M16
K17
L18
Q19
E20
Y23
A41
Q71
ALA
THR
ALA
VAL
GLY
HIS
K78
V92
H148
M161
D162
M163
F164
R177
E178
I186
E208
F215
M226
H254
D262
E263
Q264
R283
V288

4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, α, β, γ	218.90Å 218.90Å 218.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.64 48.95 – 1.64	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.00-1.64) 99.8 (48.95-1.64)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.77 (at 1.64Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.171 , 0.186 0.171 , 0.186	Depositor DCC
R_{free} test set	10586 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å^2)	16.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.36 , 48.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.51$, $< L^2 > = 0.35$	Xtriage
Estimated twinning fraction	0.009 for -l,-k,-h	Xtriage
F_o,F_c correlation	0.97	EDS
Total number of atoms	9991	wwPDB-VP
Average B, all atoms (Å^2)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.03% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CSO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.49	2/2142 (0.1%)	0.66	2/2873 (0.1%)
1	B	0.43	0/2129	0.60	0/2856
1	C	0.41	0/2065	0.55	0/2775
1	D	0.50	0/2142	0.65	0/2874
All	All	0.46	2/8478 (0.0%)	0.62	2/11378 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	276[A]	LYS	CA-C	5.06	1.66	1.52
1	A	276[B]	LYS	CA-C	5.06	1.66	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	276[A]	LYS	CA-C-O	5.23	131.09	120.10
1	A	276[B]	LYS	CA-C-O	5.23	131.09	120.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2097	0	2099	25	0
1	B	2096	0	2085	14	0
1	C	2043	0	2017	16	0
1	D	2102	0	2091	18	0
2	A	10	0	4	2	0
2	B	10	0	4	2	0
2	C	10	0	4	1	0
2	D	10	0	4	2	0
3	A	10	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	15	0	0	0	0
4	A	18	0	24	7	0
4	B	18	0	24	2	0
4	C	18	0	24	4	0
4	D	12	0	16	7	0
5	A	402	0	0	8	0
5	B	388	0	0	2	0
5	C	289	0	0	2	0
5	D	433	0	0	6	0
All	All	9991	0	8396	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 77 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:254:HIS:H	4:C:303:GOL:H32	1.07	1.18
4:D:306:GOL:H31	5:D:678:HOH:O	1.59	1.02
1:A:236:ARG:HH22	4:A:303:GOL:H2	1.21	1.01
1:D:254:HIS:H	4:D:305:GOL:H32	1.31	0.95
1:A:254:HIS:H	4:A:304:GOL:H11	1.27	0.94

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/295 (92%)	268 (99%)	3 (1%)	0	100	100
1	B	269/295 (91%)	266 (99%)	3 (1%)	0	100	100
1	C	261/295 (88%)	259 (99%)	2 (1%)	0	100	100
1	D	271/295 (92%)	268 (99%)	3 (1%)	0	100	100
All	All	1072/1180 (91%)	1061 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/223 (99%)	217 (99%)	3 (1%)	67	45
1	B	218/223 (98%)	215 (99%)	3 (1%)	67	45
1	C	211/223 (95%)	210 (100%)	1 (0%)	88	80
1	D	221/223 (99%)	217 (98%)	4 (2%)	59	34
All	All	870/892 (98%)	859 (99%)	11 (1%)	71	47

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	163[B]	MSE
1	B	215	PHE
1	D	78	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	163[A]	MSE
1	D	16	MSE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	24	HIS
1	D	160	ASN
1	C	71	GLN
1	A	160	ASN
1	B	160	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	CSO	B	146[A]	-	3,6,7	0.61	0	0,6,8	0.00	-
1	CSO	D	146[B]	-	3,6,7	0.51	0	0,6,8	0.00	-
1	CSO	C	146[B]	-	3,6,7	0.57	0	0,6,8	0.00	-
1	CSO	A	146[A]	-	3,6,7	0.51	0	0,6,8	0.00	-
1	CSO	A	146[B]	-	3,6,7	0.53	0	0,6,8	0.00	-
1	CSO	C	146[A]	-	3,6,7	0.56	0	0,6,8	0.00	-
1	CSO	B	146[B]	-	3,6,7	0.63	0	0,6,8	0.00	-
1	CSO	D	146[A]	-	3,6,7	0.48	0	0,6,8	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	B	146[A]	-	-	0/1/5/7	-
1	CSO	D	146[B]	-	-	0/1/5/7	-
1	CSO	C	146[B]	-	-	0/1/5/7	-
1	CSO	A	146[A]	-	-	0/1/5/7	-
1	CSO	A	146[B]	-	-	0/1/5/7	-
1	CSO	C	146[A]	-	-	0/1/5/7	-
1	CSO	B	146[B]	-	-	0/1/5/7	-
1	CSO	D	146[A]	-	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

22 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	SO4	D	303	-	4,4,4	0.58	0	6,6,6	0.27	0
4	GOL	C	305	-	5,5,5	0.11	0	5,5,5	0.84	0
4	GOL	D	305	-	5,5,5	0.21	0	5,5,5	0.53	0
4	GOL	A	305	-	5,5,5	0.26	0	5,5,5	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
4	GOL	B	305	-	5,5,5	0.33	0	5,5,5	0.48	0
4	GOL	D	306	-	5,5,5	0.29	0	5,5,5	0.84	0
3	SO4	C	302	-	4,4,4	0.22	0	6,6,6	0.38	0
3	SO4	A	306	-	4,4,4	0.34	0	6,6,6	0.29	0
3	SO4	D	304	-	4,4,4	0.80	0	6,6,6	1.08	0
3	SO4	A	302	-	4,4,4	0.18	0	6,6,6	0.42	0
4	GOL	A	303	-	5,5,5	0.46	0	5,5,5	0.36	0
4	GOL	C	304	-	5,5,5	0.29	0	5,5,5	0.27	0
4	GOL	C	303	-	5,5,5	0.37	0	5,5,5	0.60	0
4	GOL	B	303	-	5,5,5	0.30	0	5,5,5	0.27	0
3	SO4	D	302	-	4,4,4	0.19	0	6,6,6	0.38	0
4	GOL	B	304	-	5,5,5	0.29	0	5,5,5	0.58	0
4	GOL	A	304	-	5,5,5	0.24	0	5,5,5	0.40	0
3	SO4	B	302	-	4,4,4	0.23	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	305	-	-	0/4/4/4	-
4	GOL	D	305	-	-	4/4/4/4	-
4	GOL	A	305	-	-	4/4/4/4	-
4	GOL	B	305	-	-	2/4/4/4	-
4	GOL	D	306	-	-	4/4/4/4	-
4	GOL	C	304	-	-	4/4/4/4	-
4	GOL	A	303	-	-	4/4/4/4	-
4	GOL	A	304	-	-	4/4/4/4	-
4	GOL	C	303	-	-	2/4/4/4	-
4	GOL	B	303	-	-	2/4/4/4	-
4	GOL	B	304	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 34 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	304	GOL	O1-C1-C2-C3
4	B	304	GOL	C1-C2-C3-O3
4	B	305	GOL	C1-C2-C3-O3
4	D	306	GOL	O1-C1-C2-C3
4	D	306	GOL	C1-C2-C3-O3

There are no ring outliers.

9 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	305	GOL	1	0
4	D	305	GOL	4	0
4	A	305	GOL	1	0
4	D	306	GOL	3	0
4	A	303	GOL	2	0
4	C	303	GOL	3	0
4	B	303	GOL	1	0
4	B	304	GOL	1	0
4	A	304	GOL	4	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	256/295 (86%)	-0.37	5 (1%) 65 65	10, 14, 30, 75	0
1	B	258/295 (87%)	-0.22	11 (4%) 35 32	11, 17, 33, 87	0
1	C	254/295 (86%)	0.17	24 (9%) 8 6	12, 24, 49, 78	0
1	D	258/295 (87%)	-0.21	7 (2%) 54 53	9, 13, 27, 114	0
All	All	1026/1180 (86%)	-0.16	47 (4%) 32 30	9, 17, 42, 114	0

The worst 5 of 47 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	13	PHE	13.7
1	D	14	GLN	9.4
1	C	17	LYS	6.7
1	B	78	LYS	6.1
1	D	15	SER	6.0

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
1	CSO	C	146[B]	7/8	0.97	0.05	19,20,25,25	4
1	CSO	C	146[A]	7/8	0.97	0.05	19,20,26,27	4
1	CSO	B	146[A]	7/8	0.98	0.06	15,15,21,22	4
1	CSO	B	146[B]	7/8	0.98	0.06	15,15,20,21	4
1	CSO	A	146[B]	7/8	0.99	0.05	13,14,19,20	4
1	CSO	D	146[B]	7/8	0.99	0.06	11,11,16,17	4
1	CSO	A	146[A]	7/8	0.99	0.05	13,14,17,19	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
1	CSO	D	146[A]	7/8	0.99	0.06	11,11,16,18	4

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	GOL	C	304	6/6	0.56	0.27	68,71,73,73	0
4	GOL	B	305	6/6	0.68	0.20	38,42,44,44	0
4	GOL	B	304	6/6	0.69	0.24	34,39,39,42	0
4	GOL	C	303	6/6	0.74	0.16	30,35,41,44	0
4	GOL	D	306	6/6	0.76	0.21	31,39,40,41	0
4	GOL	A	305	6/6	0.77	0.16	45,48,48,51	0
4	GOL	A	304	6/6	0.77	0.19	29,39,44,46	0
4	GOL	B	303	6/6	0.79	0.18	38,48,51,52	0
4	GOL	C	305	6/6	0.79	0.17	38,45,48,49	0
4	GOL	A	303	6/6	0.80	0.17	25,29,32,35	0
4	GOL	D	305	6/6	0.84	0.16	24,35,39,41	0
3	SO4	D	303	5/5	0.86	0.16	47,47,139,423	5
3	SO4	A	306	5/5	0.93	0.22	48,49,49,51	0
2	DA	B	301	10/22	0.94	0.10	23,27,29,29	0
2	DA	C	301	10/22	0.96	0.07	14,18,19,19	0
3	SO4	D	304	5/5	0.97	0.23	39,39,53,62	5
2	DA	A	301	10/22	0.97	0.07	10,13,13,14	0
2	DA	D	301	10/22	0.97	0.07	10,12,13,13	0
3	SO4	C	302	5/5	0.99	0.05	22,23,24,26	0
3	SO4	B	302	5/5	0.99	0.06	21,22,24,25	0
3	SO4	D	302	5/5	0.99	0.05	14,15,17,18	0
3	SO4	A	302	5/5	0.99	0.07	16,16,18,20	0

6.5 Other polymers (i)

There are no such residues in this entry.