



# Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 01:02 pm BST

PDB ID : 3NTA  
Title : Structure of the Shewanella loihica PV-4 NADH-dependent persulfide reductase  
Authors : Sazinsky, M.H.; Crane, E.J.; Warner, M.D.; Lukose, V.; Lee, K.H.  
Deposited on : 2010-07-03  
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	574	<div> <div>%</div> <div> <div></div> <div>68%</div> <div>25%</div> <div>• • •</div> </div> </div>
1	B	574	<div> <div>%</div> <div> <div></div> <div>67%</div> <div>26%</div> <div>5% • •</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	B	575	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FAD-dependent pyridine nucleotide-disulphide oxidoreductase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	565	Total	C	N	O	S	Se	0	1	0
			4301	2698	762	821	4	16			
1	B	565	Total	C	N	O	S	Se	0	0	0
			4294	2694	763	818	4	15			


There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	567	LEU	-	EXPRESSION TAG	UNP A3QAV3
A	568	GLU	-	EXPRESSION TAG	UNP A3QAV3
A	569	HIS	-	EXPRESSION TAG	UNP A3QAV3
A	570	HIS	-	EXPRESSION TAG	UNP A3QAV3
A	571	HIS	-	EXPRESSION TAG	UNP A3QAV3
A	572	HIS	-	EXPRESSION TAG	UNP A3QAV3
A	573	HIS	-	EXPRESSION TAG	UNP A3QAV3
A	574	HIS	-	EXPRESSION TAG	UNP A3QAV3
B	567	LEU	-	EXPRESSION TAG	UNP A3QAV3
B	568	GLU	-	EXPRESSION TAG	UNP A3QAV3
B	569	HIS	-	EXPRESSION TAG	UNP A3QAV3
B	570	HIS	-	EXPRESSION TAG	UNP A3QAV3
B	571	HIS	-	EXPRESSION TAG	UNP A3QAV3
B	572	HIS	-	EXPRESSION TAG	UNP A3QAV3
B	573	HIS	-	EXPRESSION TAG	UNP A3QAV3
B	574	HIS	-	EXPRESSION TAG	UNP A3QAV3

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		
2	A	1	Total	Cl	0	0
			1	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is COENZYME A (three-letter code: COA) (formula:  $C_{21}H_{36}N_7O_{16}P_3S$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
4	B	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	264	Total 264	O 264	0	0
5	B	281	Total 281	O 281	0	0


### 3 Residue-property plots



These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FAD-dependent pyridine nucleotide-disulphide oxidoreductase



- Molecule 1: FAD-dependent pyridine nucleotide-disulphide oxidoreductase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	134.34Å 134.34Å 81.23Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	116.37 – 2.01 40.62 – 2.01	Depositor EDS
% Data completeness (in resolution range)	97.8 (116.37-2.01) 98.7 (40.62-2.01)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.34 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, $R_{free}$	0.137 , 0.173 0.167 , 0.187	Depositor DCC
$R_{free}$ test set	5482 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.7	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 37.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for -h,-k,l 0.018 for h,-h-k,-l 0.008 for -k,-h,-l	Xtriage
Reported twinning fraction	0.479 for H, K, L 0.521 for h,-h-k,-l	Depositor
Outliers	0 of 108118 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	9344	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: COA, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.60	34/4359 (0.8%)	1.34	51/5877 (0.9%)
1	B	1.55	21/4349 (0.5%)	1.32	42/5863 (0.7%)
All	All	1.58	55/8708 (0.6%)	1.33	93/11740 (0.8%)

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	378	VAL	CB-CG2	-6.77	1.38	1.52
1	A	306	GLU	CD-OE2	-6.49	1.18	1.25
1	B	154	ALA	CA-CB	5.96	1.65	1.52
1	A	47	TYR	CE1-CZ	-5.90	1.30	1.38
1	A	107	ASP	CB-CG	5.89	1.64	1.51
1	A	39	SER	CA-CB	5.88	1.61	1.52
1	B	179	LEU	C-O	5.88	1.34	1.23
1	A	434	MSE	SE-CE	-5.88	1.60	1.95
1	B	25	GLU	CB-CG	5.87	1.63	1.52
1	A	22	ARG	CZ-NH2	5.86	1.40	1.33
1	A	380	VAL	CA-CB	5.84	1.67	1.54
1	A	284	GLY	N-CA	5.80	1.54	1.46
1	A	511	VAL	CB-CG2	5.80	1.65	1.52
1	A	394	VAL	CA-CB	5.77	1.66	1.54
1	A	154	ALA	CA-CB	5.68	1.64	1.52
1	A	292	GLN	CB-CG	-5.66	1.37	1.52
1	B	346	GLN	CG-CD	5.64	1.64	1.51
1	B	140	ASP	CB-CG	5.60	1.63	1.51
1	A	299	TYR	CD2-CE2	5.60	1.47	1.39
1	A	155	THR	CA-CB	5.59	1.67	1.53
1	B	208	ASP	CB-CG	5.56	1.63	1.51
1	A	358	VAL	CA-CB	5.53	1.66	1.54
1	B	412	GLN	CG-CD	5.53	1.63	1.51
1	B	526	GLU	CB-CG	-5.49	1.41	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	18	ALA	CA-CB	-5.49	1.41	1.52
1	A	324	ALA	CA-C	5.47	1.67	1.52
1	A	278	ALA	CA-CB	5.46	1.64	1.52
1	B	39	SER	CA-CB	5.43	1.61	1.52
1	A	186	VAL	CB-CG2	5.41	1.64	1.52
1	B	144	GLN	CB-CG	-5.40	1.38	1.52
1	A	336	PHE	CE2-CZ	5.38	1.47	1.37
1	B	268	GLU	CB-CG	5.37	1.62	1.52
1	A	82	VAL	CB-CG2	-5.36	1.41	1.52
1	A	357	ALA	C-O	-5.36	1.13	1.23
1	A	16	ALA	CA-CB	-5.36	1.41	1.52
1	A	361	THR	C-O	-5.33	1.13	1.23
1	A	33	GLU	CD-OE1	5.33	1.31	1.25
1	A	419	ILE	CA-CB	5.32	1.67	1.54
1	B	71	PHE	CE1-CZ	5.32	1.47	1.37
1	A	268	GLU	CB-CG	5.24	1.62	1.52
1	A	388	TYR	CD2-CE2	-5.21	1.31	1.39
1	A	95	ARG	CG-CD	5.19	1.65	1.51
1	B	102	TYR	CD1-CE1	5.18	1.47	1.39
1	B	37	TYR	CE1-CZ	5.16	1.45	1.38
1	B	176	LYS	CD-CE	5.16	1.64	1.51
1	B	332	ALA	N-CA	5.14	1.56	1.46
1	B	21	ARG	CB-CG	5.14	1.66	1.52
1	B	452	SER	CA-CB	5.13	1.60	1.52
1	B	504	GLU	CG-CD	5.12	1.59	1.51
1	A	65	GLU	CD-OE1	5.10	1.31	1.25
1	A	104	GLU	CD-OE1	5.08	1.31	1.25
1	A	394	VAL	CB-CG2	5.07	1.63	1.52
1	B	443	GLU	CB-CG	5.07	1.61	1.52
1	B	513	GLU	CG-CD	5.02	1.59	1.51
1	A	357	ALA	CA-CB	5.02	1.62	1.52

All (93) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	303	ASP	CB-CG-OD1	-14.59	105.17	118.30
1	A	138	ASP	CB-CG-OD1	-12.34	107.20	118.30
1	B	257	ASP	CB-CG-OD1	-11.32	108.11	118.30
1	B	191	ASP	CB-CG-OD1	-10.42	108.92	118.30
1	B	138	ASP	CB-CG-OD1	-9.55	109.71	118.30
1	A	34	ARG	NE-CZ-NH2	-9.17	115.71	120.30
1	A	204	ASP	CB-CG-OD1	-9.16	110.06	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	ASP	CB-CG-OD1	-9.15	110.07	118.30
1	B	295	ASP	CB-CG-OD1	-9.12	110.09	118.30
1	A	34	ARG	NE-CZ-NH1	9.12	124.86	120.30
1	B	303	ASP	CB-CG-OD2	8.67	126.10	118.30
1	B	134	ARG	NE-CZ-NH2	8.65	124.63	120.30
1	A	431	ARG	NE-CZ-NH1	8.64	124.62	120.30
1	B	338	ARG	NE-CZ-NH1	-8.64	115.98	120.30
1	B	455	ASP	CB-CG-OD1	-8.53	110.63	118.30
1	A	515	ARG	NE-CZ-NH2	-8.30	116.15	120.30
1	B	535	LEU	CB-CG-CD1	-8.21	97.04	111.00
1	A	490	LEU	CB-CG-CD2	8.16	124.87	111.00
1	A	536	ARG	NE-CZ-NH1	8.04	124.32	120.30
1	A	416	LYS	CD-CE-NZ	-7.94	93.43	111.70
1	A	454	LYS	CD-CE-NZ	7.89	129.84	111.70
1	A	282	LEU	CB-CG-CD1	7.81	124.27	111.00
1	A	257	ASP	CB-CG-OD1	-7.80	111.28	118.30
1	B	141	ARG	NE-CZ-NH2	-7.75	116.43	120.30
1	B	511	VAL	CB-CA-C	-7.75	96.68	111.40
1	B	140	ASP	CB-CG-OD1	-7.51	111.54	118.30
1	A	209	LEU	CB-CG-CD2	7.50	123.75	111.00
1	A	309	ASP	CB-CG-OD1	-7.46	111.59	118.30
1	B	98	ASP	CB-CA-C	-7.43	95.53	110.40
1	B	204	ASP	CB-CG-OD1	-7.40	111.64	118.30
1	B	209	LEU	CB-CG-CD2	7.37	123.52	111.00
1	A	56	ARG	NE-CZ-NH1	7.35	123.97	120.30
1	A	95	ARG	NE-CZ-NH2	-7.17	116.71	120.30
1	A	21	ARG	NE-CZ-NH1	7.11	123.85	120.30
1	B	402	ASP	CB-CG-OD1	-7.03	111.97	118.30
1	A	483	LEU	CB-CG-CD1	7.02	122.94	111.00
1	B	136	ILE	CG1-CB-CG2	-6.96	96.09	111.40
1	B	422	ARG	NE-CZ-NH1	6.75	123.68	120.30
1	A	111	LEU	CB-CG-CD2	-6.63	99.73	111.00
1	B	138	ASP	CB-CG-OD2	6.61	124.25	118.30
1	A	292	GLN	CB-CA-C	6.58	123.57	110.40
1	A	259	LEU	CB-CG-CD1	6.49	122.04	111.00
1	A	535	LEU	CB-CG-CD2	-6.48	99.99	111.00
1	A	402	ASP	CB-CG-OD1	6.44	124.10	118.30
1	A	431	ARG	NE-CZ-NH2	-6.37	117.12	120.30
1	B	273	ARG	NE-CZ-NH2	-6.33	117.13	120.30
1	A	490	LEU	CA-CB-CG	6.33	129.86	115.30
1	A	143	LEU	CB-CG-CD1	6.31	121.73	111.00
1	A	333	ASP	CB-CG-OD2	6.27	123.95	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	517	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	B	511	VAL	CG1-CB-CG2	6.23	120.86	110.90
1	A	439	LEU	CA-CB-CG	6.07	129.26	115.30
1	B	19	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	B	266	ARG	NE-CZ-NH2	-6.04	117.28	120.30
1	A	356	LEU	CB-CG-CD1	6.03	121.25	111.00
1	A	424	ASP	CB-CG-OD1	-6.02	112.88	118.30
1	A	204	ASP	CB-CG-OD2	5.98	123.68	118.30
1	B	329	ARG	NE-CZ-NH1	-5.93	117.33	120.30
1	B	295	ASP	CB-CG-OD2	5.93	123.64	118.30
1	A	138	ASP	CB-CG-OD2	5.92	123.63	118.30
1	B	208	ASP	CB-CG-OD1	-5.91	112.99	118.30
1	A	141	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	253	LEU	CB-CG-CD1	5.82	120.89	111.00
1	B	107	ASP	CB-CG-OD1	-5.79	113.09	118.30
1	A	209	LEU	CA-CB-CG	5.78	128.58	115.30
1	A	356	LEU	CB-CG-CD2	5.76	120.78	111.00
1	A	22	ARG	NE-CZ-NH1	-5.74	117.43	120.30
1	B	70	ARG	NE-CZ-NH2	5.72	123.16	120.30
1	A	191	ASP	CB-CG-OD1	-5.72	113.15	118.30
1	B	512	ASP	CB-CG-OD1	-5.72	113.16	118.30
1	A	21	ARG	NE-CZ-NH2	-5.71	117.44	120.30
1	A	90	LEU	CB-CG-CD1	5.69	120.67	111.00
1	A	443	GLU	CG-CD-OE1	-5.68	106.94	118.30
1	B	208	ASP	CB-CG-OD2	5.62	123.36	118.30
1	A	56	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	B	34	ARG	NE-CZ-NH1	5.51	123.05	120.30
1	A	90	LEU	CA-CB-CG	5.48	127.89	115.30
1	A	442	LEU	CB-CG-CD2	5.43	120.23	111.00
1	B	90	LEU	CA-CB-CG	5.43	127.78	115.30
1	B	273	ARG	NE-CZ-NH1	5.41	123.01	120.30
1	B	266	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	B	380	VAL	CG1-CB-CG2	5.37	119.50	110.90
1	A	257	ASP	CB-CG-OD2	5.37	123.13	118.30
1	B	3	LYS	CD-CE-NZ	-5.37	99.36	111.70
1	A	517	ARG	NE-CZ-NH1	5.35	122.98	120.30
1	B	439	LEU	CB-CG-CD1	-5.29	102.01	111.00
1	B	81	VAL	CG1-CB-CG2	-5.26	102.48	110.90
1	B	182	LEU	CB-CG-CD2	5.25	119.92	111.00
1	A	424	ASP	CB-CG-OD2	5.18	122.96	118.30
1	B	104	GLU	CG-CD-OE1	-5.10	108.11	118.30
1	A	498	LEU	CB-CG-CD2	5.07	119.62	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	491	ASP	CB-CG-OD1	-5.01	113.79	118.30
1	B	380	VAL	CA-CB-CG1	5.01	118.42	110.90

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4301	0	4303	120	1
1	B	4294	0	4300	133	1
2	A	1	0	0	1	0
2	B	1	0	0	2	0
3	A	53	0	31	6	0
3	B	53	0	31	3	0
4	A	48	0	32	3	0
4	B	48	0	32	4	0
5	A	264	0	0	4	0
5	B	281	0	0	13	0
All	All	9344	0	8729	246	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (246) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:MSE:HE3	1:A:339:GLU:HA	1.17	1.14
1:A:475:ILE:HG23	1:A:552:ARG:HD3	1.31	1.11
1:A:474:PRO:HB3	1:A:555:ILE:HD11	1.34	1.10
1:B:243:HIS:CE1	1:B:255:GLU:HG3	1.93	1.03
1:B:243:HIS:HE1	1:B:255:GLU:HG3	1.24	1.01
1:A:421:LYS:HD2	1:B:424:ASP:OD2	1.59	1.01
1:A:290:MSE:CE	1:A:339:GLU:HA	1.90	1.01
1:A:474:PRO:CB	1:A:555:ILE:HD11	1.91	0.99

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318:VAL:HG22	1:B:318:VAL:O	1.63	0.98
1:A:290:MSE:HE3	1:A:339:GLU:CA	1.97	0.94
1:A:518:MSE:HE2	1:A:549:TYR:HE1	1.31	0.94
1:B:67:PHE:CD1	1:B:73:VAL:HG11	2.02	0.93
1:B:482:ASN:O	1:B:483:LEU:HB2	1.67	0.92
1:B:288:ASN:HD21	1:B:292:GLN:HE21	1.18	0.92
1:A:13:GLY:O	1:A:31:MSE:HE1	1.73	0.88
1:A:475:ILE:CG2	1:A:552:ARG:HD3	2.06	0.86
1:A:475:ILE:HG23	1:A:552:ARG:CD	2.04	0.86
1:B:518:MSE:HE1	1:B:547:ASN:HB2	1.59	0.85
1:B:250:ASN:ND2	1:B:252:GLU:OE1	2.09	0.85
1:A:454:LYS:HE3	1:B:325:ASN:HB3	1.60	0.83
1:A:6:ILE:HG21	1:A:31:MSE:HE2	1.60	0.83
1:B:223:GLN:HE21	1:B:224:THR:N	1.75	0.83
1:A:518:MSE:HE1	1:A:547:ASN:HB2	1.62	0.82
1:A:518:MSE:CE	1:A:549:TYR:CE1	2.63	0.81
1:B:127:ASN:OD1	1:B:130:THR:HG23	1.81	0.81
1:B:211:LEU:O	1:B:213:THR:HG22	1.81	0.80
1:A:518:MSE:HE2	1:A:549:TYR:CE1	2.15	0.80
1:B:318:VAL:O	1:B:318:VAL:CG2	2.30	0.80
1:A:290:MSE:HE1	1:A:339:GLU:HG2	1.63	0.79
1:A:518:MSE:HE3	1:A:544:LEU:HD23	1.63	0.79
1:B:531:CYS:SG	2:B:575:CL:CL	2.78	0.79
1:B:500:ASN:HB3	5:B:803:HOH:O	1.82	0.78
1:A:43:CYS:HG	4:A:901:COA:HS1	0.94	0.76
1:B:346:GLN:HE21	1:B:430:GLN:HE21	1.31	0.75
1:A:168:GLU:HG2	5:A:922:HOH:O	1.86	0.74
1:A:518:MSE:CE	1:A:549:TYR:HE1	2.00	0.74
1:A:288:ASN:HD21	1:A:292:GLN:HE21	1.34	0.73
1:A:290:MSE:CE	1:A:339:GLU:HG2	2.18	0.73
1:B:518:MSE:HE3	1:B:544:LEU:HD23	1.71	0.73
1:B:402:ASP:OD2	5:B:624:HOH:O	2.07	0.73
1:A:1:MSE:HG3	1:A:1:MSE:O	1.90	0.72
1:B:67:PHE:HD1	1:B:73:VAL:HG11	1.50	0.71
1:A:211:LEU:CD1	1:A:211:LEU:N	2.54	0.70
1:B:295:ASP:OD2	5:B:765:HOH:O	2.10	0.70
1:B:127:ASN:CG	1:B:130:THR:HG23	2.11	0.70
1:B:10:VAL:HG12	1:B:11:ALA:N	2.07	0.70
1:A:13:GLY:O	1:A:31:MSE:CE	2.40	0.69
1:A:223:GLN:HE21	1:A:225:HIS:H	1.39	0.69
1:A:531:CYS:SG	2:A:575:CL:CL	2.88	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:THR:HG22	1:B:180:LEU:CD1	2.24	0.68
1:A:494:ASN:OD1	5:A:672:HOH:O	2.11	0.67
1:B:488:LEU:HD21	1:B:507:VAL:HG11	1.77	0.67
1:B:210:ARG:HB3	1:B:213:THR:HG21	1.76	0.67
1:B:483:LEU:HA	1:B:487:GLN:OE1	1.96	0.66
1:B:86:ARG:HD2	1:B:295:ASP:OD1	1.96	0.66
1:A:518:MSE:HE3	1:A:549:TYR:CE1	2.31	0.66
1:B:210:ARG:O	1:B:213:THR:HG23	1.96	0.66
1:B:273:ARG:HG2	1:B:279:ILE:HD13	1.78	0.66
1:B:250:ASN:OD1	1:B:252:GLU:HG3	1.95	0.66
1:B:130:THR:HB	1:B:259:LEU:HB3	1.78	0.65
1:A:43:CYS:HG	4:A:901:COA:C2P	2.08	0.65
1:A:17:ALA:HB2	1:A:31:MSE:HE3	1.77	0.65
1:A:211:LEU:HD12	1:A:211:LEU:N	2.11	0.65
1:B:518:MSE:HE1	1:B:547:ASN:CB	2.27	0.65
1:B:43:CYS:SG	4:B:901:COA:S1P	2.95	0.65
1:A:475:ILE:HG12	1:A:552:ARG:HB3	1.79	0.64
1:B:10:VAL:HG12	1:B:11:ALA:H	1.60	0.64
1:A:475:ILE:CG2	1:A:552:ARG:CD	2.71	0.64
1:A:290:MSE:HE1	1:A:339:GLU:CG	2.27	0.63
1:A:436:VAL:HG21	1:A:468:ILE:HD12	1.81	0.63
1:B:94:ARG:NH1	5:B:737:HOH:O	2.26	0.63
1:B:223:GLN:HE21	1:B:224:THR:H	1.44	0.63
1:A:17:ALA:HB2	1:A:31:MSE:CE	2.29	0.62
1:B:110:LEU:HB2	1:B:335:MSE:HE1	1.82	0.62
1:A:425:VAL:HG13	1:B:428:VAL:HG21	1.82	0.62
1:A:209:LEU:HD22	1:A:211:LEU:HD11	1.81	0.61
1:B:518:MSE:HE2	1:B:549:TYR:CE1	2.35	0.61
1:B:127:ASN:HD21	1:B:130:THR:CG2	2.13	0.61
1:B:223:GLN:HE21	1:B:225:HIS:H	1.48	0.61
1:B:38:VAL:O	1:B:39:SER:HB2	1.99	0.61
1:B:120:PRO:HB2	1:B:122:ILE:HG13	1.82	0.61
1:A:243:HIS:HE1	1:A:255:GLU:OE2	1.84	0.61
1:B:517:ARG:O	1:B:520:GLU:HG3	2.00	0.60
1:B:67:PHE:CD1	1:B:73:VAL:CG1	2.83	0.60
1:B:290:MSE:O	1:B:291:MSE:HB2	2.01	0.60
1:B:490:LEU:HD12	1:B:507:VAL:O	2.01	0.60
1:B:56:ARG:HD2	5:B:659:HOH:O	2.01	0.60
1:A:186:VAL:O	1:A:187:MSE:O	2.19	0.60
1:A:474:PRO:CB	1:A:555:ILE:CD1	2.76	0.59
1:A:475:ILE:HD12	1:A:554:LEU:HA	1.85	0.59

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:ASN:HD21	1:B:130:THR:HG21	1.66	0.59
1:B:518:MSE:HE2	1:B:549:TYR:HE1	1.68	0.59
1:B:131:HIS:HE1	1:B:145:THR:OG1	1.86	0.58
1:A:209:LEU:HD22	1:A:211:LEU:CD1	2.33	0.58
1:B:223:GLN:NE2	1:B:224:THR:N	2.50	0.58
1:B:223:GLN:NE2	1:B:224:THR:H	2.01	0.57
1:B:67:PHE:HD1	1:B:73:VAL:CG1	2.15	0.57
1:B:127:ASN:ND2	1:B:130:THR:HG23	2.20	0.57
1:B:55:GLN:HG2	5:B:878:HOH:O	2.04	0.57
1:A:1:MSE:CE	1:A:28:GLU:HB2	2.35	0.57
1:B:127:ASN:ND2	1:B:130:THR:CG2	2.68	0.56
1:A:85:ASP:HB3	5:A:733:HOH:O	2.05	0.56
1:A:436:VAL:HG21	1:A:468:ILE:CD1	2.35	0.56
1:B:94:ARG:CZ	5:B:674:HOH:O	2.52	0.56
1:A:193:GLU:OE2	1:A:379:TYR:OH	2.22	0.56
1:A:25:GLU:OE2	1:B:543:GLN:HG2	2.07	0.55
1:A:1:MSE:HE1	1:A:28:GLU:HB2	1.89	0.55
1:A:475:ILE:O	1:A:554:LEU:HA	2.07	0.55
1:B:10:VAL:HG11	3:B:900:FAD:O2A	2.07	0.55
1:B:223:GLN:NE2	1:B:225:HIS:H	2.05	0.55
1:B:211:LEU:O	1:B:213:THR:CG2	2.54	0.54
1:A:300:ALA:O	1:A:301:VAL:HG12	2.06	0.54
1:B:184:ASP:OD2	1:B:192:ARG:HD3	2.08	0.54
1:A:518:MSE:HE1	1:A:547:ASN:CB	2.36	0.54
1:A:428:VAL:HG21	1:B:425:VAL:HG13	1.90	0.53
1:B:120:PRO:HG3	1:B:261:MSE:HE2	1.90	0.53
1:A:378:VAL:HG12	1:A:399:LEU:HB3	1.90	0.53
1:A:474:PRO:HB2	1:A:555:ILE:HD11	1.84	0.53
1:A:110:LEU:HB2	1:A:335:MSE:HE1	1.90	0.53
1:A:301:VAL:HB	1:A:327:GLN:HB3	1.91	0.53
1:B:127:ASN:OD1	1:B:130:THR:CG2	2.55	0.53
1:B:243:HIS:CE1	1:B:255:GLU:CG	2.81	0.53
1:B:67:PHE:HB3	1:B:73:VAL:HG13	1.91	0.52
1:B:500:ASN:C	1:B:500:ASN:HD22	2.12	0.52
1:B:43:CYS:HG	4:B:901:COA:HS1	1.50	0.52
1:A:13:GLY:C	1:A:31:MSE:HE1	2.29	0.52
1:A:535:LEU:HD23	1:A:535:LEU:C	2.30	0.52
1:B:459:GLN:O	1:B:463:VAL:HG23	2.10	0.52
1:A:290:MSE:CE	1:A:339:GLU:CG	2.84	0.51
1:B:273:ARG:HG2	1:B:279:ILE:CD1	2.39	0.51
1:B:178:THR:HG22	1:B:180:LEU:HD11	1.92	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:CYS:SG	4:A:901:COA:S1P	2.74	0.51
1:A:187:MSE:HG3	1:A:189:PRO:HD2	1.93	0.51
1:A:474:PRO:HB2	1:A:555:ILE:CD1	2.41	0.51
1:A:227:ALA:N	1:A:238:GLN:OE1	2.35	0.51
1:B:90:LEU:HG	1:B:103:GLN:HG2	1.93	0.50
1:A:10:VAL:HG12	1:A:11:ALA:N	2.26	0.50
1:A:6:ILE:CG2	1:A:31:MSE:HE2	2.38	0.50
1:A:34:ARG:HD3	3:A:900:FAD:O2B	2.12	0.50
1:B:309:ASP:OD2	1:B:363:LYS:NZ	2.39	0.50
1:A:209:LEU:CD2	1:A:211:LEU:HD11	2.42	0.50
1:B:243:HIS:HD2	5:B:753:HOH:O	1.94	0.49
1:B:127:ASN:HB2	1:B:128:PRO:HD2	1.93	0.49
1:A:503:LEU:HD12	1:A:530:PHE:CE2	2.47	0.49
1:A:112:SER:N	1:A:113:PRO:CD	2.75	0.49
1:A:33:GLU:OE2	1:A:34:ARG:N	2.44	0.49
1:B:498:LEU:HD23	1:B:498:LEU:N	2.28	0.49
1:A:436:VAL:HG23	1:A:437[B]:GLU:H	1.77	0.49
1:A:518:MSE:HE3	1:A:549:TYR:CD1	2.48	0.48
1:A:300:ALA:C	1:A:301:VAL:CG1	2.81	0.48
1:A:400:LEU:HD12	1:A:400:LEU:N	2.27	0.48
1:B:424:ASP:O	1:B:428:VAL:HG23	2.14	0.48
1:B:500:ASN:ND2	1:B:500:ASN:C	2.66	0.48
1:A:108:THR:HG21	1:A:335:MSE:HG2	1.95	0.48
1:B:215:LEU:CD1	1:B:246:LEU:HB3	2.43	0.48
1:B:376:GLU:HG3	1:B:377:LYS:N	2.26	0.48
1:A:108:THR:HG22	1:A:335:MSE:HE2	1.95	0.48
1:B:88:ALA:HB1	1:B:90:LEU:HD22	1.96	0.47
1:A:112:SER:N	1:A:113:PRO:HD3	2.29	0.47
1:A:420:ASP:OD2	1:B:421:LYS:NZ	2.41	0.47
1:A:10:VAL:HG23	3:A:900:FAD:H4B	1.97	0.47
1:A:81:VAL:HG22	1:A:93:VAL:HG22	1.95	0.47
1:B:437:GLU:HB3	5:B:714:HOH:O	2.15	0.47
1:B:291:MSE:HE3	1:B:301:VAL:HG12	1.97	0.47
1:A:385:HIS:O	1:A:386:ALA:C	2.53	0.47
1:A:34:ARG:CD	3:A:900:FAD:O2B	2.63	0.46
1:A:377:LYS:HG3	1:A:398:LYS:HE3	1.97	0.46
1:A:535:LEU:HD23	1:A:536:ARG:N	2.30	0.46
1:A:221:GLN:HE22	1:A:245:SER:HB2	1.81	0.46
1:B:290:MSE:HE3	1:B:292:GLN:NE2	2.29	0.46
1:B:300:ALA:O	1:B:301:VAL:CG1	2.63	0.46
1:A:475:ILE:HD12	1:A:554:LEU:CA	2.45	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:ARG:HD3	3:B:900:FAD:O2B	2.15	0.46
1:B:465:SER:O	1:B:469:LYS:HD3	2.15	0.46
1:A:164:LEU:HD12	1:A:187:MSE:HE2	1.98	0.46
1:B:300:ALA:C	1:B:301:VAL:HG13	2.35	0.46
1:B:182:LEU:O	1:B:212:GLY:HA2	2.16	0.46
1:A:86:ARG:HD2	1:A:295:ASP:OD1	2.16	0.46
1:B:225:HIS:NE2	1:B:233:GLU:OE2	2.43	0.46
1:A:214:ALA:HB3	1:A:249:SER:HB3	1.98	0.45
1:A:424:ASP:OD2	1:B:421:LYS:HD2	2.16	0.45
1:A:125:VAL:HG13	1:A:126:ASP:N	2.31	0.45
1:B:305:VAL:O	1:B:305:VAL:HG23	2.15	0.45
1:B:500:ASN:HD22	1:B:501:GLY:N	2.14	0.45
1:B:523:LYS:NZ	5:B:969:HOH:O	2.50	0.45
1:A:475:ILE:O	1:A:475:ILE:HD12	2.17	0.45
1:B:188:THR:N	1:B:189:PRO:CD	2.80	0.45
1:B:300:ALA:C	1:B:301:VAL:CG1	2.86	0.45
1:A:518:MSE:CE	1:A:549:TYR:CD1	3.00	0.44
1:A:114:GLY:HA2	1:A:303:ASP:HB2	1.99	0.44
1:A:475:ILE:CG1	1:A:552:ARG:HB3	2.46	0.44
1:B:300:ALA:O	1:B:301:VAL:HG12	2.17	0.44
1:B:10:VAL:CG1	1:B:11:ALA:H	2.22	0.44
1:B:243:HIS:HE1	1:B:255:GLU:CG	2.11	0.44
1:B:485:GLU:O	1:B:525:LYS:HE3	2.18	0.44
1:A:33:GLU:OE2	3:A:900:FAD:H1B	2.18	0.44
1:B:176:LYS:HG2	5:B:1025:HOH:O	2.17	0.44
1:B:250:ASN:CG	1:B:252:GLU:HG3	2.36	0.44
1:B:10:VAL:O	1:B:14:ALA:HB3	2.17	0.44
1:A:300:ALA:O	1:A:301:VAL:CG1	2.66	0.43
1:B:33:GLU:OE2	1:B:34:ARG:N	2.51	0.43
1:B:50:SER:OG	1:B:52:GLU:OE1	2.19	0.43
1:A:190:VAL:HG11	1:A:358:VAL:CG1	2.49	0.43
1:A:13:GLY:C	1:A:31:MSE:CE	2.87	0.43
1:B:38:VAL:O	1:B:39:SER:CB	2.67	0.43
1:B:115:ALA:HB2	1:B:303:ASP:HB3	1.99	0.43
1:B:280:GLY:HA3	1:B:306:GLU:OE1	2.19	0.43
1:B:385:HIS:HB3	1:B:450:TYR:O	2.18	0.43
1:B:67:PHE:HB3	1:B:73:VAL:CG1	2.49	0.43
1:A:288:ASN:HD21	1:A:292:GLN:NE2	2.08	0.43
1:B:437:GLU:CD	1:B:437:GLU:C	2.77	0.43
1:A:541:TYR:C	1:A:541:TYR:CD2	2.91	0.42
1:B:301:VAL:HB	1:B:327:GLN:HB3	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:VAL:HG11	3:A:900:FAD:O2A	2.19	0.42
1:B:378:VAL:HG11	1:B:463:VAL:HB	2.01	0.42
1:A:131:HIS:CE1	1:A:141:ARG:HG2	2.54	0.42
1:B:454:LYS:HE3	1:B:454:LYS:HB2	1.64	0.42
1:A:221:GLN:NE2	1:A:245:SER:HB2	2.35	0.42
1:B:201:ALA:CB	1:B:356:LEU:HD22	2.50	0.42
1:B:180:LEU:N	1:B:180:LEU:CD1	2.83	0.42
1:B:11:ALA:HB2	4:B:901:COA:H31	2.02	0.42
1:A:49:ILE:HG12	1:A:143:LEU:HD13	2.01	0.41
1:A:423:ILE:HD13	1:A:423:ILE:HA	1.83	0.41
1:B:10:VAL:HG23	3:B:900:FAD:H4B	2.02	0.41
1:B:529:ILE:HD11	1:B:544:LEU:HD12	2.02	0.41
1:A:188:THR:N	1:A:189:PRO:CD	2.84	0.41
1:B:306:GLU:OE2	5:B:991:HOH:O	2.21	0.41
1:B:321:ALA:HB1	4:B:901:COA:H21	2.02	0.41
1:A:329:ARG:HD2	5:A:698:HOH:O	2.20	0.41
1:A:194:MSE:HE3	1:A:414:VAL:HG23	2.02	0.41
1:B:418:GLY:N	5:B:721:HOH:O	2.42	0.41
1:B:533:VAL:HG22	2:B:575:CL:CL	2.58	0.41
1:B:181:GLU:OE2	1:B:183:ALA:N	2.49	0.41
1:B:114:GLY:HA2	1:B:303:ASP:HB2	2.03	0.41
1:B:346:GLN:HG2	1:B:430:GLN:NE2	2.35	0.41
1:A:303:ASP:OD2	3:A:900:FAD:H5'1	2.21	0.41
1:A:240:ILE:HG21	1:A:240:ILE:HD13	1.69	0.40
1:A:333:ASP:OD2	1:A:340:GLU:OE1	2.39	0.40
1:A:434:MSE:HE1	1:A:442:LEU:HD21	2.02	0.40
1:B:269:THR:O	1:B:273:ARG:HG3	2.21	0.40
1:B:178:THR:HA	1:B:208:ASP:O	2.21	0.40
1:A:34:ARG:HG2	1:A:35:GLY:N	2.36	0.40
1:A:45:LEU:HB2	1:A:46:PRO:HD3	2.03	0.40
1:B:179:LEU:C	1:B:180:LEU:HD12	2.41	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:482:ASN:OD1	1:B:482:ASN:ND2[1_554]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/574 (98%)	537 (95%)	24 (4%)	3 (0%)	29	23
1	B	563/574 (98%)	535 (95%)	24 (4%)	4 (1%)	22	16
All	All	1127/1148 (98%)	1072 (95%)	48 (4%)	7 (1%)	25	19

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	MSE
1	B	10	VAL
1	B	482	ASN
1	A	10	VAL
1	A	294	SER
1	B	97	LEU
1	B	483	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	450/443 (102%)	416 (92%)	34 (8%)	13	8
1	B	449/443 (101%)	408 (91%)	41 (9%)	9	5
All	All	899/886 (102%)	824 (92%)	75 (8%)	11	7

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	SER
1	A	34	ARG
1	A	42	ASN
1	A	90	LEU
1	A	97	LEU
1	A	112	SER
1	A	129	LEU
1	A	132	SER
1	A	143	LEU
1	A	192	ARG
1	A	209	LEU
1	A	211	LEU
1	A	238	GLN
1	A	241	LYS
1	A	253	LEU
1	A	254	LEU
1	A	259	LEU
1	A	266	ARG
1	A	281	GLU
1	A	282	LEU
1	A	292	GLN
1	A	356	LEU
1	A	363	LYS
1	A	377	LYS
1	A	378	VAL
1	A	382	THR
1	A	422	ARG
1	A	475	ILE
1	A	483	LEU
1	A	485	GLU
1	A	490	LEU
1	A	504	GLU
1	A	523	LYS
1	A	524	ASP
1	B	34	ARG
1	B	42	ASN
1	B	52	GLU
1	B	55	GLN
1	B	67	PHE
1	B	68	LYS
1	B	90	LEU
1	B	98	ASP
1	B	101	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	103	GLN
1	B	130	THR
1	B	136	ILE
1	B	176	LYS
1	B	182	LEU
1	B	209	LEU
1	B	213	THR
1	B	221	GLN
1	B	228	SER
1	B	229	ASP
1	B	238	GLN
1	B	241	LYS
1	B	253	LEU
1	B	254	LEU
1	B	267	PRO
1	B	271	LEU
1	B	281	GLU
1	B	292	GLN
1	B	318	VAL
1	B	343	GLN
1	B	356	LEU
1	B	380	VAL
1	B	407	THR
1	B	422	ARG
1	B	437	GLU
1	B	445	SER
1	B	482	ASN
1	B	500	ASN
1	B	507	VAL
1	B	511	VAL
1	B	545	VAL
1	B	565	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	171	HIS
1	A	221	GLN
1	A	223	GLN
1	A	243	HIS
1	A	270	GLN
1	A	292	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	385	HIS
1	A	440	GLN
1	A	441	HIS
1	A	500	ASN
1	A	543	GLN
1	A	546	ASN
1	A	547	ASN
1	B	62	GLN
1	B	131	HIS
1	B	205	GLN
1	B	221	GLN
1	B	223	GLN
1	B	243	HIS
1	B	292	GLN
1	B	430	GLN
1	B	440	GLN
1	B	500	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	COA	A	901	-	41,50,50	1.65	7 (17%)	52,75,75	1.73	9 (17%)
4	COA	B	901	-	41,50,50	1.56	5 (12%)	52,75,75	1.77	9 (17%)
3	FAD	A	900	-	51,58,58	1.67	11 (21%)	60,89,89	1.79	10 (16%)
3	FAD	B	900	-	51,58,58	1.76	9 (17%)	60,89,89	2.07	17 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	COA	A	901	-	-	2/44/64/64	0/3/3/3
4	COA	B	901	-	-	5/44/64/64	0/3/3/3
3	FAD	A	900	-	-	1/30/50/50	0/6/6/6
3	FAD	B	900	-	-	1/30/50/50	0/6/6/6

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	901	COA	O9P-C9P	5.98	1.35	1.23
3	B	900	FAD	C10-N1	5.85	1.40	1.33
3	B	900	FAD	C5X-N5	5.49	1.44	1.35
4	B	901	COA	O9P-C9P	5.17	1.33	1.23
3	A	900	FAD	C2A-N3A	4.29	1.39	1.32
4	B	901	COA	C2A-N3A	4.24	1.38	1.32
4	B	901	COA	C2A-N1A	4.16	1.41	1.33
3	B	900	FAD	O4B-C1B	4.11	1.46	1.41
3	A	900	FAD	C2A-N1A	3.92	1.41	1.33
3	A	900	FAD	C2B-C1B	-3.86	1.47	1.53
3	B	900	FAD	C4-N3	3.81	1.39	1.33
3	A	900	FAD	C10-N1	3.74	1.38	1.33
4	A	901	COA	O4B-C1B	3.65	1.46	1.41
4	A	901	COA	C2B-C1B	-3.49	1.48	1.53
3	A	900	FAD	C5X-N5	3.03	1.40	1.35
3	B	900	FAD	C2A-N3A	2.98	1.36	1.32
3	A	900	FAD	C1'-N10	2.94	1.51	1.48
3	A	900	FAD	O4B-C4B	-2.76	1.38	1.45
3	B	900	FAD	C2A-N1A	2.72	1.39	1.33
3	B	900	FAD	C4A-N3A	2.66	1.39	1.35
4	B	901	COA	C2B-C1B	-2.63	1.49	1.53
3	A	900	FAD	C5'-C4'	2.53	1.55	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	900	FAD	C4X-N5	2.52	1.36	1.33
3	A	900	FAD	C9A-C5X	-2.38	1.37	1.42
3	B	900	FAD	O2'-C2'	-2.36	1.38	1.43
3	A	900	FAD	C4'-C3'	2.30	1.57	1.53
4	A	901	COA	C2A-N1A	2.28	1.38	1.33
4	A	901	COA	C2A-N3A	2.25	1.35	1.32
4	A	901	COA	P1A-O2A	-2.20	1.45	1.55
4	B	901	COA	O4B-C1B	2.17	1.44	1.41
4	A	901	COA	P3B-O9A	-2.16	1.46	1.54
3	B	900	FAD	C6-C7	2.11	1.43	1.37

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	900	FAD	C4-N3-C2	8.30	122.15	115.14
4	B	901	COA	N3A-C2A-N1A	-6.90	117.90	128.68
3	A	900	FAD	C4-N3-C2	6.31	120.47	115.14
4	A	901	COA	N3A-C2A-N1A	-5.85	119.53	128.68
3	B	900	FAD	N3A-C2A-N1A	-5.71	119.76	128.68
3	A	900	FAD	N3A-C2A-N1A	-4.89	121.03	128.68
3	A	900	FAD	C4X-N5-C5X	4.50	121.27	116.77
4	A	901	COA	CEP-CBP-CDP	-4.47	100.05	109.17
3	A	900	FAD	C10-C4X-N5	-4.22	118.34	121.26
4	B	901	COA	C7P-C6P-C5P	-3.89	105.88	112.36
3	B	900	FAD	O3B-C3B-C4B	3.81	122.06	111.05
4	A	901	COA	CDP-CBP-CAP	3.74	115.31	108.82
3	A	900	FAD	O4'-C4'-C3'	-3.62	100.29	109.10
3	B	900	FAD	C4X-C4-N3	-3.48	118.67	123.43
3	B	900	FAD	O2'-C2'-C1'	-3.37	101.48	109.59
4	B	901	COA	C1B-N9A-C4A	-3.34	120.77	126.64
4	A	901	COA	C7P-C6P-C5P	-3.13	107.14	112.36
3	B	900	FAD	O2B-C2B-C1B	3.06	122.14	110.85
3	A	900	FAD	C4X-C4-N3	-3.02	119.31	123.43
4	A	901	COA	CDP-CBP-CCP	3.01	113.14	108.23
4	B	901	COA	CEP-CBP-CDP	-2.97	103.11	109.17
4	B	901	COA	CAP-C9P-N8P	2.93	122.41	116.58
3	B	900	FAD	O4B-C4B-C5B	-2.86	99.96	109.37
3	B	900	FAD	C7-C6-C5X	-2.81	117.25	121.22
3	B	900	FAD	C4X-N5-C5X	2.80	119.57	116.77
4	B	901	COA	OAP-CAP-CBP	-2.75	103.77	110.25
3	B	900	FAD	C8M-C8-C9	-2.69	113.91	120.34
4	B	901	COA	CDP-CBP-CCP	2.58	112.44	108.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	900	FAD	C4-C4X-C10	2.54	121.63	119.95
4	B	901	COA	O9P-C9P-CAP	-2.50	113.44	121.06
3	A	900	FAD	O4'-C4'-C5'	-2.49	104.33	109.92
3	B	900	FAD	O4B-C4B-C3B	2.47	110.01	105.11
4	A	901	COA	P2A-O3A-P1A	2.42	141.12	132.83
4	A	901	COA	CAP-C9P-N8P	2.40	121.36	116.58
3	A	900	FAD	O2'-C2'-C1'	-2.37	103.90	109.59
3	A	900	FAD	C2B-C3B-C4B	2.31	107.13	102.64
4	A	901	COA	C1B-N9A-C4A	-2.31	122.58	126.64
3	B	900	FAD	C1'-N10-C10	2.26	120.43	118.41
4	A	901	COA	C2B-C3B-C4B	2.25	107.21	103.22
4	B	901	COA	C2P-C3P-N4P	2.18	117.28	112.31
3	B	900	FAD	C5'-C4'-C3'	-2.15	108.06	112.20
3	B	900	FAD	C2A-N1A-C6A	2.13	122.40	118.75
3	B	900	FAD	C9-C9A-C5X	2.08	123.43	119.88
3	B	900	FAD	C9A-C5X-N5	-2.03	119.19	122.36
3	B	900	FAD	O4B-C1B-C2B	-2.02	103.98	106.93

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	901	COA	S1P-C2P-C3P-N4P
4	B	901	COA	C6P-C5P-N4P-C3P
4	A	901	COA	P2A-O3A-P1A-O5B
4	B	901	COA	P2A-O3A-P1A-O5B
4	A	901	COA	CDP-CBP-CCP-O6A
4	B	901	COA	O5P-C5P-N4P-C3P
3	A	900	FAD	O4B-C4B-C5B-O5B
4	B	901	COA	P1A-O3A-P2A-O4A
3	B	900	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.


4 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	901	COA	3	0
4	B	901	COA	4	0
3	A	900	FAD	6	0
3	B	900	FAD	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	549/574 (95%)	-0.25	5 (0%) 84 83	26, 36, 54, 73	0
1	B	549/574 (95%)	-0.24	7 (1%) 77 76	27, 36, 52, 66	0
All	All	1098/1148 (95%)	-0.25	12 (1%) 80 79	26, 36, 53, 73	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	96	LEU	3.0
1	A	475	ILE	2.9
1	A	499	GLN	2.9
1	B	342	TYR	2.9
1	A	565	SER	2.8
1	B	500	ASN	2.7
1	A	10	VAL	2.5
1	A	486	ASP	2.4
1	B	499	GLN	2.3
1	B	97	LEU	2.2
1	B	253	LEU	2.1
1	B	301	VAL	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	FAD	B	900	53/53	0.97	0.12	24,32,36,37	0
4	COA	B	901	48/48	0.98	0.15	24,35,42,55	0
2	CL	A	575	1/1	0.98	0.12	57,57,57,57	0
3	FAD	A	900	53/53	0.98	0.12	27,33,39,42	0
4	COA	A	901	48/48	0.98	0.14	29,34,39,54	0
2	CL	B	575	1/1	0.99	0.14	53,53,53,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

### Electron density around FAD B 900:




2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around COA B 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FAD A 900:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.