



Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 06:03 am BST

PDB ID : 1NZY
Title : 4-CHLOROBENZOYL COENZYME A DEHALOGENASE FROM PSEUDOMONAS SP. STRAIN CBS-3
Authors : Benning, M.M.; Holden, H.M.
Deposited on : 1996-04-02
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	269	
1	C	269	
2	B	269	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-CHLOROBENZOYL COENZYME A DEHALOGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	1	0
			2097	1325	379	377	16			
1	C	268	Total	C	N	O	S	0	1	0
			2086	1319	375	376	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	85	ALA	GLY	CONFLICT	PIR A42560
C	85	ALA	GLY	CONFLICT	PIR A42560

- Molecule 2 is a protein called 4-CHLOROBENZOYL COENZYME A DEHALOGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	269	Total	C	N	O	S	0	1	0
			2097	1325	378	378	16			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	85	ALA	GLY	CONFLICT	PIR A42560
B	168	ASP	ASN	CONFLICT	PIR A42560

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		
3	A	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		

- Molecule 4 is 4-HYDROXYBENZOYL COENZYME A (three-letter code: BCA) (formula: $C_{28}H_{40}N_7O_{18}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			53	28	7	15	2	1		
4	B	1	Total	C	N	O	P	S	0	0
			53	28	7	15	2	1		
4	C	1	Total	C	N	O	P	S	0	0
			53	28	7	15	2	1		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	240	Total	O	0	0
			240	240		
7	B	201	Total	O	0	0
			201	201		
7	C	157	Total	O	0	0
			157	157		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: 4-CHLOROBENZOYL COENZYME A DEHALOGENASE

Chain A: 




• Molecule 1: 4-CHLOROBENZOYL COENZYME A DEHALOGENASE

Chain C: 



• Molecule 2: 4-CHLOROBENZOYL COENZYME A DEHALOGENASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	107.80 Å 102.40 Å 90.30 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.188 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7053	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, EDO, CA, BCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.12	18/2149 (0.8%)	1.40	26/2911 (0.9%)
1	C	1.05	16/2137 (0.7%)	1.40	25/2894 (0.9%)
2	B	1.04	13/2149 (0.6%)	1.42	35/2911 (1.2%)
All	All	1.07	47/6435 (0.7%)	1.41	86/8716 (1.0%)

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	57	GLU	CD-OE1	7.99	1.34	1.25
1	A	43	GLU	CD-OE1	7.64	1.34	1.25
1	A	226	GLU	CD-OE1	7.58	1.33	1.25
1	A	44	GLU	CD-OE1	7.39	1.33	1.25
1	C	68	GLU	CD-OE1	7.21	1.33	1.25
2	B	193	GLU	CD-OE1	7.21	1.33	1.25
2	B	226	GLU	CD-OE1	7.11	1.33	1.25
1	C	10	GLU	CD-OE1	6.86	1.33	1.25
1	A	190	GLU	CD-OE1	6.74	1.33	1.25
1	C	227	GLU	CD-OE1	6.70	1.33	1.25
2	B	57	GLU	CD-OE2	6.67	1.32	1.25
1	C	264	GLU	CD-OE1	6.58	1.32	1.25
1	A	264	GLU	CD-OE1	6.45	1.32	1.25
1	A	175	GLU	CD-OE1	6.36	1.32	1.25
1	C	193	GLU	CD-OE2	6.36	1.32	1.25
1	A	15	GLU	CD-OE1	6.26	1.32	1.25
1	A	232	GLU	CD-OE1	6.16	1.32	1.25
1	A	230	GLU	CD-OE1	6.08	1.32	1.25
2	B	190	GLU	CD-OE2	6.02	1.32	1.25
1	C	15	GLU	CD-OE1	6.01	1.32	1.25
2	B	10	GLU	CD-OE1	5.97	1.32	1.25
1	A	3	GLU	CD-OE1	5.96	1.32	1.25
1	C	190	GLU	CD-OE1	5.95	1.32	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	43	GLU	CD-OE1	5.93	1.32	1.25
1	A	201	GLU	CD-OE1	5.93	1.32	1.25
1	A	34	GLU	CD-OE1	5.92	1.32	1.25
1	A	43	GLU	CD-OE2	-5.91	1.19	1.25
1	A	174	GLU	CD-OE2	5.91	1.32	1.25
1	A	193	GLU	CD-OE2	5.89	1.32	1.25
1	C	174	GLU	CD-OE2	5.88	1.32	1.25
1	A	215	GLU	CD-OE1	5.82	1.32	1.25
1	C	3	GLU	CD-OE2	5.80	1.32	1.25
1	C	57	GLU	CD-OE1	5.71	1.31	1.25
1	A	68	GLU	CD-OE1	5.65	1.31	1.25
2	B	174	GLU	CD-OE1	5.59	1.31	1.25
2	B	264	GLU	CD-OE2	5.51	1.31	1.25
2	B	3	GLU	CD-OE2	5.45	1.31	1.25
2	B	43	GLU	CD-OE2	-5.37	1.19	1.25
1	C	175	GLU	CD-OE1	5.34	1.31	1.25
1	C	44	GLU	CD-OE1	5.34	1.31	1.25
2	B	163	GLU	CD-OE1	5.33	1.31	1.25
2	B	175	GLU	CD-OE1	5.24	1.31	1.25
1	C	34	GLU	CD-OE1	5.16	1.31	1.25
1	C	201	GLU	CD-OE1	5.12	1.31	1.25
1	C	230	GLU	CD-OE1	5.12	1.31	1.25
1	C	232	GLU	CD-OE1	5.10	1.31	1.25
2	B	230	GLU	CD-OE1	5.07	1.31	1.25

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	216	ARG	NE-CZ-NH1	15.28	127.94	120.30
1	A	200	ARG	NE-CZ-NH2	-14.22	113.19	120.30
1	C	260	ARG	NE-CZ-NH1	11.47	126.04	120.30
2	B	216	ARG	NE-CZ-NH2	-10.30	115.15	120.30
1	C	216	ARG	NE-CZ-NH1	9.88	125.24	120.30
1	C	200	ARG	NE-CZ-NH2	-8.54	116.03	120.30
1	A	200	ARG	NE-CZ-NH1	8.43	124.51	120.30
2	B	123	ASP	CB-CG-OD2	8.31	125.78	118.30
1	A	216	ARG	NE-CZ-NH2	-8.00	116.30	120.30
1	A	46	ASP	CB-CG-OD1	-7.86	111.22	118.30
1	A	37	ASP	CB-CG-OD2	7.69	125.22	118.30
1	A	145	ASP	CB-CG-OD1	7.67	125.20	118.30
2	B	123	ASP	CB-CG-OD1	-7.60	111.46	118.30
2	B	168	ASP	CB-CG-OD2	7.50	125.05	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	178	ASP	CB-CG-OD2	7.49	125.04	118.30
2	B	184	ARG	NE-CZ-NH2	-7.33	116.64	120.30
1	C	58	ASP	CB-CG-OD1	7.23	124.81	118.30
2	B	46	ASP	CB-CG-OD1	-7.23	111.80	118.30
2	B	257	ARG	NE-CZ-NH1	7.13	123.87	120.30
1	C	178	ASP	CB-CG-OD2	7.12	124.71	118.30
2	B	41	ARG	NE-CZ-NH1	7.11	123.85	120.30
2	B	41	ARG	NE-CZ-NH2	-7.01	116.80	120.30
2	B	37	ASP	CB-CG-OD2	6.98	124.58	118.30
1	A	11	ASP	CB-CG-OD2	6.89	124.50	118.30
1	C	154	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	C	101	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	C	37	ASP	CB-CG-OD1	-6.83	112.16	118.30
2	B	11	ASP	CB-CG-OD1	-6.79	112.19	118.30
2	B	159	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	A	216	ARG	NE-CZ-NH1	6.73	123.67	120.30
2	B	168	ASP	CB-CG-OD1	-6.67	112.30	118.30
1	A	123	ASP	CB-CG-OD1	-6.67	112.30	118.30
1	C	123	ASP	CB-CG-OD1	-6.64	112.33	118.30
1	A	72	ASP	CB-CG-OD1	-6.63	112.33	118.30
2	B	58	ASP	CB-CG-OD1	-6.63	112.33	118.30
1	C	58	ASP	CB-CG-OD2	-6.61	112.36	118.30
1	C	46	ASP	CB-CG-OD2	6.59	124.23	118.30
2	B	58	ASP	CB-CG-OD2	6.59	124.23	118.30
2	B	37	ASP	CB-CG-OD1	-6.55	112.40	118.30
1	C	169	ARG	NE-CZ-NH1	6.50	123.55	120.30
1	A	259	ASP	CB-CG-OD2	-6.44	112.50	118.30
2	B	251	ARG	NE-CZ-NH1	6.41	123.51	120.30
1	C	46	ASP	CB-CG-OD1	-6.28	112.64	118.30
1	A	259	ASP	CB-CG-OD1	6.27	123.94	118.30
1	C	67	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	A	37	ASP	CB-CG-OD1	-6.20	112.72	118.30
1	A	254	ASP	CB-CG-OD2	6.19	123.87	118.30
1	C	11	ASP	CB-CG-OD1	-6.12	112.80	118.30
1	A	189	ASP	CB-CG-OD1	-6.11	112.81	118.30
1	A	58	ASP	CB-CG-OD2	6.09	123.78	118.30
1	A	19	LYS	N-CA-CB	-6.07	99.68	110.60
2	B	189	ASP	CB-CG-OD1	-6.02	112.88	118.30
1	A	72	ASP	CB-CG-OD2	6.01	123.71	118.30
1	A	123	ASP	CB-CG-OD2	5.96	123.66	118.30
2	B	72	ASP	CB-CG-OD2	5.93	123.63	118.30
2	B	254	ASP	CB-CG-OD2	5.88	123.59	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	159	ARG	NE-CZ-NH1	5.85	123.23	120.30
1	A	45	ASP	CB-CG-OD1	-5.85	113.03	118.30
1	C	79	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	C	189	ASP	CB-CG-OD2	5.80	123.52	118.30
1	C	45	ASP	CB-CG-OD1	-5.75	113.12	118.30
2	B	145	ASP	CB-CG-OD2	-5.73	113.14	118.30
1	A	145	ASP	CB-CG-OD2	-5.73	113.14	118.30
1	A	8	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	C	19	LYS	N-CA-CB	-5.67	100.40	110.60
2	B	169	ARG	NE-CZ-NH1	5.65	123.12	120.30
1	A	178	ASP	CB-CG-OD2	5.62	123.36	118.30
1	A	254	ASP	CB-CG-OD1	-5.62	113.24	118.30
2	B	145	ASP	CB-CG-OD1	5.60	123.34	118.30
1	C	216	ARG	NE-CZ-NH2	-5.59	117.50	120.30
2	B	168	ASP	N-CA-CB	5.56	120.61	110.60
2	B	259	ASP	CB-CG-OD1	-5.56	113.30	118.30
1	A	184	ARG	NE-CZ-NH1	5.55	123.07	120.30
1	C	192	ARG	NE-CZ-NH1	5.53	123.06	120.30
2	B	11	ASP	CB-CG-OD2	5.46	123.21	118.30
2	B	254	ASP	CB-CG-OD1	-5.45	113.40	118.30
2	B	24	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	A	46	ASP	CB-CG-OD2	5.34	123.11	118.30
2	B	257	ARG	NE-CZ-NH2	-5.31	117.64	120.30
2	B	79	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	C	189	ASP	CB-CG-OD1	-5.27	113.56	118.30
2	B	19	LYS	N-CA-CB	-5.19	101.25	110.60
1	C	72	ASP	CB-CG-OD1	-5.15	113.67	118.30
2	B	245	PHE	N-CA-C	5.11	124.81	111.00
1	C	80	ASP	CB-CG-OD2	5.04	122.84	118.30
2	B	80	ASP	CB-CG-OD1	-5.00	113.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2097	0	2086	30	0
1	C	2086	0	2071	52	0
2	B	2097	0	2084	37	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	53	0	36	1	0
4	B	53	0	36	1	0
4	C	53	0	35	2	0
5	B	5	0	0	0	0
6	B	8	0	12	0	0
7	A	240	0	0	3	0
7	B	201	0	0	1	0
7	C	157	0	0	2	0
All	All	7053	0	6360	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:139:THR:HG21	1:C:258:ALA:HA	1.46	0.97
1:C:27:LEU:HD13	1:C:32:MET:HG3	1.62	0.81
1:C:27:LEU:HD13	1:C:32:MET:CG	2.11	0.80
1:A:22:ARG:HD3	7:A:279:HOH:O	1.82	0.79
2:B:139:THR:CG2	1:C:258:ALA:HA	2.12	0.79
2:B:27:LEU:HD13	2:B:32:MET:HG3	1.64	0.78
1:C:40:ASN:O	1:C:44:GLU:HG3	1.86	0.75
2:B:27:LEU:HD13	2:B:32:MET:CG	2.18	0.72
1:C:65:TYR:CD2	1:C:68:GLU:HG3	2.24	0.72
1:C:246:MET:HE3	1:C:249:LEU:HB3	1.70	0.71
1:C:80:ASP:O	1:C:84:ILE:HD12	1.94	0.67
1:C:30:LYS:HD2	1:C:30:LYS:O	1.95	0.67
1:C:246:MET:O	1:C:250:THR:HB	1.95	0.66
2:B:65:TYR:CD2	2:B:68:GLU:HG3	2.31	0.66
1:A:21:PRO:HD2	7:A:279:HOH:O	1.96	0.65
1:A:171:LEU:HD21	1:A:181:LEU:HD12	1.80	0.63
2:B:32:MET:HE3	2:B:88:TRP:CB	2.28	0.63
1:A:171:LEU:CD2	1:A:181:LEU:HD12	2.28	0.63
1:C:260:ARG:HG3	1:C:260:ARG:HH11	1.62	0.63
1:A:140:ILE:O	1:A:140:ILE:HD13	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:260:ARG:NH1	1:C:260:ARG:HG3	2.15	0.61
1:C:246:MET:HA	1:C:246:MET:HE3	1.84	0.60
2:B:32:MET:CE	2:B:88:TRP:HB2	2.32	0.59
1:C:21:PRO:HD2	7:C:374:HOH:O	2.03	0.59
1:C:30:LYS:HE2	1:C:34:GLU:OE2	2.02	0.59
2:B:32:MET:HE3	2:B:88:TRP:HB2	1.85	0.59
1:C:40:ASN:OD1	1:C:95:LYS:HE2	2.03	0.59
2:B:20:LEU:N	2:B:21:PRO:HD3	2.17	0.58
1:A:242:HIS:ND1	1:A:243:PRO:HD2	2.18	0.57
2:B:139:THR:HG21	1:C:258:ALA:CA	2.29	0.57
1:A:27:LEU:HG	1:A:32:MET:HG3	1.86	0.57
1:A:32:MET:CE	1:A:88:TRP:HB2	2.35	0.56
1:A:241:THR:OG1	1:C:79:ARG:HD2	2.07	0.55
1:C:260:ARG:CG	1:C:260:ARG:HH11	2.19	0.55
2:B:29:VAL:HA	2:B:32:MET:HE2	1.88	0.54
1:C:249:LEU:HG	1:C:253:LEU:HD22	1.89	0.54
1:C:20:LEU:N	1:C:21:PRO:HD3	2.24	0.53
1:C:57:GLU:HA	1:C:57:GLU:OE1	2.08	0.53
2:B:140:ILE:HG21	2:B:142:ILE:HD12	1.91	0.53
1:A:32:MET:HE3	1:A:88:TRP:HB2	1.92	0.52
1:C:2:TYR:HB3	1:C:34:GLU:OE1	2.09	0.51
1:A:20:LEU:N	1:A:21:PRO:HD3	2.25	0.51
1:A:72:ASP:O	1:A:73:LYS:HG3	2.11	0.51
1:C:27:LEU:HD13	1:C:32:MET:HG2	1.91	0.51
2:B:140:ILE:CG2	2:B:142:ILE:HD12	2.41	0.51
2:B:172:TYR:HB3	2:B:173:PRO:HD2	1.93	0.50
2:B:1:MET:HG2	2:B:2:TYR:N	2.27	0.50
2:B:72:ASP:OD1	2:B:73:LYS:HG2	2.12	0.50
1:C:102:PRO:HG3	1:C:210:GLN:OE1	2.11	0.49
1:C:56:ALA:O	1:C:57:GLU:HB2	2.11	0.49
1:C:2:TYR:CD1	1:C:34:GLU:HB3	2.47	0.49
2:B:88:TRP:HE3	7:B:1082:HOH:O	1.96	0.49
1:C:181:LEU:HD23	1:C:181:LEU:O	2.14	0.48
2:B:20:LEU:N	2:B:21:PRO:CD	2.77	0.48
1:C:229:THR:O	1:C:233:ILE:HG13	2.13	0.47
1:C:73:LYS:HB2	1:C:77:GLY:HA3	1.95	0.47
1:C:32:MET:CE	1:C:88:TRP:HB2	2.44	0.47
1:A:162:MET:HB3	1:A:162:MET:HE2	1.79	0.47
2:B:65:TYR:CD2	2:B:68:GLU:CG	2.97	0.47
1:C:211:VAL:O	1:C:215:GLU:HG3	2.15	0.47
1:A:242:HIS:CG	1:A:243:PRO:HD2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:PHE:HB2	4:A:272:BCA:C2B	2.46	0.45
1:C:249:LEU:O	1:C:253:LEU:HB2	2.17	0.45
2:B:20:LEU:HD12	2:B:20:LEU:HA	1.68	0.45
2:B:24:ARG:O	2:B:25:ASN:HB2	2.16	0.45
1:C:154:ARG:HG2	1:C:221:TRP:CE2	2.52	0.45
1:A:216:ARG:HB3	1:C:149:SER:CB	2.47	0.45
2:B:66:LEU:HD22	2:B:140:ILE:HD12	2.00	0.44
1:A:190:GLU:O	1:A:194:VAL:HG23	2.18	0.44
1:A:163:GLU:OE1	7:A:453:HOH:O	2.21	0.44
1:A:197:LYS:O	1:A:201:GLU:HG3	2.18	0.44
2:B:136:ALA:N	2:B:168:ASP:OD1	2.48	0.44
2:B:242:HIS:ND1	2:B:243:PRO:HD2	2.32	0.44
2:B:64:PHE:HB2	4:B:272:BCA:C2B	2.48	0.44
1:A:27:LEU:CG	1:A:32:MET:HG3	2.47	0.44
2:B:107:ILE:HD11	2:B:119[B]:SER:HB3	2.00	0.44
1:A:27:LEU:CD2	1:A:32:MET:HG3	2.48	0.44
1:A:8:ARG:NH2	1:A:196:TRP:CE2	2.86	0.43
1:C:260:ARG:NH1	1:C:260:ARG:CG	2.80	0.43
1:A:137:TRP:CD1	1:A:144:ASN:HA	2.52	0.43
1:A:171:LEU:CD2	1:A:181:LEU:CD1	2.94	0.43
1:A:29:VAL:HA	1:A:32:MET:HE2	1.98	0.43
1:C:205:ALA:HB3	1:C:210:GLN:NE2	2.33	0.43
1:C:123:ASP:OD1	1:C:214:LYS:HE3	2.19	0.43
2:B:30:LYS:HE3	2:B:34:GLU:OE2	2.19	0.43
1:A:72:ASP:C	1:A:73:LYS:HG3	2.39	0.43
1:C:197:LYS:O	1:C:201:GLU:HG3	2.18	0.43
1:A:206:PRO:O	1:A:210:GLN:HG3	2.19	0.43
1:C:129:ASP:OD2	1:C:187:PRO:HA	2.19	0.42
2:B:140:ILE:HG23	2:B:140:ILE:O	2.18	0.42
2:B:27:LEU:HD13	2:B:32:MET:HG2	1.98	0.42
2:B:58:ASP:OD1	2:B:188:LYS:NZ	2.52	0.42
1:C:23:HIS:HD1	1:C:65:TYR:HH	1.67	0.42
2:B:1:MET:CG	2:B:2:TYR:N	2.82	0.42
1:C:253:LEU:HA	1:C:253:LEU:HD12	1.65	0.42
2:B:140:ILE:CG2	2:B:142:ILE:CD1	2.97	0.42
1:A:258:ALA:N	4:C:272:BCA:O9P	2.46	0.42
1:C:116:LEU:O	1:C:119[A]:SER:OG	2.25	0.41
2:B:159:ARG:NH2	1:C:122:SER:O	2.51	0.41
1:C:197:LYS:HD3	7:C:370:HOH:O	2.19	0.41
1:C:265:LEU:HD12	1:C:265:LEU:HA	1.81	0.41
1:C:90:HIS:HE1	1:C:145:ASP:OD2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:246:MET:N	2:B:247:PRO:CD	2.83	0.41
2:B:18:ILE:HD13	2:B:61:CYS:HB2	2.03	0.41
1:C:23:HIS:HA	4:C:272:BCA:O4D	2.21	0.41
1:C:246:MET:HA	1:C:246:MET:CE	2.50	0.41
2:B:32:MET:HE3	2:B:88:TRP:HB3	2.01	0.41
2:B:37:ASP:O	2:B:41:ARG:HG2	2.21	0.41
1:C:20:LEU:N	1:C:21:PRO:CD	2.81	0.41
1:A:116:LEU:O	1:A:120:LEU:HG	2.21	0.41
1:C:95:LYS:HD2	1:C:95:LYS:HA	1.93	0.40
1:A:20:LEU:HA	1:A:20:LEU:HD12	1.91	0.40
1:C:246:MET:CA	1:C:246:MET:CE	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/269 (100%)	256 (96%)	12 (4%)	0	100	100
1	C	265/269 (98%)	250 (94%)	15 (6%)	0	100	100
2	B	268/269 (100%)	257 (96%)	11 (4%)	0	100	100
All	All	801/807 (99%)	763 (95%)	38 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	215/214 (100%)	208 (97%)	7 (3%)	38	23
1	C	214/214 (100%)	204 (95%)	10 (5%)	26	12
2	B	215/214 (100%)	208 (97%)	7 (3%)	38	23
All	All	644/642 (100%)	620 (96%)	24 (4%)	34	19

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	3	GLU
1	A	22	ARG
1	A	32	MET
1	A	140	ILE
1	A	162	MET
1	A	163	GLU
2	B	71	LEU
2	B	72	ASP
2	B	73	LYS
2	B	79	ARG
2	B	140	ILE
2	B	181	LEU
2	B	260	ARG
1	C	20	LEU
1	C	30	LYS
1	C	47	SER
1	C	57	GLU
1	C	79	ARG
1	C	246	MET
1	C	250	THR
1	C	253	LEU
1	C	260	ARG
1	C	264	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
2	B	33	GLN
2	B	235	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	33	GLN
1	C	235	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	BCA	C	272	-	48,56,60	1.69	5 (10%)	60,82,89	1.92	13 (21%)
6	EDO	B	900	-	3,3,3	0.38	0	2,2,2	0.74	0
4	BCA	A	272	-	48,56,60	1.96	10 (20%)	60,82,89	1.55	6 (10%)
6	EDO	B	901	-	3,3,3	0.45	0	2,2,2	0.19	0
5	PO4	B	902	-	4,4,4	1.15	0	6,6,6	0.75	0
4	BCA	B	272	-	48,56,60	1.69	5 (10%)	60,82,89	1.98	8 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	900	-	-	0/1/1/1	-
4	BCA	C	272	-	-	1/46/66/71	0/4/4/4
4	BCA	B	272	-	-	7/46/66/71	0/4/4/4
4	BCA	A	272	-	-	1/46/66/71	0/4/4/4
6	EDO	B	901	-	-	1/1/1/1	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	272	BCA	C9P-N8P	7.22	1.49	1.33
4	C	272	BCA	C9P-N8P	6.88	1.48	1.33
4	A	272	BCA	C5P-N4P	6.77	1.48	1.33
4	A	272	BCA	C9P-N8P	6.49	1.47	1.33
4	C	272	BCA	C5P-N4P	6.13	1.47	1.33
4	B	272	BCA	C5P-N4P	5.61	1.46	1.33
4	A	272	BCA	C7B-C2B	3.66	1.45	1.39
4	A	272	BCA	C6B-C5B	3.34	1.45	1.38
4	A	272	BCA	C4B-C3B	2.97	1.44	1.38
4	A	272	BCA	C7B-C6B	2.96	1.44	1.38
4	A	272	BCA	O2B-C5B	2.87	1.43	1.37
4	B	272	BCA	C4B-C5B	2.80	1.44	1.38
4	A	272	BCA	C2B-C1B	-2.78	1.44	1.49
4	C	272	BCA	C6B-C5B	2.73	1.44	1.38
4	B	272	BCA	C1B-S1P	2.59	1.81	1.76
4	A	272	BCA	C4B-C5B	2.57	1.43	1.38
4	B	272	BCA	C2D-C1D	-2.28	1.50	1.53
4	C	272	BCA	C2A-N1A	2.07	1.37	1.33
4	C	272	BCA	C3B-C2B	2.06	1.42	1.39
4	A	272	BCA	C6P-C5P	2.03	1.55	1.51

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	272	BCA	C3P-N4P-C5P	-7.57	108.78	122.84
4	C	272	BCA	C3P-N4P-C5P	-6.72	110.35	122.84
4	B	272	BCA	C2P-S1P-C1B	6.51	107.98	99.80
4	C	272	BCA	O6A-P2A-O4A	-6.39	84.11	109.07
4	A	272	BCA	CEP-CBP-CAP	5.99	119.20	108.82
4	B	272	BCA	C7P-N8P-C9P	-5.70	112.41	122.59
4	A	272	BCA	C7P-N8P-C9P	-5.27	113.18	122.59
4	C	272	BCA	C7P-N8P-C9P	-5.00	113.67	122.59
4	B	272	BCA	C6P-C5P-N4P	-4.89	108.19	116.42
4	A	272	BCA	C3P-N4P-C5P	-4.77	113.99	122.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	272	BCA	C6P-C5P-N4P	-3.34	110.81	116.42
4	B	272	BCA	O5P-C5P-N4P	-3.32	116.75	123.01
4	C	272	BCA	C2P-S1P-C1B	3.32	103.97	99.80
4	C	272	BCA	CDP-CBP-CAP	3.11	114.21	108.82
4	B	272	BCA	O6A-CCP-CBP	-3.06	105.63	110.55
4	C	272	BCA	CAP-C9P-N8P	-2.78	111.03	116.58
4	C	272	BCA	C7B-C2B-C3B	2.52	122.18	118.59
4	A	272	BCA	CDP-CBP-CAP	-2.45	104.58	108.82
4	B	272	BCA	O5D-C5D-C4D	-2.34	100.92	108.99
4	C	272	BCA	C5A-C6A-N6A	2.30	123.85	120.35
4	B	272	BCA	CDP-CBP-CAP	2.29	112.79	108.82
4	C	272	BCA	C4A-C5A-N7A	2.27	111.77	109.40
4	C	272	BCA	P2A-O6A-CCP	-2.19	108.96	121.56
4	C	272	BCA	P2A-O3A-P1A	-2.18	125.35	132.83
4	A	272	BCA	CDP-CBP-CCP	2.16	111.75	108.23
4	A	272	BCA	C6P-C5P-N4P	-2.03	113.00	116.42
4	C	272	BCA	OAP-CAP-CBP	-2.03	105.47	110.25

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	272	BCA	O1B-C1B-S1P-C2P
4	B	272	BCA	CAP-CBP-CCP-O6A
4	B	272	BCA	O5P-C5P-N4P-C3P
4	B	272	BCA	CEP-CBP-CCP-O6A
4	B	272	BCA	P1A-O3A-P2A-O6A
4	B	272	BCA	CDP-CBP-CCP-O6A
4	A	272	BCA	O1B-C1B-S1P-C2P
6	B	901	EDO	O1-C1-C2-O2
4	B	272	BCA	S1P-C2P-C3P-N4P
4	B	272	BCA	CCP-O6A-P2A-O4A


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	272	BCA	2	0
4	A	272	BCA	1	0
4	B	272	BCA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.