



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 03:18 am BST

PDB ID : 6NZG
Title : Bacteroides uniformis beta-glucuronidase 2 covalently bound to cyclophellitol
-6-carboxylate aziridine
Authors : Pellock, S.J.; Jariwala, P.B.; Redinbo, M.R.
Deposited on : 2019-02-13
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	878	<div> <div>%</div> <div> <div></div> <div>86%</div> <div>9%</div> <div>5%</div> </div> </div>
1	B	878	<div> <div>%</div> <div> <div></div> <div>82%</div> <div>13%</div> <div>5%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	B	902	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14097 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	837	Total	C	N	O	S	0	2	0
			6783	4317	1163	1282	21			
1	B	837	Total	C	N	O	S	0	2	0
			6783	4317	1163	1282	21			

There are 54 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	9	HIS	-	expression tag	UNP A0A174CNH3
A	10	HIS	-	expression tag	UNP A0A174CNH3
A	11	HIS	-	expression tag	UNP A0A174CNH3
A	12	HIS	-	expression tag	UNP A0A174CNH3
A	13	HIS	-	expression tag	UNP A0A174CNH3
A	14	HIS	-	expression tag	UNP A0A174CNH3
A	15	SER	-	expression tag	UNP A0A174CNH3
A	16	SER	-	expression tag	UNP A0A174CNH3
A	17	GLY	-	expression tag	UNP A0A174CNH3
A	18	VAL	-	expression tag	UNP A0A174CNH3
A	19	ASP	-	expression tag	UNP A0A174CNH3
A	20	LEU	-	expression tag	UNP A0A174CNH3
A	21	GLY	-	expression tag	UNP A0A174CNH3
A	22	THR	-	expression tag	UNP A0A174CNH3
A	23	GLU	-	expression tag	UNP A0A174CNH3
A	24	ASN	-	expression tag	UNP A0A174CNH3
A	25	LEU	-	expression tag	UNP A0A174CNH3
A	26	TYR	-	expression tag	UNP A0A174CNH3
A	27	PHE	-	expression tag	UNP A0A174CNH3
A	28	GLN	-	expression tag	UNP A0A174CNH3
A	29	SER	-	expression tag	UNP A0A174CNH3
A	30	ASN	-	expression tag	UNP A0A174CNH3
A	262	ALA	THR	conflict	UNP A0A174CNH3
A	393	ASN	ASP	conflict	UNP A0A174CNH3
A	672	ALA	GLY	conflict	UNP A0A174CNH3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	771	GLY	ASP	conflict	UNP A0A174CNH3
A	824	SER	ASN	conflict	UNP A0A174CNH3
B	9	HIS	-	expression tag	UNP A0A174CNH3
B	10	HIS	-	expression tag	UNP A0A174CNH3
B	11	HIS	-	expression tag	UNP A0A174CNH3
B	12	HIS	-	expression tag	UNP A0A174CNH3
B	13	HIS	-	expression tag	UNP A0A174CNH3
B	14	HIS	-	expression tag	UNP A0A174CNH3
B	15	SER	-	expression tag	UNP A0A174CNH3
B	16	SER	-	expression tag	UNP A0A174CNH3
B	17	GLY	-	expression tag	UNP A0A174CNH3
B	18	VAL	-	expression tag	UNP A0A174CNH3
B	19	ASP	-	expression tag	UNP A0A174CNH3
B	20	LEU	-	expression tag	UNP A0A174CNH3
B	21	GLY	-	expression tag	UNP A0A174CNH3
B	22	THR	-	expression tag	UNP A0A174CNH3
B	23	GLU	-	expression tag	UNP A0A174CNH3
B	24	ASN	-	expression tag	UNP A0A174CNH3
B	25	LEU	-	expression tag	UNP A0A174CNH3
B	26	TYR	-	expression tag	UNP A0A174CNH3
B	27	PHE	-	expression tag	UNP A0A174CNH3
B	28	GLN	-	expression tag	UNP A0A174CNH3
B	29	SER	-	expression tag	UNP A0A174CNH3
B	30	ASN	-	expression tag	UNP A0A174CNH3
B	262	ALA	THR	conflict	UNP A0A174CNH3
B	393	ASN	ASP	conflict	UNP A0A174CNH3
B	672	ALA	GLY	conflict	UNP A0A174CNH3
B	771	GLY	ASP	conflict	UNP A0A174CNH3
B	824	SER	ASN	conflict	UNP A0A174CNH3

- Molecule 2 is (1S,2R,3S,4S,5S,6R)-2-amino-3,4,5,6-tetrahydrocyclohexane-1-carboxylic acid (three-letter code: L9D) (formula: C₇H₁₃NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			13	7	1	5		
2	B	1	Total	C	N	O	0	0
			13	7	1	5		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	K	0	0
			1	1		
4	A	1	Total	K	0	0
			1	1		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Ca	0	0
			1	1		
5	A	1	Total	Ca	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	283	Total	O	0	0
			283	283		
6	B	194	Total	O	0	0
			194	194		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Beta-galactosidase



• Molecule 1: Beta-galactosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.54Å 142.41Å 180.66Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.46 – 2.43 29.46 – 2.43	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.46-2.43) 99.8 (29.46-2.43)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 2.42Å)	Xtriage
Refinement program	PHENIX (1.14_3260: ???)	Depositor
R, R_{free}	0.170 , 0.221 0.170 , 0.221	Depositor DCC
R_{free} test set	2000 reflections (2.74%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtriage
Anisotropy	0.211	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14097	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: L9D, GOL, K, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	1/6966 (0.0%)	0.61	0/9458
1	B	0.48	2/6966 (0.0%)	0.60	1/9458 (0.0%)
All	All	0.49	3/13932 (0.0%)	0.61	1/18916 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	526	GLU	CD-OE2	16.17	1.43	1.25
1	A	526	GLU	CD-OE2	15.21	1.42	1.25
1	B	526	GLU	CD-OE1	-5.05	1.20	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	74	ASP	CB-CG-OD1	6.15	123.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6783	0	6543	45	0
1	B	6783	0	6543	66	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	13	0	0	0	0
2	B	13	0	0	1	0
3	A	6	0	8	0	0
3	B	18	0	24	6	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	283	0	0	4	0
6	B	194	0	0	0	0
All	All	14097	0	13118	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:142:SER:H	1:B:147:ASN:HD21	1.13	0.93
3:B:902:GOL:H32	3:B:904:GOL:H31	1.76	0.67
1:B:142:SER:N	1:B:147:ASN:HD21	1.90	0.66
1:A:154:ASP:OD2	1:A:157:ARG:HG3	1.97	0.64
1:A:94:LEU:HD11	1:A:141:LEU:HD13	1.83	0.61
1:A:51:ALA:HB1	1:A:54:ASP:OD2	2.01	0.60
1:B:793:TYR:CD2	1:B:882:LEU:HD11	2.38	0.59
1:B:226:THR:HG23	1:B:249:GLN:HG2	1.86	0.58
1:B:230:THR:HG23	1:B:245:LYS:HG2	1.85	0.57
1:A:867:ARG:NH2	6:A:1002:HOH:O	2.38	0.56
1:B:286:ARG:NH2	1:B:293:LEU:HD12	2.20	0.56
1:A:342:GLU:OE1	3:B:904:GOL:O2	2.24	0.55
1:A:510:LEU:HD13	1:A:567:ILE:HD11	1.88	0.55
1:A:325:GLY:HA2	1:A:358:PHE:O	2.06	0.55
1:B:526:GLU:HG2	1:B:573:TRP:HB2	1.87	0.55
1:B:279:TYR:HB2	1:B:301:THR:HG22	1.89	0.55
1:B:442:LYS:HB3	1:B:443:PRO:HD3	1.87	0.54
1:B:141:LEU:HA	1:B:147:ASN:ND2	2.22	0.54
1:A:95:PRO:HG2	1:A:98:TRP:CG	2.42	0.54
1:A:793:TYR:CD2	1:A:882:LEU:HD11	2.44	0.52
1:A:432:GLN:NE2	6:A:1005:HOH:O	2.41	0.52
1:B:187:PHE:HD2	1:B:295:ASP:OD2	1.92	0.51
1:A:792:VAL:HB	1:A:886:TYR:HB2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:GLY:HA3	1:B:135:PHE:CE2	2.46	0.51
1:B:564:THR:HB	1:B:567:ILE:HD12	1.92	0.51
1:A:681:ARG:HD3	1:A:704:PHE:O	2.11	0.51
1:A:421:TRP:HB2	1:A:459:LEU:HD11	1.92	0.50
1:B:87:TRP:CH2	1:B:152:CYS:HB2	2.45	0.50
1:A:717:LYS:HE2	1:B:377:LEU:HD23	1.93	0.50
1:B:242:GLN:OE1	1:B:244:LEU:HD21	2.12	0.50
1:B:795:ILE:HD13	1:B:882:LEU:HD13	1.94	0.50
1:B:415:HIS:HB2	1:B:418:ILE:HD12	1.93	0.49
1:B:750:SER:OG	1:B:751:TRP:N	2.43	0.49
1:B:472:PHE:HB3	1:B:478:TYR:CD2	2.48	0.49
1:B:852:ARG:NH1	3:B:902:GOL:H31	2.28	0.49
1:B:840:SER:O	1:B:844:GLU:HG2	2.12	0.49
1:B:852:ARG:CZ	3:B:902:GOL:H31	2.43	0.48
1:B:885:ILE:HG22	1:B:886:TYR:CD2	2.48	0.48
1:B:218:LYS:HG3	1:B:255:THR:HG22	1.96	0.48
1:A:467:ILE:HG23	1:A:488:ASP:HB2	1.96	0.48
1:B:830:ILE:HG12	1:B:866:ILE:HG12	1.96	0.47
1:B:493:ASN:OD1	1:B:526:GLU:HB2	2.15	0.47
1:B:694:LYS:HE2	1:B:694:LYS:HB3	1.60	0.47
1:A:823:GLU:OE1	1:A:823:GLU:N	2.47	0.47
1:B:123:VAL:HG11	1:B:137:ILE:HG22	1.96	0.47
1:B:707:ILE:HG21	1:B:721:LEU:HD13	1.96	0.47
1:B:325:GLY:HA2	1:B:358:PHE:O	2.15	0.47
1:A:174[B]:TYR:CD1	1:A:337:PRO:HB2	2.50	0.46
1:B:467:ILE:HG23	1:B:488:ASP:HB2	1.98	0.46
1:A:878:ASN:N	1:A:878:ASN:OD1	2.48	0.46
1:B:111:GLY:HA2	1:B:112:LYS:HA	1.69	0.46
1:B:91:GLN:OE1	1:B:148:THR:HG22	2.15	0.46
1:A:755:GLY:O	1:A:778:ARG:HD3	2.16	0.46
1:A:111:GLY:HA2	1:A:112:LYS:HA	1.67	0.46
1:B:853:LYS:HB3	1:B:853:LYS:HE2	1.85	0.46
1:B:228:GLU:OE2	1:B:245:LYS:HD2	2.16	0.46
1:A:427:ILE:HD12	1:A:427:ILE:HA	1.78	0.45
1:B:599:ASP:O	1:B:600:ARG:HB2	2.16	0.45
1:A:387:ILE:HB	1:A:423:TYR:O	2.17	0.45
1:A:619:VAL:O	1:A:648:THR:HA	2.16	0.45
1:A:73[B]:THR:HG23	1:A:334:PRO:O	2.17	0.45
1:B:402:GLU:HG3	1:B:458:VAL:HG21	1.97	0.45
1:A:226:THR:HB	1:A:249:GLN:OE1	2.16	0.45
2:B:901:L9D:N10	3:B:903:GOL:O1	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:839:LEU:HG	1:A:841:PRO:HD3	1.98	0.45
1:A:366:GLN:HB3	6:A:1165:HOH:O	2.17	0.44
1:A:326:ILE:H	1:A:326:ILE:HD13	1.81	0.44
1:B:154:ASP:OD2	1:B:157:ARG:HG3	2.17	0.44
1:B:159:ASP:N	1:B:159:ASP:OD1	2.47	0.44
1:B:379:MET:O	1:B:417:SER:HB2	2.17	0.44
1:A:187:PHE:CZ	1:A:283:THR:HG22	2.52	0.44
1:A:362:SER:HB2	1:A:363:HIS:HA	1.99	0.44
1:A:228:GLU:OE2	1:A:245:LYS:HE2	2.18	0.44
1:B:793:TYR:HD2	1:B:882:LEU:HD11	1.81	0.44
1:B:76:TYR:CE1	1:B:579:SER:HB2	2.53	0.43
1:B:795:ILE:CD1	1:B:882:LEU:HD13	2.47	0.43
1:A:95:PRO:HG2	1:A:98:TRP:CD2	2.52	0.43
1:B:574:ASN:O	1:B:594:GLY:HA2	2.17	0.43
1:A:434:LYS:HD2	1:A:435:TYR:CZ	2.52	0.43
1:B:730:PHE:CD2	1:B:742:PRO:HD3	2.53	0.43
1:A:736:SER:O	1:A:737:GLN:HB2	2.19	0.43
1:B:785:ARG:HD2	1:B:865:ASP:OD1	2.17	0.43
1:B:84:GLY:O	1:B:154:ASP:HA	2.18	0.43
3:B:902:GOL:C3	3:B:904:GOL:H31	2.45	0.43
1:A:708:PRO:HD3	6:A:1104:HOH:O	2.19	0.43
1:B:211:LEU:HB3	1:B:262:ALA:HB3	2.01	0.43
1:B:137:ILE:HD12	1:B:141:LEU:HD11	2.01	0.42
1:B:187:PHE:CZ	1:B:283:THR:HG22	2.54	0.42
1:B:472:PHE:CE2	1:B:490:VAL:HB	2.54	0.42
1:A:510:LEU:HD13	1:A:567:ILE:CD1	2.48	0.42
1:B:428:LEU:HB2	1:B:478:TYR:CZ	2.54	0.42
1:B:707:ILE:HG13	1:B:741:LEU:HD11	2.02	0.42
1:B:427:ILE:HA	1:B:427:ILE:HD12	1.93	0.42
1:A:175:ARG:NH2	1:A:366:GLN:HA	2.34	0.42
1:B:596:VAL:HA	1:B:602:PRO:HA	2.02	0.42
1:A:795:ILE:CD1	1:A:882:LEU:HD13	2.49	0.42
1:B:504:THR:O	1:B:508:LYS:HG3	2.19	0.42
1:B:845:SER:O	1:B:849:ARG:HD3	2.20	0.42
1:B:387:ILE:HB	1:B:423:TYR:O	2.20	0.41
1:B:105:LEU:O	1:B:134:SER:HA	2.20	0.41
1:B:98:TRP:HA	1:B:101:LYS:HG3	2.01	0.41
1:A:179:LEU:HD23	1:A:179:LEU:HA	1.81	0.41
1:B:271:TRP:HB2	1:B:302:ALA:HB1	2.01	0.41
1:A:163:ILE:HG13	1:A:163:ILE:H	1.71	0.41
1:A:650:LEU:HD23	1:A:689:GLY:HA3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:37:THR:HG23	1:B:178:TRP:CZ3	2.56	0.41
1:A:778:ARG:HG2	1:A:781:ILE:HB	2.03	0.41
1:A:765:ILE:HD12	1:A:800:THR:HG21	2.03	0.41
1:B:519:THR:O	1:B:521:PRO:HD3	2.21	0.41
1:A:532:ASP:HB3	1:A:535:LEU:HD12	2.03	0.40
1:B:42:TRP:CD2	1:B:90:ARG:HB2	2.56	0.40
1:A:515:GLN:HG3	1:A:516:ASN:N	2.36	0.40
1:B:646:ILE:O	1:B:671:THR:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	835/878 (95%)	803 (96%)	32 (4%)	0	100	100
1	B	835/878 (95%)	795 (95%)	40 (5%)	0	100	100
All	All	1670/1756 (95%)	1598 (96%)	72 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	728/760 (96%)	712 (98%)	16 (2%)	52	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	728/760 (96%)	714 (98%)	14 (2%)	57	69
All	All	1456/1520 (96%)	1426 (98%)	30 (2%)	53	66

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	LYS
1	A	85	THR
1	A	93	THR
1	A	142	SER
1	A	297	SER
1	A	304	ARG
1	A	326	ILE
1	A	367	ASP
1	A	382	TRP
1	A	515	GLN
1	A	656	PHE
1	A	804	ARG
1	A	823	GLU
1	A	852	ARG
1	A	870	SER
1	A	878	ASN
1	B	55	SER
1	B	61	LYS
1	B	224	LYS
1	B	286	ARG
1	B	290	THR
1	B	293	LEU
1	B	301	THR
1	B	304	ARG
1	B	326	ILE
1	B	382	TRP
1	B	437	THR
1	B	476	ASN
1	B	515	GLN
1	B	679	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	147	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	904	-	5,5,5	1.33	1 (20%)	5,5,5	0.94	0
3	GOL	B	903	-	5,5,5	0.99	0	5,5,5	1.01	0
3	GOL	A	902	-	5,5,5	1.18	0	5,5,5	0.80	0
2	L9D	B	901	-	10,13,14	0.84	0	10,19,21	1.20	1 (10%)
2	L9D	A	901	-	10,13,14	0.85	0	10,19,21	0.95	0
3	GOL	B	902	-	5,5,5	0.84	0	5,5,5	1.21	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	904	-	-	1/4/4/4	-
3	GOL	B	903	-	-	1/4/4/4	-
3	GOL	A	902	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	L9D	B	901	-	-	0/0/24/28	0/1/1/1
2	L9D	A	901	-	-	0/0/24/28	0/1/1/1
3	GOL	B	902	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	904	GOL	C3-C2	2.13	1.60	1.51

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	L9D	C08-C16-C14	3.57	115.87	110.69
3	B	902	GOL	C3-C2-C1	-2.26	102.91	111.70

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	902	GOL	C1-C2-C3-O3
3	A	902	GOL	O1-C1-C2-C3
3	A	902	GOL	O2-C2-C3-O3
3	A	902	GOL	O1-C1-C2-O2
3	B	903	GOL	O2-C2-C3-O3
3	B	904	GOL	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	904	GOL	3	0
3	B	903	GOL	1	0
2	B	901	L9D	1	0
3	B	902	GOL	4	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	837/878 (95%)	-0.46	6 (0%) 87 87	25, 38, 57, 73	0
1	B	837/878 (95%)	-0.29	10 (1%) 79 77	27, 44, 65, 81	0
All	All	1674/1756 (95%)	-0.37	16 (0%) 82 81	25, 41, 63, 81	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	573	TRP	3.3
1	B	439	ALA	2.9
1	B	327	CYS	2.8
1	B	615	LYS	2.7
1	B	144	ASP	2.6
1	A	804	ARG	2.5
1	B	798	LEU	2.5
1	B	525	SER	2.4
1	B	691	TYR	2.4
1	A	56	ALA	2.3
1	A	635	GLN	2.3
1	B	437	THR	2.2
1	B	99	LYS	2.1
1	A	714	ASN	2.1
1	A	636	GLY	2.1
1	A	50	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GOL	B	903	6/6	0.80	0.24	53,62,66,66	0
3	GOL	B	904	6/6	0.89	0.19	47,50,52,59	0
3	GOL	B	902	6/6	0.90	0.16	40,41,47,47	0
2	L9D	B	901	13/14	0.92	0.14	43,49,57,59	0
2	L9D	A	901	13/14	0.93	0.14	35,42,48,51	0
3	GOL	A	902	6/6	0.93	0.14	43,46,51,56	0
5	CA	B	906	1/1	0.98	0.07	41,41,41,41	0
4	K	A	903	1/1	0.99	0.06	39,39,39,39	0
5	CA	A	904	1/1	0.99	0.09	34,34,34,34	0
4	K	B	905	1/1	1.00	0.15	34,34,34,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.