



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2020 – 04:31 pm BST

PDB ID : 1O2A
Title : Crystal structure of Thymidylate Synthase Complementing Protein (TM0449) from *Thermotoga maritima* with FAD at 1.8 Å resolution
Authors : Mathews, I.I.; Deacon, A.M.; Canaves, J.M.; McMullan, D.; Lesley, S.A.; Agarwalla, S.; Kuhn, P.; Joint Center for Structural Genomics (JCSG)
Deposited on : 2003-02-18
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	<div> <div>6%</div> <div> <div></div> <div>72%</div> <div>19%</div> <div>• 9%</div> </div> </div>
1	B	232	<div> <div>7%</div> <div> <div></div> <div>75%</div> <div>17%</div> <div>• 8%</div> </div> </div>
1	C	232	<div> <div>5%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>8%</div> </div> </div>
1	D	232	<div> <div>9%</div> <div> <div></div> <div>72%</div> <div>19%</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FAD	A	715	X	-	-	-
2	FAD	B	710	X	-	-	-
2	FAD	C	705	X	-	-	-
2	FAD	D	700	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase thyX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	0	0
			1764	1148	304	307	5			
1	B	214	Total	C	N	O	S	0	0	0
			1786	1164	307	310	5			
1	C	214	Total	C	N	O	S	0	0	0
			1783	1157	306	315	5			
1	D	213	Total	C	N	O	S	0	5	0
			1815	1179	312	319	5			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
A	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
A	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
A	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
A	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
A	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
B	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
B	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
B	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
B	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
B	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
C	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
C	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
C	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
C	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
C	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
D	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
D	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
D	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
D	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
D	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	82	Total	O	0	0
			82	82		
3	B	80	Total	O	0	0
			80	80		
3	C	72	Total	O	0	0
			72	72		
3	D	74	Total	O	0	0
			74	74		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.50Å 116.95Å 141.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 36.73 – 1.71	Depositor EDS
% Data completeness (in resolution range)	91.7 (20.00-1.80) 88.6 (36.73-1.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.03	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.74 (at 1.71Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.203 , 0.230 0.204 , 0.232	Depositor DCC
R_{free} test set	4408 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7668	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/1812	0.56	0/2448
1	B	0.32	0/1834	0.56	0/2478
1	C	0.33	0/1829	0.58	0/2470
1	D	0.31	0/1863	0.55	0/2519
All	All	0.32	0/7338	0.56	0/9915

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1764	0	1741	34	0
1	B	1786	0	1784	37	0
1	C	1783	0	1766	25	0
1	D	1815	0	1798	34	0
2	A	53	0	30	1	0
2	B	53	0	30	0	0
2	C	53	0	30	0	0
2	D	53	0	30	1	0
3	A	82	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	80	0	0	5	0
3	C	72	0	0	1	0
3	D	74	0	0	3	0
All	All	7668	0	7209	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:THR:HA	3:B:544:HOH:O	1.64	0.97
1:B:165:ARG:HD2	3:B:544:HOH:O	1.66	0.96
1:A:17:MET:HB2	1:B:17:MET:HB2	1.48	0.94
1:C:17:MET:HB2	1:D:17:MET:HB2	1.56	0.86
1:B:134:LEU:O	1:B:138:GLU:HG2	1.79	0.82
1:B:192:ARG:HG2	1:B:220:VAL:HG12	1.63	0.80
1:B:219:GLN:HG3	1:B:220:VAL:HG23	1.63	0.79
1:B:24:VAL:HG13	1:B:44:LEU:HD23	1.65	0.79
1:C:106:LEU:HD21	1:C:118:VAL:HG11	1.68	0.75
1:D:106:LEU:HD21	1:D:118:VAL:HG11	1.72	0.70
1:B:116:GLU:O	1:B:120:GLU:HG3	1.96	0.66
1:C:37:ASP:N	3:C:327:HOH:O	2.30	0.65
1:A:104:GLU:O	1:A:107:GLU:HG3	1.97	0.65
1:B:195:LYS:NZ	1:B:220:VAL:HG22	2.13	0.64
1:D:25:ARG:HH21	1:D:31:PHE:C	2.01	0.62
1:B:50:LYS:HG3	1:B:51:HIS:ND1	2.15	0.62
1:A:105:ARG:HD2	1:A:105:ARG:O	2.00	0.61
1:A:102:SER:HB3	3:A:573:HOH:O	2.01	0.60
1:B:114:PRO:HD2	1:B:117:ARG:HG3	1.83	0.60
1:A:192:ARG:HH11	1:A:192:ARG:HG2	1.65	0.60
1:B:116:GLU:H	1:B:116:GLU:CD	2.04	0.59
1:B:128:LYS:HG2	1:B:131:ARG:HH21	1.67	0.59
1:D:128:LYS:HG2	1:D:131:ARG:HH21	1.69	0.58
1:C:134:LEU:O	1:C:138:GLU:HG3	2.05	0.57
1:D:42:ARG:HG2	1:D:200:TRP:CD2	2.39	0.57
1:D:74:ARG:HD3	3:D:313:HOH:O	2.05	0.56
1:D:86:GLU:HG2	1:D:87[B]:LEU:N	2.21	0.55
1:D:37:ASP:HB3	1:D:40:ARG:HB2	1.87	0.55
1:A:5:ILE:HD11	1:A:189:ALA:HB2	1.88	0.55
1:C:195:LYS:HE2	1:C:220:VAL:HG12	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:GLU:HG3	1:A:200:TRP:CH2	2.42	0.54
1:A:192:ARG:HH11	1:A:192:ARG:CG	2.20	0.54
1:A:174:ARG:HD2	1:A:183:ILE:HD13	1.89	0.53
1:A:19:ASN:HB2	3:A:400:HOH:O	2.08	0.53
1:A:38:GLU:HG3	1:A:200:TRP:CZ2	2.44	0.52
1:D:105:ARG:HD2	1:D:105:ARG:O	2.09	0.52
1:A:5:ILE:HG22	1:A:6:LEU:HG	1.91	0.52
1:D:192:ARG:HG3	1:D:192:ARG:HH11	1.74	0.51
1:B:25:ARG:HD2	3:B:578:HOH:O	2.10	0.51
1:B:122:ILE:O	1:B:125:ILE:HG22	2.10	0.51
1:B:5:ILE:HD11	1:B:189:ALA:HB2	1.92	0.51
1:A:117:ARG:HD3	1:A:120:GLU:OE2	2.11	0.50
1:B:113:ILE:HG12	1:C:139:SER:OG	2.10	0.50
1:B:195:LYS:HZ2	1:B:220:VAL:HG22	1.75	0.50
1:A:89:GLY:HA3	1:A:147:ARG:NE	2.27	0.50
1:D:175:ALA:HA	1:D:214:ILE:HD11	1.92	0.49
1:B:175:ALA:HA	1:B:214:ILE:HD11	1.93	0.49
1:A:120:GLU:O	1:A:124:GLU:HG3	2.12	0.49
1:D:86:GLU:CG	1:D:87[B]:LEU:N	2.76	0.49
1:B:165:ARG:NH1	3:B:544:HOH:O	2.46	0.49
1:A:210:TYR:CE2	1:A:215:LEU:HB2	2.48	0.48
1:D:145:VAL:O	1:D:148:ILE:HG12	2.13	0.48
1:A:175:ALA:HA	1:A:214:ILE:HD11	1.94	0.48
1:C:195:LYS:CE	1:C:220:VAL:HG12	2.44	0.47
1:C:192:ARG:HH12	1:C:220:VAL:HG21	1.79	0.47
1:C:220:VAL:HG23	1:C:220:VAL:OXT	2.15	0.47
1:A:104:GLU:HB3	1:A:107:GLU:OE2	2.14	0.47
1:B:195:LYS:HZ3	1:B:220:VAL:HG22	1.80	0.47
1:C:96:TYR:HB3	1:C:130:TYR:CE1	2.50	0.46
1:A:137:ILE:HD11	1:A:143:ARG:HA	1.97	0.46
1:A:90:ARG:HH12	2:D:700:FAD:HM72	1.80	0.46
1:D:106:LEU:N	1:D:106:LEU:HD12	2.31	0.46
1:C:55:THR:OG1	1:C:56:PRO:HD3	2.16	0.46
1:B:29:VAL:O	1:B:29:VAL:HG12	2.16	0.46
1:B:145:VAL:O	1:B:148:ILE:HG12	2.16	0.46
1:B:192:ARG:NE	1:B:220:VAL:HG11	2.30	0.46
1:D:133:TYR:CE1	1:D:137:ILE:HD11	2.50	0.45
1:A:45:ILE:HD12	1:A:200:TRP:HE3	1.81	0.45
1:D:86:GLU:HG2	1:D:87[A]:LEU:N	2.31	0.45
1:C:192:ARG:NH2	1:C:220:VAL:HG23	2.31	0.45
1:D:210:TYR:CE2	1:D:215:LEU:HB2	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:40:ARG:HH11	1:D:40:ARG:HG2	1.82	0.45
1:D:91[A]:TYR:HB2	3:D:539:HOH:O	2.16	0.45
1:D:70:ILE:O	1:D:74:ARG:HG3	2.16	0.45
1:B:114:PRO:O	1:B:117:ARG:HB2	2.17	0.44
1:C:145:VAL:O	1:C:148:ILE:HG12	2.17	0.44
1:D:37:ASP:OD1	1:D:39:GLU:HG2	2.17	0.44
1:A:104:GLU:OE1	1:A:104:GLU:N	2.50	0.44
1:B:46:GLU:O	1:B:50:LYS:HG2	2.17	0.44
1:A:142:PRO:HG3	1:D:109:TYR:CE2	2.52	0.44
1:D:133:TYR:O	1:D:137:ILE:HD13	2.18	0.44
1:A:-1:HIS:O	1:A:0:HIS:HB2	2.18	0.43
1:C:104:GLU:H	1:C:104:GLU:CD	2.22	0.43
1:C:44:LEU:O	1:C:48:LEU:HG	2.19	0.43
1:D:104:GLU:HA	1:D:107:GLU:HG3	2.00	0.43
1:D:25:ARG:HD3	3:D:587:HOH:O	2.18	0.43
1:A:100:ILE:HG22	1:A:119:THR:HG23	1.99	0.42
1:D:55:THR:OG1	1:D:56:PRO:HD3	2.18	0.42
1:D:13:LEU:HD11	1:D:16:VAL:CG2	2.50	0.42
1:B:210:TYR:CE2	1:B:215:LEU:HB2	2.54	0.42
1:D:89[B]:GLY:O	1:D:147:ARG:HD2	2.20	0.42
1:B:106:LEU:HD21	1:B:118:VAL:HG11	2.01	0.42
1:B:203:GLU:HG2	3:B:603:HOH:O	2.19	0.42
1:C:175:ALA:HA	1:C:214:ILE:HD11	2.02	0.42
1:A:157:ARG:NH1	1:B:29:VAL:O	2.48	0.42
1:A:173:LEU:HD13	2:A:715:FAD:O3'	2.20	0.42
1:B:130:TYR:O	1:B:134:LEU:HG	2.20	0.42
1:C:210:TYR:CE2	1:C:215:LEU:HB2	2.55	0.42
1:A:192:ARG:NH1	1:A:192:ARG:CG	2.79	0.41
1:D:86:GLU:CG	1:D:87[A]:LEU:N	2.83	0.41
1:C:5:ILE:HD11	1:C:189:ALA:HB2	2.01	0.41
1:A:145:VAL:O	1:A:148:ILE:HG12	2.20	0.41
1:A:116:GLU:O	1:A:120:GLU:HG3	2.20	0.41
1:B:106:LEU:HD12	1:B:106:LEU:N	2.35	0.41
1:C:106:LEU:N	1:C:106:LEU:HD12	2.35	0.41
1:D:117:ARG:NH2	1:D:121:LYS:HZ3	2.18	0.41
1:A:114:PRO:HA	1:A:115:PRO:HD3	1.98	0.41
1:A:116:GLU:CD	1:A:116:GLU:H	2.24	0.41
1:B:125:ILE:HG21	1:C:149:VAL:HB	2.01	0.41
1:C:192:ARG:HH22	1:C:220:VAL:HG23	1.86	0.41
1:A:126:VAL:HG21	1:A:153:ASN:HD21	1.86	0.41
1:C:106:LEU:CD2	1:C:118:VAL:HG21	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:106:LEU:O	1:C:108:GLY:N	2.50	0.41
1:B:152:LEU:HD23	1:C:152:LEU:HD23	2.03	0.41
1:B:86:GLU:CG	1:B:87:LEU:N	2.84	0.41
1:B:114:PRO:HA	1:B:115:PRO:HD3	1.98	0.40
1:D:100:ILE:HG22	1:D:119:THR:HG23	2.04	0.40
1:D:84:TYR:CE2	1:D:160:TRP:CD1	3.09	0.40
1:B:115:PRO:HD2	1:B:116:GLU:OE2	2.20	0.40
1:D:42:ARG:HG2	1:D:200:TRP:CE3	2.57	0.40
1:A:13:LEU:CD2	1:A:197:LYS:HE3	2.52	0.40
1:C:114:PRO:HD2	1:C:117:ARG:HG3	2.03	0.40
1:D:114:PRO:HA	1:D:115:PRO:HD3	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/232 (88%)	198 (97%)	6 (3%)	1 (0%)	29	15
1	B	210/232 (90%)	205 (98%)	5 (2%)	0	100	100
1	C	208/232 (90%)	198 (95%)	9 (4%)	1 (0%)	29	15
1	D	214/232 (92%)	209 (98%)	5 (2%)	0	100	100
All	All	837/928 (90%)	810 (97%)	25 (3%)	2 (0%)	47	33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	96	TYR
1	C	108	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/207 (89%)	182 (98%)	3 (2%)	62	54
1	B	189/207 (91%)	187 (99%)	2 (1%)	73	68
1	C	189/207 (91%)	189 (100%)	0	100	100
1	D	191/207 (92%)	188 (98%)	3 (2%)	62	54
All	All	754/828 (91%)	746 (99%)	8 (1%)	73	68

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	LEU
1	A	105	ARG
1	A	192	ARG
1	B	117	ARG
1	B	192	ARG
1	D	44	LEU
1	D	54	GLU
1	D	105	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	185	GLN
1	D	75	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	D	700	-	51,58,58	3.45	24 (47%)	60,89,89	2.59	20 (33%)
2	FAD	C	705	-	51,58,58	3.47	25 (49%)	60,89,89	2.55	20 (33%)
2	FAD	A	715	-	51,58,58	3.47	25 (49%)	60,89,89	2.53	19 (31%)
2	FAD	B	710	-	51,58,58	3.48	24 (47%)	60,89,89	2.56	20 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	D	700	-	1/1/9/9	9/30/50/50	0/6/6/6
2	FAD	C	705	-	1/1/9/9	10/30/50/50	0/6/6/6
2	FAD	A	715	-	1/1/9/9	8/30/50/50	0/6/6/6
2	FAD	B	710	-	1/1/9/9	9/30/50/50	0/6/6/6

All (98) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	705	FAD	C4X-C10	10.96	1.49	1.38
2	A	715	FAD	C4X-C10	10.93	1.49	1.38
2	B	710	FAD	C4X-C10	10.82	1.49	1.38
2	D	700	FAD	C4X-C10	10.72	1.49	1.38
2	D	700	FAD	C10-N1	7.43	1.42	1.33
2	B	710	FAD	C10-N1	7.25	1.42	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	700	FAD	C4A-N3A	7.16	1.45	1.35
2	A	715	FAD	C10-N1	7.11	1.42	1.33
2	C	705	FAD	C10-N1	7.09	1.42	1.33
2	B	710	FAD	C4A-N3A	7.08	1.45	1.35
2	C	705	FAD	C4A-N3A	7.05	1.45	1.35
2	A	715	FAD	C4A-N3A	6.96	1.45	1.35
2	C	705	FAD	C4-N3	6.91	1.45	1.33
2	A	715	FAD	C4-N3	6.85	1.45	1.33
2	B	710	FAD	C4-N3	6.84	1.44	1.33
2	D	700	FAD	C4-N3	6.82	1.44	1.33
2	D	700	FAD	C4X-N5	6.66	1.42	1.33
2	A	715	FAD	C4X-N5	6.65	1.42	1.33
2	B	710	FAD	C4X-N5	6.61	1.42	1.33
2	C	705	FAD	C4X-N5	6.58	1.42	1.33
2	A	715	FAD	C2B-C1B	5.60	1.62	1.53
2	B	710	FAD	C2B-C1B	5.59	1.62	1.53
2	C	705	FAD	C2B-C1B	5.50	1.62	1.53
2	A	715	FAD	C4-C4X	5.30	1.50	1.41
2	C	705	FAD	C4-C4X	5.27	1.50	1.41
2	D	700	FAD	C2B-C1B	5.22	1.61	1.53
2	B	710	FAD	C4-C4X	5.21	1.50	1.41
2	D	700	FAD	C4-C4X	5.16	1.50	1.41
2	D	700	FAD	C8A-N7A	-5.10	1.25	1.34
2	A	715	FAD	C9A-C5X	5.04	1.52	1.42
2	B	710	FAD	C9A-C5X	5.03	1.52	1.42
2	B	710	FAD	C8A-N7A	-5.03	1.25	1.34
2	C	705	FAD	C9A-C5X	4.99	1.52	1.42
2	D	700	FAD	C9A-C5X	4.86	1.52	1.42
2	C	705	FAD	C8A-N7A	-4.85	1.26	1.34
2	A	715	FAD	C8A-N7A	-4.80	1.26	1.34
2	D	700	FAD	C9-C9A	4.46	1.49	1.40
2	A	715	FAD	C8-C7	4.42	1.51	1.40
2	C	705	FAD	C8-C7	4.41	1.51	1.40
2	B	710	FAD	C9-C9A	4.40	1.49	1.40
2	B	710	FAD	C8-C7	4.39	1.51	1.40
2	D	700	FAD	C8-C7	4.33	1.51	1.40
2	C	705	FAD	C6-C7	4.32	1.48	1.37
2	D	700	FAD	C6-C7	4.32	1.48	1.37
2	B	710	FAD	C6-C7	4.32	1.48	1.37
2	A	715	FAD	C9-C9A	4.30	1.49	1.40
2	A	715	FAD	C6-C7	4.30	1.48	1.37
2	C	705	FAD	C5X-N5	4.26	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	710	FAD	C2A-N3A	4.25	1.38	1.32
2	C	705	FAD	C9-C9A	4.22	1.49	1.40
2	B	710	FAD	C5X-N5	4.22	1.42	1.35
2	A	715	FAD	C5X-N5	4.22	1.42	1.35
2	D	700	FAD	C2A-N3A	4.18	1.38	1.32
2	A	715	FAD	C2A-N3A	4.17	1.38	1.32
2	C	705	FAD	C2A-N3A	4.12	1.38	1.32
2	D	700	FAD	C5X-N5	4.07	1.42	1.35
2	B	710	FAD	C2A-N1A	3.75	1.40	1.33
2	D	700	FAD	O4B-C1B	3.69	1.46	1.41
2	D	700	FAD	C6-C5X	3.61	1.47	1.41
2	A	715	FAD	C6-C5X	3.61	1.47	1.41
2	C	705	FAD	C2A-N1A	3.59	1.40	1.33
2	C	705	FAD	C6-C5X	3.59	1.47	1.41
2	B	710	FAD	O4B-C1B	3.52	1.46	1.41
2	A	715	FAD	O4B-C1B	3.49	1.45	1.41
2	D	700	FAD	C2A-N1A	3.49	1.40	1.33
2	B	710	FAD	C6-C5X	3.39	1.47	1.41
2	A	715	FAD	C2A-N1A	3.38	1.40	1.33
2	C	705	FAD	O4B-C1B	3.31	1.45	1.41
2	C	705	FAD	C2-N3	3.14	1.44	1.38
2	B	710	FAD	C2-N3	3.10	1.44	1.38
2	A	715	FAD	C2-N3	3.09	1.44	1.38
2	D	700	FAD	C2-N3	2.91	1.43	1.38
2	A	715	FAD	C9-C8	2.86	1.45	1.37
2	B	710	FAD	C9-C8	2.86	1.45	1.37
2	C	705	FAD	C9-C8	2.82	1.44	1.37
2	D	700	FAD	C9-C8	2.78	1.44	1.37
2	A	715	FAD	C5A-C4A	2.49	1.47	1.40
2	C	705	FAD	C5A-C4A	2.48	1.47	1.40
2	B	710	FAD	C5A-C4A	2.46	1.47	1.40
2	D	700	FAD	P-O5'	-2.46	1.49	1.59
2	C	705	FAD	P-O5'	-2.46	1.49	1.59
2	A	715	FAD	P-O5'	-2.44	1.49	1.59
2	B	710	FAD	P-O5'	-2.41	1.49	1.59
2	D	700	FAD	C5A-C4A	2.36	1.47	1.40
2	A	715	FAD	PA-O5B	-2.31	1.49	1.59
2	B	710	FAD	PA-O5B	-2.25	1.50	1.59
2	C	705	FAD	PA-O5B	-2.24	1.50	1.59
2	C	705	FAD	C5B-C4B	2.24	1.58	1.51
2	D	700	FAD	PA-O5B	-2.17	1.50	1.59
2	D	700	FAD	C5B-C4B	2.15	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	710	FAD	C5B-C4B	2.15	1.58	1.51
2	D	700	FAD	O5B-C5B	2.14	1.53	1.44
2	C	705	FAD	O5B-C5B	2.07	1.52	1.44
2	B	710	FAD	O5B-C5B	2.06	1.52	1.44
2	A	715	FAD	C5B-C4B	2.05	1.58	1.51
2	A	715	FAD	C2'-C3'	2.03	1.57	1.53
2	A	715	FAD	O5B-C5B	2.02	1.52	1.44
2	C	705	FAD	C2'-C3'	2.01	1.57	1.53

All (79) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	700	FAD	C4-N3-C2	9.10	122.83	115.14
2	C	705	FAD	C4-N3-C2	9.07	122.80	115.14
2	B	710	FAD	C4-N3-C2	9.02	122.76	115.14
2	A	715	FAD	C4-N3-C2	8.97	122.72	115.14
2	B	710	FAD	C3B-C2B-C1B	-8.00	88.93	100.98
2	D	700	FAD	C3B-C2B-C1B	-7.99	88.95	100.98
2	A	715	FAD	C3B-C2B-C1B	-7.96	89.00	100.98
2	C	705	FAD	C3B-C2B-C1B	-7.91	89.07	100.98
2	D	700	FAD	C1'-N10-C9A	5.42	122.56	118.29
2	B	710	FAD	C1'-N10-C9A	5.16	122.35	118.29
2	A	715	FAD	C1'-N10-C9A	4.87	122.13	118.29
2	C	705	FAD	C1'-N10-C9A	4.86	122.12	118.29
2	C	705	FAD	C4-C4X-C10	-4.77	116.79	119.95
2	D	700	FAD	O2B-C2B-C1B	4.76	128.44	110.85
2	D	700	FAD	C4-C4X-C10	-4.73	116.82	119.95
2	B	710	FAD	O2B-C2B-C1B	4.73	128.32	110.85
2	A	715	FAD	C4-C4X-C10	-4.71	116.84	119.95
2	A	715	FAD	O2B-C2B-C1B	4.70	128.21	110.85
2	B	710	FAD	C4-C4X-C10	-4.70	116.84	119.95
2	C	705	FAD	O2B-C2B-C1B	4.67	128.11	110.85
2	D	700	FAD	C1'-N10-C10	-4.63	114.27	118.41
2	C	705	FAD	C4X-C4-N3	-4.52	117.25	123.43
2	A	715	FAD	C4X-C4-N3	-4.44	117.36	123.43
2	B	710	FAD	C4X-C4-N3	-4.42	117.39	123.43
2	D	700	FAD	C4X-C4-N3	-4.40	117.41	123.43
2	B	710	FAD	C1'-N10-C10	-4.23	114.62	118.41
2	C	705	FAD	C4-C4X-N5	4.19	123.39	118.60
2	A	715	FAD	C4-C4X-N5	4.14	123.33	118.60
2	D	700	FAD	C4-C4X-N5	4.13	123.32	118.60
2	B	710	FAD	C4-C4X-N5	4.11	123.29	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	715	FAD	C1'-N10-C10	-3.93	114.89	118.41
2	C	705	FAD	C1'-N10-C10	-3.93	114.89	118.41
2	D	700	FAD	C4X-N5-C5X	3.70	120.47	116.77
2	C	705	FAD	C4X-N5-C5X	3.61	120.37	116.77
2	A	715	FAD	C4X-N5-C5X	3.60	120.37	116.77
2	B	710	FAD	C4X-N5-C5X	3.59	120.36	116.77
2	D	700	FAD	N3A-C2A-N1A	-3.55	123.14	128.68
2	C	705	FAD	N3A-C2A-N1A	-3.53	123.16	128.68
2	B	710	FAD	N3A-C2A-N1A	-3.50	123.20	128.68
2	A	715	FAD	N3A-C2A-N1A	-3.50	123.21	128.68
2	A	715	FAD	C4A-C5A-N7A	-3.18	106.09	109.40
2	C	705	FAD	C4A-C5A-N7A	-3.13	106.14	109.40
2	D	700	FAD	C4A-C5A-N7A	-3.08	106.19	109.40
2	B	710	FAD	C4A-C5A-N7A	-3.06	106.21	109.40
2	B	710	FAD	P-O3P-PA	3.02	143.19	132.83
2	C	705	FAD	P-O3P-PA	2.95	142.93	132.83
2	B	710	FAD	C5B-C4B-C3B	-2.93	104.21	115.18
2	A	715	FAD	C5B-C4B-C3B	-2.93	104.22	115.18
2	C	705	FAD	C5B-C4B-C3B	-2.91	104.27	115.18
2	D	700	FAD	C5B-C4B-C3B	-2.87	104.43	115.18
2	A	715	FAD	O3B-C3B-C4B	2.86	119.33	111.05
2	D	700	FAD	O3B-C3B-C4B	2.85	119.29	111.05
2	A	715	FAD	O4B-C4B-C3B	2.84	110.73	105.11
2	D	700	FAD	P-O3P-PA	2.83	142.55	132.83
2	B	710	FAD	O3B-C3B-C4B	2.82	119.22	111.05
2	B	710	FAD	O4B-C4B-C3B	2.82	110.70	105.11
2	A	715	FAD	P-O3P-PA	2.81	142.47	132.83
2	C	705	FAD	O3B-C3B-C4B	2.79	119.13	111.05
2	D	700	FAD	O4B-C4B-C3B	2.79	110.64	105.11
2	C	705	FAD	O4B-C4B-C3B	2.78	110.62	105.11
2	A	715	FAD	P-O5'-C5'	2.66	137.29	121.68
2	D	700	FAD	P-O5'-C5'	2.55	136.66	121.68
2	B	710	FAD	P-O5'-C5'	2.49	136.31	121.68
2	C	705	FAD	P-O5'-C5'	2.46	136.11	121.68
2	D	700	FAD	C1'-C2'-C3'	-2.40	103.07	109.79
2	A	715	FAD	C2A-N1A-C6A	2.35	122.77	118.75
2	D	700	FAD	C2A-N1A-C6A	2.32	122.73	118.75
2	C	705	FAD	C1'-C2'-C3'	-2.28	103.40	109.79
2	B	710	FAD	C1'-C2'-C3'	-2.27	103.45	109.79
2	C	705	FAD	C2A-N1A-C6A	2.26	122.62	118.75
2	B	710	FAD	C2A-N1A-C6A	2.20	122.52	118.75
2	D	700	FAD	C4X-C10-N10	-2.13	118.11	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	705	FAD	C10-C4X-N5	-2.08	119.82	121.26
2	A	715	FAD	C10-C4X-N5	-2.06	119.83	121.26
2	D	700	FAD	C10-C4X-N5	-2.03	119.86	121.26
2	B	710	FAD	C4X-C10-N10	-2.01	118.23	120.30
2	B	710	FAD	C10-C4X-N5	-2.01	119.86	121.26
2	A	715	FAD	C4X-C10-N10	-2.01	118.24	120.30
2	C	705	FAD	C4X-C10-N10	-2.00	118.25	120.30

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	700	FAD	C1B
2	C	705	FAD	C1B
2	A	715	FAD	C1B
2	B	710	FAD	C1B

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	700	FAD	C1'-C2'-C3'-O3'
2	D	700	FAD	C1'-C2'-C3'-C4'
2	D	700	FAD	O2'-C2'-C3'-O3'
2	D	700	FAD	O2'-C2'-C3'-C4'
2	D	700	FAD	C3'-C4'-C5'-O5'
2	D	700	FAD	O4'-C4'-C5'-O5'
2	C	705	FAD	N10-C1'-C2'-O2'
2	C	705	FAD	N10-C1'-C2'-C3'
2	C	705	FAD	C1'-C2'-C3'-O3'
2	C	705	FAD	C1'-C2'-C3'-C4'
2	C	705	FAD	C3'-C4'-C5'-O5'
2	C	705	FAD	O4'-C4'-C5'-O5'
2	A	715	FAD	C1'-C2'-C3'-O3'
2	A	715	FAD	C1'-C2'-C3'-C4'
2	A	715	FAD	O2'-C2'-C3'-O3'
2	A	715	FAD	O2'-C2'-C3'-C4'
2	A	715	FAD	C3'-C4'-C5'-O5'
2	B	710	FAD	C1'-C2'-C3'-O3'
2	B	710	FAD	C1'-C2'-C3'-C4'
2	B	710	FAD	O2'-C2'-C3'-O3'
2	B	710	FAD	O2'-C2'-C3'-C4'
2	B	710	FAD	C3'-C4'-C5'-O5'
2	C	705	FAD	O2'-C2'-C3'-O3'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	705	FAD	O2'-C2'-C3'-C4'
2	A	715	FAD	O4'-C4'-C5'-O5'
2	B	710	FAD	O4'-C4'-C5'-O5'
2	C	705	FAD	C4'-C5'-O5'-P
2	D	700	FAD	PA-O3P-P-O1P
2	C	705	FAD	PA-O3P-P-O1P
2	A	715	FAD	PA-O3P-P-O1P
2	B	710	FAD	PA-O3P-P-O1P
2	D	700	FAD	C4'-C5'-O5'-P
2	D	700	FAD	N10-C1'-C2'-O2'
2	B	710	FAD	N10-C1'-C2'-O2'
2	B	710	FAD	C4'-C5'-O5'-P
2	A	715	FAD	C4'-C5'-O5'-P


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	700	FAD	1	0
2	A	715	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	91[B]:TYR	C	92:SER	N	6.85

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	211/232 (90%)	0.24	14 (6%) 18 14	15, 26, 50, 61	0
1	B	214/232 (92%)	0.28	17 (7%) 12 9	16, 28, 53, 58	0
1	C	214/232 (92%)	0.12	11 (5%) 28 22	15, 25, 47, 55	0
1	D	213/232 (91%)	0.37	22 (10%) 6 5	16, 29, 55, 65	0
All	All	852/928 (91%)	0.25	64 (7%) 14 11	15, 27, 52, 65	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	31	PHE	5.8
1	B	220	VAL	5.6
1	A	91	TYR	5.4
1	B	31	PHE	5.0
1	D	93	LYS	4.8
1	B	107	GLU	4.7
1	C	220	VAL	4.7
1	C	107	GLU	4.5
1	D	40	ARG	4.5
1	A	107	GLU	4.2
1	D	39	GLU	4.2
1	B	40	ARG	4.2
1	B	110	LYS	4.1
1	C	138	GLU	4.1
1	C	31	PHE	3.9
1	D	116	GLU	3.9
1	C	109	TYR	3.8
1	C	95	SER	3.8
1	D	107	GLU	3.5
1	D	109	TYR	3.5
1	D	91[A]	TYR	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	40	ARG	3.4
1	B	112	THR	3.3
1	D	110	LYS	3.2
1	D	94	LEU	3.2
1	B	30	SER	3.2
1	A	37	ASP	3.2
1	D	38	GLU	3.1
1	A	0	HIS	3.1
1	A	36	LYS	3.0
1	A	106	LEU	3.0
1	D	37	ASP	2.8
1	D	106	LEU	2.8
1	C	110	LYS	2.8
1	A	95	SER	2.8
1	C	219	GLN	2.7
1	A	-1	HIS	2.7
1	B	108	GLY	2.6
1	B	138	GLU	2.6
1	D	137	ILE	2.6
1	D	217	GLU	2.6
1	D	90[A]	ARG	2.6
1	D	218	VAL	2.5
1	D	108	GLY	2.5
1	B	114	PRO	2.5
1	A	94	LEU	2.5
1	C	40	ARG	2.5
1	B	120	GLU	2.4
1	C	92	SER	2.4
1	C	96	TYR	2.4
1	B	51	HIS	2.4
1	D	31	PHE	2.4
1	B	93	LYS	2.4
1	A	108	GLY	2.3
1	B	111	THR	2.3
1	B	29	VAL	2.3
1	B	113	ILE	2.3
1	D	117	ARG	2.2
1	A	39	GLU	2.2
1	D	89[A]	GLY	2.2
1	D	92	SER	2.1
1	B	109	TYR	2.1
1	A	112	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	120	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FAD	B	710	53/53	0.75	0.25	35,52,65,65	0
2	FAD	C	705	53/53	0.76	0.25	33,50,69,69	0
2	FAD	A	715	53/53	0.78	0.23	34,48,68,69	0
2	FAD	D	700	53/53	0.83	0.18	25,39,50,50	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD B 710:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD C 705:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 715:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD D 700:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.