



Full wwPDB EM Validation Report ⓘ

Aug 27, 2021 – 01:33 am BST

PDB ID : 7O7Z
EMDB ID : EMD-12757
Title : Rabbit 80S ribosome stalled close to the mutated SARS-CoV-2 slippery site
by a pseudoknot (classified for pseudoknot)
Authors : Bhatt, P.R.; Scaiola, A.; Leibundgut, M.A.; Atkins, J.F.; Ban, N.
Deposited on : 2021-04-14
Resolution : 2.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.0.dev97
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A2	1870	
2	AA	84	
3	AB	69	
4	AC	156	
5	AD	133	
6	AE	115	
7	AF	317	
8	AG	56	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AH	220	
10	AI	76	
11	AT	76	
12	AZ	295	
13	Aa	264	
14	Ab	293	
15	Ac	281	
16	Ad	263	
17	Ae	204	
18	Af	249	
19	Ag	432	
20	Ah	208	
21	Ai	194	
22	Aj	165	
23	Ak	158	
24	Al	132	
25	Am	151	
26	An	151	
27	Ao	145	
28	Ap	172	
29	Aq	135	
30	Ar	152	
31	As	145	
32	At	119	
33	Au	83	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Av	130	 99%
35	Aw	143	 97%
36	Ax	130	 96%
37	Ay	124	 69% 31% 8%
38	Az	25	 100%
39	B5	4808	 66% 12% 22% 5%
40	B7	120	 92% 8%
41	B8	158	 85% 13% 2%
42	BA	257	 98%
43	BB	403	 99%
44	BC	413	 87% 12%
45	BD	297	 99%
46	BE	291	 84% 16% 8%
47	BF	247	 91% 9%
48	BG	266	 87% 12% 7%
49	BH	192	 99%
50	BI	214	 99%
51	BJ	178	 95%
52	BK	1071	 97%
53	BL	211	 98%
54	BM	218	 63% 37%
55	BN	204	 100%
56	BO	203	 98%
57	BP	184	 86% 14%
58	BQ	188	 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	BR	196	
60	BS	176	
61	BT	160	
62	BU	128	
63	BV	140	
64	BW	157	
65	BX	156	
66	BY	145	
67	BZ	136	
68	Ba	148	
69	Bb	245	
70	Bc	115	
71	Bd	125	
72	Be	135	
73	Bf	110	
74	Bg	117	
75	Bh	123	
76	Bi	105	
77	Bj	97	
78	Bk	70	
79	Bl	51	
80	Bm	128	
81	Bo	106	
82	Bp	92	
83	Br	137	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
84	Bs	318	<div><div></div><div>62%62%38%</div></div>
85	Bt	165	<div><div></div><div>95%94%5%</div></div>
86	Bv	217	<div><div></div><div>95%95%</div></div>

2 Entry composition

There are 92 unique types of molecules in this entry. The entry contains 229742 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A2	1770	Total	C	N	O	P	0	0
			37833	16911	6781	12371	1770		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A2	1249	B8N	C	conflict	GB GBCT01000564.1
A2	1338	4AC	C	conflict	GB GBCT01000564.1
A2	1843	4AC	C	conflict	GB GBCT01000564.1

- Molecule 2 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AA	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 3 is a protein called Ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AB	63	Total	C	N	O	S	0	0
			495	302	98	93	2		

- Molecule 4 is a protein called Ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AC	74	Total	C	N	O	S	0	0
			610	385	117	101	7		

- Molecule 5 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AD	57	Total	C	N	O	S	0	0
			457	282	101	73	1		

- Molecule 6 is a protein called Ribosomal protein eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AE	101	Total	C	N	O	S	0	0
			814	507	170	132	5		

- Molecule 7 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AF	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 8 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AG	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 9 is a RNA chain called mRNA containing SARS-CoV-2 sequence.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AH	95	Total	C	N	O	P	0	0
			2018	901	349	673	95		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AH	3466	U	A	conflict	GB NC_045512.2
AH	3468	A	C	conflict	GB NC_045512.2

- Molecule 10 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AI	76	Total	C	N	O	P	0	0
			939	393	11	459	76		

- Molecule 11 is a RNA chain called P-site Phe-tRNA(Phe).

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AT	76	Total	C	N	O	P	0	0
			1652	746	294	536	76		

- Molecule 12 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AZ	221	Total	C	N	O	S	0	0
			1743	1107	305	323	8		

- Molecule 13 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	Aa	224	Total	C	N	O	S	0	0
			1815	1152	328	321	14		

- Molecule 14 is a protein called Ribosomal protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	Ab	220	Total	C	N	O	S	0	0
			1706	1105	292	300	9		

- Molecule 15 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	Ac	225	Total	C	N	O	S	0	0
			1751	1116	315	313	7		

- Molecule 16 is a protein called Ribosomal protein eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Ad	262	Total	C	N	O	S	0	0
			2076	1324	386	358	8		

- Molecule 17 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Ae	191	Total	C	N	O	S	0	0
			1509	943	286	273	7		

- Molecule 18 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Af	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 19 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Ag	190	Total	C	N	O	S	0	0
			1529	975	281	272	1		

- Molecule 20 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Ah	206	Total	C	N	O	S	0	0
			1686	1058	332	291	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ah	47	ARG	GLY	conflict	UNP G1TJW1

- Molecule 21 is a protein called Ribosomal protein S9 (Predicted).

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Ai	185	Total	C	N	O	S	0	0
			1525	969	306	248	2		

- Molecule 22 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Aj	96	Total	C	N	O	S	0	0
			810	530	143	131	6		

- Molecule 23 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Ak	154	Total	C	N	O	S	0	0
			1262	804	236	216	6		

- Molecule 24 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Al	124	Total	C	N	O	S	0	0
			958	600	170	179	9		

- Molecule 25 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Am	150	Total	C	N	O	S	0	0
			1208	773	229	205	1		

- Molecule 26 is a protein called 40S ribosomal protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	An	136	Total	C	N	O	S	0	0
			1016	621	199	190	6		

- Molecule 27 is a protein called 40S ribosomal protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Ao	128	Total	C	N	O	S	0	0
			1048	665	197	179	7		

- Molecule 28 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Ap	141	Total	C	N	O	S	0	0
			1124	715	212	194	3		

- Molecule 29 is a protein called 40S ribosomal protein eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Aq	134	Total	C	N	O	S	0	0
			1080	678	201	197	4		

- Molecule 30 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Ar	148	Total	C	N	O	S	0	0
			1217	763	245	208	1		

- Molecule 31 is a protein called Ribosomal protein eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	As	143	Total	C	N	O	S	0	0
			1113	698	214	198	3		

- Molecule 32 is a protein called 40S ribosomal protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	At	104	Total	C	N	O	S	0	0
			821	514	155	148	4		

- Molecule 33 is a protein called Ribosomal protein eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Au	83	Total	C	N	O	S	0	0
			640	394	117	124	5		

- Molecule 34 is a protein called Ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Av	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 35 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Aw	141	Total	C	N	O	S	0	0
			1099	693	219	184	3		

- Molecule 36 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Ax	125	Total	C	N	O	S	0	0
			1015	642	199	169	5		

- Molecule 37 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Ay	85	Total	C	N	O	S	0	0
			683	439	128	115	1		

- Molecule 38 is a protein called 60s ribosomal protein l41.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Az	25	Total	C	N	O	S	0	0
			239	145	64	27	3		

- Molecule 39 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	B5	3764	Total	C	N	O	P	0	0
			80772	36003	14762	26243	3764		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B5	3550	UY1	U	conflict	GB GBCN01009604.1

- Molecule 40 is a RNA chain called 5S.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	B7	120	Total	C	N	O	P	0	0
			2570	1141	456	851	122		

- Molecule 41 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	B8	156	Total	C	N	O	P	0	0
			3319	1481	585	1097	156		

- Molecule 42 is a protein called Ribosomal protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BA	253	Total	C	N	O	S	0	0
			1940	1214	396	324	6		

- Molecule 43 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BB	398	Total	C	N	O	S	0	0
			3206	2042	605	546	13		

- Molecule 44 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BC	362	Total	C	N	O	S	0	0
			2886	1814	577	481	14		

- Molecule 45 is a protein called Ribosomal_L18_c domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BD	294	Total	C	N	O	S	0	0
			2398	1516	439	429	14		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BD	2	AAC	GLY	conflict	UNP G1SYJ6

- Molecule 46 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BE	243	Total	C	N	O	S	0	0
			1960	1258	378	321	3		

- Molecule 47 is a protein called Ribosomal Protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BF	226	Total	C	N	O	S	0	0
			1886	1211	362	304	9		

- Molecule 48 is a protein called Ribosomal protein eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BG	233	Total	C	N	O	S	0	0
			1877	1197	361	315	4		

- Molecule 49 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BH	190	Total	C	N	O	S	0	0
			1516	954	284	272	6		

- Molecule 50 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BI	213	Total	C	N	O	S	0	0
			1717	1086	332	285	14		

- Molecule 51 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	BJ	170	Total	C	N	O	S	0	0
			1362	861	254	241	6		

- Molecule 52 is a protein called Replicase polypeptide 1ab.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	BK	35	Total	C	N	O	S	0	0
			265	163	45	51	6		

- Molecule 53 is a protein called Ribosomal protein eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BL	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

- Molecule 54 is a protein called Ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BM	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 55 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BN	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 56 is a protein called Ribosomal protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	BO	199	Total	C	N	O	S	0	0
			1630	1051	319	255	5		

- Molecule 57 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	BP	159	Total	C	N	O	S	0	0
			1289	809	249	222	9		

- Molecule 58 is a protein called Ribosomal Protein eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	BQ	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

- Molecule 59 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	BR	180	Total	C	N	O	S	0	0
			1508	933	328	238	9		

- Molecule 60 is a protein called Ribosomal protein eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	BS	176	Total	C	N	O	S	0	0
			1457	924	288	234	11		

- Molecule 61 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	BT	159	Total	C	N	O	S	0	0
			1298	823	252	217	6		

- Molecule 62 is a protein called Ribosomal protein eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	BU	99	Total	C	N	O	S	0	0
			806	516	141	147	2		

- Molecule 63 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	BV	139	Total	C	N	O	S	0	0
			1034	648	199	182	5		

- Molecule 64 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	BW	121	Total	C	N	O	S	0	0
			991	619	202	166	4		

- Molecule 65 is a protein called uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	BX	118	Total	C	N	O	S	0	0
			967	618	181	167	1		

- Molecule 66 is a protein called Ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	BY	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 67 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	BZ	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 68 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Ba	147	Total	C	N	O	S	0	0
			1163	734	239	186	4		

- Molecule 69 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Bb	108	Total	C	N	O	S	0	0
			881	548	196	134	3		

- Molecule 70 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Bc	108	Total	C	N	O	S	0	0
			836	530	148	151	7		

- Molecule 71 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Bd	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 72 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Be	130	Total	C	N	O	S	0	0
			1070	676	221	168	5		

- Molecule 73 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Bf	110	Total	C	N	O	S	0	0
			884	560	175	144	5		

- Molecule 74 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Bg	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 75 is a protein called uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Bh	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 76 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Bi	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 77 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Bj	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 78 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Bk	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Bk	24	LYS	ASN	conflict	UNP G1U001

- Molecule 79 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Bl	50	Total	C	N	O	S	0	0
			447	286	96	64	1		

- Molecule 80 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	Bm	52	Total	C	N	O	S	0	0
			432	269	90	67	6		

- Molecule 81 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	Bo	105	Total	C	N	O	S	0	0
			863	543	175	139	6		

- Molecule 82 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	Bp	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 83 is a protein called Ribosomal protein eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	Br	126	Total	C	N	O	S	0	0
			1014	629	209	170	6		

- Molecule 84 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	Bs	196	Total	C	N	O	S	0	0
			1507	959	263	276	9		


- Molecule 85 is a protein called Ribosomal protein L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	Bt	156	Total	C	N	O	S	0	0
			1178	733	221	220	4		

- Molecule 86 is a protein called Ribosomal protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	Bv	212	Total	C	N	O	S	0	0
			1707	1092	308	299	8		

- Molecule 87 is SPERMIDINE (three-letter code: SPD) (formula: $C_7H_{19}N_3$).



Mol	Chain	Residues	Atoms			AltConf
87	A2	1	Total	C	N	0
			80	56	24	
87	A2	1	Total	C	N	0
			80	56	24	
87	A2	1	Total	C	N	0
			80	56	24	
87	A2	1	Total	C	N	0
			80	56	24	
87	A2	1	Total	C	N	0
			80	56	24	
87	A2	1	Total	C	N	0
			80	56	24	
87	A2	1	Total	C	N	0
			80	56	24	


Continued on next page...

[illegible]

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
87	B5	1	Total	C	N	0
			220	154	66	

- Molecule 88 is SPERMINE (three-letter code: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			AltConf
88	A2	1	Total	C	N	0
			14	10	4	
88	B5	1	Total	C	N	0
			28	20	8	
88	B5	1	Total	C	N	0
			28	20	8	

- Molecule 89 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
89	A2	109	Total	Mg	0
			109	109	
89	AH	1	Total	Mg	0
			1	1	
89	AT	3	Total	Mg	0
			3	3	
89	Af	1	Total	Mg	0
			1	1	
89	B5	284	Total	Mg	0
			284	284	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
89	B7	9	Total 9	Mg 9	0
89	B8	9	Total 9	Mg 9	0
89	BP	1	Total 1	Mg 1	0
89	BR	1	Total 1	Mg 1	0
89	BV	1	Total 1	Mg 1	0
89	Ba	1	Total 1	Mg 1	0

- Molecule 90 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms		AltConf
90	A2	60	Total 60	X 60	0
90	AT	4	Total 4	X 4	0
90	Ae	1	Total 1	X 1	0
90	An	1	Total 1	X 1	0
90	Ar	1	Total 1	X 1	0
90	As	1	Total 1	X 1	0
90	B5	225	Total 225	X 225	0
90	B7	6	Total 6	X 6	0
90	B8	8	Total 8	X 8	0
90	BA	3	Total 3	X 3	0
90	BB	4	Total 4	X 4	0
90	BC	1	Total 1	X 1	0
90	BH	1	Total 1	X 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
90	BI	1	Total 1	X 1	0
90	BL	1	Total 1	X 1	0
90	BN	1	Total 1	X 1	0
90	BQ	2	Total 2	X 2	0
90	BT	2	Total 2	X 2	0
90	Bb	1	Total 1	X 1	0
90	Be	1	Total 1	X 1	0
90	Bf	1	Total 1	X 1	0
90	Bg	1	Total 1	X 1	0
90	Bl	1	Total 1	X 1	0
90	Bo	1	Total 1	X 1	0

- Molecule 91 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
91	AC	1	Total 1	Zn 1	0
91	AE	1	Total 1	Zn 1	0
91	AG	1	Total 1	Zn 1	0
91	Bg	1	Total 1	Zn 1	0
91	Bj	1	Total 1	Zn 1	0
91	Bm	1	Total 1	Zn 1	0
91	Bo	1	Total 1	Zn 1	0
91	Bp	1	Total 1	Zn 1	0

- Molecule 92 is water.


Mol	Chain	Residues	Atoms		AltConf
92	A2	526	Total 526	O 526	0
92	AH	9	Total 9	O 9	0
92	AI	1	Total 1	O 1	0
92	AT	12	Total 12	O 12	0
92	Aa	1	Total 1	O 1	0
92	Ac	1	Total 1	O 1	0
92	Af	3	Total 3	O 3	0
92	Ak	1	Total 1	O 1	0
92	Am	1	Total 1	O 1	0
92	An	2	Total 2	O 2	0
92	Ap	3	Total 3	O 3	0
92	As	2	Total 2	O 2	0
92	At	1	Total 1	O 1	0
92	Aw	3	Total 3	O 3	0
92	B5	1391	Total 1391	O 1391	0
92	B7	45	Total 45	O 45	0
92	B8	50	Total 50	O 50	0
92	BA	10	Total 10	O 10	0
92	BB	5	Total 5	O 5	0
92	BC	7	Total 7	O 7	0
92	BD	1	Total 1	O 1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
92	BF	1	Total 1	O 1	0
92	BH	1	Total 1	O 1	0
92	BI	4	Total 4	O 4	0
92	BL	3	Total 3	O 3	0
92	BN	3	Total 3	O 3	0
92	BO	1	Total 1	O 1	0
92	BP	2	Total 2	O 2	0
92	BR	5	Total 5	O 5	0
92	BV	2	Total 2	O 2	0
92	BX	2	Total 2	O 2	0
92	Ba	6	Total 6	O 6	0
92	Bd	1	Total 1	O 1	0
92	Be	4	Total 4	O 4	0
92	Bg	2	Total 2	O 2	0
92	Bj	3	Total 3	O 3	0
92	Bl	1	Total 1	O 1	0
92	Bo	1	Total 1	O 1	0




- Molecule 2: 40S ribosomal protein S27





- Molecule 3: Ribosomal protein S28




- Molecule 4: Ribosomal protein S27a




- Molecule 5: 40S ribosomal protein S30




Chain AT:




Chain AZ:



Chain Aa:



Chain Ab:




Chain Ac:




Chain Ad:







- Molecule 22: eS10




- Molecule 23: 40S ribosomal protein S11




- Molecule 24: 40S ribosomal protein S12




- Molecule 25: uS15




- Molecule 26: 40S ribosomal protein uS11





- Molecule 27: 40S ribosomal protein uS19







- Molecule 28: uS9




- Molecule 29: 40S ribosomal protein eS17





- Molecule 30: 40S ribosomal protein S18




- Molecule 31: Ribosomal protein eS19



- Molecule 32: 40S ribosomal protein uS10



- Molecule 33: Ribosomal protein eS21



- Molecule 34: Ribosomal protein S15a

Chain Av:  99%




- Molecule 35: 40S ribosomal protein S23

Chain Aw:  97%




- Molecule 36: 40S ribosomal protein S24

Chain Ax:  96%



- Molecule 37: 40S ribosomal protein S25

Chain Ay:  8% 69% 31%




- Molecule 38: 60s ribosomal protein l41

Chain Az:  100%

There are no outlier residues recorded for this chain.


- Molecule 39: 28S rRNA

Chain B5:  5% 66% 12% 22%












- Molecule 40: 5S




- Molecule 41: 5.8S rRNA



- Molecule 42: Ribosomal protein uL2




- Molecule 43: Ribosomal protein L3




- Molecule 44: 60S ribosomal protein L4






- Molecule 45: Ribosomal_L18_c domain-containing protein

Chain BD: 99%




- Molecule 46: 60S ribosomal protein L6

Chain BE: 84% 16%




- Molecule 47: Ribosomal Protein uL30

Chain BF: 91% 9%




- Molecule 48: Ribosomal protein eL8

Chain BG: 87% 12%




- Molecule 49: 60S ribosomal protein L9

Chain BH: 99%




- Molecule 50: 60S ribosomal protein L10


Chain BI: 99%



- Molecule 51: Ribosomal protein L11




- Molecule 52: Replicase polypeptide 1ab






- Molecule 53: Ribosomal protein eL13




- Molecule 54: Ribosomal protein L14





- Molecule 55: Ribosomal protein L15



- Molecule 56: Ribosomal protein uL13




- Molecule 57: uL22



• Molecule 58: Ribosomal Protein eL18

Chain BQ:  99% ..

• Molecule 59: 60S ribosomal protein L19


Chain BR:  91% 8%

• Molecule 60: Ribosomal protein eL20



Chain BS:  100%

There are no outlier residues recorded for this chain.

• Molecule 61: eL21

Chain BT:  99%



• Molecule 62: Ribosomal protein eL22


Chain BU:  77% 23%

• Molecule 63: Ribosomal protein L23



Chain BV:  6% 99%

• Molecule 64: eL24


Chain BW:  38% 76% 23%



- Molecule 71: eL31




- Molecule 72: eL32



- Molecule 73: eL33




- Molecule 74: 60S ribosomal protein L34




- Molecule 75: uL29




- Molecule 76: 60S ribosomal protein L36




- Molecule 77: Ribosomal protein L37

Chain Bj:  89% 11%



- Molecule 78: eL38

Chain Bk:  99%




- Molecule 79: eL39

Chain Bl:  94%



- Molecule 80: 60S ribosomal protein L40

Chain Bm:  41% 59%




- Molecule 81: eL42

Chain Bo:  98%





- Molecule 82: eL43

Chain Bp:  99%




- Molecule 83: Ribosomal protein eL28


Chain Br:  91% 8%




• Molecule 84: 60S acidic ribosomal protein P0



• Molecule 85: Ribosomal protein L12



• Molecule 86: Ribosomal protein uL1



N182	N183	N184	N185	N186	N187	N188	N189	N190	N191	N192	N193	N194	N195	N196	N197	N198	N199	N200	N201	N202	A203	L204	Y205	L206	K207	S208	T209	M210	G211	K212	P213	Q214	R215	L216	Y217																								
K62	F63	S64	V65	C66	V67	L68	G69	D70	Q71	W72	H73	C74	D75	E76	A77	K78	A79	V80	D81	I82	P83	H84	N85	D86	I87	E88	A89	L90	K91	K92	L93	N94	K95	N96	K97	K98	L99	V100	K101	K102	L103	A104	K105	K106	V107	D108	A109	F110	L111	A112	S113	E114	S115	L116	I117	K118	Q119	L120	P121
R122	L123	L124	G125	P126	G127	L128	N129	K130	A131	G132	K133	F134	P135	S136	L137	L138	T139	H140	N141	E142	N143	A144	V145	A146	K147	V148	D149	E150	V151	K152	S153	T154	L155	K156	F157	Q158	M159	K160	K161	V162	L163	C164	L165	A166	V167	A168	V169	G170	H171	V172	K173	M174	T175	D176	D177	E178	L179	V180	V181

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	171706	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	56604	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	45.454	Depositor
Minimum map value	-18.107	Depositor
Average map value	-0.006	Depositor
Map value standard deviation	0.952	Depositor
Recommended contour level	5.0	Depositor
Map size (Å)	593.6, 593.6, 593.6	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 6MZ, H2U, HIC, MA6, AYA, SPD, ZN, OMC, V5N, HY3, SAC, SPM, UY1, AME, MLZ, UR3, A2M, PSU, MG, AAC, UNX, B8N, YYG, GTP, NMM, OMU, OMG, G7M, M2G, M3L, 4AC, 2MG, 5MU, 1MA, 5MC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A2	0.22	1/40342 (0.0%)	0.70	11/62877 (0.0%)
2	AA	0.24	0/665	0.46	0/891
3	AB	0.25	0/497	0.56	0/666
4	AC	0.24	0/622	0.48	0/822
5	AD	0.25	0/462	0.53	0/607
6	AE	0.25	0/828	0.54	0/1109
7	AF	0.23	0/2493	0.46	0/3394
8	AG	0.24	0/470	0.52	0/623
9	AH	0.13	0/2253	0.69	3/3508 (0.1%)
10	AI	0.29	0/68	0.70	0/103
11	AT	0.36	1/1440 (0.1%)	0.68	0/2242
12	AZ	0.24	0/1771	0.47	0/2406
13	Aa	0.24	0/1841	0.46	0/2459
14	Ab	0.25	0/1742	0.46	0/2354
15	Ac	0.25	0/1779	0.49	0/2395
16	Ad	0.25	0/2118	0.51	0/2849
17	Ae	0.24	0/1531	0.48	0/2059
18	Af	0.24	0/1946	0.52	0/2590
19	Ag	0.25	0/1552	0.48	0/2079
20	Ah	0.24	0/1715	0.52	0/2287
21	Ai	0.24	0/1550	0.53	0/2069
22	Aj	0.24	0/834	0.43	0/1125
23	Ak	0.26	0/1284	0.51	0/1717
24	Al	0.22	0/968	0.42	0/1296
25	Am	0.23	0/1232	0.48	0/1656
26	An	0.25	0/1029	0.55	0/1380
27	Ao	0.25	0/1069	0.49	0/1429
28	Ap	0.24	0/1142	0.51	0/1528
29	Aq	0.23	0/1094	0.49	0/1469
30	Ar	0.24	0/1226	0.54	0/1643

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	As	0.23	0/1119	0.46	0/1498
32	At	0.23	0/831	0.52	0/1115
33	Au	0.25	0/636	0.49	0/852
34	Av	0.24	0/1051	0.49	0/1406
35	Aw	0.25	0/1107	0.51	0/1475
36	Ax	0.24	0/1032	0.51	0/1371
37	Ay	0.23	0/691	0.46	0/922
38	Az	0.22	0/240	0.66	0/305
39	B5	0.25	3/87403 (0.0%)	0.70	12/136359 (0.0%)
40	B7	0.24	0/2835	0.69	0/4418
41	B8	0.30	1/3635 (0.0%)	0.70	0/5661
42	BA	0.26	0/1965	0.55	0/2633
43	BB	0.25	0/3261	0.50	0/4364
44	BC	0.24	0/2932	0.51	0/3939
45	BD	0.25	0/2437	0.48	0/3264
46	BE	0.25	0/1998	0.50	0/2673
47	BF	0.25	0/1922	0.50	0/2563
48	BG	0.24	0/1908	0.48	0/2566
49	BH	0.24	0/1535	0.50	0/2063
50	BI	0.25	0/1756	0.51	0/2346
51	BJ	0.25	0/1385	0.51	0/1852
52	BK	0.25	0/269	0.46	0/361
53	BL	0.25	0/1733	0.54	0/2316
54	BM	0.24	0/1158	0.50	0/1547
55	BN	0.25	0/1746	0.55	0/2338
56	BO	0.25	0/1662	0.49	0/2222
57	BP	0.24	0/1317	0.49	0/1768
58	BQ	0.25	0/1539	0.56	0/2054
59	BR	0.23	0/1524	0.54	0/2013
60	BS	0.26	0/1497	0.53	0/2008
61	BT	0.26	0/1326	0.50	0/1770
62	BU	0.25	0/820	0.48	0/1100
63	BV	0.26	0/1048	0.53	0/1402
64	BW	0.25	0/1006	0.50	0/1334
65	BX	0.25	0/984	0.49	0/1323
66	BY	0.24	0/1132	0.52	0/1504
67	BZ	0.26	0/1130	0.49	0/1507
68	Ba	0.25	0/1179	0.50	0/1572
69	Bb	0.23	0/884	0.52	0/1169
70	Bc	0.24	0/847	0.44	0/1134
71	Bd	0.25	0/903	0.53	0/1216
72	Be	0.24	0/1088	0.53	0/1451
73	Bf	0.27	0/903	0.54	0/1208

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
74	Bg	0.25	0/916	0.55	0/1220
75	Bh	0.23	0/1021	0.49	0/1348
76	Bi	0.24	0/841	0.52	0/1112
77	Bj	0.25	0/720	0.56	0/952
78	Bk	0.25	0/575	0.45	0/761
79	Bl	0.23	0/459	0.50	0/608
80	Bm	0.23	0/426	0.51	0/564
81	Bo	0.26	0/866	0.52	0/1141
82	Bp	0.24	0/718	0.50	0/953
83	Br	0.24	0/1020	0.54	0/1366
84	Bs	0.24	0/1530	0.45	0/2064
85	Bt	0.23	0/1193	0.48	0/1609
86	Bv	0.23	0/1735	0.45	0/2328
All	All	0.24	6/236957 (0.0%)	0.63	26/347620 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
81	Bo	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B5	4761	U	C4-O4	12.83	1.33	1.23
41	B8	1	C	OP3-P	-10.68	1.48	1.61
1	A2	1	U	OP3-P	-10.67	1.48	1.61
39	B5	1	C	OP3-P	-10.59	1.48	1.61
11	AT	1	G	OP3-P	-10.58	1.48	1.61
39	B5	4761	U	N3-C4	-5.24	1.33	1.38

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	4761	U	N3-C4-C5	12.53	122.12	114.60
39	B5	4761	U	C2-N3-C4	-11.85	119.89	127.00
39	B5	4761	U	C5-C4-O4	-9.84	120.00	125.90
1	A2	1454	C	C2-N1-C1'	7.45	126.99	118.80
39	B5	4761	U	N1-C2-N3	7.12	119.17	114.90
39	B5	2312	C	C2-N1-C1'	7.02	126.53	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	1454	C	N1-C2-O2	7.01	123.11	118.90
1	A2	294	C	N1-C2-O2	6.82	122.99	118.90
39	B5	2252	U	C2-N1-C1'	6.78	125.84	117.70
1	A2	294	C	C2-N1-C1'	6.71	126.18	118.80
39	B5	2312	C	N1-C2-O2	6.67	122.90	118.90
39	B5	1594	U	C2-N1-C1'	6.46	125.45	117.70
1	A2	631	U	C2-N1-C1'	6.32	125.28	117.70
9	AH	3464	U	C2-N1-C1'	6.25	125.20	117.70
39	B5	2252	U	N1-C2-O2	6.04	127.03	122.80
9	AH	3464	U	N1-C2-O2	5.56	126.69	122.80
1	A2	1023	U	C2-N1-C1'	5.50	124.30	117.70
1	A2	294	C	N3-C2-O2	-5.45	118.08	121.90
1	A2	1454	C	N3-C2-O2	-5.40	118.12	121.90
39	B5	1594	U	N1-C2-O2	5.39	126.57	122.80
39	B5	2312	C	N3-C2-O2	-5.38	118.14	121.90
39	B5	2252	U	N3-C2-O2	-5.37	118.44	122.20
1	A2	631	U	N1-C2-O2	5.34	126.54	122.80
1	A2	1315	U	C2-N1-C1'	5.29	124.05	117.70
1	A2	1454	C	C6-N1-C1'	-5.28	114.46	120.80
9	AH	3464	U	N3-C2-O2	-5.18	118.57	122.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
81	Bo	53	MLZ	Mainchain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AA	81/84 (96%)	79 (98%)	2 (2%)	0	100	100
3	AB	61/69 (88%)	61 (100%)	0	0	100	100
4	AC	72/156 (46%)	70 (97%)	2 (3%)	0	100	100
5	AD	55/133 (41%)	54 (98%)	1 (2%)	0	100	100
6	AE	99/115 (86%)	99 (100%)	0	0	100	100
7	AF	311/317 (98%)	302 (97%)	9 (3%)	0	100	100
8	AG	53/56 (95%)	53 (100%)	0	0	100	100
12	AZ	219/295 (74%)	214 (98%)	5 (2%)	0	100	100
13	Aa	220/264 (83%)	218 (99%)	2 (1%)	0	100	100
14	Ab	218/293 (74%)	217 (100%)	1 (0%)	0	100	100
15	Ac	223/281 (79%)	222 (100%)	1 (0%)	0	100	100
16	Ad	260/263 (99%)	257 (99%)	3 (1%)	0	100	100
17	Ae	189/204 (93%)	186 (98%)	3 (2%)	0	100	100
18	Af	235/249 (94%)	234 (100%)	1 (0%)	0	100	100
19	Ag	188/432 (44%)	186 (99%)	2 (1%)	0	100	100
20	Ah	204/208 (98%)	201 (98%)	3 (2%)	0	100	100
21	Ai	183/194 (94%)	180 (98%)	3 (2%)	0	100	100
22	Aj	94/165 (57%)	91 (97%)	3 (3%)	0	100	100
23	Ak	152/158 (96%)	149 (98%)	3 (2%)	0	100	100
24	Al	122/132 (92%)	119 (98%)	3 (2%)	0	100	100
25	Am	148/151 (98%)	148 (100%)	0	0	100	100
26	An	134/151 (89%)	131 (98%)	3 (2%)	0	100	100
27	Ao	126/145 (87%)	125 (99%)	0	1 (1%)	19	29
28	Ap	139/172 (81%)	135 (97%)	3 (2%)	1 (1%)	22	32
29	Aq	132/135 (98%)	132 (100%)	0	0	100	100
30	Ar	146/152 (96%)	143 (98%)	3 (2%)	0	100	100
31	As	140/145 (97%)	139 (99%)	1 (1%)	0	100	100
32	At	102/119 (86%)	101 (99%)	1 (1%)	0	100	100
33	Au	81/83 (98%)	81 (100%)	0	0	100	100
34	Av	127/130 (98%)	126 (99%)	1 (1%)	0	100	100
35	Aw	136/143 (95%)	134 (98%)	2 (2%)	0	100	100
36	Ax	123/130 (95%)	123 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	Ay	83/124 (67%)	81 (98%)	2 (2%)	0	100	100
38	Az	23/25 (92%)	23 (100%)	0	0	100	100
42	BA	250/257 (97%)	242 (97%)	8 (3%)	0	100	100
43	BB	395/403 (98%)	391 (99%)	4 (1%)	0	100	100
44	BC	360/413 (87%)	356 (99%)	4 (1%)	0	100	100
45	BD	291/297 (98%)	289 (99%)	2 (1%)	0	100	100
46	BE	239/291 (82%)	233 (98%)	6 (2%)	0	100	100
47	BF	224/247 (91%)	218 (97%)	6 (3%)	0	100	100
48	BG	229/266 (86%)	228 (100%)	1 (0%)	0	100	100
49	BH	188/192 (98%)	188 (100%)	0	0	100	100
50	BI	211/214 (99%)	206 (98%)	5 (2%)	0	100	100
51	BJ	168/178 (94%)	168 (100%)	0	0	100	100
52	BK	33/1071 (3%)	33 (100%)	0	0	100	100
53	BL	208/211 (99%)	205 (99%)	3 (1%)	0	100	100
54	BM	136/218 (62%)	134 (98%)	2 (2%)	0	100	100
55	BN	201/204 (98%)	197 (98%)	4 (2%)	0	100	100
56	BO	197/203 (97%)	195 (99%)	2 (1%)	0	100	100
57	BP	157/184 (85%)	155 (99%)	2 (1%)	0	100	100
58	BQ	185/188 (98%)	182 (98%)	3 (2%)	0	100	100
59	BR	178/196 (91%)	178 (100%)	0	0	100	100
60	BS	174/176 (99%)	174 (100%)	0	0	100	100
61	BT	157/160 (98%)	156 (99%)	1 (1%)	0	100	100
62	BU	97/128 (76%)	96 (99%)	1 (1%)	0	100	100
63	BV	137/140 (98%)	136 (99%)	1 (1%)	0	100	100
64	BW	119/157 (76%)	119 (100%)	0	0	100	100
65	BX	116/156 (74%)	115 (99%)	1 (1%)	0	100	100
66	BY	132/145 (91%)	131 (99%)	1 (1%)	0	100	100
67	BZ	133/136 (98%)	132 (99%)	1 (1%)	0	100	100
68	Ba	144/148 (97%)	138 (96%)	5 (4%)	1 (1%)	22	32
69	Bb	103/245 (42%)	99 (96%)	4 (4%)	0	100	100
70	Bc	106/115 (92%)	106 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
71	Bd	105/125 (84%)	105 (100%)	0	0	100	100
72	Be	128/135 (95%)	128 (100%)	0	0	100	100
73	Bf	108/110 (98%)	108 (100%)	0	0	100	100
74	Bg	112/117 (96%)	111 (99%)	1 (1%)	0	100	100
75	Bh	120/123 (98%)	119 (99%)	1 (1%)	0	100	100
76	Bi	100/105 (95%)	99 (99%)	1 (1%)	0	100	100
77	Bj	84/97 (87%)	84 (100%)	0	0	100	100
78	Bk	67/70 (96%)	67 (100%)	0	0	100	100
79	Bl	48/51 (94%)	48 (100%)	0	0	100	100
80	Bm	49/128 (38%)	49 (100%)	0	0	100	100
81	Bo	102/106 (96%)	100 (98%)	2 (2%)	0	100	100
82	Bp	89/92 (97%)	86 (97%)	3 (3%)	0	100	100
83	Br	124/137 (90%)	122 (98%)	2 (2%)	0	100	100
84	Bs	194/318 (61%)	189 (97%)	5 (3%)	0	100	100
85	Bt	154/165 (93%)	152 (99%)	2 (1%)	0	100	100
86	Bv	210/217 (97%)	197 (94%)	13 (6%)	0	100	100
All	All	11941/14908 (80%)	11778 (99%)	160 (1%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
27	Ao	137	HIS
28	Ap	100	VAL
68	Ba	15	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AA	75/76 (99%)	74 (99%)	1 (1%)	69	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AB	56/62 (90%)	55 (98%)	1 (2%)	59	76
4	AC	67/140 (48%)	67 (100%)	0	100	100
5	AD	47/106 (44%)	46 (98%)	1 (2%)	53	72
6	AE	88/98 (90%)	87 (99%)	1 (1%)	73	87
7	AF	272/275 (99%)	268 (98%)	4 (2%)	65	80
8	AG	48/49 (98%)	48 (100%)	0	100	100
12	AZ	182/243 (75%)	177 (97%)	5 (3%)	44	65
13	Aa	203/231 (88%)	202 (100%)	1 (0%)	88	95
14	Ab	185/223 (83%)	182 (98%)	3 (2%)	62	79
15	Ac	189/232 (82%)	187 (99%)	2 (1%)	73	87
16	Ad	224/225 (100%)	224 (100%)	0	100	100
17	Ae	161/170 (95%)	161 (100%)	0	100	100
18	Af	207/218 (95%)	204 (99%)	3 (1%)	67	82
19	Ag	170/360 (47%)	169 (99%)	1 (1%)	86	94
20	Ah	178/180 (99%)	178 (100%)	0	100	100
21	Ai	161/168 (96%)	160 (99%)	1 (1%)	86	94
22	Aj	87/136 (64%)	87 (100%)	0	100	100
23	Ak	139/142 (98%)	138 (99%)	1 (1%)	84	92
24	Al	104/108 (96%)	101 (97%)	3 (3%)	42	62
25	Am	130/131 (99%)	130 (100%)	0	100	100
26	An	106/119 (89%)	104 (98%)	2 (2%)	57	75
27	Ao	114/130 (88%)	114 (100%)	0	100	100
28	Ap	117/140 (84%)	117 (100%)	0	100	100
29	Aq	120/121 (99%)	120 (100%)	0	100	100
30	Ar	127/131 (97%)	124 (98%)	3 (2%)	49	68
31	As	112/114 (98%)	112 (100%)	0	100	100
32	At	94/107 (88%)	92 (98%)	2 (2%)	53	72
33	Au	67/67 (100%)	67 (100%)	0	100	100
34	Av	112/113 (99%)	112 (100%)	0	100	100
35	Aw	112/114 (98%)	111 (99%)	1 (1%)	78	90
36	Ax	107/112 (96%)	107 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	Ay	75/102 (74%)	75 (100%)	0	100	100
38	Az	24/24 (100%)	24 (100%)	0	100	100
42	BA	194/198 (98%)	193 (100%)	1 (0%)	88	95
43	BB	344/347 (99%)	343 (100%)	1 (0%)	92	97
44	BC	302/337 (90%)	301 (100%)	1 (0%)	92	97
45	BD	247/250 (99%)	247 (100%)	0	100	100
46	BE	216/251 (86%)	216 (100%)	0	100	100
47	BF	197/215 (92%)	197 (100%)	0	100	100
48	BG	199/223 (89%)	197 (99%)	2 (1%)	76	88
49	BH	169/171 (99%)	169 (100%)	0	100	100
50	BI	180/181 (99%)	178 (99%)	2 (1%)	73	87
51	BJ	143/149 (96%)	142 (99%)	1 (1%)	84	92
52	BK	30/936 (3%)	30 (100%)	0	100	100
53	BL	175/176 (99%)	172 (98%)	3 (2%)	60	78
54	BM	117/161 (73%)	117 (100%)	0	100	100
55	BN	171/172 (99%)	171 (100%)	0	100	100
56	BO	171/173 (99%)	171 (100%)	0	100	100
57	BP	140/163 (86%)	140 (100%)	0	100	100
58	BQ	164/165 (99%)	163 (99%)	1 (1%)	86	94
59	BR	159/175 (91%)	158 (99%)	1 (1%)	86	94
60	BS	154/154 (100%)	154 (100%)	0	100	100
61	BT	139/140 (99%)	139 (100%)	0	100	100
62	BU	88/113 (78%)	88 (100%)	0	100	100
63	BV	106/107 (99%)	106 (100%)	0	100	100
64	BW	100/126 (79%)	99 (99%)	1 (1%)	76	88
65	BX	106/134 (79%)	106 (100%)	0	100	100
66	BY	124/135 (92%)	123 (99%)	1 (1%)	81	91
67	BZ	117/118 (99%)	117 (100%)	0	100	100
68	Ba	118/119 (99%)	118 (100%)	0	100	100
69	Bb	87/183 (48%)	87 (100%)	0	100	100
70	Bc	92/98 (94%)	92 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
71	Bd	98/110 (89%)	98 (100%)	0	100	100
72	Be	116/121 (96%)	116 (100%)	0	100	100
73	Bf	89/89 (100%)	89 (100%)	0	100	100
74	Bg	98/100 (98%)	97 (99%)	1 (1%)	76	88
75	Bh	109/110 (99%)	109 (100%)	0	100	100
76	Bi	86/89 (97%)	85 (99%)	1 (1%)	71	85
77	Bj	73/80 (91%)	73 (100%)	0	100	100
78	Bk	64/65 (98%)	64 (100%)	0	100	100
79	Bl	47/48 (98%)	45 (96%)	2 (4%)	29	46
80	Bm	47/115 (41%)	47 (100%)	0	100	100
81	Bo	92/93 (99%)	92 (100%)	0	100	100
82	Bp	74/75 (99%)	74 (100%)	0	100	100
83	Br	109/120 (91%)	109 (100%)	0	100	100
84	Bs	164/258 (64%)	164 (100%)	0	100	100
85	Bt	128/137 (93%)	127 (99%)	1 (1%)	81	91
86	Bv	191/195 (98%)	185 (97%)	6 (3%)	40	60
All	All	10394/12642 (82%)	10332 (99%)	62 (1%)	86	94

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	AA	74	THR
3	AB	14	VAL
5	AD	91	LEU
6	AE	40	VAL
7	AF	107	ASP
7	AF	113	PHE
7	AF	159	ASN
7	AF	231	ASP
12	AZ	28	THR
12	AZ	121	LEU
12	AZ	125	THR
12	AZ	192	GLU
12	AZ	206	ASP
13	Aa	178	THR
14	Ab	121	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	Ab	236	PHE
14	Ab	248	TYR
15	Ac	46	THR
15	Ac	56	GLN
18	Af	44	GLU
18	Af	126	ASP
18	Af	159	ARG
19	Ag	78	ARG
21	Ai	152	ASP
23	Ak	69	ARG
24	Al	33	ARG
24	Al	75	ASN
24	Al	79	VAL
26	An	25	GLU
26	An	138	ASP
30	Ar	83	PHE
30	Ar	94	LYS
30	Ar	103	LEU
32	At	54	VAL
32	At	68	THR
35	Aw	105	PHE
42	BA	208	GLU
43	BB	162	VAL
44	BC	122	TYR
48	BG	88	ASP
48	BG	220	GLU
50	BI	38	ARG
50	BI	163	GLN
51	BJ	14	GLU
53	BL	67	HIS
53	BL	81	LEU
53	BL	102	ARG
58	BQ	14	ARG
59	BR	106	LEU
64	BW	66	GLU
66	BY	74	TYR
74	Bg	73	HIS
76	Bi	29	ARG
79	Bl	47	THR
79	Bl	51	LEU
85	Bt	74	VAL
86	Bv	58	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
86	Bv	60	ARG
86	Bv	73	HIS
86	Bv	96	ASN
86	Bv	99	LEU
86	Bv	159	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (65) such sidechains are listed below:

Mol	Chain	Res	Type
2	AA	29	ASN
2	AA	51	GLN
5	AD	89	GLN
6	AE	72	HIS
7	AF	147	HIS
12	AZ	141	ASN
12	AZ	193	HIS
16	Ad	98	ASN
16	Ad	142	HIS
17	Ae	65	GLN
17	Ae	83	ASN
19	Ag	91	HIS
20	Ah	7	ASN
20	Ah	167	GLN
22	Aj	32	HIS
22	Aj	61	GLN
22	Aj	66	HIS
22	Aj	77	GLN
24	Al	72	HIS
26	An	113	GLN
27	Ao	104	GLN
28	Ap	24	HIS
28	Ap	86	GLN
28	Ap	97	GLN
28	Ap	114	GLN
29	Aq	121	GLN
30	Ar	72	GLN
31	As	12	GLN
34	Av	90	GLN
42	BA	140	ASN
42	BA	205	ASN
43	BB	184	GLN
43	BB	289	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	BC	38	ASN
44	BC	50	GLN
44	BC	310	HIS
45	BD	202	GLN
46	BE	269	GLN
48	BG	64	GLN
48	BG	81	ASN
54	BM	33	GLN
56	BO	180	GLN
59	BR	75	HIS
59	BR	143	HIS
61	BT	131	GLN
63	BV	50	ASN
64	BW	120	GLN
66	BY	14	ASN
68	Ba	93	ASN
69	Bb	17	HIS
74	Bg	28	ASN
77	Bj	13	ASN
78	Bk	58	GLN
79	Bl	4	HIS
80	Bm	117	HIS
81	Bo	102	GLN
83	Br	6	GLN
84	Bs	34	ASN
84	Bs	41	GLN
84	Bs	179	ASN
84	Bs	191	GLN
85	Bt	70	GLN
85	Bt	147	HIS
86	Bv	44	GLN
86	Bv	96	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A2	1758/1870 (94%)	225 (12%)	0
10	AI	2/76 (2%)	1 (50%)	0
11	AT	75/76 (98%)	10 (13%)	0
39	B5	3750/4808 (77%)	489 (13%)	3 (0%)
40	B7	118/120 (98%)	8 (6%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
41	B8	155/158 (98%)	17 (10%)	0
9	AH	94/220 (42%)	29 (30%)	0
All	All	5952/7328 (81%)	779 (13%)	3 (0%)

All (779) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A2	2	A
1	A2	3	C
1	A2	4	C
1	A2	33	G
1	A2	41	G
1	A2	46	A
1	A2	56	G
1	A2	58	C
1	A2	67	C
1	A2	68	A
1	A2	73	C
1	A2	74	G
1	A2	75	G
1	A2	76	U
1	A2	77	A
1	A2	79	A
1	A2	103	A
1	A2	113	G
1	A2	115	U
1	A2	124	U
1	A2	126	G
1	A2	130	G
1	A2	143	U
1	A2	147	A
1	A2	155	G
1	A2	162	C
1	A2	163	U
1	A2	168	C
1	A2	178	C
1	A2	184	G
1	A2	188	C
1	A2	192	C
1	A2	226	A
1	A2	282	C
1	A2	306	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A2	307	C
1	A2	308	G
1	A2	310	G
1	A2	313	G
1	A2	320	C
1	A2	324	C
1	A2	325	U
1	A2	327	C
1	A2	328	G
1	A2	336	G
1	A2	348	G
1	A2	363	C
1	A2	365	A
1	A2	369	U
1	A2	370	C
1	A2	386	G
1	A2	387	C
1	A2	401	C
1	A2	410	C
1	A2	422	G
1	A2	439	G
1	A2	449	A
1	A2	450	A
1	A2	451	C
1	A2	465	A
1	A2	466	A
1	A2	472	G
1	A2	473	C
1	A2	474	A
1	A2	475	G
1	A2	483	G
1	A2	488	U
1	A2	493	C
1	A2	526	A
1	A2	548	G
1	A2	557	U
1	A2	565	A
1	A2	569	C
1	A2	577	A2M
1	A2	584	A
1	A2	590	G
1	A2	592	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A2	607	G
1	A2	608	U
1	A2	609	C
1	A2	615	C
1	A2	629	A
1	A2	632	U
1	A2	644	A
1	A2	645	OMG
1	A2	656	A
1	A2	661	C
1	A2	669	A2M
1	A2	670	A
1	A2	671	A
1	A2	672	A
1	A2	673	A
1	A2	674	G
1	A2	698	G
1	A2	734	C
1	A2	747	C
1	A2	748	U
1	A2	750	U
1	A2	755	G
1	A2	756	C
1	A2	798	C
1	A2	799	G
1	A2	802	PSU
1	A2	812	A
1	A2	822	G
1	A2	823	PSU
1	A2	831	A
1	A2	832	G
1	A2	837	G
1	A2	838	A
1	A2	839	G
1	A2	840	C
1	A2	841	C
1	A2	842	G
1	A2	848	A
1	A2	860	G
1	A2	871	A
1	A2	873	A
1	A2	879	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A2	886	U
1	A2	892	G
1	A2	910	G
1	A2	914	A
1	A2	915	U
1	A2	921	A
1	A2	923	A
1	A2	934	G
1	A2	944	U
1	A2	956	A
1	A2	964	A
1	A2	972	G
1	A2	991	A
1	A2	993	A
1	A2	1000	G
1	A2	1018	U
1	A2	1024	A
1	A2	1061	A
1	A2	1062	U
1	A2	1063	A
1	A2	1084	A
1	A2	1086	C
1	A2	1116	U
1	A2	1117	C
1	A2	1118	C
1	A2	1119	C
1	A2	1122	G
1	A2	1134	A
1	A2	1145	A
1	A2	1154	C
1	A2	1155	U
1	A2	1196	A
1	A2	1208	G
1	A2	1216	C
1	A2	1225	G
1	A2	1243	U
1	A2	1252	A
1	A2	1254	A
1	A2	1257	G
1	A2	1258	G
1	A2	1260	A
1	A2	1266	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A2	1272	C
1	A2	1275	G
1	A2	1276	G
1	A2	1283	A
1	A2	1303	G
1	A2	1304	C
1	A2	1343	U
1	A2	1349	G
1	A2	1359	U
1	A2	1372	U
1	A2	1373	U
1	A2	1379	A
1	A2	1398	U
1	A2	1403	A
1	A2	1406	A
1	A2	1407	G
1	A2	1419	C
1	A2	1420	C
1	A2	1422	A
1	A2	1424	C
1	A2	1425	G
1	A2	1436	C
1	A2	1438	C
1	A2	1455	A
1	A2	1463	U
1	A2	1464	U
1	A2	1481	A
1	A2	1488	A
1	A2	1490	A
1	A2	1491	OMG
1	A2	1498	G
1	A2	1510	U
1	A2	1522	C
1	A2	1523	A
1	A2	1534	A
1	A2	1553	G
1	A2	1554	C
1	A2	1571	G
1	A2	1581	A
1	A2	1589	A
1	A2	1602	A
1	A2	1622	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A2	1624	A
1	A2	1655	G
1	A2	1666	G
1	A2	1681	G
1	A2	1699	C
1	A2	1700	A
1	A2	1722	U
1	A2	1723	G
1	A2	1749	G
1	A2	1783	G
1	A2	1784	C
1	A2	1785	G
1	A2	1830	G
1	A2	1832	A
1	A2	1837	G
1	A2	1839	U
1	A2	1850	G
1	A2	1862	G
1	A2	1863	G
1	A2	1864	A
1	A2	1865	U
1	A2	1866	C
9	AH	3453	A
9	AH	3454	C
9	AH	3455	A
9	AH	3456	A
9	AH	3465	A
9	AH	3469	G
9	AH	3470	G
9	AH	3471	G
9	AH	3474	U
9	AH	3479	U
9	AH	3480	G
9	AH	3482	A
9	AH	3483	A
9	AH	3485	U
9	AH	3486	G
9	AH	3487	C
9	AH	3488	A
9	AH	3501	C
9	AH	3504	U
9	AH	3516	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	AH	3520	G
9	AH	3527	U
9	AH	3531	G
9	AH	3532	U
9	AH	3533	A
9	AH	3534	U
9	AH	3535	A
9	AH	3538	G
9	AH	3540	G
10	AI	76	A
11	AT	16	H2U
11	AT	17	H2U
11	AT	18	G
11	AT	19	G
11	AT	20	G
11	AT	21	A
11	AT	22	G
11	AT	46	G7M
11	AT	48	C
11	AT	76	A
39	B5	39	A
39	B5	42	A
39	B5	58	G
39	B5	59	A
39	B5	64	A
39	B5	65	A
39	B5	74	G
39	B5	85	G
39	B5	91	G
39	B5	98	A
39	B5	109	G
39	B5	110	C
39	B5	119	G
39	B5	127	G
39	B5	135	G
39	B5	136	U
39	B5	159	C
39	B5	184	U
39	B5	187	U
39	B5	188	G
39	B5	200	U
39	B5	201	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	209	U
39	B5	210	C
39	B5	218	A
39	B5	219	G
39	B5	233	U
39	B5	234	G
39	B5	253	G
39	B5	266	C
39	B5	297	U
39	B5	309	C
39	B5	315	G
39	B5	316	U
39	B5	326	C
39	B5	334	A
39	B5	340	C
39	B5	363	A
39	B5	387	G
39	B5	409	G
39	B5	410	A
39	B5	412	G
39	B5	440	U
39	B5	446	C
39	B5	449	C
39	B5	450	G
39	B5	452	A
39	B5	453	G
39	B5	454	U
39	B5	463	A
39	B5	467	U
39	B5	468	U
39	B5	482	U
39	B5	483	G
39	B5	484	G
39	B5	485	U
39	B5	486	C
39	B5	493	U
39	B5	497	G
39	B5	499	C
39	B5	502	U
39	B5	503	C
39	B5	504	U
39	B5	505	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	506	G
39	B5	515	U
39	B5	516	U
39	B5	517	C
39	B5	628	U
39	B5	634	C
39	B5	635	G
39	B5	660	G
39	B5	691	G
39	B5	698	C
39	B5	699	G
39	B5	724	G
39	B5	725	G
39	B5	732	C
39	B5	734	G
39	B5	739	G
39	B5	758	C
39	B5	759	G
39	B5	760	C
39	B5	761	C
39	B5	790	G
39	B5	791	C
39	B5	792	G
39	B5	795	A
39	B5	797	C
39	B5	798	C
39	B5	810	U
39	B5	812	A
39	B5	814	A
39	B5	815	G
39	B5	824	C
39	B5	825	G
39	B5	831	A
39	B5	832	G
39	B5	835	G
39	B5	836	C
39	B5	841	C
39	B5	843	A
39	B5	844	A
39	B5	845	U
39	B5	846	C
39	B5	856	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	859	G
39	B5	860	A
39	B5	861	G
39	B5	866	A
39	B5	867	C
39	B5	868	C
39	B5	869	U
39	B5	870	G
39	B5	884	U
39	B5	983	G
39	B5	984	G
39	B5	985	G
39	B5	987	C
39	B5	1072	C
39	B5	1073	C
39	B5	1074	C
39	B5	1084	C
39	B5	1091	G
39	B5	1102	G
39	B5	1105	C
39	B5	1106	U
39	B5	1124	A
39	B5	1127	G
39	B5	1133	C
39	B5	1202	C
39	B5	1214	A
39	B5	1215	G
39	B5	1216	C
39	B5	1217	G
39	B5	1219	G
39	B5	1221	G
39	B5	1228	G
39	B5	1229	U
39	B5	1231	G
39	B5	1238	A
39	B5	1240	G
39	B5	1246	U
39	B5	1247	A
39	B5	1257	C
39	B5	1270	A2M
39	B5	1281	A
39	B5	1298	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	1299	G
39	B5	1303	G
39	B5	1309	C
39	B5	1310	G
39	B5	1331	A
39	B5	1341	A
39	B5	1348	G
39	B5	1351	G
39	B5	1362	C
39	B5	1367	G
39	B5	1375	A
39	B5	1391	C
39	B5	1392	C
39	B5	1393	C
39	B5	1401	C
39	B5	1439	G
39	B5	1452	A
39	B5	1453	G
39	B5	1457	G
39	B5	1469	U
39	B5	1489	A2M
39	B5	1502	A
39	B5	1521	C
39	B5	1533	U
39	B5	1546	U
39	B5	1551	U
39	B5	1579	G
39	B5	1580	OMG
39	B5	1586	A
39	B5	1588	G
39	B5	1589	A
39	B5	1593	A
39	B5	1595	C
39	B5	1596	G
39	B5	1597	A
39	B5	1609	G
39	B5	1616	C
39	B5	1631	C
39	B5	1632	PSU
39	B5	1653	C
39	B5	1657	C
39	B5	1658	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	1673	G
39	B5	1694	C
39	B5	1704	A
39	B5	1705	A
39	B5	1726	A
39	B5	1743	A
39	B5	1745	G
39	B5	1751	C
39	B5	1754	G
39	B5	1767	C
39	B5	1774	G
39	B5	1775	G
39	B5	1776	A
39	B5	1781	G
39	B5	1782	A
39	B5	1794	G
39	B5	1808	G
39	B5	1836	A
39	B5	1857	U
39	B5	1859	C
39	B5	1860	C
39	B5	1861	G
39	B5	1870	C
39	B5	1871	A
39	B5	1879	G
39	B5	1887	G
39	B5	1890	G
39	B5	1898	U
39	B5	1899	A
39	B5	1900	G
39	B5	1913	U
39	B5	1914	G
39	B5	1916	C
39	B5	1922	A
39	B5	1923	A
39	B5	1924	G
39	B5	1925	U
39	B5	1926	C
39	B5	1936	U
39	B5	1940	G
39	B5	1942	G
39	B5	1943	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	1963	G
39	B5	1965	A
39	B5	1985	G
39	B5	1987	U
39	B5	1994	G
39	B5	1995	G
39	B5	2008	A
39	B5	2023	U
39	B5	2032	G
39	B5	2034	A
39	B5	2037	G
39	B5	2041	G
39	B5	2043	A
39	B5	2044	A
39	B5	2045	G
39	B5	2046	A
39	B5	2047	G
39	B5	2050	U
39	B5	2101	C
39	B5	2132	C
39	B5	2143	A
39	B5	2144	G
39	B5	2156	A
39	B5	2157	G
39	B5	2191	G
39	B5	2194	OMC
39	B5	2203	A
39	B5	2207	OMG
39	B5	2238	A
39	B5	2253	C
39	B5	2264	G
39	B5	2268	U
39	B5	2332	C
39	B5	2333	U
39	B5	2334	C
39	B5	2349	G
39	B5	2356	A
39	B5	2372	A
39	B5	2380	A
39	B5	2386	A
39	B5	2387	G
39	B5	2388	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	2390	G
39	B5	2397	U
39	B5	2409	G
39	B5	2416	A
39	B5	2430	A
39	B5	2432	C
39	B5	2444	A
39	B5	2470	C
39	B5	2496	C
39	B5	2503	A
39	B5	2512	C
39	B5	2530	U
39	B5	2537	G
39	B5	2538	A
39	B5	2539	A
39	B5	2546	G
39	B5	2551	U
39	B5	2552	C
39	B5	2553	C
39	B5	2554	G
39	B5	2578	G
39	B5	2586	A
39	B5	2606	U
39	B5	2612	U
39	B5	2631	U
39	B5	2633	U
39	B5	2641	A
39	B5	2646	U
39	B5	2657	C
39	B5	2669	U
39	B5	2670	G
39	B5	2672	U
39	B5	2698	G
39	B5	2745	G
39	B5	3329	G
39	B5	3350	C
39	B5	3358	G
39	B5	3362	A
39	B5	3367	A
39	B5	3376	U
39	B5	3385	A
39	B5	3394	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	3396	G
39	B5	3405	C
39	B5	3428	C
39	B5	3443	A
39	B5	3444	A
39	B5	3485	G
39	B5	3492	A2M
39	B5	3493	C
39	B5	3498	A
39	B5	3508	G
39	B5	3509	G
39	B5	3516	A
39	B5	3543	G
39	B5	3544	C
39	B5	3546	U
39	B5	3549	A
39	B5	3551	G
39	B5	3570	U
39	B5	3571	G
39	B5	3572	U
39	B5	3599	A2M
39	B5	3609	A
39	B5	3610	C
39	B5	3611	G
39	B5	3629	G
39	B5	3633	A
39	B5	3638	A
39	B5	3639	G
39	B5	3640	A
39	B5	3647	U
39	B5	3670	G
39	B5	3688	G
39	B5	3689	U
39	B5	3801	A
39	B5	3804	G
39	B5	3823	G
39	B5	3824	C
39	B5	3825	G
39	B5	3832	G
39	B5	3833	A
39	B5	3834	G
39	B5	3846	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	3847	C
39	B5	3850	G
39	B5	3855	A
39	B5	3869	G
39	B5	3874	U
39	B5	3875	C
39	B5	3891	C
39	B5	3892	G
39	B5	3896	G
39	B5	3904	C
39	B5	3909	U
39	B5	3916	A
39	B5	3929	G
39	B5	3930	G
39	B5	3937	G
39	B5	3949	A
39	B5	3975	U
39	B5	3979	A
39	B5	3997	A
39	B5	4000	G
39	B5	4004	C
39	B5	4012	G
39	B5	4014	A
39	B5	4017	A
39	B5	4019	A
39	B5	4027	A
39	B5	4037	G
39	B5	4050	A
39	B5	4051	G
39	B5	4052	OMU
39	B5	4060	C
39	B5	4075	G
39	B5	4076	G
39	B5	4078	C
39	B5	4096	C
39	B5	4119	G
39	B5	4122	A
39	B5	4123	G
39	B5	4124	A
39	B5	4126	A
39	B5	4133	C
39	B5	4137	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	4140	A
39	B5	4161	A
39	B5	4168	A
39	B5	4194	G
39	B5	4210	A
39	B5	4212	C
39	B5	4221	G
39	B5	4258	U
39	B5	4259	A
39	B5	4261	G
39	B5	4265	C
39	B5	4270	G
39	B5	4274	G
39	B5	4294	A
39	B5	4306	C
39	B5	4313	G
39	B5	4321	G
39	B5	4336	A2M
39	B5	4382	PSU
39	B5	4383	OMG
39	B5	4402	A
39	B5	4403	U
39	B5	4416	C
39	B5	4418	A
39	B5	4437	A
39	B5	4446	A
39	B5	4454	A
39	B5	4455	U
39	B5	4465	G
39	B5	4475	A
39	B5	4476	C
39	B5	4477	G
39	B5	4478	G
39	B5	4479	C
39	B5	4486	G
39	B5	4487	A
39	B5	4488	A
39	B5	4489	G
39	B5	4490	G
39	B5	4492	G
39	B5	4498	G
39	B5	4501	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	4504	C
39	B5	4506	C
39	B5	4508	G
39	B5	4512	G
39	B5	4518	C
39	B5	4519	C
39	B5	4609	G
39	B5	4610	C
39	B5	4614	G
39	B5	4621	U
39	B5	4622	C
39	B5	4634	U
39	B5	4637	G
39	B5	4638	G
39	B5	4639	C
39	B5	4640	G
39	B5	4642	G
39	B5	4644	C
39	B5	4645	C
39	B5	4646	G
39	B5	4647	G
39	B5	4649	A
39	B5	4651	G
39	B5	4656	C
39	B5	4658	G
39	B5	4682	A
39	B5	4683	C
39	B5	4705	A
39	B5	4715	U
39	B5	4727	U
39	B5	4728	U
39	B5	4729	C
39	B5	4746	A
39	B5	4753	A
39	B5	4756	G
39	B5	4761	U
39	B5	4762	C
39	B5	4763	C
39	B5	4765	U
39	B5	4766	C
39	B5	4780	G
39	B5	4789	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	B5	4793	C
39	B5	4800	A
39	B5	4801	G
39	B5	4805	U
39	B5	4808	U
40	B7	7	G
40	B7	42	A
40	B7	50	A
40	B7	53	U
40	B7	54	A
40	B7	64	G
40	B7	110	G
40	B7	120	U
41	B8	23	C
41	B8	34	U
41	B8	35	C
41	B8	59	A
41	B8	62	A
41	B8	63	U
41	B8	81	C
41	B8	84	A
41	B8	87	G
41	B8	94	G
41	B8	103	A
41	B8	105	C
41	B8	110	U
41	B8	114	G
41	B8	123	U
41	B8	127	U
41	B8	156	U

All (3) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
39	B5	1545	C
39	B5	1588	G
39	B5	4445	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

239 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
39	OMG	B5	4369	39	18,26,27	1.20	2 (11%)	20,38,41	2.20	6 (30%)
1	PSU	A2	1057	1	17,21,22	1.62	3 (17%)	20,30,33	3.06	6 (30%)
1	PSU	A2	650	1	17,21,22	1.61	2 (11%)	20,30,33	3.08	6 (30%)
39	OMC	B5	3433	39	15,22,23	0.69	0	17,31,34	1.26	1 (5%)
1	OMU	A2	116	1	14,22,23	0.79	1 (7%)	14,31,34	0.76	0
39	PSU	B5	4188	39	17,21,22	1.63	3 (17%)	20,30,33	3.05	6 (30%)
1	B8N	A2	1249	1	17,29,30	1.65	2 (11%)	21,42,45	0.98	1 (4%)
1	PSU	A2	802	1	17,21,22	1.61	2 (11%)	20,30,33	3.12	6 (30%)
1	OMU	A2	1443	1,89	14,22,23	0.80	1 (7%)	14,31,34	0.80	0
1	A2M	A2	469	1	18,25,26	1.03	1 (5%)	18,36,39	1.30	2 (11%)
39	OMG	B5	4364	39	18,26,27	1.19	2 (11%)	20,38,41	2.21	6 (30%)
69	MLZ	Bb	5	69	8,9,10	0.48	0	4,9,11	0.07	0
39	OMC	B5	2208	39,89	15,22,23	0.68	0	17,31,34	1.27	2 (11%)
39	PSU	B5	3371	39	17,21,22	1.59	2 (11%)	20,30,33	3.04	5 (25%)
39	PSU	B5	3583	39	17,21,22	1.56	4 (23%)	20,30,33	3.00	6 (30%)
1	OMG	A2	684	1	18,26,27	1.21	2 (11%)	20,38,41	2.23	6 (30%)
39	OMG	B5	4245	39	18,26,27	1.20	2 (11%)	20,38,41	2.17	6 (30%)
39	PSU	B5	3462	39	17,21,22	1.60	2 (11%)	20,30,33	3.11	6 (30%)
1	PSU	A2	407	1	17,21,22	1.61	2 (11%)	20,30,33	3.10	6 (30%)
39	OMC	B5	4282	39,89	15,22,23	0.73	0	17,31,34	1.33	2 (11%)
39	PSU	B5	4322	39	17,21,22	1.59	2 (11%)	20,30,33	3.06	6 (30%)
11	YYG	AT	37	11	29,42,43	1.94	5 (17%)	29,62,65	1.93	7 (24%)
39	A2M	B5	3557	39	18,25,26	1.00	1 (5%)	18,36,39	1.23	2 (11%)
39	PSU	B5	4045	39	17,21,22	1.61	2 (11%)	20,30,33	3.07	6 (30%)
1	PSU	A2	1175	1	17,21,22	1.63	2 (11%)	20,30,33	3.11	6 (30%)
1	OMC	A2	463	1	15,22,23	0.68	0	17,31,34	1.31	2 (11%)
41	PSU	B8	69	41	17,21,22	1.63	3 (17%)	20,30,33	3.00	6 (30%)
39	PSU	B5	1537	39	17,21,22	1.60	2 (11%)	20,30,33	3.05	6 (30%)
1	OMG	A2	645	1	18,26,27	1.21	2 (11%)	20,38,41	2.18	6 (30%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMC	A2	1704	1	15,22,23	0.70	0	17,31,34	1.31	1 (5%)
1	OMG	A2	437	1	18,26,27	1.20	2 (11%)	20,38,41	2.17	6 (30%)
39	OMG	B5	1477	39	18,26,27	1.18	2 (11%)	20,38,41	2.19	6 (30%)
1	PSU	A2	93	1	17,21,22	1.60	2 (11%)	20,30,33	3.09	6 (30%)
39	A2M	B5	2244	39,89	18,25,26	0.99	1 (5%)	18,36,39	1.24	2 (11%)
1	OMU	A2	355	1	14,22,23	0.84	1 (7%)	14,31,34	0.86	0
39	A2M	B5	1810	39,89	18,25,26	1.01	1 (5%)	18,36,39	1.34	2 (11%)
39	OMC	B5	3540	39	15,22,23	0.68	0	17,31,34	1.23	1 (5%)
39	OMC	B5	3619	39	15,22,23	0.69	0	17,31,34	1.31	2 (11%)
39	PSU	B5	4435	39	17,21,22	1.61	3 (17%)	20,30,33	3.12	6 (30%)
39	A2M	B5	2630	39,89	18,25,26	0.97	1 (5%)	18,36,39	1.27	2 (11%)
11	PSU	AT	27	11	17,21,22	1.61	2 (11%)	20,30,33	3.05	6 (30%)
39	PSU	B5	3490	39	17,21,22	1.60	3 (17%)	20,30,33	3.10	6 (30%)
39	A2M	B5	3517	39	18,25,26	0.93	1 (5%)	18,36,39	1.37	2 (11%)
39	OMG	B5	4383	39	18,26,27	1.22	2 (11%)	20,38,41	2.22	6 (30%)
39	PSU	B5	3554	39	17,21,22	1.55	2 (11%)	20,30,33	3.07	5 (25%)
43	HIC	BB	245	43	8,11,12	0.85	0	6,14,16	0.82	0
11	PSU	AT	55	11	17,21,22	1.59	2 (11%)	20,30,33	3.10	6 (30%)
39	OMG	B5	3476	39	18,26,27	1.18	2 (11%)	20,38,41	2.20	6 (30%)
1	PSU	A2	1005	1	17,21,22	1.60	2 (11%)	20,30,33	3.12	6 (30%)
39	5MC	B5	4193	39	15,22,23	1.30	1 (6%)	19,32,35	1.53	4 (21%)
35	HY3	Aw	62	35	6,8,9	1.90	1 (16%)	5,10,12	1.13	1 (20%)
39	OMC	B5	3601	39	15,22,23	0.69	0	17,31,34	1.33	2 (11%)
39	PSU	B5	2351	39	17,21,22	1.62	2 (11%)	20,30,33	3.07	6 (30%)
1	PSU	A2	687	1	17,21,22	1.60	2 (11%)	20,30,33	3.06	6 (30%)
39	PSU	B5	4042	39	17,21,22	1.59	2 (11%)	20,30,33	3.13	6 (30%)
39	PSU	B5	1801	39	17,21,22	1.65	2 (11%)	20,30,33	3.12	6 (30%)
1	OMC	A2	174	1,89	15,22,23	0.67	0	17,31,34	1.29	2 (11%)
1	PSU	A2	816	1	17,21,22	1.60	2 (11%)	20,30,33	3.07	6 (30%)
11	5MC	AT	49	11	15,22,23	1.29	1 (6%)	19,32,35	1.30	3 (15%)
39	PSU	B5	3496	39	17,21,22	1.62	4 (23%)	20,30,33	3.04	6 (30%)
39	PSU	B5	1720	39	17,21,22	1.58	2 (11%)	20,30,33	3.07	6 (30%)
39	OMG	B5	1580	39	18,26,27	1.17	2 (11%)	20,38,41	2.11	6 (30%)
1	PSU	A2	815	1	17,21,22	1.62	2 (11%)	20,30,33	3.09	6 (30%)
39	PSU	B5	4246	39	17,21,22	1.64	3 (17%)	20,30,33	3.05	6 (30%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	A2	1245	1	17,21,22	1.58	2 (11%)	20,30,33	3.07	6 (30%)
1	OMG	A2	1491	1,89	18,26,27	1.10	2 (11%)	20,38,41	2.08	6 (30%)
1	OMC	A2	518	1	15,22,23	0.68	0	17,31,34	1.31	2 (11%)
39	PSU	B5	4382	39	17,21,22	1.55	2 (11%)	20,30,33	3.14	8 (40%)
1	A2M	A2	159	1	18,25,26	1.00	1 (5%)	18,36,39	1.25	2 (11%)
1	MA6	A2	1852	1	19,26,27	0.94	1 (5%)	18,38,41	1.45	3 (16%)
39	PSU	B5	4166	39	17,21,22	1.55	3 (17%)	20,30,33	3.07	6 (30%)
39	PSU	B5	4058	39	17,21,22	1.62	2 (11%)	20,30,33	3.06	6 (30%)
11	M2G	AT	26	11	20,27,28	1.37	3 (15%)	22,40,43	2.15	5 (22%)
1	OMG	A2	1448	1	18,26,27	1.19	2 (11%)	20,38,41	2.14	6 (30%)
1	OMU	A2	628	1	14,22,23	0.80	1 (7%)	14,31,34	0.80	0
39	PSU	B5	3616	39	17,21,22	1.57	2 (11%)	20,30,33	3.09	6 (30%)
39	PSU	B5	4169	39	17,21,22	1.60	3 (17%)	20,30,33	3.07	6 (30%)
1	PSU	A2	1644	1,89	17,21,22	1.58	3 (17%)	20,30,33	3.02	5 (25%)
31	NMM	As	67	31	9,11,12	0.59	0	6,12,14	0.46	0
39	OMU	B5	4366	39	14,22,23	0.82	1 (7%)	14,31,34	0.87	0
1	PSU	A2	823	1	17,21,22	1.57	3 (17%)	20,30,33	3.04	6 (30%)
81	MLZ	Bo	53	81	8,9,10	0.48	0	4,9,11	0.10	0
39	OMC	B5	2704	39	15,22,23	0.69	0	17,31,34	1.33	2 (11%)
1	PSU	A2	36	1	17,21,22	1.60	3 (17%)	20,30,33	3.06	5 (25%)
39	A2M	B5	3456	39	18,25,26	1.02	1 (5%)	18,36,39	1.25	2 (11%)
39	PSU	B5	3652	39,89	17,21,22	1.62	4 (23%)	20,30,33	3.06	6 (30%)
11	H2U	AT	16	11	18,21,22	0.99	2 (11%)	21,30,33	1.38	2 (9%)
1	A2M	A2	1679	1	18,25,26	1.01	1 (5%)	18,36,39	1.25	2 (11%)
39	PSU	B5	4711	39	17,21,22	1.60	3 (17%)	20,30,33	3.10	6 (30%)
39	OMC	B5	1820	39,89	15,22,23	0.71	0	17,31,34	1.33	1 (5%)
1	PSU	A2	105	1	17,21,22	1.62	2 (11%)	20,30,33	3.11	6 (30%)
1	PSU	A2	119	1	17,21,22	1.59	3 (17%)	20,30,33	3.07	6 (30%)
39	OMU	B5	2258	39	14,22,23	0.79	1 (7%)	14,31,34	0.71	0
42	V5N	BA	216	42	4,11,12	0.77	0	5,14,16	1.55	1 (20%)
39	PSU	B5	1683	39	17,21,22	1.61	3 (17%)	20,30,33	3.13	6 (30%)
1	PSU	A2	573	1	17,21,22	1.58	3 (17%)	20,30,33	3.04	6 (30%)
1	PSU	A2	1368	1	17,21,22	1.60	2 (11%)	20,30,33	3.09	6 (30%)
1	A2M	A2	99	1,89	18,25,26	1.02	1 (5%)	18,36,39	1.26	2 (11%)
1	OMC	A2	1392	1	15,22,23	0.71	0	17,31,34	1.38	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
39	OMG	B5	2267	39	18,26,27	1.15	2 (11%)	20,38,41	2.08	6 (30%)
39	OMC	B5	2265	39,89	15,22,23	0.72	0	17,31,34	1.33	2 (11%)
1	A2M	A2	485	1	18,25,26	0.98	1 (5%)	18,36,39	1.27	2 (11%)
39	PSU	B5	1721	39	17,21,22	1.63	3 (17%)	20,30,33	3.10	6 (30%)
1	PSU	A2	1626	1	17,21,22	1.60	2 (11%)	20,30,33	3.10	6 (30%)
1	A2M	A2	1384	1	18,25,26	1.03	1 (5%)	18,36,39	1.23	2 (11%)
39	OMU	B5	3657	39	14,22,23	0.86	1 (7%)	14,31,34	0.85	0
1	4AC	A2	1338	1	18,24,25	0.87	1 (5%)	20,34,37	1.76	3 (15%)
39	OMC	B5	1284	39	15,22,23	0.70	0	17,31,34	1.34	2 (11%)
39	A2M	B5	398	39	18,25,26	1.02	1 (5%)	18,36,39	1.23	2 (11%)
39	6MZ	B5	3966	39	18,25,26	0.86	1 (5%)	16,36,39	2.01	4 (25%)
39	PSU	B5	4039	39	17,21,22	1.57	3 (17%)	20,30,33	3.09	6 (30%)
39	OMG	B5	4116	39	18,26,27	1.17	2 (11%)	20,38,41	2.17	6 (30%)
39	A2M	B5	4317	39	18,25,26	1.01	1 (5%)	18,36,39	1.23	2 (11%)
39	PSU	B5	2475	39	17,21,22	1.58	2 (11%)	20,30,33	3.07	6 (30%)
39	PSU	B5	4419	39	17,21,22	1.63	3 (17%)	20,30,33	3.07	6 (30%)
39	A2M	B5	400	39	18,25,26	1.02	1 (5%)	18,36,39	1.23	2 (11%)
39	OMG	B5	3359	39	18,26,27	1.19	2 (11%)	20,38,41	2.21	6 (30%)
40	GTP	B7	1	40	26,34,34	1.04	1 (3%)	33,54,54	2.11	4 (12%)
1	PSU	A2	1233	1	17,21,22	1.60	2 (11%)	20,30,33	3.14	6 (30%)
1	PSU	A2	218	1	17,21,22	1.59	2 (11%)	20,30,33	3.04	6 (30%)
30	SAC	Ar	2	30	7,8,9	0.53	0	8,9,11	0.89	1 (12%)
39	OMG	B5	3974	39	18,26,27	1.18	2 (11%)	20,38,41	2.24	6 (30%)
39	OMC	B5	2667	39	15,22,23	0.69	0	17,31,34	1.30	2 (11%)
39	PSU	B5	4298	39	17,21,22	1.64	3 (17%)	20,30,33	3.10	6 (30%)
83	SAC	Br	2	83	7,8,9	0.51	0	8,9,11	0.86	1 (12%)
1	PSU	A2	1178	1	17,21,22	1.60	2 (11%)	20,30,33	3.06	6 (30%)
1	PSU	A2	1082	1	17,21,22	1.53	4 (23%)	20,30,33	3.06	6 (30%)
33	AME	Au	1	33	9,10,11	0.47	0	9,11,13	0.88	1 (11%)
39	PSU	B5	3585	39,89	17,21,22	1.62	3 (17%)	20,30,33	3.03	5 (25%)
44	AYA	BC	2	44	6,7,8	0.75	0	5,8,10	0.24	0
1	PSU	A2	1446	1	17,21,22	1.57	2 (11%)	20,30,33	3.03	5 (25%)
1	OMG	A2	510	1,89	18,26,27	1.19	2 (11%)	20,38,41	2.15	6 (30%)
39	A2M	B5	2658	39,89	18,25,26	1.00	1 (5%)	18,36,39	1.24	2 (11%)
1	PSU	A2	1046	1	17,21,22	1.57	3 (17%)	20,30,33	3.09	6 (30%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
39	PSU	B5	4278	39	17,21,22	1.61	3 (17%)	20,30,33	3.10	6 (30%)
39	PSU	B5	4374	39	17,21,22	1.62	3 (17%)	20,30,33	3.03	6 (30%)
39	PSU	B5	4177	39	17,21,22	1.59	3 (17%)	20,30,33	3.11	6 (30%)
1	PSU	A2	652	1	17,21,22	1.61	2 (11%)	20,30,33	3.10	6 (30%)
39	A2M	B5	1489	39,89	18,25,26	1.00	1 (5%)	18,36,39	1.37	2 (11%)
39	OMC	B5	2194	39,89	15,22,23	0.67	0	17,31,34	1.43	2 (11%)
39	A2M	B5	2206	39,89	18,25,26	0.99	1 (5%)	18,36,39	1.19	2 (11%)
39	A2M	B5	3450	39	18,25,26	1.00	1 (5%)	18,36,39	1.19	2 (11%)
39	OMG	B5	3631	39	18,26,27	1.19	2 (11%)	20,38,41	2.24	6 (30%)
39	PSU	B5	4099	39	17,21,22	1.58	3 (17%)	20,30,33	3.03	6 (30%)
39	UR3	B5	4276	39	14,22,23	0.72	0	15,32,35	0.63	0
1	PSU	A2	867	1	17,21,22	1.59	2 (11%)	20,30,33	3.11	6 (30%)
1	A2M	A2	1032	1	18,25,26	0.97	1 (5%)	18,36,39	1.27	2 (11%)
39	OMG	B5	1260	39	18,26,27	1.18	2 (11%)	20,38,41	2.19	6 (30%)
39	PSU	B5	3369	39	17,21,22	1.65	3 (17%)	20,30,33	3.11	6 (30%)
1	A2M	A2	577	1	18,25,26	1.00	1 (5%)	18,36,39	1.24	2 (11%)
39	PSU	B5	3427	39	17,21,22	1.57	3 (17%)	20,30,33	3.01	6 (30%)
39	PSU	B5	1799	39	17,21,22	1.62	3 (17%)	20,30,33	3.13	6 (30%)
1	OMU	A2	172	1	14,22,23	0.79	1 (7%)	14,31,34	0.87	0
39	PSU	B5	3500	39	17,21,22	1.61	2 (11%)	20,30,33	3.07	6 (30%)
11	2MG	AT	10	11	19,26,27	1.19	2 (10%)	21,38,41	2.15	7 (33%)
1	OMU	A2	1327	1,89	14,22,23	0.79	1 (7%)	14,31,34	0.81	0
39	PSU	B5	3447	39	17,21,22	1.61	3 (17%)	20,30,33	3.03	6 (30%)
39	OMG	B5	4138	39	18,26,27	1.18	2 (11%)	20,38,41	2.17	6 (30%)
1	PSU	A2	1693	1	17,21,22	1.60	4 (23%)	20,30,33	3.10	6 (30%)
1	6MZ	A2	1833	1,89	18,25,26	0.94	1 (5%)	16,36,39	1.77	3 (18%)
39	PSU	B5	4107	39	17,21,22	1.63	3 (17%)	20,30,33	3.10	6 (30%)
1	OMU	A2	429	1	14,22,23	0.78	1 (7%)	14,31,34	0.76	0
39	A2M	B5	3599	39	18,25,26	0.96	1 (5%)	18,36,39	1.23	2 (11%)
39	PSU	B5	3466	39	17,21,22	1.60	2 (11%)	20,30,33	3.06	6 (30%)
39	OMG	B5	3676	39	18,26,27	1.20	2 (11%)	20,38,41	2.19	6 (30%)
80	M3L	Bm	98	80	10,11,12	0.82	0	9,14,16	0.50	0
1	MA6	A2	1851	1	19,26,27	0.92	1 (5%)	18,38,41	1.53	3 (16%)
1	PSU	A2	610	1	17,21,22	1.59	2 (11%)	20,30,33	3.13	6 (30%)
39	OMU	B5	4244	39	14,22,23	0.81	1 (7%)	14,31,34	0.75	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
39	A2M	B5	1479	39	18,25,26	0.98	1 (5%)	18,36,39	1.27	2 (11%)
1	PSU	A2	1047	1	17,21,22	1.58	3 (17%)	20,30,33	3.04	6 (30%)
39	OMU	B5	2680	39	14,22,23	0.84	1 (7%)	14,31,34	0.83	0
68	V5N	Ba	39	68	4,11,12	0.76	0	5,14,16	1.56	1 (20%)
1	4AC	A2	1843	1	18,24,25	0.82	1 (5%)	20,34,37	1.06	3 (15%)
1	A2M	A2	591	1	18,25,26	1.03	1 (5%)	18,36,39	1.19	2 (11%)
1	OMU	A2	1289	1	14,22,23	0.79	1 (7%)	14,31,34	0.76	0
11	PSU	AT	39	11	17,21,22	1.59	4 (23%)	20,30,33	3.07	6 (30%)
1	PSU	A2	864	1	17,21,22	1.61	3 (17%)	20,30,33	3.08	6 (30%)
39	A2M	B5	3492	39,1	18,25,26	1.01	1 (5%)	18,36,39	1.28	2 (11%)
39	PSU	B5	4149	39	17,21,22	1.60	4 (23%)	20,30,33	3.03	6 (30%)
39	OMG	B5	3942	39,11	18,26,27	1.17	2 (11%)	20,38,41	2.14	6 (30%)
11	OMG	AT	34	9,11	18,26,27	1.19	2 (11%)	20,38,41	2.13	6 (30%)
41	OMG	B8	75	41	18,26,27	1.20	2 (11%)	20,38,41	2.19	6 (30%)
11	1MA	AT	14	11	15,25,26	1.52	3 (20%)	15,37,40	1.31	2 (13%)
39	OMC	B5	3573	39	15,22,23	0.68	0	17,31,34	1.41	2 (11%)
39	PSU	B5	3576	39	17,21,22	1.65	3 (17%)	20,30,33	3.13	6 (30%)
39	PSU	B5	4267	39,89	17,21,22	1.61	4 (23%)	20,30,33	3.08	7 (35%)
39	UY1	B5	3550	39	18,22,23	1.15	1 (5%)	20,31,34	3.14	8 (40%)
1	PSU	A2	34	1	17,21,22	1.61	2 (11%)	20,30,33	3.07	6 (30%)
39	PSU	B5	4203	39	17,21,22	1.58	3 (17%)	20,30,33	3.05	6 (30%)
1	PSU	A2	210	1	17,21,22	1.60	2 (11%)	20,30,33	3.08	6 (30%)
11	5MU	AT	54	11	15,22,23	1.06	1 (6%)	16,32,35	1.83	2 (12%)
39	PSU	B5	1718	39	17,21,22	1.59	2 (11%)	20,30,33	3.09	6 (30%)
1	A2M	A2	166	1	18,25,26	1.04	1 (5%)	18,36,39	1.27	2 (11%)
1	A2M	A2	669	1,89	18,25,26	0.93	1 (5%)	18,36,39	1.34	2 (11%)
39	PSU	B5	4325	39	17,21,22	1.60	2 (11%)	20,30,33	3.06	6 (30%)
39	PSU	B5	3502	39	17,21,22	1.63	2 (11%)	20,30,33	3.05	6 (30%)
39	PSU	B5	4217	39	17,21,22	1.63	4 (23%)	20,30,33	3.08	6 (30%)
11	H2U	AT	17	11	18,21,22	1.00	2 (11%)	21,30,33	1.72	2 (9%)
39	OMG	B5	3524	39	18,26,27	1.16	2 (11%)	20,38,41	2.13	6 (30%)
39	A2M	B5	3562	39	18,25,26	1.01	1 (5%)	18,36,39	1.27	2 (11%)
39	PSU	B5	1731	39	17,21,22	1.59	3 (17%)	20,30,33	3.15	6 (30%)
11	1MA	AT	58	11	15,25,26	1.55	3 (20%)	15,37,40	1.36	2 (13%)
1	OMU	A2	1805	1	14,22,23	0.80	1 (7%)	14,31,34	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
39	A2M	B5	4336	39	18,25,26	1.03	1 (5%)	18,36,39	1.25	2 (11%)
1	OMG	A2	1329	1	18,26,27	1.19	2 (11%)	20,38,41	2.19	6 (30%)
1	PSU	A2	967	1	17,21,22	1.59	3 (17%)	20,30,33	3.08	6 (30%)
39	PSU	B5	1638	39	17,21,22	1.62	3 (17%)	20,30,33	3.10	6 (30%)
1	A2M	A2	513	1	18,25,26	1.02	1 (5%)	18,36,39	1.23	2 (11%)
39	OMG	B5	2719	39	18,26,27	1.19	2 (11%)	20,38,41	2.13	6 (30%)
1	OMU	A2	121	1	14,22,23	0.81	1 (7%)	14,31,34	0.81	0
41	PSU	B8	55	41	17,21,22	1.59	2 (11%)	20,30,33	3.09	6 (30%)
39	OMG	B5	4240	39	18,26,27	1.18	2 (11%)	20,38,41	2.16	6 (30%)
1	OMG	A2	868	1	18,26,27	1.21	2 (11%)	20,38,41	2.17	6 (30%)
1	PSU	A2	1239	1	17,21,22	1.61	2 (11%)	20,30,33	3.10	6 (30%)
39	OMC	B5	4202	39	15,22,23	0.71	0	17,31,34	1.28	1 (5%)
11	PSU	AT	28	11	17,21,22	1.60	2 (11%)	20,30,33	3.10	6 (30%)
39	OMU	B5	3973	39	14,22,23	0.82	1 (7%)	14,31,34	0.76	0
12	SAC	AZ	2	12	7,8,9	0.52	0	8,9,11	0.86	1 (12%)
39	PSU	B5	1632	39	17,21,22	1.57	3 (17%)	20,30,33	3.08	6 (30%)
1	PSU	A2	682	1	17,21,22	1.62	2 (11%)	20,30,33	3.12	6 (30%)
1	G7M	A2	1640	1,11	20,26,27	2.82	4 (20%)	20,39,42	2.08	5 (25%)
39	PSU	B5	3494	39	17,21,22	1.60	3 (17%)	20,30,33	3.07	5 (25%)
39	OMG	B5	2207	39	18,26,27	1.19	2 (11%)	20,38,41	2.19	6 (30%)
39	A2M	B5	4269	39,89	18,25,26	1.01	1 (5%)	18,36,39	1.28	2 (11%)
11	G7M	AT	46	11	20,26,27	2.80	4 (20%)	20,39,42	2.06	5 (25%)
39	PSU	B5	4749	39	17,21,22	1.59	3 (17%)	20,30,33	3.10	6 (30%)
39	1MA	B5	1266	39,89	15,25,26	1.49	3 (20%)	15,37,40	1.33	2 (13%)
1	PSU	A2	109	1	17,21,22	1.59	3 (17%)	20,30,33	3.05	6 (30%)
39	5MC	B5	3514	39,89	15,22,23	1.32	1 (6%)	19,32,35	1.27	3 (15%)
1	PSU	A2	1348	1	17,21,22	1.56	2 (11%)	20,30,33	3.04	6 (30%)
39	PSU	B5	1491	39	17,21,22	1.60	3 (17%)	20,30,33	3.04	6 (30%)
1	OMG	A2	602	1	18,26,27	1.19	2 (11%)	20,38,41	2.15	6 (30%)
1	A2M	A2	27	1,89	18,25,26	1.00	1 (5%)	18,36,39	1.22	2 (11%)
39	OMU	B5	4052	39	14,22,23	0.80	1 (7%)	14,31,34	0.80	0
11	OMC	AT	32	11	15,22,23	0.69	0	17,31,34	1.34	2 (11%)
39	A2M	B5	1270	39	18,25,26	0.94	1 (5%)	18,36,39	1.26	2 (11%)
39	OMC	B5	2647	39	15,22,23	0.69	0	17,31,34	1.35	2 (11%)
39	PSU	B5	4740	39	17,21,22	1.58	3 (17%)	20,30,33	3.05	6 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
39	OMG	B5	4369	39	-	1/5/27/28	0/3/3/3
1	PSU	A2	1057	1	-	0/7/25/26	0/2/2/2
1	PSU	A2	650	1	-	0/7/25/26	0/2/2/2
39	OMC	B5	3433	39	-	1/7/27/28	0/2/2/2
1	OMU	A2	116	1	-	1/7/27/28	0/2/2/2
39	PSU	B5	4188	39	-	0/7/25/26	0/2/2/2
1	B8N	A2	1249	1	-	0/12/34/35	0/2/2/2
1	PSU	A2	802	1	-	2/7/25/26	0/2/2/2
1	OMU	A2	1443	1,89	-	1/7/27/28	0/2/2/2
1	A2M	A2	469	1	-	1/5/27/28	0/3/3/3
39	OMG	B5	4364	39	-	0/5/27/28	0/3/3/3
69	MLZ	Bb	5	69	-	2/7/8/10	-
39	OMC	B5	2208	39,89	-	0/7/27/28	0/2/2/2
39	PSU	B5	3371	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	3583	39	-	1/7/25/26	0/2/2/2
1	OMG	A2	684	1	-	4/5/27/28	0/3/3/3
39	OMG	B5	4245	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	3462	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	407	1	-	0/7/25/26	0/2/2/2
39	OMC	B5	4282	39,89	-	0/7/27/28	0/2/2/2
39	PSU	B5	4322	39	-	0/7/25/26	0/2/2/2
11	YYG	AT	37	11	-	0/20/42/43	0/4/4/4
39	A2M	B5	3557	39	-	1/5/27/28	0/3/3/3
39	PSU	B5	4045	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	1175	1	-	0/7/25/26	0/2/2/2
1	OMC	A2	463	1	-	0/7/27/28	0/2/2/2
41	PSU	B8	69	41	-	0/7/25/26	0/2/2/2
39	PSU	B5	1537	39	-	0/7/25/26	0/2/2/2
1	OMG	A2	645	1	-	4/5/27/28	0/3/3/3
1	OMC	A2	1704	1	-	2/7/27/28	0/2/2/2
1	OMG	A2	437	1	-	0/5/27/28	0/3/3/3
39	OMG	B5	1477	39	-	1/5/27/28	0/3/3/3
1	PSU	A2	93	1	-	0/7/25/26	0/2/2/2
39	A2M	B5	2244	39,89	-	0/5/27/28	0/3/3/3
1	OMU	A2	355	1	-	0/7/27/28	0/2/2/2
39	A2M	B5	1810	39,89	-	0/5/27/28	0/3/3/3
39	OMC	B5	3540	39	-	0/7/27/28	0/2/2/2
39	OMC	B5	3619	39	-	2/7/27/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
39	PSU	B5	4435	39	-	0/7/25/26	0/2/2/2
39	A2M	B5	2630	39,89	-	0/5/27/28	0/3/3/3
11	PSU	AT	27	11	-	0/7/25/26	0/2/2/2
39	PSU	B5	3490	39	-	0/7/25/26	0/2/2/2
39	A2M	B5	3517	39	-	2/5/27/28	0/3/3/3
39	OMG	B5	4383	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	3554	39	-	0/7/25/26	0/2/2/2
43	HIC	BB	245	43	-	1/5/6/8	0/1/1/1
11	PSU	AT	55	11	-	0/7/25/26	0/2/2/2
39	OMG	B5	3476	39	-	0/5/27/28	0/3/3/3
1	PSU	A2	1005	1	-	0/7/25/26	0/2/2/2
39	5MC	B5	4193	39	-	2/5/25/26	0/2/2/2
35	HY3	Aw	62	35	-	0/1/12/14	0/1/1/1
39	OMC	B5	3601	39	-	0/7/27/28	0/2/2/2
39	PSU	B5	2351	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	687	1	-	0/7/25/26	0/2/2/2
39	PSU	B5	4042	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	1801	39	-	0/7/25/26	0/2/2/2
1	OMC	A2	174	1,89	-	0/7/27/28	0/2/2/2
1	PSU	A2	816	1	-	0/7/25/26	0/2/2/2
11	5MC	AT	49	11	-	0/5/25/26	0/2/2/2
39	PSU	B5	3496	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	1720	39	-	0/7/25/26	0/2/2/2
39	OMG	B5	1580	39	-	0/5/27/28	0/3/3/3
1	PSU	A2	815	1	-	0/7/25/26	0/2/2/2
39	PSU	B5	4246	39	-	1/7/25/26	0/2/2/2
1	PSU	A2	1245	1	-	0/7/25/26	0/2/2/2
1	OMG	A2	1491	1,89	-	2/5/27/28	0/3/3/3
1	OMC	A2	518	1	-	0/7/27/28	0/2/2/2
39	PSU	B5	4382	39	-	4/7/25/26	0/2/2/2
1	A2M	A2	159	1	-	0/5/27/28	0/3/3/3
1	MA6	A2	1852	1	-	2/7/29/30	0/3/3/3
39	PSU	B5	4166	39	-	1/7/25/26	0/2/2/2
39	PSU	B5	4058	39	-	0/7/25/26	0/2/2/2
11	M2G	AT	26	11	-	0/7/29/30	0/3/3/3
1	OMG	A2	1448	1	-	2/5/27/28	0/3/3/3
1	OMU	A2	628	1	-	2/7/27/28	0/2/2/2
39	PSU	B5	3616	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	4169	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	1644	1,89	-	0/7/25/26	0/2/2/2
31	NMM	As	67	31	-	1/9/11/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
39	OMU	B5	4366	39	-	0/7/27/28	0/2/2/2
1	PSU	A2	823	1	-	2/7/25/26	0/2/2/2
81	MLZ	Bo	53	81	-	0/7/8/10	-
39	OMC	B5	2704	39	-	1/7/27/28	0/2/2/2
1	PSU	A2	36	1	-	0/7/25/26	0/2/2/2
39	A2M	B5	3456	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	3652	39,89	-	0/7/25/26	0/2/2/2
11	H2U	AT	16	11	-	1/7/38/39	0/2/2/2
1	A2M	A2	1679	1	-	0/5/27/28	0/3/3/3
39	PSU	B5	4711	39	-	0/7/25/26	0/2/2/2
39	OMC	B5	1820	39,89	-	1/7/27/28	0/2/2/2
1	PSU	A2	105	1	-	0/7/25/26	0/2/2/2
1	PSU	A2	119	1	-	0/7/25/26	0/2/2/2
39	OMU	B5	2258	39	-	0/7/27/28	0/2/2/2
42	V5N	BA	216	42	-	1/5/10/12	0/1/1/1
39	PSU	B5	1683	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	573	1	-	0/7/25/26	0/2/2/2
1	PSU	A2	1368	1	-	0/7/25/26	0/2/2/2
1	A2M	A2	99	1,89	-	2/5/27/28	0/3/3/3
1	OMC	A2	1392	1	-	1/7/27/28	0/2/2/2
39	OMG	B5	2267	39	-	0/5/27/28	0/3/3/3
39	OMC	B5	2265	39,89	-	1/7/27/28	0/2/2/2
1	A2M	A2	485	1	-	0/5/27/28	0/3/3/3
39	PSU	B5	1721	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	1626	1	-	0/7/25/26	0/2/2/2
1	A2M	A2	1384	1	-	0/5/27/28	0/3/3/3
39	OMU	B5	3657	39	-	0/7/27/28	0/2/2/2
1	4AC	A2	1338	1	-	4/9/29/30	0/2/2/2
39	OMC	B5	1284	39	-	2/7/27/28	0/2/2/2
39	A2M	B5	398	39	-	2/5/27/28	0/3/3/3
39	6MZ	B5	3966	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	4039	39	-	0/7/25/26	0/2/2/2
39	OMG	B5	4116	39	-	0/5/27/28	0/3/3/3
39	A2M	B5	4317	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	2475	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	4419	39	-	0/7/25/26	0/2/2/2
39	A2M	B5	400	39	-	0/5/27/28	0/3/3/3
39	OMG	B5	3359	39	-	0/5/27/28	0/3/3/3
40	GTP	B7	1	40	-	0/18/38/38	0/3/3/3
1	PSU	A2	1233	1	-	0/7/25/26	0/2/2/2
1	PSU	A2	218	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	SAC	Ar	2	30	-	0/7/8/10	-
39	OMG	B5	3974	39	-	0/5/27/28	0/3/3/3
39	OMC	B5	2667	39	-	0/7/27/28	0/2/2/2
39	PSU	B5	4298	39	-	0/7/25/26	0/2/2/2
83	SAC	Br	2	83	-	0/7/8/10	-
1	PSU	A2	1178	1	-	0/7/25/26	0/2/2/2
1	PSU	A2	1082	1	-	2/7/25/26	0/2/2/2
33	AME	Au	1	33	-	2/9/10/12	-
39	PSU	B5	3585	39,89	-	0/7/25/26	0/2/2/2
44	AYA	BC	2	44	-	0/4/6/8	-
1	PSU	A2	1446	1	-	0/7/25/26	0/2/2/2
1	OMG	A2	510	1,89	-	0/5/27/28	0/3/3/3
39	A2M	B5	2658	39,89	-	0/5/27/28	0/3/3/3
1	PSU	A2	1046	1	-	0/7/25/26	0/2/2/2
39	PSU	B5	4278	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	4374	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	4177	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	652	1	-	0/7/25/26	0/2/2/2
39	A2M	B5	1489	39,89	-	1/5/27/28	0/3/3/3
39	OMC	B5	2194	39,89	-	2/7/27/28	0/2/2/2
39	A2M	B5	2206	39,89	-	0/5/27/28	0/3/3/3
39	A2M	B5	3450	39	-	1/5/27/28	0/3/3/3
39	OMG	B5	3631	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	4099	39	-	0/7/25/26	0/2/2/2
39	UR3	B5	4276	39	-	0/5/25/26	0/2/2/2
1	PSU	A2	867	1	-	0/7/25/26	0/2/2/2
1	A2M	A2	1032	1	-	0/5/27/28	0/3/3/3
39	OMG	B5	1260	39	-	1/5/27/28	0/3/3/3
39	PSU	B5	3369	39	-	0/7/25/26	0/2/2/2
1	A2M	A2	577	1	-	2/5/27/28	0/3/3/3
39	PSU	B5	3427	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	1799	39	-	0/7/25/26	0/2/2/2
1	OMU	A2	172	1	-	0/7/27/28	0/2/2/2
39	PSU	B5	3500	39	-	0/7/25/26	0/2/2/2
11	2MG	AT	10	11	-	0/5/27/28	0/3/3/3
1	OMU	A2	1327	1,89	-	0/7/27/28	0/2/2/2
39	PSU	B5	3447	39	-	0/7/25/26	0/2/2/2
39	OMG	B5	4138	39	-	0/5/27/28	0/3/3/3
1	PSU	A2	1693	1	-	0/7/25/26	0/2/2/2
1	6MZ	A2	1833	1,89	-	2/5/27/28	0/3/3/3
39	PSU	B5	4107	39	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMU	A2	429	1	-	1/7/27/28	0/2/2/2
39	A2M	B5	3599	39	-	2/5/27/28	0/3/3/3
39	PSU	B5	3466	39	-	0/7/25/26	0/2/2/2
39	OMG	B5	3676	39	-	1/5/27/28	0/3/3/3
80	M3L	Bm	98	80	-	0/9/10/12	-
1	MA6	A2	1851	1	-	0/7/29/30	0/3/3/3
1	PSU	A2	610	1	-	0/7/25/26	0/2/2/2
39	OMU	B5	4244	39	-	0/7/27/28	0/2/2/2
39	A2M	B5	1479	39	-	0/5/27/28	0/3/3/3
1	PSU	A2	1047	1	-	0/7/25/26	0/2/2/2
39	OMU	B5	2680	39	-	1/7/27/28	0/2/2/2
68	V5N	Ba	39	68	-	0/5/10/12	0/1/1/1
1	4AC	A2	1843	1	-	0/9/29/30	0/2/2/2
1	A2M	A2	591	1	-	0/5/27/28	0/3/3/3
1	OMU	A2	1289	1	-	0/7/27/28	0/2/2/2
11	PSU	AT	39	11	-	0/7/25/26	0/2/2/2
1	PSU	A2	864	1	-	0/7/25/26	0/2/2/2
39	A2M	B5	3492	39,1	-	2/5/27/28	0/3/3/3
39	PSU	B5	4149	39	-	0/7/25/26	0/2/2/2
39	OMG	B5	3942	39,11	-	0/5/27/28	0/3/3/3
11	OMG	AT	34	9,11	-	0/5/27/28	0/3/3/3
41	OMG	B8	75	41	-	0/5/27/28	0/3/3/3
11	1MA	AT	14	11	-	0/3/25/26	0/3/3/3
39	OMC	B5	3573	39	-	0/7/27/28	0/2/2/2
39	PSU	B5	3576	39	-	1/7/25/26	0/2/2/2
39	PSU	B5	4267	39,89	-	0/7/25/26	0/2/2/2
39	UY1	B5	3550	39	-	3/9/27/28	0/2/2/2
1	PSU	A2	34	1	-	0/7/25/26	0/2/2/2
39	PSU	B5	4203	39	-	0/7/25/26	0/2/2/2
1	PSU	A2	210	1	-	0/7/25/26	0/2/2/2
11	5MU	AT	54	11	-	0/5/25/26	0/2/2/2
39	PSU	B5	1718	39	-	0/7/25/26	0/2/2/2
1	A2M	A2	166	1	-	0/5/27/28	0/3/3/3
1	A2M	A2	669	1,89	-	2/5/27/28	0/3/3/3
39	PSU	B5	4325	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	3502	39	-	0/7/25/26	0/2/2/2
39	PSU	B5	4217	39	-	0/7/25/26	0/2/2/2
11	H2U	AT	17	11	-	6/7/38/39	0/2/2/2
39	OMG	B5	3524	39	-	1/5/27/28	0/3/3/3
39	A2M	B5	3562	39	-	0/5/27/28	0/3/3/3
39	PSU	B5	1731	39	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	1MA	AT	58	11	-	0/3/25/26	0/3/3/3
1	OMU	A2	1805	1	-	2/7/27/28	0/2/2/2
39	A2M	B5	4336	39	-	1/5/27/28	0/3/3/3
1	OMG	A2	1329	1	-	1/5/27/28	0/3/3/3
1	PSU	A2	967	1	-	0/7/25/26	0/2/2/2
39	PSU	B5	1638	39	-	0/7/25/26	0/2/2/2
1	A2M	A2	513	1	-	4/5/27/28	0/3/3/3
39	OMG	B5	2719	39	-	0/5/27/28	0/3/3/3
1	OMU	A2	121	1	-	1/7/27/28	0/2/2/2
41	PSU	B8	55	41	-	0/7/25/26	0/2/2/2
39	OMG	B5	4240	39	-	0/5/27/28	0/3/3/3
1	OMG	A2	868	1	-	0/5/27/28	0/3/3/3
1	PSU	A2	1239	1	-	0/7/25/26	0/2/2/2
39	OMC	B5	4202	39	-	1/7/27/28	0/2/2/2
11	PSU	AT	28	11	-	0/7/25/26	0/2/2/2
39	OMU	B5	3973	39	-	1/7/27/28	0/2/2/2
12	SAC	AZ	2	12	-	2/7/8/10	-
39	PSU	B5	1632	39	-	3/7/25/26	0/2/2/2
1	PSU	A2	682	1	-	0/7/25/26	0/2/2/2
1	G7M	A2	1640	1,11	-	0/3/25/26	0/3/3/3
39	PSU	B5	3494	39	-	1/7/25/26	0/2/2/2
39	OMG	B5	2207	39	-	2/5/27/28	0/3/3/3
39	A2M	B5	4269	39,89	-	0/5/27/28	0/3/3/3
11	G7M	AT	46	11	-	1/3/25/26	0/3/3/3
39	PSU	B5	4749	39	-	0/7/25/26	0/2/2/2
39	1MA	B5	1266	39,89	-	0/3/25/26	0/3/3/3
1	PSU	A2	109	1	-	0/7/25/26	0/2/2/2
39	5MC	B5	3514	39,89	-	0/5/25/26	0/2/2/2
1	PSU	A2	1348	1	-	0/7/25/26	0/2/2/2
39	PSU	B5	1491	39	-	0/7/25/26	0/2/2/2
1	OMG	A2	602	1	-	0/5/27/28	0/3/3/3
1	A2M	A2	27	1,89	-	2/5/27/28	0/3/3/3
39	OMU	B5	4052	39	-	0/7/27/28	0/2/2/2
11	OMC	AT	32	11	-	0/7/27/28	0/2/2/2
39	A2M	B5	1270	39	-	0/5/27/28	0/3/3/3
39	OMC	B5	2647	39	-	1/7/27/28	0/2/2/2
39	PSU	B5	4740	39	-	0/7/25/26	0/2/2/2

All (419) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A2	1640	G7M	C8-N9	7.48	1.47	1.33
11	AT	46	G7M	C8-N9	7.40	1.46	1.33
11	AT	46	G7M	C8-N7	7.13	1.46	1.33
1	A2	1640	G7M	C8-N7	7.11	1.46	1.33
11	AT	37	YYG	O23-C21	6.57	1.45	1.34
1	A2	1640	G7M	C5-C4	5.90	1.47	1.39
11	AT	46	G7M	C5-C4	5.79	1.47	1.39
1	A2	1249	B8N	C6-N1	5.33	1.39	1.33
11	AT	37	YYG	O18-C16	5.16	1.45	1.33
39	B5	1801	PSU	C5-C1'	-4.76	1.48	1.52
39	B5	4246	PSU	C5-C1'	-4.75	1.48	1.52
39	B5	3514	5MC	C5-C4	4.74	1.48	1.41
39	B5	4298	PSU	C5-C1'	-4.66	1.48	1.52
39	B5	4419	PSU	C5-C1'	-4.66	1.48	1.52
39	B5	3576	PSU	C5-C1'	-4.64	1.48	1.52
39	B5	1721	PSU	C5-C1'	-4.64	1.48	1.52
11	AT	58	1MA	C6-C5	4.63	1.48	1.41
1	A2	1175	PSU	C5-C1'	-4.63	1.48	1.52
39	B5	3502	PSU	C5-C1'	-4.62	1.48	1.52
39	B5	4188	PSU	C5-C1'	-4.61	1.48	1.52
39	B5	3369	PSU	C5-C1'	-4.60	1.48	1.52
1	A2	864	PSU	C5-C1'	-4.59	1.48	1.52
11	AT	49	5MC	C5-C4	4.58	1.48	1.41
39	B5	2351	PSU	C5-C1'	-4.58	1.48	1.52
39	B5	1799	PSU	C5-C1'	-4.54	1.48	1.52
1	A2	650	PSU	C5-C1'	-4.54	1.48	1.52
1	A2	105	PSU	C5-C1'	-4.54	1.48	1.52
39	B5	4058	PSU	C5-C1'	-4.54	1.48	1.52
39	B5	1638	PSU	C5-C1'	-4.54	1.48	1.52
41	B8	69	PSU	C5-C1'	-4.53	1.48	1.52
1	A2	815	PSU	C5-C1'	-4.53	1.48	1.52
1	A2	682	PSU	C5-C1'	-4.53	1.48	1.52
1	A2	1178	PSU	C5-C1'	-4.53	1.48	1.52
39	B5	4193	5MC	C5-C4	4.52	1.48	1.41
1	A2	34	PSU	C5-C1'	-4.52	1.48	1.52
39	B5	4374	PSU	C5-C1'	-4.51	1.48	1.52
39	B5	4267	PSU	C5-C1'	-4.50	1.48	1.52
1	A2	1057	PSU	C5-C1'	-4.50	1.48	1.52
1	A2	1239	PSU	C5-C1'	-4.50	1.48	1.52
39	B5	3466	PSU	C5-C1'	-4.50	1.48	1.52
1	A2	652	PSU	C5-C1'	-4.49	1.48	1.52
39	B5	1683	PSU	C5-C1'	-4.49	1.48	1.52
39	B5	4217	PSU	C5-C1'	-4.49	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A2	1233	PSU	C5-C1'	-4.49	1.48	1.52
39	B5	3447	PSU	C5-C1'	-4.49	1.48	1.52
1	A2	407	PSU	C5-C1'	-4.48	1.48	1.52
39	B5	3500	PSU	C5-C1'	-4.48	1.48	1.52
11	AT	27	PSU	C5-C1'	-4.48	1.48	1.52
11	AT	14	1MA	C6-C5	4.48	1.48	1.41
39	B5	3496	PSU	C5-C1'	-4.48	1.48	1.52
39	B5	3652	PSU	C5-C1'	-4.47	1.48	1.52
39	B5	1266	1MA	C6-C5	4.47	1.48	1.41
1	A2	867	PSU	C5-C1'	-4.47	1.48	1.52
11	AT	28	PSU	C5-C1'	-4.47	1.48	1.52
11	AT	55	PSU	C5-C1'	-4.47	1.48	1.52
1	A2	687	PSU	C5-C1'	-4.46	1.48	1.52
1	A2	1368	PSU	C5-C1'	-4.46	1.48	1.52
11	AT	37	YYG	C6-C5	4.46	1.48	1.41
39	B5	4107	PSU	C5-C1'	-4.46	1.48	1.52
1	A2	1005	PSU	C5-C1'	-4.45	1.48	1.52
39	B5	3490	PSU	C5-C1'	-4.45	1.48	1.52
41	B8	55	PSU	C5-C1'	-4.44	1.48	1.52
39	B5	1491	PSU	C5-C1'	-4.44	1.48	1.52
1	A2	816	PSU	C5-C1'	-4.43	1.48	1.52
39	B5	4042	PSU	C5-C1'	-4.43	1.48	1.52
39	B5	3462	PSU	C5-C1'	-4.43	1.48	1.52
39	B5	3585	PSU	C5-C1'	-4.42	1.48	1.52
1	A2	610	PSU	C5-C1'	-4.41	1.48	1.52
1	A2	109	PSU	C5-C1'	-4.41	1.48	1.52
1	A2	802	PSU	C5-C1'	-4.40	1.48	1.52
39	B5	4435	PSU	C5-C1'	-4.40	1.48	1.52
39	B5	4711	PSU	C5-C1'	-4.40	1.48	1.52
39	B5	4045	PSU	C5-C1'	-4.40	1.48	1.52
39	B5	4325	PSU	C5-C1'	-4.39	1.48	1.52
39	B5	1537	PSU	C5-C1'	-4.39	1.48	1.52
1	A2	1626	PSU	C5-C1'	-4.38	1.48	1.52
1	A2	573	PSU	C5-C1'	-4.38	1.48	1.52
39	B5	1731	PSU	C5-C1'	-4.37	1.48	1.52
1	A2	1693	PSU	C5-C1'	-4.37	1.48	1.52
1	A2	218	PSU	C5-C1'	-4.36	1.48	1.52
39	B5	4749	PSU	C5-C1'	-4.36	1.48	1.52
39	B5	1718	PSU	C5-C1'	-4.36	1.48	1.52
1	A2	93	PSU	C5-C1'	-4.36	1.48	1.52
1	A2	36	PSU	C5-C1'	-4.36	1.48	1.52
39	B5	4149	PSU	C5-C1'	-4.35	1.48	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B5	4099	PSU	C5-C1'	-4.35	1.48	1.52
1	A2	1446	PSU	C5-C1'	-4.33	1.48	1.52
39	B5	4322	PSU	C5-C1'	-4.33	1.48	1.52
39	B5	4278	PSU	C5-C1'	-4.32	1.48	1.52
39	B5	3371	PSU	C5-C1'	-4.31	1.48	1.52
39	B5	4177	PSU	C5-C1'	-4.31	1.48	1.52
1	A2	119	PSU	C5-C1'	-4.31	1.48	1.52
39	B5	3494	PSU	C5-C1'	-4.30	1.48	1.52
1	A2	1245	PSU	C5-C1'	-4.30	1.48	1.52
1	A2	967	PSU	C5-C1'	-4.30	1.48	1.52
35	Aw	62	HY3	C3-C2	-4.29	1.50	1.55
39	B5	4740	PSU	C5-C1'	-4.29	1.48	1.52
39	B5	4169	PSU	C5-C1'	-4.28	1.48	1.52
1	A2	1047	PSU	C5-C1'	-4.28	1.48	1.52
1	A2	210	PSU	C5-C1'	-4.27	1.48	1.52
39	B5	4203	PSU	C5-C1'	-4.27	1.48	1.52
11	AT	39	PSU	C5-C1'	-4.26	1.48	1.52
39	B5	4039	PSU	C5-C1'	-4.26	1.48	1.52
39	B5	2475	PSU	C5-C1'	-4.24	1.48	1.52
39	B5	3427	PSU	C5-C1'	-4.24	1.48	1.52
39	B5	1720	PSU	C5-C1'	-4.24	1.48	1.52
1	A2	1046	PSU	C5-C1'	-4.23	1.48	1.52
39	B5	3616	PSU	C5-C1'	-4.23	1.48	1.52
1	A2	1644	PSU	C5-C1'	-4.22	1.48	1.52
39	B5	4383	OMG	C6-C5	4.17	1.48	1.41
1	A2	1348	PSU	C5-C1'	-4.17	1.48	1.52
11	AT	26	M2G	C6-C5	4.15	1.48	1.41
1	A2	684	OMG	C6-C5	4.14	1.48	1.41
1	A2	645	OMG	C6-C5	4.14	1.48	1.41
39	B5	2207	OMG	C6-C5	4.13	1.48	1.41
39	B5	4245	OMG	C6-C5	4.13	1.48	1.41
39	B5	2719	OMG	C6-C5	4.12	1.48	1.41
1	A2	868	OMG	C6-C5	4.10	1.48	1.41
39	B5	4364	OMG	C6-C5	4.09	1.48	1.41
1	A2	510	OMG	C6-C5	4.09	1.48	1.41
41	B8	75	OMG	C6-C5	4.09	1.48	1.41
39	B5	4369	OMG	C6-C5	4.09	1.48	1.41
39	B5	4138	OMG	C6-C5	4.08	1.48	1.41
11	AT	34	OMG	C6-C5	4.07	1.48	1.41
39	B5	3359	OMG	C6-C5	4.07	1.48	1.41
1	A2	1329	OMG	C6-C5	4.07	1.48	1.41
1	A2	437	OMG	C6-C5	4.07	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B5	3631	OMG	C6-C5	4.06	1.48	1.41
1	A2	602	OMG	C6-C5	4.06	1.48	1.41
39	B5	3974	OMG	C6-C5	4.05	1.48	1.41
39	B5	3676	OMG	C6-C5	4.05	1.48	1.41
1	A2	823	PSU	C5-C1'	-4.04	1.48	1.52
11	AT	10	2MG	C6-C5	4.04	1.48	1.41
1	A2	1448	OMG	C6-C5	4.03	1.48	1.41
39	B5	3476	OMG	C6-C5	4.03	1.48	1.41
39	B5	1477	OMG	C6-C5	4.02	1.48	1.41
39	B5	4240	OMG	C6-C5	4.00	1.48	1.41
39	B5	3583	PSU	C5-C1'	-4.00	1.48	1.52
39	B5	4116	OMG	C6-C5	3.99	1.48	1.41
39	B5	3942	OMG	C6-C5	3.99	1.48	1.41
39	B5	1260	OMG	C6-C5	3.97	1.48	1.41
39	B5	1580	OMG	C6-C5	3.97	1.48	1.41
39	B5	1632	PSU	C5-C1'	-3.97	1.48	1.52
39	B5	3554	PSU	C5-C1'	-3.96	1.48	1.52
39	B5	3524	OMG	C6-C5	3.95	1.48	1.41
40	B7	1	GTP	C6-N1	3.94	1.39	1.33
39	B5	4382	PSU	C5-C1'	-3.94	1.48	1.52
39	B5	4166	PSU	C5-C1'	-3.94	1.48	1.52
39	B5	2267	OMG	C6-C5	3.92	1.48	1.41
1	A2	1640	G7M	C6-C5	3.84	1.48	1.41
11	AT	46	G7M	C6-C5	3.81	1.47	1.41
1	A2	1491	OMG	C6-C5	3.69	1.47	1.41
39	B5	3550	UY1	C4-N3	3.69	1.39	1.33
1	A2	1082	PSU	C5-C1'	-3.65	1.49	1.52
1	A2	210	PSU	C4-C5	3.52	1.49	1.41
39	B5	4382	PSU	C4-C5	3.52	1.49	1.41
1	A2	1082	PSU	C4-C5	3.49	1.48	1.41
39	B5	1632	PSU	C4-C5	3.47	1.48	1.41
39	B5	4166	PSU	C4-C5	3.46	1.48	1.41
39	B5	3554	PSU	C4-C5	3.45	1.48	1.41
39	B5	3494	PSU	C4-C5	3.44	1.48	1.41
39	B5	4169	PSU	C4-C5	3.43	1.48	1.41
39	B5	4278	PSU	C4-C5	3.42	1.48	1.41
39	B5	4045	PSU	C4-C5	3.42	1.48	1.41
39	B5	3583	PSU	C4-C5	3.41	1.48	1.41
39	B5	3585	PSU	C4-C5	3.40	1.48	1.41
39	B5	2475	PSU	C4-C5	3.40	1.48	1.41
1	A2	967	PSU	C4-C5	3.39	1.48	1.41
39	B5	4107	PSU	C4-C5	3.39	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A2	119	PSU	C4-C5	3.37	1.48	1.41
1	A2	1046	PSU	C4-C5	3.37	1.48	1.41
39	B5	1683	PSU	C4-C5	3.37	1.48	1.41
39	B5	4217	PSU	C4-C5	3.36	1.48	1.41
1	A2	802	PSU	C4-C5	3.36	1.48	1.41
39	B5	3500	PSU	C4-C5	3.36	1.48	1.41
39	B5	3369	PSU	C4-C5	3.36	1.48	1.41
1	A2	34	PSU	C4-C5	3.35	1.48	1.41
1	A2	1348	PSU	C4-C5	3.35	1.48	1.41
1	A2	36	PSU	C4-C5	3.35	1.48	1.41
1	A2	823	PSU	C4-C5	3.34	1.48	1.41
39	B5	1731	PSU	C4-C5	3.34	1.48	1.41
39	B5	4177	PSU	C4-C5	3.34	1.48	1.41
39	B5	1720	PSU	C4-C5	3.33	1.48	1.41
11	AT	39	PSU	C4-C5	3.33	1.48	1.41
1	A2	218	PSU	C4-C5	3.32	1.48	1.41
11	AT	54	5MU	C4-C5	3.32	1.48	1.41
11	AT	27	PSU	C4-C5	3.32	1.48	1.41
1	A2	815	PSU	C4-C5	3.32	1.48	1.41
1	A2	652	PSU	C4-C5	3.32	1.48	1.41
1	A2	1245	PSU	C4-C5	3.32	1.48	1.41
39	B5	1537	PSU	C4-C5	3.32	1.48	1.41
39	B5	3427	PSU	C4-C5	3.31	1.48	1.41
39	B5	1721	PSU	C4-C5	3.31	1.48	1.41
1	A2	1644	PSU	C4-C5	3.31	1.48	1.41
41	B8	69	PSU	C4-C5	3.31	1.48	1.41
39	B5	4149	PSU	C4-C5	3.31	1.48	1.41
39	B5	4322	PSU	C4-C5	3.31	1.48	1.41
1	A2	1626	PSU	C4-C5	3.31	1.48	1.41
39	B5	3371	PSU	C4-C5	3.31	1.48	1.41
1	A2	1368	PSU	C4-C5	3.30	1.48	1.41
39	B5	4325	PSU	C4-C5	3.30	1.48	1.41
39	B5	4711	PSU	C4-C5	3.30	1.48	1.41
11	AT	26	M2G	C2-N2	3.30	1.40	1.34
41	B8	55	PSU	C4-C5	3.30	1.48	1.41
39	B5	3462	PSU	C4-C5	3.30	1.48	1.41
39	B5	4058	PSU	C4-C5	3.30	1.48	1.41
39	B5	1718	PSU	C4-C5	3.30	1.48	1.41
11	AT	55	PSU	C4-C5	3.29	1.48	1.41
1	A2	1175	PSU	C4-C5	3.29	1.48	1.41
39	B5	3576	PSU	C4-C5	3.29	1.48	1.41
39	B5	4740	PSU	C4-C5	3.29	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B5	3496	PSU	C4-C5	3.29	1.48	1.41
1	A2	105	PSU	C4-C5	3.29	1.48	1.41
1	A2	816	PSU	C4-C5	3.29	1.48	1.41
39	B5	3502	PSU	C4-C5	3.29	1.48	1.41
1	A2	1239	PSU	C4-C5	3.29	1.48	1.41
39	B5	3616	PSU	C4-C5	3.28	1.48	1.41
1	A2	407	PSU	C4-C5	3.28	1.48	1.41
1	A2	93	PSU	C4-C5	3.28	1.48	1.41
39	B5	1799	PSU	C4-C5	3.28	1.48	1.41
11	AT	28	PSU	C4-C5	3.28	1.48	1.41
39	B5	4749	PSU	C4-C5	3.28	1.48	1.41
1	A2	1693	PSU	C4-C5	3.27	1.48	1.41
39	B5	1638	PSU	C4-C5	3.27	1.48	1.41
1	A2	610	PSU	C4-C5	3.27	1.48	1.41
39	B5	2351	PSU	C4-C5	3.27	1.48	1.41
1	A2	1047	PSU	C4-C5	3.27	1.48	1.41
1	A2	687	PSU	C4-C5	3.26	1.48	1.41
39	B5	3490	PSU	C4-C5	3.26	1.48	1.41
1	A2	1005	PSU	C4-C5	3.26	1.48	1.41
39	B5	4099	PSU	C4-C5	3.26	1.48	1.41
39	B5	4298	PSU	C4-C5	3.26	1.48	1.41
1	A2	867	PSU	C4-C5	3.26	1.48	1.41
1	A2	1057	PSU	C4-C5	3.25	1.48	1.41
39	B5	1801	PSU	C4-C5	3.25	1.48	1.41
39	B5	4042	PSU	C4-C5	3.25	1.48	1.41
39	B5	3652	PSU	C4-C5	3.25	1.48	1.41
39	B5	4246	PSU	C4-C5	3.24	1.48	1.41
39	B5	3466	PSU	C4-C5	3.24	1.48	1.41
39	B5	4188	PSU	C4-C5	3.23	1.48	1.41
39	B5	4374	PSU	C4-C5	3.23	1.48	1.41
39	B5	4435	PSU	C4-C5	3.23	1.48	1.41
39	B5	3447	PSU	C4-C5	3.23	1.48	1.41
1	A2	682	PSU	C4-C5	3.22	1.48	1.41
39	B5	4419	PSU	C4-C5	3.22	1.48	1.41
39	B5	4039	PSU	C4-C5	3.22	1.48	1.41
39	B5	4267	PSU	C4-C5	3.22	1.48	1.41
1	A2	1446	PSU	C4-C5	3.21	1.48	1.41
39	B5	4203	PSU	C4-C5	3.21	1.48	1.41
1	A2	1178	PSU	C4-C5	3.21	1.48	1.41
1	A2	109	PSU	C4-C5	3.21	1.48	1.41
39	B5	1491	PSU	C4-C5	3.20	1.48	1.41
1	A2	1233	PSU	C4-C5	3.20	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A2	650	PSU	C4-C5	3.19	1.48	1.41
1	A2	573	PSU	C4-C5	3.19	1.48	1.41
1	A2	864	PSU	C4-C5	3.15	1.48	1.41
11	AT	37	YYG	C5-C4	2.75	1.48	1.40
1	A2	1249	B8N	C4-N3	-2.71	1.34	1.38
11	AT	17	H2U	C2-N3	-2.55	1.33	1.38
11	AT	16	H2U	C2-N3	-2.50	1.33	1.38
1	A2	591	A2M	C5-C4	2.49	1.47	1.40
39	B5	3492	A2M	C5-C4	2.48	1.47	1.40
11	AT	14	1MA	C5-C4	2.47	1.47	1.40
11	AT	58	1MA	C2-N3	2.47	1.34	1.30
11	AT	58	1MA	C5-C4	2.47	1.47	1.40
1	A2	1852	MA6	C5-C4	2.46	1.47	1.40
1	A2	1851	MA6	C5-C4	2.45	1.47	1.40
39	B5	398	A2M	C5-C4	2.44	1.47	1.40
39	B5	400	A2M	C5-C4	2.43	1.47	1.40
39	B5	4317	A2M	C5-C4	2.43	1.47	1.40
39	B5	3599	A2M	C5-C4	2.43	1.47	1.40
1	A2	1384	A2M	C5-C4	2.43	1.47	1.40
39	B5	3456	A2M	C5-C4	2.42	1.47	1.40
1	A2	27	A2M	C5-C4	2.42	1.47	1.40
1	A2	513	A2M	C5-C4	2.42	1.47	1.40
11	AT	14	1MA	C2-N3	2.42	1.34	1.30
1	A2	166	A2M	C5-C4	2.42	1.47	1.40
39	B5	4336	A2M	C5-C4	2.42	1.47	1.40
1	A2	159	A2M	C5-C4	2.42	1.47	1.40
1	A2	577	A2M	C5-C4	2.41	1.47	1.40
1	A2	868	OMG	C5-C4	2.41	1.47	1.40
1	A2	99	A2M	C5-C4	2.41	1.47	1.40
39	B5	2658	A2M	C5-C4	2.40	1.47	1.40
1	A2	469	A2M	C5-C4	2.40	1.47	1.40
39	B5	4269	A2M	C5-C4	2.40	1.47	1.40
39	B5	2267	OMG	C5-C4	2.40	1.47	1.40
39	B5	3562	A2M	C5-C4	2.39	1.47	1.40
39	B5	2719	OMG	C5-C4	2.39	1.47	1.40
39	B5	3557	A2M	C5-C4	2.39	1.47	1.40
39	B5	3676	OMG	C5-C4	2.39	1.47	1.40
11	AT	10	2MG	C5-C4	2.39	1.47	1.40
39	B5	4240	OMG	C5-C4	2.39	1.47	1.40
11	AT	34	OMG	C5-C4	2.39	1.47	1.40
39	B5	3966	6MZ	C5-C4	2.39	1.47	1.40
1	A2	485	A2M	C5-C4	2.38	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A2	1448	OMG	C5-C4	2.38	1.47	1.40
1	A2	1833	6MZ	C5-C4	2.38	1.47	1.40
39	B5	1489	A2M	C5-C4	2.37	1.47	1.40
39	B5	2206	A2M	C5-C4	2.37	1.47	1.40
1	A2	1679	A2M	C5-C4	2.37	1.47	1.40
39	B5	3450	A2M	C5-C4	2.37	1.47	1.40
39	B5	1580	OMG	C5-C4	2.37	1.47	1.40
39	B5	2244	A2M	C5-C4	2.36	1.47	1.40
1	A2	510	OMG	C5-C4	2.36	1.47	1.40
39	B5	3476	OMG	C5-C4	2.36	1.47	1.40
39	B5	1810	A2M	C5-C4	2.36	1.47	1.40
39	B5	2630	A2M	C5-C4	2.36	1.47	1.40
39	B5	1270	A2M	C5-C4	2.36	1.47	1.40
1	A2	437	OMG	C5-C4	2.35	1.47	1.40
39	B5	4245	OMG	C5-C4	2.35	1.47	1.40
1	A2	645	OMG	C5-C4	2.35	1.47	1.40
1	A2	602	OMG	C5-C4	2.35	1.47	1.40
39	B5	3942	OMG	C5-C4	2.35	1.47	1.40
39	B5	3524	OMG	C5-C4	2.34	1.47	1.40
1	A2	1329	OMG	C5-C4	2.34	1.47	1.40
11	AT	26	M2G	C5-C4	2.34	1.47	1.40
39	B5	1479	A2M	C5-C4	2.34	1.47	1.40
1	A2	684	OMG	C5-C4	2.33	1.47	1.40
39	B5	3974	OMG	C5-C4	2.33	1.47	1.40
39	B5	1266	1MA	C5-C4	2.33	1.47	1.40
39	B5	4116	OMG	C5-C4	2.33	1.47	1.40
39	B5	4138	OMG	C5-C4	2.32	1.47	1.40
1	A2	669	A2M	C5-C4	2.32	1.47	1.40
1	A2	1032	A2M	C5-C4	2.32	1.47	1.40
39	B5	4383	OMG	C5-C4	2.31	1.47	1.40
39	B5	1266	1MA	C2-N3	2.31	1.34	1.30
39	B5	3359	OMG	C5-C4	2.31	1.47	1.40
39	B5	4364	OMG	C5-C4	2.31	1.47	1.40
1	A2	1491	OMG	C5-C4	2.30	1.47	1.40
39	B5	2207	OMG	C5-C4	2.30	1.47	1.40
11	AT	17	H2U	C4-N3	-2.30	1.33	1.37
41	B8	75	OMG	C5-C4	2.30	1.47	1.40
39	B5	1477	OMG	C5-C4	2.29	1.47	1.40
39	B5	4369	OMG	C5-C4	2.28	1.47	1.40
39	B5	1260	OMG	C5-C4	2.26	1.46	1.40
1	A2	823	PSU	O4'-C1'	-2.25	1.41	1.44
39	B5	1632	PSU	O4'-C1'	-2.24	1.41	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B5	3657	OMU	C2-N3	-2.24	1.33	1.38
1	A2	1338	4AC	C4-N4	-2.23	1.35	1.40
39	B5	3631	OMG	C5-C4	2.22	1.46	1.40
39	B5	3517	A2M	C5-C4	2.22	1.46	1.40
39	B5	3369	PSU	C2-N3	-2.19	1.33	1.38
39	B5	4267	PSU	O4'-C1'	-2.18	1.41	1.44
39	B5	3973	OMU	C2-N3	-2.18	1.33	1.38
41	B8	69	PSU	O4'-C1'	-2.17	1.41	1.44
11	AT	16	H2U	C4-N3	-2.15	1.33	1.37
1	A2	1047	PSU	O4'-C1'	-2.15	1.41	1.44
39	B5	4244	OMU	C2-N3	-2.14	1.33	1.38
39	B5	4166	PSU	O4'-C1'	-2.14	1.41	1.44
1	A2	116	OMU	C2-N3	-2.13	1.33	1.38
1	A2	1082	PSU	O4'-C1'	-2.12	1.41	1.44
39	B5	2680	OMU	C2-N3	-2.11	1.34	1.38
1	A2	1327	OMU	C2-N3	-2.11	1.34	1.38
39	B5	4366	OMU	C2-N3	-2.11	1.34	1.38
39	B5	2258	OMU	C2-N3	-2.10	1.34	1.38
1	A2	355	OMU	C2-N3	-2.10	1.34	1.38
39	B5	4203	PSU	O4'-C1'	-2.09	1.41	1.44
1	A2	121	OMU	C2-N3	-2.09	1.34	1.38
1	A2	1082	PSU	C2-N3	-2.09	1.34	1.38
39	B5	4052	OMU	C2-N3	-2.08	1.34	1.38
1	A2	1805	OMU	C2-N3	-2.08	1.34	1.38
39	B5	4188	PSU	O4'-C1'	-2.08	1.41	1.44
11	AT	37	YYG	C6-N1	-2.08	1.34	1.37
1	A2	1644	PSU	O4'-C1'	-2.08	1.41	1.44
1	A2	573	PSU	O4'-C1'	-2.07	1.41	1.44
1	A2	628	OMU	C2-N3	-2.07	1.34	1.38
39	B5	3494	PSU	O4'-C1'	-2.07	1.41	1.44
39	B5	4149	PSU	O4'-C1'	-2.07	1.41	1.44
39	B5	3585	PSU	O4'-C1'	-2.07	1.41	1.44
1	A2	109	PSU	O4'-C1'	-2.07	1.41	1.44
39	B5	3427	PSU	C2-N3	-2.06	1.34	1.38
1	A2	429	OMU	C2-N3	-2.05	1.34	1.38
1	A2	1443	OMU	C2-N3	-2.05	1.34	1.38
1	A2	1289	OMU	C2-N3	-2.05	1.34	1.38
39	B5	3652	PSU	O4'-C1'	-2.05	1.41	1.44
39	B5	1638	PSU	C2-N3	-2.05	1.34	1.38
39	B5	4246	PSU	O4'-C1'	-2.05	1.41	1.44
39	B5	4435	PSU	C2-N3	-2.05	1.34	1.38
1	A2	1843	4AC	C4-N4	-2.05	1.35	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	B5	4107	PSU	C2-N3	-2.04	1.34	1.38
39	B5	3583	PSU	C2-N3	-2.04	1.34	1.38
39	B5	4374	PSU	O4'-C1'	-2.04	1.41	1.44
39	B5	4711	PSU	C2-N3	-2.04	1.34	1.38
39	B5	3447	PSU	O4'-C1'	-2.04	1.41	1.44
39	B5	4278	PSU	O4'-C1'	-2.04	1.41	1.44
11	AT	39	PSU	O4'-C1'	-2.04	1.41	1.44
39	B5	1491	PSU	C2-N3	-2.04	1.34	1.38
39	B5	3496	PSU	O4'-C1'	-2.04	1.41	1.44
39	B5	4169	PSU	O4'-C1'	-2.03	1.41	1.44
1	A2	119	PSU	O4'-C1'	-2.03	1.41	1.44
39	B5	1683	PSU	C2-N3	-2.03	1.34	1.38
39	B5	3576	PSU	O4'-C1'	-2.03	1.41	1.44
39	B5	1731	PSU	C2-N3	-2.03	1.34	1.38
39	B5	4099	PSU	O4'-C1'	-2.03	1.41	1.44
39	B5	4039	PSU	O4'-C1'	-2.03	1.41	1.44
39	B5	4298	PSU	C2-N3	-2.03	1.34	1.38
39	B5	3496	PSU	C2-N3	-2.02	1.34	1.38
1	A2	1057	PSU	C2-N3	-2.02	1.34	1.38
1	A2	1693	PSU	C2-N3	-2.02	1.34	1.38
39	B5	4419	PSU	O4'-C1'	-2.02	1.41	1.44
11	AT	39	PSU	C2-N3	-2.02	1.34	1.38
1	A2	172	OMU	C2-N3	-2.02	1.34	1.38
39	B5	4217	PSU	C2-N3	-2.02	1.34	1.38
39	B5	4149	PSU	C2-N3	-2.01	1.34	1.38
39	B5	3490	PSU	C2-N3	-2.01	1.34	1.38
1	A2	1693	PSU	O4'-C1'	-2.01	1.41	1.44
39	B5	4749	PSU	O4'-C1'	-2.01	1.41	1.44
39	B5	1799	PSU	C2-N3	-2.01	1.34	1.38
39	B5	4740	PSU	C2-N3	-2.01	1.34	1.38
39	B5	4217	PSU	O4'-C1'	-2.01	1.41	1.44
1	A2	36	PSU	O4'-C1'	-2.01	1.41	1.44
1	A2	1046	PSU	C2-N3	-2.01	1.34	1.38
1	A2	864	PSU	C2-N3	-2.01	1.34	1.38
39	B5	3652	PSU	C2-N3	-2.01	1.34	1.38
39	B5	4177	PSU	C2-N3	-2.01	1.34	1.38
39	B5	3583	PSU	O4'-C1'	-2.01	1.41	1.44
1	A2	967	PSU	C2-N3	-2.00	1.34	1.38
39	B5	1721	PSU	C2-N3	-2.00	1.34	1.38
39	B5	4267	PSU	C2-N3	-2.00	1.34	1.38

All (975) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	3550	UY1	N1-C2-N3	-10.43	120.14	128.43
40	B7	1	GTP	C5-C6-N1	-8.81	111.38	123.43
39	B5	1731	PSU	N1-C2-N3	-8.40	121.75	128.43
39	B5	4166	PSU	N1-C2-N3	-8.37	121.78	128.43
1	A2	1082	PSU	N1-C2-N3	-8.32	121.81	128.43
39	B5	3554	PSU	N1-C2-N3	-8.30	121.83	128.43
1	A2	1005	PSU	N1-C2-N3	-8.29	121.84	128.43
39	B5	3616	PSU	N1-C2-N3	-8.28	121.85	128.43
39	B5	3462	PSU	N1-C2-N3	-8.25	121.87	128.43
39	B5	4039	PSU	N1-C2-N3	-8.25	121.88	128.43
39	B5	1718	PSU	N1-C2-N3	-8.24	121.88	128.43
1	A2	1175	PSU	N1-C2-N3	-8.24	121.88	128.43
1	A2	1245	PSU	N1-C2-N3	-8.23	121.88	128.43
1	A2	210	PSU	N1-C2-N3	-8.23	121.89	128.43
39	B5	4203	PSU	N1-C2-N3	-8.23	121.89	128.43
1	A2	36	PSU	N1-C2-N3	-8.22	121.89	128.43
39	B5	3490	PSU	N1-C2-N3	-8.21	121.90	128.43
39	B5	4749	PSU	N1-C2-N3	-8.21	121.91	128.43
1	A2	119	PSU	N1-C2-N3	-8.20	121.91	128.43
39	B5	3576	PSU	N1-C2-N3	-8.20	121.91	128.43
39	B5	2475	PSU	N1-C2-N3	-8.19	121.92	128.43
39	B5	4177	PSU	N1-C2-N3	-8.19	121.92	128.43
1	A2	802	PSU	N1-C2-N3	-8.18	121.93	128.43
1	A2	682	PSU	N1-C2-N3	-8.18	121.93	128.43
39	B5	4278	PSU	N1-C2-N3	-8.18	121.93	128.43
1	A2	1046	PSU	N1-C2-N3	-8.17	121.94	128.43
39	B5	4267	PSU	N1-C2-N3	-8.16	121.94	128.43
1	A2	815	PSU	N1-C2-N3	-8.15	121.95	128.43
1	A2	573	PSU	N1-C2-N3	-8.15	121.95	128.43
11	AT	55	PSU	N1-C2-N3	-8.14	121.96	128.43
1	A2	93	PSU	N1-C2-N3	-8.14	121.96	128.43
39	B5	4217	PSU	N1-C2-N3	-8.14	121.96	128.43
39	B5	4169	PSU	N1-C2-N3	-8.13	121.96	128.43
1	A2	109	PSU	N1-C2-N3	-8.13	121.97	128.43
1	A2	1348	PSU	N1-C2-N3	-8.13	121.97	128.43
1	A2	823	PSU	N1-C2-N3	-8.13	121.97	128.43
1	A2	1446	PSU	N1-C2-N3	-8.12	121.97	128.43
39	B5	4322	PSU	N1-C2-N3	-8.12	121.97	128.43
1	A2	407	PSU	N1-C2-N3	-8.12	121.98	128.43
1	A2	1368	PSU	N1-C2-N3	-8.12	121.98	128.43
39	B5	4382	PSU	N1-C2-N3	-8.12	121.98	128.43
1	A2	1626	PSU	N1-C2-N3	-8.11	121.98	128.43
39	B5	3652	PSU	N1-C2-N3	-8.11	121.98	128.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	1233	PSU	N1-C2-N3	-8.11	121.98	128.43
1	A2	1239	PSU	N1-C2-N3	-8.11	121.98	128.43
1	A2	864	PSU	N1-C2-N3	-8.11	121.98	128.43
1	A2	610	PSU	N1-C2-N3	-8.10	121.99	128.43
39	B5	1537	PSU	N1-C2-N3	-8.10	121.99	128.43
1	A2	867	PSU	N1-C2-N3	-8.10	121.99	128.43
39	B5	3371	PSU	N1-C2-N3	-8.10	121.99	128.43
39	B5	1720	PSU	N1-C2-N3	-8.10	121.99	128.43
1	A2	967	PSU	N1-C2-N3	-8.09	122.00	128.43
1	A2	687	PSU	N1-C2-N3	-8.09	122.00	128.43
1	A2	1693	PSU	N1-C2-N3	-8.09	122.00	128.43
1	A2	218	PSU	N1-C2-N3	-8.09	122.00	128.43
39	B5	1638	PSU	N1-C2-N3	-8.09	122.00	128.43
39	B5	3494	PSU	N1-C2-N3	-8.09	122.00	128.43
1	A2	1644	PSU	N1-C2-N3	-8.08	122.00	128.43
39	B5	1632	PSU	N1-C2-N3	-8.08	122.00	128.43
39	B5	1683	PSU	N1-C2-N3	-8.08	122.01	128.43
1	A2	652	PSU	N1-C2-N3	-8.07	122.01	128.43
1	A2	1047	PSU	N1-C2-N3	-8.07	122.01	128.43
39	B5	4740	PSU	N1-C2-N3	-8.07	122.02	128.43
1	A2	816	PSU	N1-C2-N3	-8.07	122.02	128.43
1	A2	1057	PSU	N1-C2-N3	-8.07	122.02	128.43
39	B5	3500	PSU	N1-C2-N3	-8.07	122.02	128.43
39	B5	4045	PSU	N1-C2-N3	-8.06	122.02	128.43
39	B5	4058	PSU	N1-C2-N3	-8.06	122.03	128.43
39	B5	4107	PSU	N1-C2-N3	-8.06	122.03	128.43
39	B5	4099	PSU	N1-C2-N3	-8.06	122.03	128.43
41	B8	55	PSU	N1-C2-N3	-8.05	122.03	128.43
11	AT	28	PSU	N1-C2-N3	-8.04	122.04	128.43
39	B5	1799	PSU	N1-C2-N3	-8.04	122.04	128.43
11	AT	27	PSU	N1-C2-N3	-8.04	122.04	128.43
39	B5	1721	PSU	N1-C2-N3	-8.04	122.04	128.43
39	B5	1491	PSU	N1-C2-N3	-8.03	122.04	128.43
39	B5	3466	PSU	N1-C2-N3	-8.03	122.04	128.43
1	A2	34	PSU	N1-C2-N3	-8.03	122.05	128.43
39	B5	4435	PSU	N1-C2-N3	-8.03	122.05	128.43
11	AT	39	PSU	N1-C2-N3	-8.02	122.05	128.43
39	B5	2351	PSU	N1-C2-N3	-8.02	122.05	128.43
39	B5	3585	PSU	N1-C2-N3	-8.02	122.06	128.43
39	B5	3427	PSU	N1-C2-N3	-8.02	122.06	128.43
39	B5	4419	PSU	N1-C2-N3	-8.02	122.06	128.43
1	A2	105	PSU	N1-C2-N3	-8.02	122.06	128.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	4711	PSU	N1-C2-N3	-8.01	122.06	128.43
39	B5	4042	PSU	N1-C2-N3	-8.01	122.06	128.43
39	B5	1801	PSU	N1-C2-N3	-8.00	122.07	128.43
39	B5	3447	PSU	N1-C2-N3	-7.99	122.08	128.43
39	B5	3496	PSU	N1-C2-N3	-7.98	122.08	128.43
1	A2	650	PSU	N1-C2-N3	-7.97	122.09	128.43
39	B5	4149	PSU	N1-C2-N3	-7.97	122.10	128.43
39	B5	4188	PSU	N1-C2-N3	-7.97	122.10	128.43
39	B5	3583	PSU	N1-C2-N3	-7.96	122.10	128.43
39	B5	4246	PSU	N1-C2-N3	-7.96	122.10	128.43
39	B5	4325	PSU	N1-C2-N3	-7.96	122.11	128.43
1	A2	1178	PSU	N1-C2-N3	-7.92	122.13	128.43
41	B8	69	PSU	N1-C2-N3	-7.92	122.13	128.43
39	B5	4298	PSU	N1-C2-N3	-7.91	122.14	128.43
39	B5	3502	PSU	N1-C2-N3	-7.89	122.16	128.43
39	B5	4374	PSU	N1-C2-N3	-7.86	122.18	128.43
39	B5	3369	PSU	N1-C2-N3	-7.82	122.21	128.43
11	AT	17	H2U	C4-N3-C2	-7.02	119.97	125.79
39	B5	1632	PSU	C4-N3-C2	6.89	120.96	115.14
39	B5	4382	PSU	C4-N3-C2	6.86	120.94	115.14
39	B5	4166	PSU	C4-N3-C2	6.84	120.91	115.14
1	A2	210	PSU	C4-N3-C2	6.81	120.89	115.14
1	A2	1082	PSU	C4-N3-C2	6.80	120.89	115.14
39	B5	3494	PSU	C4-N3-C2	6.79	120.88	115.14
1	A2	36	PSU	C4-N3-C2	6.79	120.87	115.14
39	B5	2475	PSU	C4-N3-C2	6.77	120.86	115.14
39	B5	4217	PSU	C4-N3-C2	6.77	120.86	115.14
1	A2	823	PSU	C4-N3-C2	6.77	120.86	115.14
39	B5	3616	PSU	C4-N3-C2	6.76	120.85	115.14
39	B5	3554	PSU	C4-N3-C2	6.76	120.85	115.14
1	A2	119	PSU	C4-N3-C2	6.73	120.83	115.14
39	B5	3371	PSU	C4-N3-C2	6.73	120.82	115.14
39	B5	4278	PSU	C4-N3-C2	6.72	120.82	115.14
1	A2	1175	PSU	C4-N3-C2	6.71	120.81	115.14
39	B5	4107	PSU	C4-N3-C2	6.68	120.78	115.14
39	B5	1799	PSU	C4-N3-C2	6.67	120.78	115.14
1	A2	1005	PSU	C4-N3-C2	6.67	120.77	115.14
11	AT	54	5MU	C4-N3-C2	6.67	120.77	115.14
39	B5	3576	PSU	C4-N3-C2	6.66	120.77	115.14
1	A2	1626	PSU	C4-N3-C2	6.66	120.76	115.14
1	A2	1047	PSU	C4-N3-C2	6.65	120.75	115.14
39	B5	4045	PSU	C4-N3-C2	6.64	120.75	115.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	1731	PSU	C4-N3-C2	6.64	120.75	115.14
39	B5	1638	PSU	C4-N3-C2	6.64	120.75	115.14
1	A2	802	PSU	C4-N3-C2	6.63	120.74	115.14
39	B5	4322	PSU	C4-N3-C2	6.63	120.74	115.14
39	B5	4435	PSU	C4-N3-C2	6.63	120.74	115.14
39	B5	4169	PSU	C4-N3-C2	6.63	120.74	115.14
1	A2	610	PSU	C4-N3-C2	6.62	120.73	115.14
1	A2	1245	PSU	C4-N3-C2	6.61	120.72	115.14
39	B5	1537	PSU	C4-N3-C2	6.60	120.72	115.14
39	B5	3585	PSU	C4-N3-C2	6.60	120.71	115.14
39	B5	1720	PSU	C4-N3-C2	6.59	120.71	115.14
1	A2	815	PSU	C4-N3-C2	6.59	120.71	115.14
39	B5	4039	PSU	C4-N3-C2	6.59	120.71	115.14
39	B5	4177	PSU	C4-N3-C2	6.59	120.70	115.14
39	B5	3496	PSU	C4-N3-C2	6.59	120.70	115.14
39	B5	3466	PSU	C4-N3-C2	6.59	120.70	115.14
1	A2	967	PSU	C4-N3-C2	6.58	120.70	115.14
39	B5	3490	PSU	C4-N3-C2	6.58	120.70	115.14
1	A2	682	PSU	C4-N3-C2	6.58	120.70	115.14
39	B5	4246	PSU	C4-N3-C2	6.58	120.70	115.14
1	A2	1057	PSU	C4-N3-C2	6.57	120.69	115.14
39	B5	4203	PSU	C4-N3-C2	6.57	120.69	115.14
11	AT	39	PSU	C4-N3-C2	6.57	120.69	115.14
39	B5	4749	PSU	C4-N3-C2	6.56	120.68	115.14
39	B5	3462	PSU	C4-N3-C2	6.56	120.68	115.14
39	B5	4740	PSU	C4-N3-C2	6.56	120.68	115.14
1	A2	1644	PSU	C4-N3-C2	6.56	120.68	115.14
39	B5	4267	PSU	C4-N3-C2	6.56	120.68	115.14
39	B5	4188	PSU	C4-N3-C2	6.55	120.67	115.14
1	A2	407	PSU	C4-N3-C2	6.54	120.66	115.14
1	A2	1046	PSU	C4-N3-C2	6.54	120.66	115.14
1	A2	109	PSU	C4-N3-C2	6.53	120.66	115.14
1	A2	93	PSU	C4-N3-C2	6.53	120.66	115.14
1	A2	1693	PSU	C4-N3-C2	6.53	120.66	115.14
1	A2	652	PSU	C4-N3-C2	6.52	120.65	115.14
39	B5	1718	PSU	C4-N3-C2	6.52	120.65	115.14
39	B5	4374	PSU	C4-N3-C2	6.52	120.64	115.14
1	A2	1446	PSU	C4-N3-C2	6.52	120.64	115.14
41	B8	69	PSU	C4-N3-C2	6.52	120.64	115.14
1	A2	1233	PSU	C4-N3-C2	6.51	120.64	115.14
39	B5	1801	PSU	C4-N3-C2	6.51	120.64	115.14
39	B5	3500	PSU	C4-N3-C2	6.51	120.64	115.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	687	PSU	C4-N3-C2	6.50	120.63	115.14
39	B5	4058	PSU	C4-N3-C2	6.50	120.63	115.14
39	B5	4711	PSU	C4-N3-C2	6.50	120.63	115.14
39	B5	3652	PSU	C4-N3-C2	6.50	120.63	115.14
1	A2	864	PSU	C4-N3-C2	6.50	120.63	115.14
39	B5	1683	PSU	C4-N3-C2	6.49	120.62	115.14
1	A2	1368	PSU	C4-N3-C2	6.48	120.62	115.14
11	AT	28	PSU	C4-N3-C2	6.48	120.61	115.14
1	A2	218	PSU	C4-N3-C2	6.47	120.61	115.14
39	B5	4325	PSU	C4-N3-C2	6.47	120.61	115.14
1	A2	1239	PSU	C4-N3-C2	6.47	120.60	115.14
39	B5	3427	PSU	C4-N3-C2	6.47	120.60	115.14
11	AT	27	PSU	C4-N3-C2	6.47	120.60	115.14
39	B5	4042	PSU	C4-N3-C2	6.46	120.60	115.14
1	A2	34	PSU	C4-N3-C2	6.44	120.58	115.14
1	A2	816	PSU	C4-N3-C2	6.43	120.57	115.14
1	A2	105	PSU	C4-N3-C2	6.42	120.57	115.14
1	A2	1348	PSU	C4-N3-C2	6.42	120.56	115.14
39	B5	3447	PSU	C4-N3-C2	6.42	120.56	115.14
1	A2	867	PSU	C4-N3-C2	6.42	120.56	115.14
1	A2	1178	PSU	C4-N3-C2	6.42	120.56	115.14
39	B5	4419	PSU	C4-N3-C2	6.42	120.56	115.14
39	B5	1721	PSU	C4-N3-C2	6.41	120.55	115.14
39	B5	3583	PSU	C4-N3-C2	6.41	120.55	115.14
39	B5	2351	PSU	C4-N3-C2	6.40	120.55	115.14
39	B5	4298	PSU	C4-N3-C2	6.40	120.54	115.14
11	AT	55	PSU	C4-N3-C2	6.39	120.54	115.14
1	A2	650	PSU	C4-N3-C2	6.38	120.53	115.14
1	A2	573	PSU	C4-N3-C2	6.38	120.53	115.14
39	B5	3369	PSU	C4-N3-C2	6.38	120.53	115.14
39	B5	1491	PSU	C4-N3-C2	6.37	120.52	115.14
39	B5	4099	PSU	C4-N3-C2	6.37	120.52	115.14
41	B8	55	PSU	C4-N3-C2	6.36	120.51	115.14
39	B5	4149	PSU	C4-N3-C2	6.34	120.50	115.14
39	B5	3502	PSU	C4-N3-C2	6.26	120.42	115.14
1	A2	1338	4AC	C4-N4-C7	-6.05	121.89	128.16
40	B7	1	GTP	C6-N1-C2	5.90	125.30	115.93
39	B5	3966	6MZ	C2-N1-C6	5.89	121.64	116.59
39	B5	1632	PSU	C5-C4-N3	-5.70	118.01	125.36
1	A2	1833	6MZ	C2-N1-C6	5.64	121.43	116.59
1	A2	1640	G7M	C5-C6-N1	-5.64	115.72	123.43
39	B5	4382	PSU	C5-C4-N3	-5.61	118.13	125.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AT	46	G7M	C5-C6-N1	-5.60	115.77	123.43
39	B5	4246	PSU	C5-C4-N3	-5.59	118.16	125.36
39	B5	3494	PSU	C5-C4-N3	-5.59	118.16	125.36
39	B5	4188	PSU	C5-C4-N3	-5.55	118.21	125.36
1	A2	823	PSU	C5-C4-N3	-5.53	118.24	125.36
1	A2	210	PSU	C5-C4-N3	-5.52	118.25	125.36
39	B5	3371	PSU	C5-C4-N3	-5.51	118.26	125.36
41	B8	69	PSU	C5-C4-N3	-5.50	118.27	125.36
39	B5	2475	PSU	C5-C4-N3	-5.50	118.28	125.36
39	B5	1799	PSU	C5-C4-N3	-5.49	118.28	125.36
39	B5	4045	PSU	C5-C4-N3	-5.49	118.28	125.36
1	A2	36	PSU	C5-C4-N3	-5.48	118.30	125.36
39	B5	3585	PSU	C5-C4-N3	-5.48	118.30	125.36
1	A2	119	PSU	C5-C4-N3	-5.47	118.31	125.36
39	B5	4278	PSU	C5-C4-N3	-5.47	118.31	125.36
39	B5	4374	PSU	C5-C4-N3	-5.47	118.32	125.36
39	B5	3466	PSU	C5-C4-N3	-5.46	118.33	125.36
1	A2	1626	PSU	C5-C4-N3	-5.46	118.33	125.36
39	B5	3496	PSU	C5-C4-N3	-5.45	118.34	125.36
39	B5	4217	PSU	C5-C4-N3	-5.43	118.36	125.36
11	AT	39	PSU	C5-C4-N3	-5.43	118.36	125.36
1	A2	610	PSU	C5-C4-N3	-5.43	118.37	125.36
39	B5	4107	PSU	C5-C4-N3	-5.43	118.37	125.36
1	A2	1175	PSU	C5-C4-N3	-5.42	118.37	125.36
39	B5	4322	PSU	C5-C4-N3	-5.42	118.38	125.36
39	B5	4711	PSU	C5-C4-N3	-5.42	118.38	125.36
39	B5	4267	PSU	C5-C4-N3	-5.41	118.39	125.36
1	A2	967	PSU	C5-C4-N3	-5.41	118.39	125.36
1	A2	1047	PSU	C5-C4-N3	-5.41	118.39	125.36
1	A2	652	PSU	C5-C4-N3	-5.41	118.39	125.36
39	B5	4166	PSU	C5-C4-N3	-5.41	118.39	125.36
39	B5	1801	PSU	C5-C4-N3	-5.41	118.40	125.36
39	B5	4058	PSU	C5-C4-N3	-5.40	118.40	125.36
39	B5	3554	PSU	C5-C4-N3	-5.40	118.40	125.36
39	B5	4149	PSU	C5-C4-N3	-5.40	118.40	125.36
39	B5	1537	PSU	C5-C4-N3	-5.40	118.40	125.36
1	A2	1644	PSU	C5-C4-N3	-5.40	118.40	125.36
39	B5	4325	PSU	C5-C4-N3	-5.40	118.40	125.36
1	A2	1178	PSU	C5-C4-N3	-5.40	118.40	125.36
39	B5	1720	PSU	C5-C4-N3	-5.40	118.41	125.36
1	A2	650	PSU	C5-C4-N3	-5.40	118.41	125.36
1	A2	1368	PSU	C5-C4-N3	-5.40	118.41	125.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	34	PSU	C5-C4-N3	-5.39	118.41	125.36
1	A2	815	PSU	C5-C4-N3	-5.39	118.41	125.36
39	B5	4169	PSU	C5-C4-N3	-5.39	118.42	125.36
39	B5	1718	PSU	C5-C4-N3	-5.39	118.42	125.36
39	B5	4435	PSU	C5-C4-N3	-5.38	118.43	125.36
1	A2	1057	PSU	C5-C4-N3	-5.38	118.43	125.36
39	B5	4419	PSU	C5-C4-N3	-5.38	118.43	125.36
11	AT	28	PSU	C5-C4-N3	-5.38	118.43	125.36
1	A2	1446	PSU	C5-C4-N3	-5.38	118.43	125.36
1	A2	109	PSU	C5-C4-N3	-5.38	118.44	125.36
1	A2	687	PSU	C5-C4-N3	-5.37	118.44	125.36
39	B5	3462	PSU	C5-C4-N3	-5.37	118.44	125.36
39	B5	1683	PSU	C5-C4-N3	-5.37	118.44	125.36
39	B5	3576	PSU	C5-C4-N3	-5.37	118.44	125.36
39	B5	4749	PSU	C5-C4-N3	-5.37	118.44	125.36
1	A2	407	PSU	C5-C4-N3	-5.37	118.44	125.36
1	A2	1233	PSU	C5-C4-N3	-5.37	118.44	125.36
39	B5	3652	PSU	C5-C4-N3	-5.36	118.45	125.36
39	B5	3616	PSU	C5-C4-N3	-5.36	118.45	125.36
1	A2	802	PSU	C5-C4-N3	-5.36	118.45	125.36
39	B5	3490	PSU	C5-C4-N3	-5.36	118.45	125.36
39	B5	1638	PSU	C5-C4-N3	-5.36	118.46	125.36
39	B5	3500	PSU	C5-C4-N3	-5.35	118.46	125.36
1	A2	816	PSU	C5-C4-N3	-5.35	118.47	125.36
39	B5	3447	PSU	C5-C4-N3	-5.35	118.47	125.36
39	B5	1721	PSU	C5-C4-N3	-5.35	118.47	125.36
39	B5	4298	PSU	C5-C4-N3	-5.35	118.47	125.36
1	A2	1693	PSU	C5-C4-N3	-5.35	118.47	125.36
11	AT	27	PSU	C5-C4-N3	-5.35	118.47	125.36
1	A2	1005	PSU	C5-C4-N3	-5.34	118.48	125.36
39	B5	2351	PSU	C5-C4-N3	-5.34	118.48	125.36
1	A2	1082	PSU	C5-C4-N3	-5.34	118.48	125.36
39	B5	3369	PSU	C5-C4-N3	-5.34	118.48	125.36
39	B5	4177	PSU	C5-C4-N3	-5.34	118.48	125.36
1	A2	1239	PSU	C5-C4-N3	-5.34	118.48	125.36
1	A2	1046	PSU	C5-C4-N3	-5.34	118.49	125.36
39	B5	4740	PSU	C5-C4-N3	-5.33	118.49	125.36
39	B5	3502	PSU	C5-C4-N3	-5.33	118.49	125.36
1	A2	682	PSU	C5-C4-N3	-5.33	118.50	125.36
39	B5	4203	PSU	C5-C4-N3	-5.33	118.50	125.36
39	B5	4042	PSU	C5-C4-N3	-5.32	118.51	125.36
1	A2	218	PSU	C5-C4-N3	-5.32	118.51	125.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	105	PSU	C5-C4-N3	-5.31	118.51	125.36
11	AT	55	PSU	C5-C4-N3	-5.31	118.52	125.36
1	A2	867	PSU	C5-C4-N3	-5.30	118.53	125.36
1	A2	1245	PSU	C5-C4-N3	-5.30	118.53	125.36
39	B5	4039	PSU	C5-C4-N3	-5.30	118.53	125.36
1	A2	573	PSU	C5-C4-N3	-5.29	118.54	125.36
39	B5	3583	PSU	C5-C4-N3	-5.29	118.55	125.36
39	B5	4099	PSU	C5-C4-N3	-5.29	118.55	125.36
41	B8	55	PSU	C5-C4-N3	-5.29	118.55	125.36
1	A2	864	PSU	C5-C4-N3	-5.28	118.56	125.36
1	A2	93	PSU	C5-C4-N3	-5.27	118.57	125.36
39	B5	3427	PSU	C5-C4-N3	-5.27	118.57	125.36
39	B5	1731	PSU	C5-C4-N3	-5.26	118.58	125.36
39	B5	1491	PSU	C5-C4-N3	-5.24	118.60	125.36
39	B5	2719	OMG	C2-N3-C4	5.20	121.30	115.36
1	A2	1348	PSU	C5-C4-N3	-5.20	118.67	125.36
11	AT	26	M2G	C6-N1-C2	5.13	122.28	116.18
39	B5	3942	OMG	C2-N3-C4	5.11	121.19	115.36
39	B5	4240	OMG	C2-N3-C4	5.04	121.12	115.36
1	A2	1491	OMG	C2-N3-C4	5.03	121.10	115.36
1	A2	684	OMG	C2-N3-C4	5.02	121.09	115.36
39	B5	4383	OMG	C2-N3-C4	5.01	121.07	115.36
41	B8	75	OMG	C2-N3-C4	4.99	121.06	115.36
39	B5	3476	OMG	C2-N3-C4	4.98	121.04	115.36
11	AT	10	2MG	C2-N3-C4	4.96	120.91	115.28
11	AT	34	OMG	C2-N3-C4	4.95	121.02	115.36
1	A2	437	OMG	C2-N3-C4	4.94	121.00	115.36
39	B5	1260	OMG	C2-N3-C4	4.94	121.00	115.36
39	B5	4138	OMG	C2-N3-C4	4.94	121.00	115.36
39	B5	3524	OMG	C2-N3-C4	4.93	120.99	115.36
39	B5	3359	OMG	C2-N3-C4	4.93	120.99	115.36
39	B5	1580	OMG	C2-N3-C4	4.93	120.99	115.36
1	A2	645	OMG	C2-N3-C4	4.92	120.98	115.36
39	B5	4245	OMG	C2-N3-C4	4.92	120.98	115.36
1	A2	602	OMG	C2-N3-C4	4.92	120.98	115.36
11	AT	26	M2G	C2-N3-C4	4.92	120.86	115.28
39	B5	4364	OMG	C2-N3-C4	4.91	120.97	115.36
1	A2	1329	OMG	C2-N3-C4	4.90	120.95	115.36
39	B5	3676	OMG	C2-N3-C4	4.90	120.95	115.36
39	B5	1477	OMG	C2-N3-C4	4.89	120.95	115.36
1	A2	868	OMG	C2-N3-C4	4.88	120.93	115.36
39	B5	4116	OMG	C2-N3-C4	4.88	120.92	115.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	2207	OMG	C2-N3-C4	4.86	120.91	115.36
1	A2	510	OMG	C2-N3-C4	4.86	120.91	115.36
39	B5	3631	OMG	C2-N3-C4	4.85	120.89	115.36
39	B5	2267	OMG	C2-N3-C4	4.84	120.89	115.36
39	B5	4369	OMG	C2-N3-C4	4.84	120.88	115.36
1	A2	1448	OMG	C2-N3-C4	4.83	120.88	115.36
11	AT	16	H2U	C4-N3-C2	-4.82	121.80	125.79
39	B5	3974	OMG	C2-N3-C4	4.79	120.82	115.36
39	B5	2194	OMC	C2-N3-C4	4.68	121.08	116.34
11	AT	37	YYG	C3-N3-C4	4.55	124.69	118.25
39	B5	3369	PSU	C5-C6-N1	-4.47	118.94	124.44
39	B5	3502	PSU	C5-C6-N1	-4.47	118.95	124.44
39	B5	4149	PSU	C5-C6-N1	-4.47	118.95	124.44
39	B5	4267	PSU	C5-C6-N1	-4.45	118.97	124.44
39	B5	3550	UY1	C5-C4-N3	-4.45	119.63	125.36
1	A2	34	PSU	C5-C6-N1	-4.44	118.98	124.44
39	B5	3573	OMC	C2-N3-C4	4.43	120.84	116.34
39	B5	1721	PSU	C5-C6-N1	-4.43	118.99	124.44
11	AT	55	PSU	C5-C6-N1	-4.42	119.01	124.44
39	B5	4711	PSU	C5-C6-N1	-4.41	119.02	124.44
39	B5	2351	PSU	C5-C6-N1	-4.40	119.03	124.44
39	B5	1491	PSU	C5-C6-N1	-4.40	119.03	124.44
41	B8	55	PSU	C5-C6-N1	-4.40	119.03	124.44
1	A2	573	PSU	C5-C6-N1	-4.39	119.04	124.44
1	A2	1693	PSU	C5-C6-N1	-4.39	119.05	124.44
39	B5	1731	PSU	C5-C6-N1	-4.38	119.05	124.44
39	B5	3490	PSU	C5-C6-N1	-4.38	119.06	124.44
1	A2	867	PSU	C5-C6-N1	-4.38	119.06	124.44
39	B5	4419	PSU	C5-C6-N1	-4.37	119.07	124.44
11	AT	28	PSU	C5-C6-N1	-4.36	119.08	124.44
1	A2	816	PSU	C5-C6-N1	-4.36	119.08	124.44
39	B5	4042	PSU	C5-C6-N1	-4.36	119.08	124.44
1	A2	1239	PSU	C5-C6-N1	-4.36	119.08	124.44
39	B5	1801	PSU	C5-C6-N1	-4.35	119.09	124.44
39	B5	3466	PSU	C5-C6-N1	-4.35	119.09	124.44
39	B5	4298	PSU	C5-C6-N1	-4.35	119.10	124.44
39	B5	1683	PSU	C5-C6-N1	-4.34	119.10	124.44
1	A2	1640	G7M	C6-N1-C2	4.34	122.83	115.93
1	A2	650	PSU	C5-C6-N1	-4.34	119.10	124.44
39	B5	3652	PSU	C5-C6-N1	-4.33	119.11	124.44
1	A2	105	PSU	C5-C6-N1	-4.33	119.11	124.44
1	A2	1178	PSU	C5-C6-N1	-4.33	119.12	124.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	3500	PSU	C5-C6-N1	-4.32	119.13	124.44
1	A2	1446	PSU	C5-C6-N1	-4.32	119.13	124.44
1	A2	1368	PSU	C5-C6-N1	-4.31	119.14	124.44
1	A2	967	PSU	C5-C6-N1	-4.31	119.14	124.44
39	B5	4099	PSU	C5-C6-N1	-4.31	119.14	124.44
1	A2	1233	PSU	C5-C6-N1	-4.31	119.14	124.44
1	A2	864	PSU	C5-C6-N1	-4.31	119.14	124.44
39	B5	3583	PSU	C5-C6-N1	-4.31	119.15	124.44
11	AT	46	G7M	C6-N1-C2	4.30	122.77	115.93
39	B5	3447	PSU	C5-C6-N1	-4.30	119.16	124.44
1	A2	1392	OMC	C2-N3-C4	4.30	120.70	116.34
39	B5	1718	PSU	C5-C6-N1	-4.29	119.16	124.44
39	B5	1799	PSU	C5-C6-N1	-4.29	119.16	124.44
11	AT	27	PSU	C5-C6-N1	-4.29	119.16	124.44
39	B5	4188	PSU	C5-C6-N1	-4.28	119.18	124.44
39	B5	3496	PSU	C5-C6-N1	-4.28	119.18	124.44
1	A2	652	PSU	C5-C6-N1	-4.27	119.19	124.44
41	B8	69	PSU	C5-C6-N1	-4.27	119.19	124.44
39	B5	3462	PSU	C5-C6-N1	-4.27	119.19	124.44
1	A2	1348	PSU	C5-C6-N1	-4.26	119.20	124.44
1	A2	407	PSU	C5-C6-N1	-4.26	119.20	124.44
39	B5	4374	PSU	C5-C6-N1	-4.26	119.20	124.44
39	B5	4058	PSU	C5-C6-N1	-4.26	119.20	124.44
39	B5	4325	PSU	C5-C6-N1	-4.26	119.20	124.44
1	A2	687	PSU	C5-C6-N1	-4.26	119.20	124.44
1	A2	815	PSU	C5-C6-N1	-4.26	119.20	124.44
1	A2	1057	PSU	C5-C6-N1	-4.25	119.22	124.44
1	A2	218	PSU	C5-C6-N1	-4.25	119.22	124.44
1	A2	1046	PSU	C5-C6-N1	-4.25	119.22	124.44
39	B5	4749	PSU	C5-C6-N1	-4.25	119.22	124.44
1	A2	682	PSU	C5-C6-N1	-4.25	119.22	124.44
39	B5	4740	PSU	C5-C6-N1	-4.24	119.22	124.44
39	B5	4045	PSU	C5-C6-N1	-4.22	119.25	124.44
39	B5	4107	PSU	C5-C6-N1	-4.22	119.25	124.44
39	B5	3427	PSU	C5-C6-N1	-4.21	119.26	124.44
39	B5	1720	PSU	C5-C6-N1	-4.21	119.26	124.44
39	B5	3585	PSU	C5-C6-N1	-4.21	119.27	124.44
1	A2	802	PSU	C5-C6-N1	-4.21	119.27	124.44
39	B5	4039	PSU	C5-C6-N1	-4.21	119.27	124.44
39	B5	4322	PSU	C5-C6-N1	-4.21	119.27	124.44
39	B5	4246	PSU	C5-C6-N1	-4.20	119.27	124.44
11	AT	32	OMC	C2-N3-C4	4.20	120.60	116.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	1731	PSU	C6-N1-C2	4.20	122.29	115.36
39	B5	3576	PSU	C5-C6-N1	-4.19	119.28	124.44
39	B5	4203	PSU	C5-C6-N1	-4.18	119.30	124.44
11	AT	39	PSU	C5-C6-N1	-4.18	119.30	124.44
1	A2	109	PSU	C5-C6-N1	-4.18	119.30	124.44
1	A2	93	PSU	C5-C6-N1	-4.17	119.31	124.44
39	B5	2704	OMC	C2-N3-C4	4.17	120.57	116.34
1	A2	1005	PSU	C5-C6-N1	-4.17	119.31	124.44
39	B5	2647	OMC	C2-N3-C4	4.17	120.56	116.34
1	A2	1626	PSU	C5-C6-N1	-4.17	119.32	124.44
39	B5	1537	PSU	C5-C6-N1	-4.17	119.32	124.44
39	B5	4177	PSU	C5-C6-N1	-4.17	119.32	124.44
39	B5	4169	PSU	C5-C6-N1	-4.16	119.32	124.44
1	A2	1175	PSU	C5-C6-N1	-4.16	119.33	124.44
1	A2	1245	PSU	C5-C6-N1	-4.16	119.33	124.44
39	B5	1718	PSU	C6-N1-C2	4.15	122.20	115.36
1	A2	1644	PSU	C5-C6-N1	-4.15	119.34	124.44
39	B5	4217	PSU	C5-C6-N1	-4.14	119.35	124.44
39	B5	4435	PSU	C5-C6-N1	-4.14	119.35	124.44
1	A2	1047	PSU	C5-C6-N1	-4.14	119.35	124.44
39	B5	4149	PSU	C6-N1-C2	4.14	122.19	115.36
39	B5	3616	PSU	C5-C6-N1	-4.14	119.36	124.44
1	A2	34	PSU	C6-N1-C2	4.14	122.18	115.36
39	B5	3974	OMG	C6-N1-C2	4.14	122.50	115.93
41	B8	55	PSU	C6-N1-C2	4.13	122.18	115.36
39	B5	3369	PSU	C5-C1'-C2'	-4.13	107.95	115.32
1	A2	610	PSU	C5-C6-N1	-4.13	119.36	124.44
39	B5	2475	PSU	C5-C6-N1	-4.13	119.36	124.44
1	A2	1704	OMC	C2-N3-C4	4.13	120.53	116.34
39	B5	1638	PSU	C5-C6-N1	-4.13	119.36	124.44
11	AT	55	PSU	C6-N1-C2	4.13	122.17	115.36
39	B5	1721	PSU	C6-N1-C2	4.12	122.16	115.36
39	B5	3490	PSU	C6-N1-C2	4.12	122.16	115.36
39	B5	4267	PSU	C6-N1-C2	4.12	122.16	115.36
1	A2	1239	PSU	C6-N1-C2	4.12	122.15	115.36
39	B5	3462	PSU	C6-N1-C2	4.12	122.15	115.36
39	B5	3502	PSU	C6-N1-C2	4.12	122.15	115.36
39	B5	3550	UY1	C4-N3-C2	4.11	118.62	115.14
1	A2	1368	PSU	C6-N1-C2	4.11	122.14	115.36
1	A2	1046	PSU	C6-N1-C2	4.11	122.14	115.36
39	B5	1683	PSU	C6-N1-C2	4.11	122.14	115.36
39	B5	3652	PSU	C6-N1-C2	4.11	122.14	115.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	119	PSU	C5-C6-N1	-4.11	119.39	124.44
1	A2	573	PSU	C6-N1-C2	4.11	122.14	115.36
1	A2	1348	PSU	C6-N1-C2	4.11	122.13	115.36
39	B5	2265	OMC	C2-N3-C4	4.10	120.49	116.34
39	B5	4278	PSU	C5-C6-N1	-4.10	119.41	124.44
1	A2	1082	PSU	C6-N1-C2	4.09	122.11	115.36
39	B5	4711	PSU	C6-N1-C2	4.09	122.11	115.36
39	B5	4364	OMG	C6-N1-C2	4.09	122.43	115.93
1	A2	816	PSU	C6-N1-C2	4.09	122.11	115.36
39	B5	4039	PSU	C6-N1-C2	4.09	122.11	115.36
11	AT	37	YYG	O23-C21-N20	4.09	117.98	110.80
1	A2	967	PSU	C6-N1-C2	4.09	122.10	115.36
1	A2	1693	PSU	C6-N1-C2	4.09	122.10	115.36
1	A2	867	PSU	C6-N1-C2	4.09	122.10	115.36
39	B5	1491	PSU	C6-N1-C2	4.09	122.10	115.36
39	B5	4099	PSU	C6-N1-C2	4.09	122.10	115.36
39	B5	3583	PSU	C6-N1-C2	4.08	122.10	115.36
11	AT	28	PSU	C6-N1-C2	4.08	122.09	115.36
1	A2	518	OMC	C2-N3-C4	4.08	120.48	116.34
39	B5	2267	OMG	C5-C6-N1	-4.08	117.85	123.43
39	B5	3631	OMG	C6-C5-C4	-4.08	116.90	120.80
39	B5	4749	PSU	C6-N1-C2	4.08	122.09	115.36
39	B5	4177	PSU	C6-N1-C2	4.08	122.09	115.36
1	A2	1233	PSU	C5-C1'-C2'	-4.08	108.05	115.32
1	A2	802	PSU	C6-N1-C2	4.08	122.08	115.36
1	A2	1005	PSU	C6-N1-C2	4.08	122.08	115.36
39	B5	2351	PSU	C6-N1-C2	4.08	122.08	115.36
39	B5	3500	PSU	C6-N1-C2	4.08	122.08	115.36
39	B5	3476	OMG	C6-N1-C2	4.07	122.40	115.93
1	A2	105	PSU	C6-N1-C2	4.07	122.08	115.36
39	B5	4166	PSU	C6-N1-C2	4.07	122.07	115.36
39	B5	3619	OMC	C2-N3-C4	4.07	120.46	116.34
39	B5	3554	PSU	C6-N1-C2	4.07	122.07	115.36
1	A2	1233	PSU	C6-N1-C2	4.06	122.06	115.36
1	A2	684	OMG	C6-C5-C4	-4.06	116.92	120.80
39	B5	3369	PSU	C6-N1-C2	4.06	122.06	115.36
39	B5	2207	OMG	C6-N1-C2	4.06	122.38	115.93
1	A2	682	PSU	C6-N1-C2	4.06	122.06	115.36
39	B5	4419	PSU	C6-N1-C2	4.06	122.06	115.36
39	B5	4042	PSU	C5-C1'-C2'	-4.06	108.08	115.32
1	A2	218	PSU	C6-N1-C2	4.06	122.06	115.36
1	A2	1640	G7M	C2-N3-C4	4.06	119.99	115.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	1284	OMC	C2-N3-C4	4.06	120.46	116.34
39	B5	3576	PSU	C6-N1-C2	4.06	122.06	115.36
1	A2	652	PSU	C6-N1-C2	4.06	122.05	115.36
1	A2	815	PSU	C6-N1-C2	4.06	122.05	115.36
39	B5	4169	PSU	C6-N1-C2	4.05	122.05	115.36
1	A2	1446	PSU	C6-N1-C2	4.05	122.04	115.36
39	B5	4203	PSU	C6-N1-C2	4.05	122.04	115.36
39	B5	1477	OMG	C6-N1-C2	4.05	122.37	115.93
39	B5	3554	PSU	C5-C6-N1	-4.05	119.46	124.44
1	A2	407	PSU	C6-N1-C2	4.05	122.04	115.36
1	A2	650	PSU	C6-N1-C2	4.05	122.04	115.36
39	B5	4298	PSU	C5-C1'-C2'	-4.05	108.10	115.32
39	B5	4058	PSU	C6-N1-C2	4.05	122.04	115.36
39	B5	1266	1MA	C2-N3-C4	4.05	121.64	116.58
39	B5	3631	OMG	C6-N1-C2	4.04	122.35	115.93
1	A2	610	PSU	C5-C1'-C2'	-4.04	108.11	115.32
39	B5	3601	OMC	C2-N3-C4	4.04	120.44	116.34
39	B5	1801	PSU	C6-N1-C2	4.04	122.03	115.36
39	B5	4042	PSU	C6-N1-C2	4.04	122.03	115.36
39	B5	4278	PSU	C6-N1-C2	4.04	122.03	115.36
1	A2	1245	PSU	C6-N1-C2	4.04	122.02	115.36
1	A2	687	PSU	C6-N1-C2	4.04	122.02	115.36
11	AT	27	PSU	C6-N1-C2	4.04	122.02	115.36
1	A2	93	PSU	C6-N1-C2	4.04	122.02	115.36
39	B5	3447	PSU	C6-N1-C2	4.04	122.02	115.36
1	A2	1082	PSU	C5-C6-N1	-4.04	119.48	124.44
1	A2	1175	PSU	C6-N1-C2	4.03	122.01	115.36
39	B5	4045	PSU	C6-N1-C2	4.03	122.01	115.36
39	B5	4383	OMG	C6-N1-C2	4.03	122.34	115.93
39	B5	3359	OMG	C6-N1-C2	4.03	122.34	115.93
39	B5	1720	PSU	C6-N1-C2	4.03	122.01	115.36
39	B5	4107	PSU	C6-N1-C2	4.03	122.01	115.36
39	B5	4245	OMG	C6-N1-C2	4.03	122.33	115.93
1	A2	437	OMG	C6-N1-C2	4.03	122.33	115.93
1	A2	868	OMG	C6-N1-C2	4.03	122.33	115.93
1	A2	210	PSU	C5-C6-N1	-4.03	119.49	124.44
39	B5	4166	PSU	C5-C6-N1	-4.03	119.49	124.44
39	B5	3616	PSU	C6-N1-C2	4.03	122.00	115.36
39	B5	4298	PSU	C6-N1-C2	4.03	122.00	115.36
1	A2	1057	PSU	C6-N1-C2	4.02	122.00	115.36
39	B5	4322	PSU	C6-N1-C2	4.02	122.00	115.36
1	A2	1329	OMG	C6-N1-C2	4.02	122.32	115.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	4369	OMG	C6-N1-C2	4.02	122.32	115.93
39	B5	4202	OMC	C2-N3-C4	4.02	120.42	116.34
1	A2	864	PSU	C6-N1-C2	4.02	121.99	115.36
39	B5	3974	OMG	C5-C6-N1	-4.02	117.93	123.43
39	B5	2475	PSU	C6-N1-C2	4.02	121.99	115.36
39	B5	4740	PSU	C6-N1-C2	4.02	121.99	115.36
1	A2	1644	PSU	C6-N1-C2	4.02	121.99	115.36
39	B5	3585	PSU	C6-N1-C2	4.02	121.99	115.36
39	B5	1537	PSU	C6-N1-C2	4.02	121.99	115.36
41	B8	75	OMG	C6-N1-C2	4.02	122.31	115.93
39	B5	2667	OMC	C2-N3-C4	4.01	120.41	116.34
11	AT	14	1MA	C2-N3-C4	4.01	121.60	116.58
39	B5	3371	PSU	C5-C6-N1	-4.01	119.51	124.44
1	A2	109	PSU	C6-N1-C2	4.01	121.98	115.36
39	B5	2207	OMG	C5-C6-N1	-4.01	117.94	123.43
39	B5	3496	PSU	C6-N1-C2	4.01	121.98	115.36
39	B5	3676	OMG	C6-N1-C2	4.01	122.30	115.93
1	A2	1626	PSU	C6-N1-C2	4.01	121.97	115.36
11	AT	39	PSU	C6-N1-C2	4.01	121.97	115.36
39	B5	3466	PSU	C6-N1-C2	4.01	121.97	115.36
1	A2	119	PSU	C6-N1-C2	4.01	121.97	115.36
1	A2	210	PSU	C6-N1-C2	4.01	121.97	115.36
39	B5	4325	PSU	C6-N1-C2	4.00	121.97	115.36
39	B5	1799	PSU	C6-N1-C2	4.00	121.96	115.36
1	A2	510	OMG	C5-C6-N1	-4.00	117.96	123.43
1	A2	1178	PSU	C6-N1-C2	4.00	121.96	115.36
39	B5	3427	PSU	C6-N1-C2	4.00	121.95	115.36
39	B5	4217	PSU	C6-N1-C2	4.00	121.95	115.36
11	AT	58	1MA	C2-N3-C4	4.00	121.58	116.58
39	B5	3524	OMG	C6-N1-C2	4.00	122.28	115.93
1	A2	684	OMG	C6-N1-C2	4.00	122.28	115.93
1	A2	610	PSU	C6-N1-C2	3.99	121.94	115.36
41	B8	69	PSU	C6-N1-C2	3.99	121.94	115.36
11	AT	10	2MG	C5-C6-N1	-3.99	117.97	123.43
39	B5	4116	OMG	C6-N1-C2	3.99	122.27	115.93
1	A2	645	OMG	C6-N1-C2	3.99	122.27	115.93
1	A2	437	OMG	C5-C6-N1	-3.99	117.98	123.43
39	B5	4382	PSU	C5-C6-N1	-3.99	119.54	124.44
39	B5	3974	OMG	C6-C5-C4	-3.99	116.99	120.80
39	B5	1638	PSU	C6-N1-C2	3.98	121.93	115.36
1	A2	868	OMG	C5-C6-N1	-3.98	117.98	123.43
39	B5	4364	OMG	C5-C6-N1	-3.98	117.98	123.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	4116	OMG	C6-C5-C4	-3.98	117.00	120.80
1	A2	1448	OMG	C5-C6-N1	-3.98	117.99	123.43
1	A2	463	OMC	C2-N3-C4	3.98	120.37	116.34
39	B5	2267	OMG	C6-N1-C2	3.98	122.25	115.93
39	B5	4382	PSU	C6-N1-C2	3.98	121.92	115.36
1	A2	1329	OMG	C5-C6-N1	-3.98	117.99	123.43
39	B5	4188	PSU	C6-N1-C2	3.98	121.92	115.36
39	B5	4245	OMG	C5-C6-N1	-3.97	118.00	123.43
39	B5	1580	OMG	C5-C6-N1	-3.97	118.00	123.43
1	A2	510	OMG	C6-N1-C2	3.97	122.24	115.93
1	A2	602	OMG	C6-N1-C2	3.97	122.24	115.93
1	A2	1448	OMG	C6-N1-C2	3.97	122.24	115.93
1	A2	105	PSU	C5-C1'-C2'	-3.97	108.23	115.32
39	B5	1801	PSU	C5-C1'-C2'	-3.97	108.24	115.32
39	B5	4138	OMG	C6-C5-C4	-3.97	117.01	120.80
39	B5	4435	PSU	C5-C1'-C2'	-3.97	108.24	115.32
39	B5	4282	OMC	C2-N3-C4	3.97	120.36	116.34
39	B5	4138	OMG	C6-N1-C2	3.96	122.23	115.93
11	AT	10	2MG	C6-N1-C2	3.96	122.27	115.18
11	AT	46	G7M	C2-N3-C4	3.96	119.88	115.36
11	AT	26	M2G	C5-C6-N1	-3.96	118.02	123.43
39	B5	1580	OMG	C6-N1-C2	3.95	122.21	115.93
39	B5	4240	OMG	C6-N1-C2	3.95	122.21	115.93
39	B5	4383	OMG	C5-C6-N1	-3.95	118.03	123.43
1	A2	1047	PSU	C6-N1-C2	3.95	121.88	115.36
39	B5	4435	PSU	C6-N1-C2	3.95	121.87	115.36
1	A2	36	PSU	C6-N1-C2	3.94	121.87	115.36
1	A2	645	OMG	C5-C6-N1	-3.94	118.04	123.43
39	B5	3359	OMG	C5-C6-N1	-3.94	118.04	123.43
39	B5	4369	OMG	C5-C6-N1	-3.94	118.04	123.43
39	B5	1477	OMG	C6-C5-C4	-3.94	117.04	120.80
39	B5	3676	OMG	C5-C6-N1	-3.94	118.05	123.43
39	B5	3371	PSU	C6-N1-C2	3.94	121.86	115.36
39	B5	4374	PSU	C6-N1-C2	3.94	121.86	115.36
41	B8	75	OMG	C5-C6-N1	-3.93	118.05	123.43
39	B5	1260	OMG	C6-N1-C2	3.93	122.18	115.93
1	A2	823	PSU	C5-C6-N1	-3.93	119.61	124.44
39	B5	4246	PSU	C6-N1-C2	3.93	121.84	115.36
1	A2	823	PSU	C6-N1-C2	3.92	121.83	115.36
39	B5	4369	OMG	C6-C5-C4	-3.92	117.06	120.80
39	B5	3524	OMG	C5-C6-N1	-3.92	118.07	123.43
1	A2	1851	MA6	N1-C6-N6	3.92	121.18	117.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	174	OMC	C2-N3-C4	3.92	120.31	116.34
39	B5	3476	OMG	C6-C5-C4	-3.92	117.06	120.80
39	B5	3494	PSU	C5-C6-N1	-3.91	119.63	124.44
39	B5	3494	PSU	C6-N1-C2	3.91	121.81	115.36
11	AT	34	OMG	C6-N1-C2	3.91	122.14	115.93
39	B5	3476	OMG	C5-C6-N1	-3.90	118.09	123.43
11	AT	34	OMG	C5-C6-N1	-3.90	118.09	123.43
39	B5	3631	OMG	C5-C6-N1	-3.90	118.10	123.43
39	B5	1632	PSU	C6-N1-C2	3.90	121.79	115.36
39	B5	4364	OMG	C6-C5-C4	-3.89	117.08	120.80
1	A2	36	PSU	C5-C6-N1	-3.89	119.66	124.44
39	B5	1477	OMG	C5-C6-N1	-3.89	118.11	123.43
39	B5	2208	OMC	C2-N3-C4	3.89	120.28	116.34
39	B5	1632	PSU	C5-C6-N1	-3.89	119.66	124.44
39	B5	3942	OMG	C6-N1-C2	3.88	122.09	115.93
11	AT	37	YYG	O23-C21-O22	-3.87	118.89	124.58
39	B5	1683	PSU	C5-C1'-C2'	-3.87	108.41	115.32
11	AT	26	M2G	C6-C5-C4	-3.87	117.10	120.80
39	B5	2207	OMG	C6-C5-C4	-3.87	117.10	120.80
1	A2	602	OMG	C5-C6-N1	-3.87	118.14	123.43
39	B5	4138	OMG	C5-C6-N1	-3.86	118.15	123.43
39	B5	4240	OMG	C5-C6-N1	-3.86	118.15	123.43
39	B5	2719	OMG	C6-N1-C2	3.86	122.07	115.93
1	A2	1491	OMG	C6-C5-C4	-3.85	117.12	120.80
39	B5	4116	OMG	C5-C6-N1	-3.85	118.17	123.43
39	B5	1260	OMG	C5-C6-N1	-3.85	118.17	123.43
1	A2	684	OMG	C5-C6-N1	-3.84	118.17	123.43
1	A2	1329	OMG	C6-C5-C4	-3.84	117.13	120.80
39	B5	2719	OMG	C5-C6-N1	-3.84	118.18	123.43
39	B5	3359	OMG	C6-C5-C4	-3.83	117.14	120.80
39	B5	3942	OMG	C5-C6-N1	-3.82	118.20	123.43
39	B5	3540	OMC	C2-N3-C4	3.82	120.21	116.34
39	B5	4383	OMG	C6-C5-C4	-3.81	117.16	120.80
1	A2	602	OMG	C6-C5-C4	-3.81	117.17	120.80
39	B5	1820	OMC	C2-N3-C4	3.79	120.18	116.34
39	B5	3433	OMC	C2-N3-C4	3.79	120.18	116.34
1	A2	867	PSU	C5-C1'-C2'	-3.78	108.57	115.32
39	B5	4245	OMG	C6-C5-C4	-3.78	117.19	120.80
39	B5	1260	OMG	C6-C5-C4	-3.78	117.19	120.80
1	A2	868	OMG	C6-C5-C4	-3.77	117.19	120.80
39	B5	3676	OMG	C6-C5-C4	-3.77	117.20	120.80
41	B8	75	OMG	C6-C5-C4	-3.77	117.20	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AT	37	YYG	C24-O23-C21	3.74	120.08	115.66
39	B5	4240	OMG	C6-C5-C4	-3.74	117.23	120.80
39	B5	3524	OMG	C6-C5-C4	-3.73	117.23	120.80
1	A2	1491	OMG	C6-N1-C2	3.72	121.84	115.93
1	A2	645	OMG	C6-C5-C4	-3.72	117.25	120.80
39	B5	1799	PSU	C5-C1'-C2'	-3.69	108.74	115.32
11	AT	34	OMG	C6-C5-C4	-3.67	117.29	120.80
11	AT	10	2MG	C6-C5-C4	-3.66	117.30	120.80
1	A2	510	OMG	C6-C5-C4	-3.66	117.30	120.80
1	A2	437	OMG	C6-C5-C4	-3.66	117.31	120.80
1	A2	650	PSU	C5-C1'-C2'	-3.64	108.83	115.32
39	B5	1721	PSU	C5-C1'-C2'	-3.63	108.84	115.32
1	A2	1448	OMG	C6-C5-C4	-3.63	117.33	120.80
1	A2	1338	4AC	N4-C4-N3	3.62	121.85	113.24
11	AT	49	5MC	C2-N3-C4	3.62	120.39	116.02
39	B5	1638	PSU	C5-C1'-C2'	-3.61	108.87	115.32
1	A2	682	PSU	C5-C1'-C2'	-3.60	108.90	115.32
39	B5	3576	PSU	C5-C1'-C2'	-3.59	108.91	115.32
39	B5	3514	5MC	C2-N3-C4	3.59	120.35	116.02
39	B5	3942	OMG	C6-C5-C4	-3.57	117.39	120.80
41	B8	55	PSU	C5-C1'-C2'	-3.54	109.00	115.32
11	AT	28	PSU	C5-C1'-C2'	-3.53	109.02	115.32
1	A2	802	PSU	C5-C1'-C2'	-3.53	109.03	115.32
1	A2	93	PSU	C5-C1'-C2'	-3.52	109.04	115.32
1	A2	1491	OMG	C5-C6-N1	-3.50	118.64	123.43
11	AT	55	PSU	C5-C1'-C2'	-3.50	109.07	115.32
39	B5	2719	OMG	C6-C5-C4	-3.49	117.47	120.80
39	B5	1580	OMG	C6-C5-C4	-3.46	117.49	120.80
39	B5	4177	PSU	C5-C1'-C2'	-3.46	109.15	115.32
1	A2	652	PSU	C5-C1'-C2'	-3.45	109.17	115.32
39	B5	4711	PSU	C5-C1'-C2'	-3.45	109.17	115.32
1	A2	1239	PSU	C5-C1'-C2'	-3.44	109.19	115.32
1	A2	864	PSU	C5-C1'-C2'	-3.41	109.24	115.32
39	B5	4107	PSU	C5-C1'-C2'	-3.41	109.24	115.32
1	A2	407	PSU	C5-C1'-C2'	-3.40	109.26	115.32
39	B5	2630	A2M	N3-C2-N1	-3.39	123.38	128.68
1	A2	1005	PSU	C5-C1'-C2'	-3.38	109.29	115.32
1	A2	1032	A2M	N3-C2-N1	-3.38	123.40	128.68
39	B5	3517	A2M	N3-C2-N1	-3.37	123.41	128.68
39	B5	3476	OMG	N3-C2-N1	-3.36	122.73	127.22
1	A2	1693	PSU	C5-C1'-C2'	-3.36	109.32	115.32
11	AT	37	YYG	O18-C16-C15	3.36	120.12	111.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	3502	PSU	C5-C1'-C2'	-3.36	109.33	115.32
41	B8	75	OMG	N3-C2-N1	-3.36	122.74	127.22
39	B5	1477	OMG	N3-C2-N1	-3.35	122.75	127.22
39	B5	4325	PSU	C5-C1'-C2'	-3.35	109.34	115.32
39	B5	3550	UY1	C6-N1-C2	3.35	120.89	115.36
1	A2	684	OMG	N3-C2-N1	-3.35	122.75	127.22
1	A2	1851	MA6	C4-C5-N7	-3.35	105.91	109.40
39	B5	3550	UY1	CM2-O2'-C2'	-3.35	105.74	114.52
39	B5	2244	A2M	N3-C2-N1	-3.34	123.45	128.68
39	B5	3631	OMG	N3-C2-N1	-3.34	122.77	127.22
39	B5	2658	A2M	N3-C2-N1	-3.34	123.46	128.68
39	B5	4364	OMG	N3-C2-N1	-3.34	122.77	127.22
39	B5	3974	OMG	N3-C2-N1	-3.33	122.78	127.22
39	B5	2267	OMG	C6-C5-C4	-3.33	117.62	120.80
39	B5	4383	OMG	N3-C2-N1	-3.32	122.79	127.22
39	B5	1810	A2M	N3-C2-N1	-3.31	123.50	128.68
39	B5	4419	PSU	C5-C1'-C2'	-3.31	109.41	115.32
1	A2	1178	PSU	C5-C1'-C2'	-3.31	109.42	115.32
1	A2	485	A2M	N3-C2-N1	-3.31	123.51	128.68
39	B5	3456	A2M	N3-C2-N1	-3.30	123.52	128.68
1	A2	1491	OMG	N3-C2-N1	-3.29	122.83	127.22
39	B5	3966	6MZ	C9-N6-C6	-3.29	120.04	122.87
39	B5	3359	OMG	N3-C2-N1	-3.29	122.83	127.22
1	A2	1679	A2M	N3-C2-N1	-3.29	123.53	128.68
39	B5	1260	OMG	N3-C2-N1	-3.29	122.84	127.22
39	B5	4240	OMG	N3-C2-N1	-3.29	122.84	127.22
39	B5	4245	OMG	N3-C2-N1	-3.28	122.84	127.22
39	B5	4193	5MC	C2-N3-C4	3.28	119.98	116.02
39	B5	4369	OMG	N3-C2-N1	-3.28	122.85	127.22
39	B5	2207	OMG	N3-C2-N1	-3.28	122.85	127.22
1	A2	868	OMG	N3-C2-N1	-3.28	122.85	127.22
39	B5	4116	OMG	N3-C2-N1	-3.28	122.85	127.22
1	A2	1851	MA6	N3-C2-N1	-3.27	123.56	128.68
39	B5	4336	A2M	N3-C2-N1	-3.27	123.57	128.68
1	A2	1626	PSU	C5-C1'-C2'	-3.27	109.48	115.32
39	B5	3676	OMG	N3-C2-N1	-3.27	122.86	127.22
1	A2	1329	OMG	N3-C2-N1	-3.27	122.87	127.22
1	A2	577	A2M	N3-C2-N1	-3.26	123.58	128.68
1	A2	437	OMG	N3-C2-N1	-3.26	122.87	127.22
39	B5	400	A2M	N3-C2-N1	-3.26	123.58	128.68
39	B5	3524	OMG	N3-C2-N1	-3.26	122.87	127.22
39	B5	2206	A2M	N3-C2-N1	-3.26	123.58	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	3942	OMG	N3-C2-N1	-3.25	122.88	127.22
39	B5	4138	OMG	N3-C2-N1	-3.25	122.88	127.22
1	A2	166	A2M	N3-C2-N1	-3.25	123.60	128.68
1	A2	1384	A2M	N3-C2-N1	-3.25	123.60	128.68
39	B5	3550	UY1	C5-C6-N1	-3.25	120.45	124.44
39	B5	1489	A2M	N3-C2-N1	-3.24	123.61	128.68
1	A2	645	OMG	N3-C2-N1	-3.24	122.90	127.22
39	B5	4317	A2M	N3-C2-N1	-3.24	123.61	128.68
1	A2	602	OMG	N3-C2-N1	-3.24	122.90	127.22
39	B5	3966	6MZ	N3-C2-N1	-3.24	123.62	128.68
39	B5	1270	A2M	N3-C2-N1	-3.23	123.62	128.68
1	A2	591	A2M	N3-C2-N1	-3.23	123.63	128.68
1	A2	469	A2M	N3-C2-N1	-3.22	123.64	128.68
1	A2	1852	MA6	C4-C5-N7	-3.22	106.05	109.40
39	B5	3557	A2M	N3-C2-N1	-3.21	123.65	128.68
1	A2	27	A2M	N3-C2-N1	-3.21	123.66	128.68
1	A2	816	PSU	C5-C1'-C2'	-3.21	109.59	115.32
39	B5	2719	OMG	N3-C2-N1	-3.21	122.95	127.22
1	A2	99	A2M	N3-C2-N1	-3.21	123.67	128.68
1	A2	1852	MA6	N3-C2-N1	-3.20	123.67	128.68
11	AT	34	OMG	N3-C2-N1	-3.20	122.95	127.22
39	B5	1731	PSU	C5-C1'-C2'	-3.19	109.62	115.32
39	B5	1479	A2M	N3-C2-N1	-3.19	123.69	128.68
1	A2	513	A2M	N3-C2-N1	-3.19	123.70	128.68
1	A2	669	A2M	N3-C2-N1	-3.19	123.70	128.68
39	B5	3562	A2M	N3-C2-N1	-3.18	123.70	128.68
39	B5	1580	OMG	N3-C2-N1	-3.18	122.99	127.22
1	A2	1448	OMG	N3-C2-N1	-3.17	122.99	127.22
39	B5	2351	PSU	C5-C1'-C2'	-3.17	109.67	115.32
1	A2	1175	PSU	C5-C1'-C2'	-3.16	109.68	115.32
39	B5	3492	A2M	N3-C2-N1	-3.16	123.75	128.68
39	B5	4269	A2M	N3-C2-N1	-3.15	123.75	128.68
1	A2	510	OMG	N3-C2-N1	-3.14	123.03	127.22
39	B5	398	A2M	N3-C2-N1	-3.14	123.77	128.68
11	AT	39	PSU	C5-C1'-C2'	-3.14	109.72	115.32
39	B5	4749	PSU	C5-C1'-C2'	-3.14	109.72	115.32
1	A2	1046	PSU	C5-C1'-C2'	-3.14	109.72	115.32
39	B5	3599	A2M	N3-C2-N1	-3.13	123.79	128.68
39	B5	3450	A2M	N3-C2-N1	-3.13	123.79	128.68
39	B5	3462	PSU	C5-C1'-C2'	-3.12	109.75	115.32
1	A2	159	A2M	N3-C2-N1	-3.12	123.80	128.68
39	B5	2267	OMG	N3-C2-N1	-3.10	123.09	127.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	3500	PSU	C5-C1'-C2'	-3.09	109.80	115.32
1	A2	1368	PSU	C5-C1'-C2'	-3.09	109.81	115.32
1	A2	815	PSU	C5-C1'-C2'	-3.09	109.81	115.32
1	A2	34	PSU	C5-C1'-C2'	-3.02	109.93	115.32
11	AT	10	2MG	CM2-N2-C2	-3.02	119.95	123.59
39	B5	4278	PSU	C5-C1'-C2'	-3.01	109.95	115.32
39	B5	3490	PSU	C5-C1'-C2'	-2.99	109.99	115.32
39	B5	1720	PSU	C5-C1'-C2'	-2.98	110.01	115.32
1	A2	1833	6MZ	N3-C2-N1	-2.96	124.04	128.68
39	B5	4039	PSU	C5-C1'-C2'	-2.93	110.10	115.32
11	AT	27	PSU	C5-C1'-C2'	-2.93	110.10	115.32
1	A2	1852	MA6	N1-C6-N6	2.90	120.11	117.06
39	B5	4193	5MC	C5-C6-N1	-2.90	119.06	122.19
39	B5	3631	OMG	C4-C5-N7	-2.87	106.41	109.40
1	A2	967	PSU	C5-C1'-C2'	-2.86	110.21	115.32
39	B5	1491	PSU	C5-C1'-C2'	-2.86	110.22	115.32
39	B5	4383	OMG	C4-C5-N7	-2.84	106.44	109.40
39	B5	4058	PSU	C5-C1'-C2'	-2.84	110.26	115.32
39	B5	4740	PSU	C5-C1'-C2'	-2.81	110.30	115.32
39	B5	3359	OMG	C4-C5-N7	-2.81	106.47	109.40
1	A2	1057	PSU	C5-C1'-C2'	-2.80	110.32	115.32
1	A2	645	OMG	C4-C5-N7	-2.80	106.48	109.40
1	A2	687	PSU	C5-C1'-C2'	-2.80	110.33	115.32
40	B7	1	GTP	C2-N3-C4	-2.79	112.17	115.36
39	B5	398	A2M	C4-C5-N7	-2.78	106.50	109.40
1	A2	1329	OMG	C4-C5-N7	-2.77	106.51	109.40
39	B5	1489	A2M	C4-C5-N7	-2.77	106.51	109.40
1	A2	684	OMG	C4-C5-N7	-2.76	106.52	109.40
39	B5	1718	PSU	C5-C1'-C2'	-2.76	110.39	115.32
39	B5	4217	PSU	C5-C1'-C2'	-2.75	110.42	115.32
39	B5	4374	PSU	C5-C1'-C2'	-2.74	110.42	115.32
40	B7	1	GTP	N3-C2-N1	-2.74	123.56	127.22
11	AT	26	M2G	C4-C5-N7	-2.74	106.55	109.40
1	A2	510	OMG	C4-C5-N7	-2.73	106.55	109.40
39	B5	2207	OMG	C4-C5-N7	-2.73	106.55	109.40
39	B5	3974	OMG	C4-C5-N7	-2.73	106.55	109.40
39	B5	4369	OMG	C4-C5-N7	-2.73	106.56	109.40
39	B5	1810	A2M	C4-C5-N7	-2.73	106.56	109.40
1	A2	1843	4AC	C4-N4-C7	-2.72	125.33	128.16
39	B5	3676	OMG	C4-C5-N7	-2.72	106.57	109.40
1	A2	437	OMG	C4-C5-N7	-2.72	106.57	109.40
39	B5	1479	A2M	C4-C5-N7	-2.71	106.58	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	B5	1260	OMG	C4-C5-N7	-2.70	106.58	109.40
11	AT	58	1MA	C4-C5-N7	-2.70	106.59	109.40
1	A2	159	A2M	C4-C5-N7	-2.70	106.59	109.40
1	A2	1348	PSU	C5-C1'-C2'	-2.70	110.51	115.32
39	B5	4364	OMG	C4-C5-N7	-2.69	106.59	109.40
1	A2	513	A2M	C4-C5-N7	-2.69	106.59	109.40
1	A2	27	A2M	C4-C5-N7	-2.69	106.60	109.40
1	A2	1245	PSU	C5-C1'-C2'	-2.68	110.53	115.32
1	A2	469	A2M	C4-C5-N7	-2.68	106.61	109.40
1	A2	166	A2M	C4-C5-N7	-2.68	106.61	109.40
1	A2	1679	A2M	C4-C5-N7	-2.68	106.61	109.40
39	B5	3562	A2M	C4-C5-N7	-2.68	106.61	109.40
41	B8	75	OMG	C4-C5-N7	-2.68	106.61	109.40
39	B5	2244	A2M	C4-C5-N7	-2.68	106.61	109.40
39	B5	2658	A2M	C4-C5-N7	-2.67	106.62	109.40
39	B5	4336	A2M	C4-C5-N7	-2.67	106.62	109.40
1	A2	218	PSU	C5-C1'-C2'	-2.67	110.56	115.32
1	A2	669	A2M	C4-C5-N7	-2.66	106.62	109.40
39	B5	3476	OMG	C4-C5-N7	-2.66	106.63	109.40
39	B5	4245	OMG	C4-C5-N7	-2.66	106.63	109.40
39	B5	4269	A2M	C4-C5-N7	-2.66	106.63	109.40
1	A2	99	A2M	C4-C5-N7	-2.66	106.63	109.40
39	B5	400	A2M	C4-C5-N7	-2.65	106.63	109.40
39	B5	4240	OMG	C4-C5-N7	-2.65	106.64	109.40
39	B5	3447	PSU	C5-C1'-C2'	-2.65	110.59	115.32
1	A2	577	A2M	C4-C5-N7	-2.65	106.64	109.40
39	B5	2719	OMG	C4-C5-N7	-2.65	106.64	109.40
39	B5	3616	PSU	C5-C1'-C2'	-2.64	110.60	115.32
1	A2	1448	OMG	C4-C5-N7	-2.64	106.65	109.40
39	B5	4169	PSU	C5-C1'-C2'	-2.64	110.61	115.32
39	B5	4138	OMG	C4-C5-N7	-2.64	106.65	109.40
11	AT	46	G7M	CN7-N7-C8	-2.63	112.76	125.43
1	A2	109	PSU	C5-C1'-C2'	-2.63	110.62	115.32
39	B5	4116	OMG	C4-C5-N7	-2.62	106.67	109.40
39	B5	4099	PSU	C5-C1'-C2'	-2.62	110.64	115.32
39	B5	3456	A2M	C4-C5-N7	-2.62	106.67	109.40
39	B5	1477	OMG	C4-C5-N7	-2.61	106.68	109.40
39	B5	4188	PSU	C5-C1'-C2'	-2.61	110.66	115.32
39	B5	3599	A2M	C4-C5-N7	-2.61	106.68	109.40
39	B5	3942	OMG	C4-C5-N7	-2.61	106.68	109.40
1	A2	1032	A2M	C4-C5-N7	-2.61	106.68	109.40
1	A2	1640	G7M	CN7-N7-C8	-2.60	112.92	125.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A2	1384	A2M	C4-C5-N7	-2.60	106.69	109.40
11	AT	49	5MC	N4-C4-N3	2.60	120.71	117.03
1	A2	868	OMG	C4-C5-N7	-2.59	106.70	109.40
39	B5	3557	A2M	C4-C5-N7	-2.59	106.70	109.40
39	B5	3450	A2M	C4-C5-N7	-2.59	106.70	109.40
39	B5	4193	5MC	N4-C4-N3	2.57	120.67	117.03
1	A2	1047	PSU	C5-C1'-C2'	-2.57	110.73	115.32
1	A2	602	OMG	C4-C5-N7	-2.57	106.72	109.40
39	B5	3517	A2M	C4-C5-N7	-2.57	106.72	109.40
11	AT	34	OMG	C4-C5-N7	-2.56	106.73	109.40
39	B5	4322	PSU	C5-C1'-C2'	-2.55	110.76	115.32
39	B5	3492	A2M	C4-C5-N7	-2.55	106.74	109.40
42	BA	216	V5N	O-C-CA	-2.55	118.10	124.78
39	B5	4246	PSU	C5-C1'-C2'	-2.55	110.78	115.32
39	B5	4045	PSU	C5-C1'-C2'	-2.54	110.78	115.32
39	B5	4317	A2M	C4-C5-N7	-2.54	106.75	109.40
39	B5	3966	6MZ	C4-C5-N7	-2.54	106.75	109.40
39	B5	1270	A2M	C4-C5-N7	-2.54	106.76	109.40
11	AT	10	2MG	C4-C5-N7	-2.53	106.76	109.40
39	B5	3652	PSU	C5-C1'-C2'	-2.53	110.81	115.32
39	B5	3466	PSU	C5-C1'-C2'	-2.53	110.81	115.32
11	AT	14	1MA	C4-C5-N7	-2.52	106.77	109.40
1	A2	485	A2M	C4-C5-N7	-2.51	106.78	109.40
33	Au	1	AME	O-C-CA	-2.51	118.20	124.78
39	B5	3496	PSU	C5-C1'-C2'	-2.50	110.86	115.32
68	Ba	39	V5N	O-C-CA	-2.49	118.24	124.78
39	B5	1580	OMG	C4-C5-N7	-2.49	106.81	109.40
39	B5	2206	A2M	C4-C5-N7	-2.49	106.81	109.40
11	AT	46	G7M	N3-C2-N1	-2.49	123.91	127.22
1	A2	1640	G7M	N3-C2-N1	-2.49	123.91	127.22
39	B5	4382	PSU	O4'-C1'-C5	2.48	113.77	109.93
1	A2	591	A2M	C4-C5-N7	-2.47	106.83	109.40
11	AT	37	YYG	O18-C16-O17	-2.46	119.03	123.84
39	B5	4267	PSU	C5-C1'-C2'	-2.44	110.97	115.32
39	B5	2630	A2M	C4-C5-N7	-2.42	106.88	109.40
11	AT	16	H2U	C5-C6-N1	-2.41	103.67	111.61
30	Ar	2	SAC	O-C-CA	-2.41	118.46	124.78
39	B5	3427	PSU	C5-C1'-C2'	-2.41	111.02	115.32
39	B5	1537	PSU	C5-C1'-C2'	-2.40	111.03	115.32
11	AT	37	YYG	C3-N3-C2	-2.37	114.89	118.25
39	B5	1266	1MA	C4-C5-N7	-2.36	106.94	109.40
39	B5	2267	OMG	C4-C5-N7	-2.36	106.94	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AT	54	5MU	C5-C6-N1	-2.35	119.66	122.19
12	AZ	2	SAC	O-C-CA	-2.35	118.62	124.78
39	B5	2647	OMC	N4-C4-N3	2.35	120.20	116.49
39	B5	4193	5MC	CM5-C5-C4	-2.34	119.35	121.72
39	B5	4149	PSU	C5-C1'-C2'	-2.33	111.15	115.32
39	B5	3524	OMG	C4-C5-N7	-2.33	106.97	109.40
83	Br	2	SAC	O-C-CA	-2.31	118.73	124.78
1	A2	573	PSU	C5-C1'-C2'	-2.30	111.21	115.32
39	B5	3550	UY1	O4'-C1'-C2'	2.30	107.44	103.12
1	A2	119	PSU	C5-C1'-C2'	-2.29	111.23	115.32
1	A2	1392	OMC	N4-C4-N3	2.27	120.08	116.49
1	A2	1843	4AC	C5-C4-N3	-2.27	119.33	123.16
39	B5	1284	OMC	N4-C4-N3	2.27	120.08	116.49
39	B5	3514	5MC	C5-C6-N1	-2.24	119.78	122.19
39	B5	3573	OMC	N4-C4-N3	2.24	120.03	116.49
35	Aw	62	HY3	O1-C1-C2	-2.24	118.59	124.83
39	B5	3601	OMC	N4-C4-N3	2.23	120.01	116.49
1	A2	1833	6MZ	C4-C5-N7	-2.22	107.08	109.40
1	A2	1843	4AC	N4-C4-N3	2.21	118.50	113.24
39	B5	4203	PSU	C5-C1'-C2'	-2.21	111.38	115.32
1	A2	1491	OMG	C4-C5-N7	-2.20	107.11	109.40
39	B5	2194	OMC	N4-C4-N3	2.19	119.95	116.49
1	A2	823	PSU	O4'-C1'-C2'	2.19	108.20	104.66
39	B5	3583	PSU	C5-C1'-C2'	-2.18	111.44	115.32
39	B5	4282	OMC	N4-C4-N3	2.17	119.93	116.49
39	B5	3514	5MC	N4-C4-N3	2.17	120.10	117.03
1	A2	174	OMC	N4-C4-N3	2.16	119.91	116.49
39	B5	3550	UY1	C5-C1'-C2'	-2.15	111.35	115.53
11	AT	32	OMC	N4-C4-N3	2.14	119.88	116.49
1	A2	463	OMC	N4-C4-N3	2.13	119.86	116.49
11	AT	49	5MC	C5-C6-N1	-2.13	119.90	122.19
39	B5	2667	OMC	N4-C4-N3	2.12	119.85	116.49
39	B5	4166	PSU	O4'-C1'-C2'	2.12	108.10	104.66
39	B5	2265	OMC	N4-C4-N3	2.12	119.84	116.49
1	A2	1338	4AC	C5-C4-N3	-2.12	119.58	123.16
39	B5	2704	OMC	N4-C4-N3	2.11	119.83	116.49
39	B5	1632	PSU	O4'-C1'-C2'	2.11	108.08	104.66
39	B5	3619	OMC	N4-C4-N3	2.10	119.81	116.49
1	A2	210	PSU	C5-C1'-C2'	-2.10	111.58	115.32
1	A2	1249	B8N	C5-C6-N1	-2.10	118.63	121.51
39	B5	4382	PSU	C5-C1'-C2'	-2.09	111.59	115.32
39	B5	2475	PSU	C5-C1'-C2'	-2.08	111.61	115.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	B8	69	PSU	O4'-C1'-C2'	2.08	108.03	104.66
11	AT	10	2MG	N3-C2-N1	-2.08	122.95	126.23
11	AT	17	H2U	C5-C6-N1	-2.07	104.80	111.61
39	B5	4267	PSU	O4'-C1'-C2'	2.07	108.01	104.66
39	B5	2208	OMC	N4-C4-N3	2.07	119.75	116.49
39	B5	4382	PSU	O4'-C1'-C2'	2.05	107.99	104.66
1	A2	518	OMC	N4-C4-N3	2.05	119.74	116.49
1	A2	1082	PSU	O4'-C1'-C2'	2.01	107.92	104.66

There are no chirality outliers.

All (118) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A2	429	OMU	O4'-C1'-N1-C6
1	A2	628	OMU	C2'-C1'-N1-C6
1	A2	628	OMU	O4'-C1'-N1-C6
1	A2	645	OMG	O4'-C4'-C5'-O5'
1	A2	645	OMG	C3'-C4'-C5'-O5'
1	A2	1392	OMC	C2'-C1'-N1-C6
1	A2	1833	6MZ	N1-C6-N6-C9
39	B5	2194	OMC	C2'-C1'-N1-C6
39	B5	3433	OMC	O4'-C1'-N1-C6
39	B5	3517	A2M	O4'-C4'-C5'-O5'
39	B5	4193	5MC	O4'-C1'-N1-C6
39	B5	4193	5MC	C2'-C1'-N1-C6
39	B5	4336	A2M	C4'-C5'-O5'-P
39	B5	4382	PSU	O4'-C1'-C5-C4
39	B5	4382	PSU	O4'-C1'-C5-C6
39	B5	4382	PSU	C3'-C4'-C5'-O5'
39	B5	4382	PSU	O4'-C4'-C5'-O5'
43	BB	245	HIC	CA-CB-CG-ND1
1	A2	1338	4AC	O7-C7-N4-C4
1	A2	1338	4AC	CM7-C7-N4-C4
11	AT	17	H2U	O4'-C4'-C5'-O5'
11	AT	17	H2U	O4'-C1'-N1-C6
11	AT	17	H2U	C2'-C1'-N1-C2
11	AT	17	H2U	C2'-C1'-N1-C6
31	As	67	NMM	O-C-CA-CB
42	BA	216	V5N	O-C-CA-CB
1	A2	1338	4AC	C5-C4-N4-C7
1	A2	1338	4AC	N3-C4-N4-C7
1	A2	513	A2M	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A2	669	A2M	O4'-C4'-C5'-O5'
1	A2	669	A2M	C3'-C4'-C5'-O5'
1	A2	684	OMG	O4'-C4'-C5'-O5'
1	A2	1448	OMG	C3'-C4'-C5'-O5'
39	B5	2207	OMG	O4'-C4'-C5'-O5'
11	AT	17	H2U	C3'-C4'-C5'-O5'
33	Au	1	AME	CT2-CT1-N-CA
33	Au	1	AME	OT-CT1-N-CA
1	A2	577	A2M	O4'-C4'-C5'-O5'
1	A2	577	A2M	C3'-C4'-C5'-O5'
39	B5	398	A2M	O4'-C4'-C5'-O5'
39	B5	2207	OMG	C3'-C4'-C5'-O5'
39	B5	3492	A2M	C3'-C4'-C5'-O5'
39	B5	3517	A2M	C3'-C4'-C5'-O5'
1	A2	99	A2M	O4'-C4'-C5'-O5'
1	A2	513	A2M	C3'-C4'-C5'-O5'
1	A2	684	OMG	C3'-C4'-C5'-O5'
1	A2	802	PSU	C3'-C4'-C5'-O5'
39	B5	3492	A2M	O4'-C4'-C5'-O5'
39	B5	3599	A2M	C3'-C4'-C5'-O5'
1	A2	1448	OMG	O4'-C4'-C5'-O5'
1	A2	1704	OMC	O4'-C4'-C5'-O5'
1	A2	1852	MA6	C5-C6-N6-C9
1	A2	802	PSU	O4'-C4'-C5'-O5'
1	A2	1443	OMU	C3'-C2'-O2'-CM2
1	A2	1833	6MZ	C5-C6-N6-C9
39	B5	398	A2M	C3'-C4'-C5'-O5'
11	AT	17	H2U	O4'-C1'-N1-C2
12	AZ	2	SAC	C-CA-N-C1A
1	A2	121	OMU	C3'-C2'-O2'-CM2
1	A2	1491	OMG	C3'-C2'-O2'-CM2
1	A2	1805	OMU	C3'-C2'-O2'-CM2
39	B5	2680	OMU	C3'-C2'-O2'-CM2
39	B5	3676	OMG	C3'-C2'-O2'-CM2
39	B5	3576	PSU	C4'-C5'-O5'-P
39	B5	4246	PSU	C4'-C5'-O5'-P
39	B5	3599	A2M	O4'-C4'-C5'-O5'
69	Bb	5	MLZ	N-CA-CB-CG
1	A2	645	OMG	C4'-C5'-O5'-P
39	B5	3550	UY1	C4'-C5'-O5'-P
1	A2	1852	MA6	C4'-C5'-O5'-P
11	AT	16	H2U	C4'-C5'-O5'-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	A2	645	OMG	C3'-C2'-O2'-CM2
39	B5	1260	OMG	C3'-C2'-O2'-CM2
39	B5	1477	OMG	C3'-C2'-O2'-CM2
39	B5	2647	OMC	C3'-C2'-O2'-CM2
39	B5	4202	OMC	C3'-C2'-O2'-CM2
39	B5	4369	OMG	C3'-C2'-O2'-CM2
39	B5	3550	UY1	C1'-C2'-O2'-CM2
1	A2	823	PSU	C3'-C4'-C5'-O5'
39	B5	3494	PSU	C3'-C4'-C5'-O5'
39	B5	1632	PSU	O4'-C1'-C5-C6
1	A2	116	OMU	C3'-C2'-O2'-CM2
1	A2	513	A2M	C3'-C2'-O2'-CM'
1	A2	684	OMG	C3'-C2'-O2'-CM2
1	A2	1329	OMG	C3'-C2'-O2'-CM2
39	B5	2265	OMC	C3'-C2'-O2'-CM2
39	B5	3524	OMG	C3'-C2'-O2'-CM2
39	B5	3557	A2M	C3'-C2'-O2'-CM'
39	B5	2194	OMC	O4'-C4'-C5'-O5'
39	B5	1632	PSU	O4'-C1'-C5-C4
1	A2	469	A2M	O4'-C4'-C5'-O5'
1	A2	1704	OMC	C3'-C4'-C5'-O5'
69	Bb	5	MLZ	C-CA-CB-CG
1	A2	823	PSU	C2'-C1'-C5-C6
1	A2	1082	PSU	C2'-C1'-C5-C6
39	B5	1632	PSU	C2'-C1'-C5-C6
39	B5	3619	OMC	C4'-C5'-O5'-P
39	B5	4166	PSU	C2'-C1'-C5-C6
1	A2	99	A2M	C3'-C4'-C5'-O5'
1	A2	513	A2M	C1'-C2'-O2'-CM'
1	A2	684	OMG	C1'-C2'-O2'-CM2
39	B5	1284	OMC	C1'-C2'-O2'-CM2
39	B5	3550	UY1	C3'-C2'-O2'-CM2
1	A2	27	A2M	O4'-C4'-C5'-O5'
1	A2	1805	OMU	O4'-C4'-C5'-O5'
39	B5	1489	A2M	O4'-C4'-C5'-O5'
39	B5	3450	A2M	O4'-C4'-C5'-O5'
12	AZ	2	SAC	CB-CA-N-C1A
1	A2	1491	OMG	C4'-C5'-O5'-P
1	A2	27	A2M	C3'-C2'-O2'-CM'
39	B5	1284	OMC	C3'-C2'-O2'-CM2
39	B5	1820	OMC	C3'-C2'-O2'-CM2
39	B5	2704	OMC	C3'-C2'-O2'-CM2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
39	B5	3619	OMC	C3'-C2'-O2'-CM2
39	B5	3973	OMU	C3'-C2'-O2'-CM2
11	AT	46	G7M	O4'-C4'-C5'-O5'
1	A2	1082	PSU	C4'-C5'-O5'-P
39	B5	3583	PSU	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 790 ligands modelled in this entry, 428 are monoatomic and 329 are unknown - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
87	SPD	B5	4913	-	9,9,9	0.16	0	8,8,8	0.17	0
87	SPD	B5	4910	-	9,9,9	0.15	0	8,8,8	0.18	0
87	SPD	B5	4918	-	9,9,9	0.15	0	8,8,8	0.17	0
87	SPD	B5	4917	-	9,9,9	0.15	0	8,8,8	0.18	0
87	SPD	B5	4901	-	9,9,9	0.14	0	8,8,8	0.15	0
88	SPM	B5	4912	-	13,13,13	0.15	0	12,12,12	0.23	0
87	SPD	A2	1908	-	9,9,9	0.15	0	8,8,8	0.20	0
87	SPD	B5	4911	-	9,9,9	0.15	0	8,8,8	0.17	0
87	SPD	B5	4914	-	9,9,9	0.15	0	8,8,8	0.17	0
88	SPM	A2	1909	-	13,13,13	0.14	0	12,12,12	0.18	0
87	SPD	A2	1907	-	9,9,9	0.15	0	8,8,8	0.18	0
87	SPD	B5	4906	-	9,9,9	0.15	0	8,8,8	0.16	0
87	SPD	B5	4919	-	9,9,9	0.15	0	8,8,8	0.21	0
87	SPD	A2	1904	-	9,9,9	0.15	0	8,8,8	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
87	SPD	B5	4916	-	9,9,9	0.15	0	8,8,8	0.22	0
87	SPD	A2	1902	-	9,9,9	0.15	0	8,8,8	0.15	0
87	SPD	B5	4903	-	9,9,9	0.16	0	8,8,8	0.20	0
87	SPD	B5	4905	-	9,9,9	0.16	0	8,8,8	0.21	0
87	SPD	B5	4922	-	9,9,9	0.15	0	8,8,8	0.17	0
87	SPD	B5	4923	-	9,9,9	0.15	0	8,8,8	0.20	0
87	SPD	B5	4920	-	9,9,9	0.15	0	8,8,8	0.23	0
87	SPD	B5	4907	-	9,9,9	0.16	0	8,8,8	0.18	0
88	SPM	B5	4915	-	13,13,13	0.16	0	12,12,12	0.22	0
87	SPD	B5	4908	-	9,9,9	0.16	0	8,8,8	0.16	0
87	SPD	A2	1903	-	9,9,9	0.15	0	8,8,8	0.19	0
87	SPD	A2	1901	-	9,9,9	0.16	0	8,8,8	0.18	0
87	SPD	B5	4904	-	9,9,9	0.15	0	8,8,8	0.19	0
87	SPD	B5	4924	-	9,9,9	0.16	0	8,8,8	0.14	0
87	SPD	A2	1906	-	9,9,9	0.16	0	8,8,8	0.18	0
87	SPD	A2	1905	-	9,9,9	0.16	0	8,8,8	0.17	0
87	SPD	B5	4909	-	9,9,9	0.16	0	8,8,8	0.19	0
87	SPD	B5	4921	-	9,9,9	0.16	0	8,8,8	0.18	0
87	SPD	B5	4902	-	9,9,9	0.15	0	8,8,8	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
87	SPD	B5	4913	-	-	0/7/7/7	-
87	SPD	B5	4910	-	-	1/7/7/7	-
87	SPD	B5	4918	-	-	0/7/7/7	-
87	SPD	B5	4917	-	-	0/7/7/7	-
87	SPD	B5	4901	-	-	1/7/7/7	-
88	SPM	B5	4912	-	-	1/11/11/11	-
87	SPD	A2	1908	-	-	0/7/7/7	-
87	SPD	B5	4911	-	-	0/7/7/7	-
87	SPD	B5	4914	-	-	0/7/7/7	-
88	SPM	A2	1909	-	-	1/11/11/11	-
87	SPD	A2	1907	-	-	1/7/7/7	-
87	SPD	B5	4906	-	-	1/7/7/7	-
87	SPD	B5	4919	-	-	0/7/7/7	-
87	SPD	A2	1904	-	-	0/7/7/7	-
87	SPD	B5	4916	-	-	0/7/7/7	-
87	SPD	A2	1902	-	-	0/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
87	SPD	B5	4903	-	-	2/7/7/7	-
87	SPD	B5	4905	-	-	0/7/7/7	-
87	SPD	B5	4922	-	-	1/7/7/7	-
87	SPD	B5	4923	-	-	0/7/7/7	-
87	SPD	B5	4920	-	-	0/7/7/7	-
87	SPD	B5	4907	-	-	0/7/7/7	-
88	SPM	B5	4915	-	-	0/11/11/11	-
87	SPD	B5	4908	-	-	0/7/7/7	-
87	SPD	A2	1903	-	-	0/7/7/7	-
87	SPD	A2	1901	-	-	1/7/7/7	-
87	SPD	B5	4904	-	-	0/7/7/7	-
87	SPD	B5	4924	-	-	1/7/7/7	-
87	SPD	A2	1906	-	-	1/7/7/7	-
87	SPD	A2	1905	-	-	0/7/7/7	-
87	SPD	B5	4909	-	-	0/7/7/7	-
87	SPD	B5	4921	-	-	1/7/7/7	-
87	SPD	B5	4902	-	-	1/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
88	A2	1909	SPM	C12-C11-N10-C9
87	B5	4901	SPD	C4-C5-N6-C7
87	B5	4902	SPD	C2-C3-C4-C5
87	B5	4924	SPD	C2-C3-C4-C5
87	B5	4903	SPD	C2-C3-C4-C5
87	B5	4906	SPD	C2-C3-C4-C5
87	A2	1906	SPD	C8-C7-N6-C5
87	A2	1907	SPD	C2-C3-C4-C5
87	B5	4910	SPD	C2-C3-C4-C5
87	B5	4922	SPD	C2-C3-C4-C5
87	B5	4921	SPD	C8-C7-N6-C5
88	B5	4912	SPM	C6-C7-C8-C9
87	B5	4903	SPD	C8-C7-N6-C5
87	A2	1901	SPD	C2-C3-C4-C5

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12757. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 280




Y Index: 280




Z Index: 280


6.2.2 Raw map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 287




Y Index: 313




Z Index: 272


6.3.2 Raw map



X Index: 287



Y Index: 313




Z Index: 272

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 5.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_12757_msk_1.map [i](#)



X




Y




Z


6.5.2 emd_12757_msk_2.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1298 nm^3 ; this corresponds to an approximate mass of 1172 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.417 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.417 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.40	-	-
Author-provided FSC curve	2.45	2.82	2.50
Unmasked-calculated*	3.08	3.92	3.13

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.08 differs from the reported value 2.4 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-12757 and PDB model 7O7Z. Per-residue inclusion information can be found in section [3](#) on page [27](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 5.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.