



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 05:05 pm BST

PDB ID : 2OFV
Title : crystal structure of aminoquinazoline 1 bound to Lck
Authors : Huang, X.
Deposited on : 2007-01-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	277	
1	B	277	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase LCK.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	244	Total	C	N	O	S	0	0	0
			1964	1265	333	355	11			
1	B	244	Total	C	N	O	S	0	0	0
			1914	1236	319	349	10			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	226	THR	-	CLONING ARTIFACT	UNP P06239
A	227	GLN	-	CLONING ARTIFACT	UNP P06239
A	228	LYS	-	CLONING ARTIFACT	UNP P06239
A	229	PRO	-	CLONING ARTIFACT	UNP P06239
A	230	GLN	-	CLONING ARTIFACT	UNP P06239
A	231	LYS	-	CLONING ARTIFACT	UNP P06239
A	499	THR	-	CLONING ARTIFACT	UNP P06239
A	500	ALA	-	CLONING ARTIFACT	UNP P06239
A	501	THR	-	CLONING ARTIFACT	UNP P06239
A	502	GLU	-	CLONING ARTIFACT	UNP P06239
B	226	THR	-	CLONING ARTIFACT	UNP P06239
B	227	GLN	-	CLONING ARTIFACT	UNP P06239
B	228	LYS	-	CLONING ARTIFACT	UNP P06239
B	229	PRO	-	CLONING ARTIFACT	UNP P06239
B	230	GLN	-	CLONING ARTIFACT	UNP P06239
B	231	LYS	-	CLONING ARTIFACT	UNP P06239
B	499	THR	-	CLONING ARTIFACT	UNP P06239
B	500	ALA	-	CLONING ARTIFACT	UNP P06239
B	501	THR	-	CLONING ARTIFACT	UNP P06239
B	502	GLU	-	CLONING ARTIFACT	UNP P06239

- Molecule 2 is 3-(2-AMINOQUINAZOLIN-6-YL)-4-METHYL-N-[3-(TRIFLUOROMETHYL)PHENYL]BENZAMIDE (three-letter code: 242) (formula: C₂₃H₁₇F₃N₄O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			31	23	3	4	1		
2	B	1	Total	C	F	N	O	0	0
			31	23	3	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	173	Total	O	0	0
			173	173		
3	B	98	Total	O	0	0
			98	98		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Proto-oncogene tyrosine-protein kinase LCK



- Molecule 1: Proto-oncogene tyrosine-protein kinase LCK



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.66Å 66.89Å 78.51Å 90.00° 112.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.00)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.274 , 0.301	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4211	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 242

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2011	0.68	0/2727
1	B	0.42	0/1957	0.71	2/2659 (0.1%)
All	All	0.45	0/3968	0.69	2/5386 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	335	LYS	N-CA-C	-6.36	93.83	111.00
1	B	403	PRO	N-CA-CB	5.12	109.45	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1964	0	1923	62	0
1	B	1914	0	1827	91	0
2	A	31	0	17	1	0
2	B	31	0	17	1	0
3	A	173	0	0	11	0
3	B	98	0	0	9	0
All	All	4211	0	3784	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:334:ILE:H	1:B:336:LEU:HD13	1.26	1.00
1:A:464:ASN:HB2	3:A:538:HOH:O	1.69	0.91
1:A:319:MET:HE1	3:A:580:HOH:O	1.74	0.88
1:A:327:PHE:O	1:A:330:THR:HG22	1.77	0.85
1:B:334:ILE:H	1:B:336:LEU:CD1	1.93	0.81
1:A:478:LYS:HA	1:A:478:LYS:HE2	1.63	0.81
1:B:334:ILE:N	1:B:336:LEU:CD1	2.44	0.81
1:B:334:ILE:HG13	1:B:436:HIS:CB	2.13	0.77
1:B:362:HIS:C	1:B:363:ARG:HG2	2.02	0.77
1:B:334:ILE:N	1:B:336:LEU:HD13	2.00	0.76
1:A:330:THR:HG23	1:A:333:GLY:H	1.50	0.76
1:B:491:ARG:O	1:B:495:GLU:HG3	1.86	0.76
1:A:319:MET:HE3	1:A:319:MET:HA	1.70	0.74
1:B:293:LYS:NZ	1:B:296:GLN:HE22	1.87	0.73
1:B:343:ASP:O	1:B:347:GLN:HG3	1.90	0.72
1:B:325:VAL:HG22	1:B:367:ALA:HB3	1.71	0.72
1:A:325:VAL:HG22	1:A:367:ALA:HB3	1.70	0.71
1:A:336:LEU:HD22	1:A:340:LYS:HG2	1.71	0.71
1:B:328:LEU:O	1:B:334:ILE:HG12	1.92	0.68
1:A:455:ARG:HG3	1:A:455:ARG:HH11	1.58	0.68
1:B:463:ASP:O	1:B:464:ASN:HB2	1.93	0.67
1:A:265:ASN:HB3	3:A:511:HOH:O	1.93	0.67
1:A:319:MET:HA	1:A:319:MET:CE	2.25	0.66
1:B:243:GLU:H	1:B:243:GLU:CD	1.98	0.66
1:B:338:ILE:CD1	1:B:466:PRO:HG2	2.26	0.65
1:A:463:ASP:OD1	1:A:463:ASP:N	2.29	0.65
1:B:466:PRO:O	1:B:469:LEU:N	2.28	0.65
1:B:239:GLU:HG3	3:B:550:HOH:O	1.96	0.64
1:A:307:VAL:HB	1:A:313:TYR:HB2	1.80	0.64
1:B:328:LEU:HD22	1:B:334:ILE:HD11	1.80	0.63
1:B:469:LEU:O	1:B:473:MET:HG3	1.98	0.63
1:B:325:VAL:HG22	1:B:367:ALA:CB	2.29	0.62
1:B:327:PHE:HA	1:B:330:THR:HG23	1.81	0.62
1:B:339:ASN:HD22	1:B:339:ASN:H	1.46	0.62
1:B:334:ILE:C	1:B:336:LEU:H	1.93	0.62
1:A:363:ARG:HG2	1:A:417:PHE:CD2	2.36	0.61
1:B:338:ILE:HD12	1:B:466:PRO:HG2	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:THR:HG22	1:B:411:ALA:HB3	1.83	0.60
1:B:496:ASP:HA	3:B:551:HOH:O	2.01	0.60
1:A:478:LYS:O	1:A:484:ARG:HD2	2.03	0.59
3:A:624:HOH:O	1:B:267:HIS:HD2	1.83	0.59
1:B:277:GLN:CB	1:B:310:GLU:HG2	2.33	0.59
1:B:334:ILE:N	1:B:336:LEU:HD12	2.15	0.59
1:B:490:LEU:O	1:B:494:LEU:HG	2.03	0.58
1:A:245:LEU:HD11	1:A:315:ILE:HD11	1.86	0.58
1:B:259:VAL:HG23	1:B:385:LEU:HD11	1.85	0.58
1:A:445:THR:OG1	1:A:447:PRO:HD2	2.03	0.57
1:B:429:LEU:HD12	1:B:429:LEU:O	2.04	0.57
1:A:491:ARG:O	1:A:495:GLU:HG3	2.04	0.57
1:B:293:LYS:HZ2	1:B:296:GLN:HE22	1.51	0.57
1:B:389:ILE:HG21	2:B:503:242:H36	1.86	0.57
1:A:243:GLU:CD	1:A:243:GLU:H	2.07	0.57
1:A:325:VAL:HG22	1:A:367:ALA:CB	2.35	0.57
1:B:453:LEU:HB3	1:B:457:TYR:HB3	1.85	0.57
1:B:291:LEU:HD21	1:B:360:TYR:CE1	2.40	0.56
1:B:307:VAL:HB	1:B:313:TYR:HB2	1.88	0.56
1:B:333:GLY:HA2	1:B:336:LEU:HD11	1.85	0.56
1:A:478:LYS:HE2	3:A:519:HOH:O	2.04	0.56
1:B:299:ARG:NE	1:B:350:GLU:OE1	2.32	0.56
1:B:255:GLN:NE2	3:B:593:HOH:O	2.32	0.56
1:B:344:MET:O	1:B:348:ILE:HG13	2.05	0.56
1:B:334:ILE:HG13	1:B:436:HIS:HA	1.88	0.56
1:A:361:ILE:HD13	1:A:418:THR:HA	1.86	0.55
1:B:339:ASN:ND2	1:B:339:ASN:H	2.04	0.55
1:B:463:ASP:O	1:B:464:ASN:CB	2.54	0.55
1:A:482:GLU:H	1:A:482:GLU:CD	2.10	0.54
1:B:334:ILE:C	1:B:336:LEU:N	2.55	0.53
1:A:455:ARG:NH1	1:A:455:ARG:HG3	2.22	0.53
1:A:259:VAL:HG23	1:A:385:LEU:HD11	1.89	0.53
1:B:265:ASN:HB3	3:B:533:HOH:O	2.09	0.53
1:B:421:SER:HB2	3:B:515:HOH:O	2.08	0.53
1:B:328:LEU:HD22	1:B:334:ILE:CD1	2.38	0.53
1:B:293:LYS:HZ3	1:B:296:GLN:HE22	1.57	0.52
1:B:334:ILE:HG13	1:B:436:HIS:CA	2.38	0.52
1:B:333:GLY:HA2	1:B:336:LEU:CD1	2.39	0.52
1:A:324:LEU:O	1:A:328:LEU:HG	2.10	0.52
1:A:231:LYS:CB	1:A:232:PRO:HD3	2.41	0.51
1:A:232:PRO:HD3	3:B:545:HOH:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:ARG:HG3	1:B:387:ARG:NH2	2.25	0.51
1:A:331:PRO:HA	1:A:334:ILE:HG22	1.91	0.51
1:A:476:CYS:O	1:A:484:ARG:HG2	2.11	0.51
1:A:330:THR:CG2	1:A:333:GLY:H	2.22	0.51
1:A:362:HIS:O	1:A:363:ARG:HB2	2.11	0.51
1:A:478:LYS:CE	3:A:519:HOH:O	2.59	0.51
1:B:337:THR:O	1:B:340:LYS:N	2.44	0.50
1:B:333:GLY:C	1:B:335:LYS:H	2.15	0.50
1:B:330:THR:O	1:B:333:GLY:N	2.42	0.50
1:A:233:TRP:HH2	1:B:302:ARG:HD2	1.76	0.50
1:A:331:PRO:HA	1:A:334:ILE:CG2	2.42	0.50
1:B:435:THR:HB	1:B:438:ARG:HB2	1.94	0.49
1:B:476:CYS:O	1:B:484:ARG:HG2	2.13	0.49
1:B:362:HIS:O	1:B:363:ARG:HG2	2.12	0.49
1:B:435:THR:HB	1:B:438:ARG:CB	2.41	0.49
1:B:389:ILE:HD11	3:B:591:HOH:O	2.12	0.49
1:B:297:HIS:CE1	1:B:299:ARG:HG2	2.48	0.49
1:B:334:ILE:O	1:B:334:ILE:HG22	2.13	0.49
1:B:299:ARG:HG3	1:B:350:GLU:HG2	1.94	0.48
1:B:291:LEU:HD21	1:B:360:TYR:CZ	2.48	0.48
1:B:419:ILE:O	1:B:423:VAL:HG23	2.13	0.47
1:A:310:GLU:HA	1:A:311:PRO:C	2.34	0.47
1:A:468:GLU:H	1:A:468:GLU:CD	2.18	0.47
1:B:310:GLU:HB2	3:B:537:HOH:O	2.13	0.47
1:B:480:ARG:NH2	1:B:483:ASP:OD1	2.47	0.47
1:A:439:ILE:HG23	1:A:440:PRO:HD2	1.97	0.47
1:B:338:ILE:HD13	1:B:498:PHE:HZ	1.79	0.47
1:B:338:ILE:O	1:B:342:LEU:HG	2.15	0.47
1:A:296:GLN:NE2	3:A:576:HOH:O	2.48	0.46
1:A:330:THR:O	1:A:334:ILE:HG22	2.16	0.46
1:A:414:TYR:HB2	1:A:416:THR:HG22	1.97	0.46
1:B:331:PRO:C	1:B:333:GLY:H	2.18	0.46
1:A:339:ASN:HA	1:A:498:PHE:CE2	2.51	0.46
1:B:337:THR:O	1:B:338:ILE:C	2.54	0.46
1:A:429:LEU:HD23	1:A:429:LEU:O	2.16	0.45
1:A:261:MET:C	1:A:261:MET:SD	2.95	0.45
1:A:330:THR:OG1	1:A:331:PRO:HD2	2.17	0.45
1:A:491:ARG:HD2	3:A:614:HOH:O	2.15	0.45
1:B:439:ILE:HG23	1:B:440:PRO:HD2	1.99	0.45
1:A:265:ASN:CB	3:A:511:HOH:O	2.60	0.44
1:A:355:ILE:HG23	1:A:360:TYR:HB3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:478:LYS:HA	1:A:478:LYS:CE	2.42	0.44
1:A:410:GLU:HG2	1:A:411:ALA:N	2.32	0.44
1:B:333:GLY:C	1:B:335:LYS:N	2.71	0.44
1:B:337:THR:O	1:B:339:ASN:N	2.50	0.44
1:A:430:LEU:O	1:A:434:VAL:HG13	2.18	0.44
1:B:467:GLU:O	1:B:471:GLN:HG2	2.17	0.44
1:A:288:GLU:O	1:A:292:MET:HG3	2.18	0.44
1:B:334:ILE:CG1	1:B:436:HIS:HA	2.47	0.44
1:B:467:GLU:HA	1:B:467:GLU:OE1	2.17	0.44
1:B:414:TYR:HB2	1:B:416:THR:CG2	2.47	0.44
1:B:297:HIS:HE1	1:B:299:ARG:HG2	1.82	0.43
1:B:424:TRP:CD1	1:B:424:TRP:C	2.92	0.43
1:A:265:ASN:CG	3:A:511:HOH:O	2.58	0.43
1:B:327:PHE:HA	1:B:330:THR:CG2	2.48	0.43
1:A:445:THR:CB	1:A:447:PRO:HD2	2.49	0.42
1:B:346:ALA:HB1	1:B:495:GLU:HG2	1.99	0.42
1:B:293:LYS:NZ	1:B:296:GLN:NE2	2.62	0.42
1:B:319:MET:HG3	1:B:371:LEU:HB3	2.01	0.42
1:B:457:TYR:O	1:B:458:ARG:NH1	2.51	0.42
1:A:310:GLU:HA	1:A:312:ILE:N	2.35	0.42
1:A:325:VAL:HG23	1:A:367:ALA:C	2.40	0.42
1:B:295:LEU:HB3	1:B:300:LEU:CD2	2.50	0.41
1:B:338:ILE:HD11	1:B:466:PRO:HG2	1.99	0.41
1:B:362:HIS:C	1:B:363:ARG:CG	2.82	0.41
1:A:236:ASP:HB3	3:A:624:HOH:O	2.19	0.41
1:A:334:ILE:HD13	1:A:334:ILE:C	2.40	0.41
1:B:323:SER:HA	1:B:370:ILE:O	2.20	0.41
1:A:288:GLU:HG3	2:A:503:242:H37	2.03	0.41
1:B:286:LEU:HD23	1:B:286:LEU:HA	1.88	0.40
1:A:472:LEU:HD11	1:A:490:LEU:HD23	2.03	0.40
1:A:339:ASN:HA	1:A:498:PHE:HE2	1.87	0.40
1:A:333:GLY:O	1:A:436:HIS:HD2	2.04	0.40
1:B:363:ARG:HD3	3:B:549:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/277 (86%)	230 (97%)	8 (3%)	0	100	100
1	B	234/277 (84%)	221 (94%)	9 (4%)	4 (2%)	9	4
All	All	472/554 (85%)	451 (96%)	17 (4%)	4 (1%)	19	13

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	404	ILE
1	B	464	ASN
1	B	334	ILE
1	B	338	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/242 (85%)	191 (93%)	14 (7%)	16	11
1	B	192/242 (79%)	182 (95%)	10 (5%)	23	19
All	All	397/484 (82%)	373 (94%)	24 (6%)	19	14

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	236	ASP
1	A	238	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	247	LEU
1	A	265	ASN
1	A	275	LEU
1	A	291	LEU
1	A	319	MET
1	A	332	SER
1	A	334	ILE
1	A	363	ARG
1	A	371	LEU
1	A	416	THR
1	A	421	SER
1	A	463	ASP
1	B	237	GLU
1	B	238	TRP
1	B	310	GLU
1	B	363	ARG
1	B	366	ARG
1	B	371	LEU
1	B	387	ARG
1	B	416	THR
1	B	429	LEU
1	B	453	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	255	GLN
1	A	265	ASN
1	A	294	GLN
1	A	296	GLN
1	A	298	GLN
1	A	339	ASN
1	A	436	HIS
1	A	446	ASN
1	B	255	GLN
1	B	265	ASN
1	B	294	GLN
1	B	296	GLN
1	B	339	ASN
1	B	452	ASN
1	B	471	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	242	B	503	-	34,34,34	2.90	18 (52%)	49,50,50	1.43	7 (14%)
2	242	A	503	-	34,34,34	2.64	14 (41%)	49,50,50	1.40	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	242	B	503	-	-	4/18/18/18	0/4/4/4
2	242	A	503	-	-	3/18/18/18	0/4/4/4

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	503	242	C2-C3	6.99	1.53	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	503	242	C2-C3	6.60	1.52	1.42
2	B	503	242	C35-C34	5.59	1.48	1.39
2	A	503	242	C35-C34	4.95	1.47	1.39
2	A	503	242	C10-C9	4.55	1.49	1.39
2	A	503	242	C16-C21	4.40	1.48	1.40
2	B	503	242	C10-C9	4.38	1.48	1.39
2	B	503	242	C16-C21	4.28	1.48	1.40
2	B	503	242	C37-C32	4.17	1.46	1.39
2	B	503	242	C33-C32	4.13	1.46	1.39
2	A	503	242	C19-C18	4.09	1.46	1.39
2	B	503	242	C11-C3	3.94	1.48	1.41
2	A	503	242	C33-C32	3.87	1.45	1.39
2	B	503	242	C5-C34	3.68	1.57	1.49
2	B	503	242	C36-C35	3.51	1.46	1.38
2	B	503	242	C33-C34	3.48	1.45	1.39
2	A	503	242	C37-C32	3.26	1.44	1.39
2	A	503	242	C36-C35	3.17	1.45	1.38
2	A	503	242	C11-C10	2.98	1.42	1.36
2	B	503	242	C11-C10	2.96	1.42	1.36
2	A	503	242	C11-C3	2.94	1.47	1.41
2	B	503	242	C18-C29	-2.93	1.44	1.50
2	B	503	242	C19-C18	2.87	1.44	1.39
2	A	503	242	C17-C18	2.71	1.43	1.39
2	B	503	242	C4-C2	2.61	1.47	1.41
2	A	503	242	C20-C19	2.57	1.43	1.38
2	A	503	242	C5-C34	2.54	1.55	1.49
2	B	503	242	C1-N3	2.40	1.38	1.35
2	A	503	242	C20-C21	2.37	1.44	1.39
2	B	503	242	C4-N3	2.26	1.37	1.32
2	B	503	242	C36-C37	2.21	1.43	1.38
2	B	503	242	C20-C19	2.20	1.42	1.38

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	503	242	C4-N3-C1	3.13	122.21	116.43
2	B	503	242	C10-C11-C3	-3.02	117.03	120.84
2	B	503	242	C4-N3-C1	2.97	121.93	116.43
2	B	503	242	C2-C4-N3	-2.96	118.51	124.08
2	A	503	242	C2-C4-N3	-2.93	118.58	124.08
2	A	503	242	C10-C11-C3	-2.71	117.43	120.84
2	B	503	242	C10-C9-C8	2.67	122.28	118.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	503	242	C2-C3-N2	-2.46	118.60	122.26
2	B	503	242	C2-C3-N2	-2.41	118.67	122.26
2	A	503	242	C10-C9-C8	2.24	121.60	118.09
2	B	503	242	C25-C21-C20	-2.19	116.03	120.31
2	B	503	242	C35-C34-C5	2.09	123.29	119.97
2	A	503	242	C25-C21-C20	-2.05	116.31	120.31

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	503	242	C21-C16-C9-C10
2	B	503	242	C21-C16-C9-C8
2	A	503	242	C21-C16-C9-C10
2	B	503	242	C17-C16-C9-C10
2	B	503	242	C17-C16-C9-C8
2	A	503	242	C17-C16-C9-C10
2	A	503	242	C21-C16-C9-C8


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	503	242	1	0
2	A	503	242	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 242 B 503





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.