



wwPDB X-ray Structure Validation Summary Report ⓘ

May 23, 2020 – 02:59 am BST

PDB ID : 3OFN
Title : Structure of four mutant forms of yeast F1 ATPase: alpha-N67I
Authors : Arsenieva, D.; Symersky, J.; Wang, Y.; Pagadala, V.; Mueller, D.M.
Deposited on : 2010-08-15
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	
1	B	510	
1	C	510	
1	J	510	
1	K	510	
1	L	510	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	S	510	 76% 17% • 5%
1	T	510	 75% 19% • 5%
1	U	510	 76% 18% • 5%
2	D	484	 74% 22% • •
2	E	484	 70% 24% • •
2	F	484	 73% 24% • •
2	M	484	 69% 24% • 5%
2	N	484	 69% 25% • •
2	O	484	 78% 18% • •
2	V	484	 53% 20% • 26%
2	W	484	 77% 18% • •
2	X	484	 76% 21% •
3	G	278	 67% 28% • •
3	P	278	 71% 24% • •
3	Y	278	 30% 11% 59%
4	H	138	 64% 20% • 12%
4	Q	138	 64% 9% • 27%
5	I	61	 61% 21% 8% 10%
5	R	61	 70% 20% 10%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 70481 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	485	Total	C	N	O	S	0	0	0
			3691	2336	650	702	3			
1	B	486	Total	C	N	O	S	0	0	0
			3690	2336	648	703	3			
1	C	484	Total	C	N	O	S	0	0	0
			3680	2327	649	701	3			
1	J	482	Total	C	N	O	S	0	0	0
			3664	2316	647	698	3			
1	K	483	Total	C	N	O	S	0	0	0
			3578	2255	634	686	3			
1	L	479	Total	C	N	O	S	0	0	0
			3608	2282	637	686	3			
1	S	483	Total	C	N	O	S	0	0	0
			3642	2302	640	697	3			
1	T	484	Total	C	N	O	S	0	0	0
			3639	2296	642	698	3			
1	U	485	Total	C	N	O	S	0	0	0
			3511	2205	619	684	3			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
B	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
C	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
J	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
K	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
L	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
S	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
T	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251
U	67	ILE	ASN	ENGINEERED MUTATION	UNP P07251

- Molecule 2 is a protein called ATP synthase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	470	Total	C	N	O	S	0	0	0
			3545	2248	603	688	6			
2	E	469	Total	C	N	O	S	0	0	0
			3511	2226	598	681	6			
2	F	469	Total	C	N	O	S	0	0	0
			3539	2245	603	685	6			
2	M	460	Total	C	N	O	S	0	0	0
			3436	2180	584	667	5			
2	N	463	Total	C	N	O	S	0	0	0
			3403	2160	573	665	5			
2	O	469	Total	C	N	O	S	0	0	0
			3449	2191	581	671	6			
2	V	360	Total	C	N	O	S	0	0	0
			2582	1625	439	515	3			
2	W	468	Total	C	N	O	S	0	0	0
			3468	2198	590	674	6			
2	X	469	Total	C	N	O	S	0	0	0
			3447	2181	588	673	5			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-5	ALA	-	EXPRESSION TAG	UNP P00830
D	-4	SER	-	EXPRESSION TAG	UNP P00830
D	-3	HIS	-	EXPRESSION TAG	UNP P00830
D	-2	HIS	-	EXPRESSION TAG	UNP P00830
D	-1	HIS	-	EXPRESSION TAG	UNP P00830
D	0	HIS	-	EXPRESSION TAG	UNP P00830
D	1	HIS	-	EXPRESSION TAG	UNP P00830
D	2	HIS	-	EXPRESSION TAG	UNP P00830
E	-5	ALA	-	EXPRESSION TAG	UNP P00830
E	-4	SER	-	EXPRESSION TAG	UNP P00830
E	-3	HIS	-	EXPRESSION TAG	UNP P00830
E	-2	HIS	-	EXPRESSION TAG	UNP P00830
E	-1	HIS	-	EXPRESSION TAG	UNP P00830
E	0	HIS	-	EXPRESSION TAG	UNP P00830
E	1	HIS	-	EXPRESSION TAG	UNP P00830
E	2	HIS	-	EXPRESSION TAG	UNP P00830
F	-5	ALA	-	EXPRESSION TAG	UNP P00830
F	-4	SER	-	EXPRESSION TAG	UNP P00830
F	-3	HIS	-	EXPRESSION TAG	UNP P00830
F	-2	HIS	-	EXPRESSION TAG	UNP P00830
F	-1	HIS	-	EXPRESSION TAG	UNP P00830
F	0	HIS	-	EXPRESSION TAG	UNP P00830

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	1	HIS	-	EXPRESSION TAG	UNP P00830
F	2	HIS	-	EXPRESSION TAG	UNP P00830
M	-5	ALA	-	EXPRESSION TAG	UNP P00830
M	-4	SER	-	EXPRESSION TAG	UNP P00830
M	-3	HIS	-	EXPRESSION TAG	UNP P00830
M	-2	HIS	-	EXPRESSION TAG	UNP P00830
M	-1	HIS	-	EXPRESSION TAG	UNP P00830
M	0	HIS	-	EXPRESSION TAG	UNP P00830
M	1	HIS	-	EXPRESSION TAG	UNP P00830
M	2	HIS	-	EXPRESSION TAG	UNP P00830
N	-5	ALA	-	EXPRESSION TAG	UNP P00830
N	-4	SER	-	EXPRESSION TAG	UNP P00830
N	-3	HIS	-	EXPRESSION TAG	UNP P00830
N	-2	HIS	-	EXPRESSION TAG	UNP P00830
N	-1	HIS	-	EXPRESSION TAG	UNP P00830
N	0	HIS	-	EXPRESSION TAG	UNP P00830
N	1	HIS	-	EXPRESSION TAG	UNP P00830
N	2	HIS	-	EXPRESSION TAG	UNP P00830
O	-5	ALA	-	EXPRESSION TAG	UNP P00830
O	-4	SER	-	EXPRESSION TAG	UNP P00830
O	-3	HIS	-	EXPRESSION TAG	UNP P00830
O	-2	HIS	-	EXPRESSION TAG	UNP P00830
O	-1	HIS	-	EXPRESSION TAG	UNP P00830
O	0	HIS	-	EXPRESSION TAG	UNP P00830
O	1	HIS	-	EXPRESSION TAG	UNP P00830
O	2	HIS	-	EXPRESSION TAG	UNP P00830
V	-5	ALA	-	EXPRESSION TAG	UNP P00830
V	-4	SER	-	EXPRESSION TAG	UNP P00830
V	-3	HIS	-	EXPRESSION TAG	UNP P00830
V	-2	HIS	-	EXPRESSION TAG	UNP P00830
V	-1	HIS	-	EXPRESSION TAG	UNP P00830
V	0	HIS	-	EXPRESSION TAG	UNP P00830
V	1	HIS	-	EXPRESSION TAG	UNP P00830
V	2	HIS	-	EXPRESSION TAG	UNP P00830
W	-5	ALA	-	EXPRESSION TAG	UNP P00830
W	-4	SER	-	EXPRESSION TAG	UNP P00830
W	-3	HIS	-	EXPRESSION TAG	UNP P00830
W	-2	HIS	-	EXPRESSION TAG	UNP P00830
W	-1	HIS	-	EXPRESSION TAG	UNP P00830
W	0	HIS	-	EXPRESSION TAG	UNP P00830
W	1	HIS	-	EXPRESSION TAG	UNP P00830
W	2	HIS	-	EXPRESSION TAG	UNP P00830

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	-5	ALA	-	EXPRESSION TAG	UNP P00830
X	-4	SER	-	EXPRESSION TAG	UNP P00830
X	-3	HIS	-	EXPRESSION TAG	UNP P00830
X	-2	HIS	-	EXPRESSION TAG	UNP P00830
X	-1	HIS	-	EXPRESSION TAG	UNP P00830
X	0	HIS	-	EXPRESSION TAG	UNP P00830
X	1	HIS	-	EXPRESSION TAG	UNP P00830
X	2	HIS	-	EXPRESSION TAG	UNP P00830

- Molecule 3 is a protein called ATP synthase subunit gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	268	Total	C	N	O	S	0	0	0
			2064	1297	358	399	10			
3	P	268	Total	C	N	O	S	0	0	0
			1869	1163	320	380	6			
3	Y	115	Total	C	N	O	S	0	0	0
			790	482	141	163	4			


- Molecule 4 is a protein called ATP synthase subunit delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	122	Total	C	N	O	S	0	0	0
			815	513	139	161	2			
4	Q	101	Total	C	N	O	S	0	0	0
			625	389	110	125	1			

- Molecule 5 is a protein called ATP synthase subunit epsilon.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	55	Total	C	N	O	0	0	0
			388	242	68	78			
5	R	55	Total	C	N	O	0	0	0
			367	227	66	74			

- Molecule 6 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	F	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	J	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	K	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	L	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	M	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	O	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	S	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	T	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	U	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	V	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	X	1	Total	C	N	O	P	0	0
			31	10	6	12	3		


- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	J	1	Total	Mg	0	0
			1	1		
7	D	1	Total	Mg	0	0
			1	1		
7	K	1	Total	Mg	0	0
			1	1		
7	B	1	Total	Mg	0	0
			1	1		
7	C	1	Total	Mg	0	0
			1	1		
7	V	1	Total	Mg	0	0
			1	1		
7	A	1	Total	Mg	0	0
			1	1		
7	T	1	Total	Mg	0	0
			1	1		
7	U	1	Total	Mg	0	0
			1	1		
7	X	1	Total	Mg	0	0
			1	1		
7	O	1	Total	Mg	0	0
			1	1		
7	L	1	Total	Mg	0	0
			1	1		
7	S	1	Total	Mg	0	0
			1	1		
7	F	1	Total	Mg	0	0
			1	1		
7	M	1	Total	Mg	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP synthase subunit alpha




- Molecule 1: ATP synthase subunit alpha






- Molecule 1: ATP synthase subunit alpha

Chain C: 2% 78% 15% 5%




- Molecule 1: ATP synthase subunit alpha


Chain J: 4% 74% 19% 5%




- Molecule 1: ATP synthase subunit alpha

Chain K: 7% 74% 21% 5%








• Molecule 1: ATP synthase subunit alpha



• Molecule 1: ATP synthase subunit alpha



• Molecule 1: ATP synthase subunit alpha



Chain E:


Chain F:

73% 24%


ALA	SER	HIS	HIS	HIS	HIS	HIS	HIS	ALA	ALA	GLN	SER	T7	T10	G11	K12	A15	V16	I17	D22	V23	Q27	S28	E29	L30	I33	L34	Q43	V50	T61	I62	A63	T67	E68	D69	L70	L77	V85	P86	V87	E90	I95	I103	D104	E105
S111	K115	P116	I117	S128	T129	S130	I133	T136	G137	V140	V141	A148	K152	I167	Q168	I171	I174	A175	F181	T185	G186	V187	G188	E189	R190	T191	R192	E193	G194	M195	D196	L197	Y198	M201	K202	N208	L209	G220	Q221	E224	P225	T226	C232	
V232	T235	G236	L237	T238	F243	R244	N257	L258	R260	R274	V279	L292	R295	L296	T299	V304	T305	S306	V310	T325	L329	T333	V334	L335	S336	I339	I344	V345	P346	A347	K354	L357	L358	D359	V363	H367	T377							
K382	Q385	S397	E398	T403	A407	K408	K409	F413	L414	S415	Q416	P417	V420	L427	K430	V432	K442	A443	V444	L445	E446	V449	D450	M451	L452	M459	L463	E464	D465	V466	V467	A468	K469	E471	A475	GLU	ALA	ASN						

Chain M:


Amino Acid	Percentage
ALA	5%
SER	5%
HIS	5%
HIS	5%
HIS	5%
HIS	5%
HIS	5%
ALA	5%
ALA	5%
GLN	5%
SER	5%
T7	5%
P8	5%
I9	5%
A15	5%
V16	5%
I17	5%
D22	5%
E26	5%
Q27	5%
S28	5%
E29	5%
L30	5%
P31	5%
A32	5%
I33	5%
L34	5%
N35	5%
T41	5%
P42	5%
Q52	5%
H53	5%
N57	5%
T58	5%
V59	5%
G69	5%
R72	5%
D78	5%
V85	5%
R89	5%
E90	5%
V98	5%
S111	5%
K112	5%
L113	5%
H118	5%
I133	5%
L134	5%
K139	5%
D142	5%
A148	5%
G154	5%
L155	5%
G160	5%
F181	5%
T185	5%
G186	5%
V187	5%
R190	5%
T191	5%
R192	5%
L197	5%
Y198	5%
R199	5%
E200	5%
M201	5%
K202	5%
V206	5%
T207	5%
N208	5%
L209	5%
E210	5%
G211	5%
V215	5%
A216	5%
L217	5%
M222	5%
P226	5%
R229	5%
V232	5%
A233	5%
L234	5%
T235	5%
G236	5%
L237	5%
R244	5%
K247	5%



• Molecule 2: ATP synthase subunit beta




• Molecule 2: ATP synthase subunit beta





• Molecule 2: ATP synthase subunit beta








• Molecule 2: ATP synthase subunit beta





• Molecule 2: ATP synthase subunit beta







• Molecule 4: ATP synthase subunit delta

Chain H: 64% 20% 12%



• Molecule 4: ATP synthase subunit delta

Chain Q: 27% 64% 9% 27%



• Molecule 5: ATP synthase subunit epsilon

Chain I: 61% 21% 8% 10%



• Molecule 5: ATP synthase subunit epsilon

Chain R: 8% 70% 20% 10%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	112.02Å 290.62Å 188.47Å 90.00° 102.34° 90.00°	Depositor
Resolution (Å)	50.00 – 3.20 49.63 – 3.20	Depositor EDS
% Data completeness (in resolution range)	91.2 (50.00-3.20) 91.2 (49.63-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.4.0066	Depositor
R, R_{free}	0.210 , 0.276 0.211 , 0.274	Depositor DCC
R_{free} test set	3557 reflections (2.01%)	wwPDB-VP
Wilson B-factor (Å ²)	90.9	Xtriage
Anisotropy	0.156	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 61.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	70481	wwPDB-VP
Average B, all atoms (Å ²)	97.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.43	0/3748	0.60	0/5073
1	B	0.40	0/3747	0.57	0/5073
1	C	0.41	0/3736	0.57	0/5057
1	J	0.39	0/3718	0.56	0/5032
1	K	0.37	0/3630	0.53	0/4926
1	L	0.40	0/3662	0.57	0/4963
1	S	0.41	0/3696	0.57	0/5008
1	T	0.39	0/3693	0.57	0/5006
1	U	0.37	0/3564	0.53	0/4850
2	D	0.41	0/3601	0.57	0/4884
2	E	0.43	0/3567	0.57	0/4846
2	F	0.40	0/3595	0.59	0/4876
2	M	0.42	0/3492	0.57	0/4747
2	N	0.38	0/3457	0.56	0/4708
2	O	0.38	0/3505	0.56	0/4774
2	V	0.42	0/2623	0.56	0/3585
2	W	0.43	0/3524	0.59	0/4796
2	X	0.39	0/3503	0.56	0/4774
3	G	0.39	0/2089	0.58	0/2812
3	P	0.36	0/1892	0.50	0/2586
3	Y	0.39	0/791	0.54	0/1077
4	H	0.45	0/827	0.63	0/1133
4	Q	0.40	0/629	0.50	0/866
5	I	0.48	0/393	0.69	0/537
5	R	0.45	0/372	0.51	0/510
All	All	0.40	0/71054	0.57	0/96499

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3691	0	3777	84	0
1	B	3690	0	3771	66	0
1	C	3680	0	3768	47	0
1	J	3664	0	3752	68	0
1	K	3578	0	3577	59	0
1	L	3608	0	3668	66	0
1	S	3642	0	3697	58	0
1	T	3639	0	3673	63	0
1	U	3511	0	3411	49	0
2	D	3545	0	3614	64	0
2	E	3511	0	3549	80	0
2	F	3539	0	3611	68	0
2	M	3436	0	3459	78	0
2	N	3403	0	3385	77	0
2	O	3449	0	3435	52	0
2	V	2582	0	2492	67	0
2	W	3468	0	3463	59	0
2	X	3447	0	3402	61	0
3	G	2064	0	2125	46	0
3	P	1869	0	1710	36	0
3	Y	790	0	735	17	0
4	H	815	0	712	26	0
4	Q	625	0	501	6	0
5	I	388	0	344	18	0
5	R	367	0	301	8	0
6	A	31	0	13	0	0
6	B	31	0	13	2	0
6	C	31	0	13	3	0
6	D	31	0	13	2	0
6	F	31	0	13	3	0
6	J	31	0	13	3	0
6	K	31	0	13	1	0
6	L	31	0	13	0	0
6	M	31	0	13	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	O	31	0	13	0	0
6	S	31	0	13	0	0
6	T	31	0	13	2	0
6	U	31	0	13	0	0
6	V	31	0	13	2	0
6	X	31	0	13	2	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
7	F	1	0	0	0	0
7	J	1	0	0	0	0
7	K	1	0	0	0	0
7	L	1	0	0	0	0
7	M	1	0	0	0	0
7	O	1	0	0	0	0
7	S	1	0	0	0	0
7	T	1	0	0	0	0
7	U	1	0	0	0	0
7	V	1	0	0	0	0
7	X	1	0	0	0	0
All	All	70481	0	70127	1222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 1222 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:F:600:ANP:H8	6:F:600:ANP:H5'1	1.26	1.16
3:G:96:ARG:HE	3:G:121:THR:HG21	1.25	1.01
2:D:85:VAL:HG11	2:D:235:THR:HG23	1.42	1.00
5:I:31:THR:HG22	5:I:34:VAL:HG23	1.45	0.98
1:T:289:ARG:HG2	1:T:289:ARG:HH11	1.23	0.98

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	483/510 (95%)	457 (95%)	25 (5%)	1 (0%)	47	79
1	B	484/510 (95%)	455 (94%)	25 (5%)	4 (1%)	19	58
1	C	482/510 (94%)	458 (95%)	23 (5%)	1 (0%)	47	79
1	J	478/510 (94%)	443 (93%)	32 (7%)	3 (1%)	25	64
1	K	479/510 (94%)	442 (92%)	37 (8%)	0	100	100
1	L	475/510 (93%)	442 (93%)	31 (6%)	2 (0%)	34	69
1	S	479/510 (94%)	458 (96%)	20 (4%)	1 (0%)	47	79
1	T	480/510 (94%)	454 (95%)	26 (5%)	0	100	100
1	U	483/510 (95%)	450 (93%)	31 (6%)	2 (0%)	34	69
2	D	468/484 (97%)	440 (94%)	26 (6%)	2 (0%)	34	69
2	E	467/484 (96%)	437 (94%)	28 (6%)	2 (0%)	34	69
2	F	467/484 (96%)	443 (95%)	24 (5%)	0	100	100
2	M	458/484 (95%)	421 (92%)	34 (7%)	3 (1%)	22	61
2	N	459/484 (95%)	422 (92%)	34 (7%)	3 (1%)	22	61
2	O	467/484 (96%)	433 (93%)	33 (7%)	1 (0%)	47	79
2	V	354/484 (73%)	318 (90%)	31 (9%)	5 (1%)	11	46
2	W	466/484 (96%)	435 (93%)	30 (6%)	1 (0%)	47	79
2	X	467/484 (96%)	430 (92%)	35 (8%)	2 (0%)	34	69
3	G	264/278 (95%)	249 (94%)	14 (5%)	1 (0%)	34	69
3	P	264/278 (95%)	243 (92%)	19 (7%)	2 (1%)	19	58
3	Y	109/278 (39%)	102 (94%)	7 (6%)	0	100	100
4	H	118/138 (86%)	98 (83%)	17 (14%)	3 (2%)	5	32
4	Q	91/138 (66%)	81 (89%)	10 (11%)	0	100	100
5	I	51/61 (84%)	44 (86%)	3 (6%)	4 (8%)	1	6
5	R	51/61 (84%)	43 (84%)	7 (14%)	1 (2%)	7	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	9344/10178 (92%)	8698 (93%)	602 (6%)	44 (0%)	29	67

5 of 44 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	99	GLU
5	I	55	GLU
2	M	27	GLN
5	R	58	PRO
4	H	33	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	391/412 (95%)	361 (92%)	30 (8%)	13	44
1	B	390/412 (95%)	369 (95%)	21 (5%)	22	58
1	C	390/412 (95%)	369 (95%)	21 (5%)	22	58
1	J	388/412 (94%)	367 (95%)	21 (5%)	22	58
1	K	366/412 (89%)	348 (95%)	18 (5%)	25	61
1	L	378/412 (92%)	359 (95%)	19 (5%)	24	60
1	S	382/412 (93%)	357 (94%)	25 (6%)	17	51
1	T	379/412 (92%)	353 (93%)	26 (7%)	15	49
1	U	348/412 (84%)	329 (94%)	19 (6%)	21	57
2	D	379/390 (97%)	362 (96%)	17 (4%)	27	63
2	E	371/390 (95%)	345 (93%)	26 (7%)	15	48
2	F	378/390 (97%)	358 (95%)	20 (5%)	22	58
2	M	363/390 (93%)	339 (93%)	24 (7%)	16	51
2	N	352/390 (90%)	330 (94%)	22 (6%)	18	52
2	O	357/390 (92%)	339 (95%)	18 (5%)	24	60
2	V	261/390 (67%)	246 (94%)	15 (6%)	20	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	W	361/390 (93%)	343 (95%)	18 (5%)	24	60
2	X	354/390 (91%)	342 (97%)	12 (3%)	37	70
3	G	226/236 (96%)	206 (91%)	20 (9%)	10	36
3	P	178/236 (75%)	160 (90%)	18 (10%)	7	29
3	Y	72/236 (30%)	64 (89%)	8 (11%)	6	25
4	H	71/112 (63%)	62 (87%)	9 (13%)	4	20
4	Q	46/112 (41%)	43 (94%)	3 (6%)	17	51
5	I	34/48 (71%)	27 (79%)	7 (21%)	1	6
5	R	28/48 (58%)	26 (93%)	2 (7%)	14	47
All	All	7243/8246 (88%)	6804 (94%)	439 (6%)	18	54

5 of 439 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	K	129	SER
2	M	377	THR
2	W	140	VAL
1	K	351	GLN
1	L	351	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 62 such sidechains are listed below:

Mol	Chain	Res	Type
1	K	477	ASN
2	M	52	GLN
2	W	168	GLN
1	L	351	GLN
2	M	195	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 15 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ANP	T	600	7	29,33,33	1.86	9 (31%)	31,52,52	1.95	8 (25%)
6	ANP	F	600	7	29,33,33	1.83	8 (27%)	31,52,52	1.77	6 (19%)
6	ANP	C	600	7	29,33,33	1.81	8 (27%)	31,52,52	1.96	8 (25%)
6	ANP	B	600	7	29,33,33	1.82	8 (27%)	31,52,52	1.85	7 (22%)
6	ANP	A	600	7	29,33,33	1.73	7 (24%)	31,52,52	1.95	9 (29%)
6	ANP	O	600	7	29,33,33	1.87	10 (34%)	31,52,52	1.77	8 (25%)
6	ANP	M	600	7	29,33,33	1.76	7 (24%)	31,52,52	2.01	8 (25%)
6	ANP	D	600	7	29,33,33	1.80	7 (24%)	31,52,52	1.85	8 (25%)
6	ANP	K	600	7	29,33,33	1.86	8 (27%)	31,52,52	1.87	8 (25%)
6	ANP	J	600	7	29,33,33	1.74	7 (24%)	31,52,52	1.97	9 (29%)
6	ANP	V	600	7	29,33,33	2.12	8 (27%)	31,52,52	1.98	5 (16%)
6	ANP	U	600	7	29,33,33	1.82	7 (24%)	31,52,52	1.92	8 (25%)
6	ANP	L	600	7	29,33,33	1.74	7 (24%)	31,52,52	2.02	8 (25%)
6	ANP	S	600	7	29,33,33	1.86	7 (24%)	31,52,52	2.01	7 (22%)
6	ANP	X	600	7	29,33,33	1.62	7 (24%)	31,52,52	2.34	9 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ANP	T	600	7	-	6/14/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ANP	F	600	7	-	5/14/38/38	0/3/3/3
6	ANP	C	600	7	-	2/14/38/38	0/3/3/3
6	ANP	B	600	7	-	6/14/38/38	0/3/3/3
6	ANP	A	600	7	-	3/14/38/38	0/3/3/3
6	ANP	O	600	7	-	3/14/38/38	0/3/3/3
6	ANP	M	600	7	-	3/14/38/38	0/3/3/3
6	ANP	D	600	7	-	4/14/38/38	0/3/3/3
6	ANP	K	600	7	-	7/14/38/38	0/3/3/3
6	ANP	J	600	7	-	2/14/38/38	0/3/3/3
6	ANP	V	600	7	-	6/14/38/38	0/3/3/3
6	ANP	U	600	7	-	3/14/38/38	0/3/3/3
6	ANP	L	600	7	-	3/14/38/38	0/3/3/3
6	ANP	S	600	7	-	5/14/38/38	0/3/3/3
6	ANP	X	600	7	-	4/14/38/38	0/3/3/3

The worst 5 of 115 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	V	600	ANP	PG-N3B	5.51	1.77	1.63
6	V	600	ANP	PB-N3B	5.33	1.77	1.63
6	O	600	ANP	PB-N3B	4.68	1.75	1.63
6	S	600	ANP	PB-N3B	4.57	1.75	1.63
6	S	600	ANP	PG-N3B	4.43	1.74	1.63

The worst 5 of 116 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	S	600	ANP	O1G-PG-N3B	-6.71	101.89	111.77
6	V	600	ANP	O1G-PG-N3B	-6.42	102.31	111.77
6	X	600	ANP	O1B-PB-N3B	-6.30	102.50	111.77
6	T	600	ANP	O1G-PG-N3B	-6.25	102.57	111.77
6	X	600	ANP	O1G-PG-N3B	-6.13	102.75	111.77

There are no chirality outliers.

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	600	ANP	PB-N3B-PG-O1G

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	C	600	ANP	PG-N3B-PB-O1B
6	B	600	ANP	PB-N3B-PG-O1G
6	B	600	ANP	PG-N3B-PB-O1B
6	A	600	ANP	PB-N3B-PG-O1G


There are no ring outliers.


10 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	T	600	ANP	2	0
6	F	600	ANP	3	0
6	C	600	ANP	3	0
6	B	600	ANP	2	0
6	M	600	ANP	3	0
6	D	600	ANP	2	0
6	K	600	ANP	1	0
6	J	600	ANP	3	0
6	V	600	ANP	2	0
6	X	600	ANP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























Ligand ANP J 600














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	485/510 (95%)	-0.20	1 (0%) 95 94	49, 67, 102, 161	0
1	B	486/510 (95%)	0.05	13 (2%) 54 39	60, 94, 131, 172	0
1	C	484/510 (94%)	0.10	9 (1%) 66 53	62, 83, 134, 166	0
1	J	482/510 (94%)	0.15	18 (3%) 41 26	63, 91, 159, 179	0
1	K	483/510 (94%)	0.37	34 (7%) 16 9	78, 118, 163, 170	0
1	L	479/510 (93%)	0.12	17 (3%) 44 28	63, 88, 145, 168	0
1	S	483/510 (94%)	-0.06	7 (1%) 75 63	60, 84, 110, 171	0
1	T	484/510 (94%)	-0.05	4 (0%) 86 78	59, 84, 108, 143	0
1	U	485/510 (95%)	0.13	21 (4%) 35 22	81, 104, 132, 166	0
2	D	470/484 (97%)	0.02	8 (1%) 70 57	54, 80, 131, 155	0
2	E	469/484 (96%)	0.09	15 (3%) 47 31	56, 86, 126, 152	0
2	F	469/484 (96%)	0.09	7 (1%) 73 61	59, 89, 114, 134	0
2	M	460/484 (95%)	0.16	25 (5%) 25 14	63, 87, 146, 171	0
2	N	463/484 (95%)	0.42	42 (9%) 9 5	71, 115, 157, 166	0
2	O	469/484 (96%)	0.25	27 (5%) 23 13	78, 110, 159, 167	0
2	V	360/484 (74%)	0.40	26 (7%) 15 9	78, 109, 146, 178	0
2	W	468/484 (96%)	-0.16	3 (0%) 89 83	57, 72, 103, 143	0
2	X	469/484 (96%)	-0.06	3 (0%) 89 83	65, 91, 113, 132	0
3	G	268/278 (96%)	-0.03	1 (0%) 92 89	62, 92, 108, 115	0
3	P	268/278 (96%)	0.73	41 (15%) 2 1	82, 145, 165, 176	0
3	Y	115/278 (41%)	1.06	29 (25%) 0 0	73, 116, 148, 153	0
4	H	122/138 (88%)	-0.02	0 100 100	76, 97, 150, 167	0
4	Q	101/138 (73%)	1.51	37 (36%) 0 0	138, 152, 169, 175	0
5	I	55/61 (90%)	0.01	0 100 100	90, 111, 134, 149	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
5	R	55/61 (90%)	0.75	5 (9%) 9 5	126, 146, 163, 167	0
All	All	9432/10178 (92%)	0.14	393 (4%) 36 23	49, 93, 152, 179	0

The worst 5 of 393 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	M	396	LEU	9.1
4	Q	71	SER	6.9
4	Q	12	LEU	5.9
2	V	144	LEU	5.7
4	Q	54	PRO	5.6

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MG	V	700	1/1	0.84	0.11	112,112,112,112	0
7	MG	J	700	1/1	0.88	0.40	81,81,81,81	0
6	ANP	K	600	31/31	0.88	0.18	105,113,114,115	0
6	ANP	B	600	31/31	0.90	0.24	80,88,97,98	0
6	ANP	V	600	31/31	0.90	0.20	114,116,117,118	0
7	MG	C	700	1/1	0.91	0.51	78,78,78,78	0
6	ANP	C	600	31/31	0.91	0.24	77,83,89,89	0
7	MG	K	700	1/1	0.93	0.35	102,102,102,102	0
7	MG	L	700	1/1	0.93	0.41	86,86,86,86	0
6	ANP	T	600	31/31	0.93	0.25	69,72,75,76	0
6	ANP	S	600	31/31	0.93	0.20	83,85,86,86	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	MG	B	700	1/1	0.93	0.48	82,82,82,82	0
7	MG	D	700	1/1	0.93	0.52	83,83,83,83	0
7	MG	F	700	1/1	0.93	0.45	83,83,83,83	0
6	ANP	J	600	31/31	0.93	0.20	78,89,93,94	0
6	ANP	F	600	31/31	0.93	0.27	82,84,88,89	0
6	ANP	O	600	31/31	0.94	0.22	90,102,107,107	0
7	MG	U	700	1/1	0.95	0.46	83,83,83,83	0
7	MG	A	700	1/1	0.95	0.45	66,66,66,66	0
6	ANP	D	600	31/31	0.95	0.24	82,89,91,91	0
6	ANP	M	600	31/31	0.95	0.23	78,85,94,94	0
6	ANP	L	600	31/31	0.95	0.21	83,86,87,88	0
6	ANP	A	600	31/31	0.95	0.22	58,62,65,66	0
6	ANP	U	600	31/31	0.95	0.20	82,84,87,87	0
6	ANP	X	600	31/31	0.96	0.25	70,72,78,78	0
7	MG	T	700	1/1	0.96	0.64	76,76,76,76	0
7	MG	M	700	1/1	0.96	0.43	80,80,80,80	0
7	MG	S	700	1/1	0.97	0.50	84,84,84,84	0
7	MG	O	700	1/1	0.97	0.36	91,91,91,91	0
7	MG	X	700	1/1	0.98	0.42	80,80,80,80	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ANP K 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP B 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP V 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP C 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP T 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP S 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP J 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP F 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP O 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP D 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP M 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP L 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ANP A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP U 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.