



wwPDB X-ray Structure Validation Summary Report ⓘ

May 25, 2020 – 08:15 pm BST

PDB ID : 1OGY
Title : Crystal structure of the heterodimeric nitrate reductase from *Rhodobacter sphaeroides*
Authors : Arnoux, P.; Sabaty, M.; Alric, J.; Frangioni, B.; Guigliarelli, B.; Adriano, J.-M.; Pignol, D.
Deposited on : 2003-05-19
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	802	
1	C	802	
1	E	802	
1	G	802	
1	I	802	
1	K	802	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	802	
1	O	802	
2	B	130	
2	D	130	
2	F	130	
2	H	130	
2	J	130	
2	L	130	
2	N	130	
2	P	130	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HEC	D	1129	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 59336 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PERIPLASMIC NITRATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	C	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	E	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	G	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	I	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	K	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	M	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			
1	O	790	Total	C	N	O	S	0	0	1
			6251	3961	1114	1144	32			

- Molecule 2 is a protein called DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			
2	D	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			
2	F	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			
2	H	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			
2	J	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			
2	L	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	N	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			
2	P	127	Total	C	N	O	S	0	0	1
			977	603	180	185	9			

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	E	1	Total	Fe	S	0	0
			8	4	4		
3	G	1	Total	Fe	S	0	0
			8	4	4		
3	I	1	Total	Fe	S	0	0
			8	4	4		
3	K	1	Total	Fe	S	0	0
			8	4	4		
3	M	1	Total	Fe	S	0	0
			8	4	4		
3	O	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is MOLYBDENUM ATOM (three-letter code: MO) (formula: Mo).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	G	1	Total Mo 1 1	0	0
4	K	1	Total Mo 1 1	0	0
4	E	1	Total Mo 1 1	0	0
4	I	1	Total Mo 1 1	0	0
4	C	1	Total Mo 1 1	0	0
4	A	1	Total Mo 1 1	0	0
4	O	1	Total Mo 1 1	0	0
4	M	1	Total Mo 1 1	0	0

- Molecule 5 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (three-letter code: MGD) (formula: C₂₀H₂₆N₁₀O₁₃P₂S₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N O P S 47 20 10 13 2 2	0	0
5	A	1	Total C N O P S 47 20 10 13 2 2	0	0
5	C	1	Total C N O P S 47 20 10 13 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	C	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	E	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	E	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	G	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	G	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	I	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	I	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	K	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	K	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	M	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	M	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	O	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0
5	O	1	Total 47	C 20	N 10	O 13	P 2	S 2	0	0

- Molecule 6 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	J	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	J	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	L	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	L	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	N	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	N	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	P	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
6	P	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PERIPLASMIC NITRATE REDUCTASE






• Molecule 1: PERIPLASMIC NITRATE REDUCTASE




- Molecule 1: PERIPLASMIC NITRATE REDUCTASE










• Molecule 1: PERIPLASMIC NITRATE REDUCTASE






• Molecule 1: PERIPLASMIC NITRATE REDUCTASE







● Molecule 1: PERIPLASMIC NITRATE REDUCTASE




● Molecule 1: PERIPLASMIC NITRATE REDUCTASE






• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE




• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE







• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE




• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE




• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE




• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE



• Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE



● Molecule 2: DIHEME CYTOCHROME C NAPB MOLECULE: NITRATE REDUCTASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	123.00Å 225.20Å 154.60Å 90.00° 92.10° 90.00°	Depositor
Resolution (Å)	30.00 – 3.20 29.94 – 3.20	Depositor EDS
% Data completeness (in resolution range)	97.1 (30.00-3.20) 97.0 (29.94-3.20)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 3.18Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.250 , 0.269 0.235 , 0.251	Depositor DCC
R_{free} test set	1348 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	57.6	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 34.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.035 for h,-k,-l	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	59336	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, HEC, MO, MGD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	2/6433 (0.0%)	0.89	13/8741 (0.1%)
1	C	0.67	1/6433 (0.0%)	0.90	13/8741 (0.1%)
1	E	0.70	3/6433 (0.0%)	0.89	13/8741 (0.1%)
1	G	0.70	1/6433 (0.0%)	0.92	12/8741 (0.1%)
1	I	0.82	2/6433 (0.0%)	0.92	13/8741 (0.1%)
1	K	0.68	2/6433 (0.0%)	0.91	16/8741 (0.2%)
1	M	0.66	1/6433 (0.0%)	0.89	13/8741 (0.1%)
1	O	0.76	1/6433 (0.0%)	0.92	16/8741 (0.2%)
2	B	0.74	0/1001	0.94	1/1368 (0.1%)
2	D	0.72	0/1001	0.93	1/1368 (0.1%)
2	F	0.75	0/1001	0.94	1/1368 (0.1%)
2	H	0.76	0/1001	0.95	1/1368 (0.1%)
2	J	0.73	0/1001	0.96	2/1368 (0.1%)
2	L	0.75	2/1001 (0.2%)	0.95	1/1368 (0.1%)
2	N	0.78	1/1001 (0.1%)	0.95	1/1368 (0.1%)
2	P	0.73	0/1001	0.94	2/1368 (0.1%)
All	All	0.72	16/59472 (0.0%)	0.91	119/80872 (0.1%)

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	22	CYS	CB-SG	-9.02	1.67	1.82
1	G	54	CYS	CB-SG	-7.57	1.69	1.82
1	K	22	CYS	CB-SG	-7.20	1.70	1.82
1	I	19	CYS	CB-SG	7.16	1.94	1.82
1	O	152	CYS	CB-SG	6.88	1.94	1.82

The worst 5 of 119 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	632	TRP	C-N-CD	-24.39	66.94	120.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	K	632	TRP	C-N-CD	-22.20	71.75	120.60
1	O	632	TRP	C-N-CD	-21.86	72.50	120.60
1	I	632	TRP	C-N-CD	-21.10	74.19	120.60
1	E	632	TRP	C-N-CD	-17.95	81.12	120.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6251	0	5967	418	2
1	C	6251	0	5966	441	3
1	E	6251	0	5968	421	1
1	G	6251	0	5966	430	0
1	I	6251	0	5967	466	0
1	K	6251	0	5966	449	3
1	M	6251	0	5966	427	1
1	O	6251	0	5967	470	0
2	B	977	0	937	92	0
2	D	977	0	941	107	0
2	F	977	0	941	95	0
2	H	977	0	941	113	0
2	J	977	0	941	103	0
2	L	977	0	941	107	0
2	N	977	0	941	111	0
2	P	977	0	941	114	0
3	A	8	0	0	0	0
3	C	8	0	0	1	0
3	E	8	0	0	1	0
3	G	8	0	0	0	0
3	I	8	0	0	0	0
3	K	8	0	0	1	0
3	M	8	0	0	0	0
3	O	8	0	0	0	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
4	I	1	0	0	0	0
4	K	1	0	0	0	0
4	M	1	0	0	0	0
4	O	1	0	0	0	0
5	A	94	0	44	15	0
5	C	94	0	44	14	0
5	E	94	0	44	15	0
5	G	94	0	44	13	0
5	I	94	0	44	13	0
5	K	94	0	44	15	0
5	M	94	0	44	15	0
5	O	94	0	44	15	0
6	B	86	0	60	15	0
6	D	86	0	64	33	0
6	F	86	0	64	23	0
6	H	86	0	64	27	0
6	J	86	0	64	27	0
6	L	86	0	64	26	0
6	N	86	0	64	30	0
6	P	86	0	64	25	0
All	All	59336	0	56117	4193	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

The worst 5 of 4193 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:58:CYS:SG	6:N:1128:HEC:HAB	1.34	1.64
2:F:98:CYS:SG	6:F:1129:HEC:HAB	1.39	1.61
2:J:98:CYS:SG	6:J:1129:HEC:HAB	1.38	1.61
2:H:58:CYS:SG	6:H:1128:HEC:HAB	1.41	1.60
2:D:98:CYS:SG	6:D:1129:HEC:HAB	1.45	1.57

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:LYS:CG	1:C:655:GLY:O[2_556]	1.82	0.38
1:C:577:ARG:CB	1:K:287:LYS:NZ[2_545]	1.90	0.30
1:C:577:ARG:CG	1:K:287:LYS:NZ[2_545]	1.97	0.23
1:E:411:GLU:OE2	1:M:410:PRO:CG[1_556]	2.06	0.14
1:A:410:PRO:CB	1:K:411:GLU:OE2[1_556]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	788/802 (98%)	669 (85%)	85 (11%)	34 (4%)	2	20
1	C	788/802 (98%)	658 (84%)	94 (12%)	36 (5%)	2	18
1	E	788/802 (98%)	671 (85%)	82 (10%)	35 (4%)	2	19
1	G	788/802 (98%)	666 (84%)	90 (11%)	32 (4%)	3	21
1	I	788/802 (98%)	656 (83%)	99 (13%)	33 (4%)	3	20
1	K	788/802 (98%)	665 (84%)	89 (11%)	34 (4%)	2	20
1	M	788/802 (98%)	665 (84%)	87 (11%)	36 (5%)	2	18
1	O	788/802 (98%)	662 (84%)	92 (12%)	34 (4%)	2	20
2	B	125/130 (96%)	98 (78%)	14 (11%)	13 (10%)	0	3
2	D	125/130 (96%)	100 (80%)	13 (10%)	12 (10%)	0	3
2	F	125/130 (96%)	98 (78%)	14 (11%)	13 (10%)	0	3
2	H	125/130 (96%)	98 (78%)	14 (11%)	13 (10%)	0	3
2	J	125/130 (96%)	100 (80%)	11 (9%)	14 (11%)	0	2
2	L	125/130 (96%)	98 (78%)	14 (11%)	13 (10%)	0	3
2	N	125/130 (96%)	97 (78%)	14 (11%)	14 (11%)	0	2
2	P	125/130 (96%)	99 (79%)	14 (11%)	12 (10%)	0	3
All	All	7304/7456 (98%)	6100 (84%)	826 (11%)	378 (5%)	2	15

5 of 378 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	22	CYS
1	A	81	VAL
1	A	85	GLU
1	A	274	TYR
1	A	275	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	641/651 (98%)	546 (85%)	95 (15%)	3	14
1	C	641/651 (98%)	548 (86%)	93 (14%)	3	15
1	E	641/651 (98%)	546 (85%)	95 (15%)	3	14
1	G	641/651 (98%)	543 (85%)	98 (15%)	2	13
1	I	641/651 (98%)	542 (85%)	99 (15%)	2	13
1	K	641/651 (98%)	547 (85%)	94 (15%)	3	14
1	M	641/651 (98%)	543 (85%)	98 (15%)	2	13
1	O	641/651 (98%)	543 (85%)	98 (15%)	2	13
2	B	108/113 (96%)	89 (82%)	19 (18%)	2	9
2	D	108/113 (96%)	90 (83%)	18 (17%)	2	10
2	F	108/113 (96%)	91 (84%)	17 (16%)	2	12
2	H	108/113 (96%)	91 (84%)	17 (16%)	2	12
2	J	108/113 (96%)	89 (82%)	19 (18%)	2	9
2	L	108/113 (96%)	90 (83%)	18 (17%)	2	10
2	N	108/113 (96%)	90 (83%)	18 (17%)	2	10
2	P	108/113 (96%)	88 (82%)	20 (18%)	1	8
All	All	5992/6112 (98%)	5076 (85%)	916 (15%)	2	13

5 of 916 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	628	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	464	ILE
1	O	361	VAL
1	G	732	LEU
1	I	116	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 197 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	700	HIS
1	I	457	ASN
1	O	457	ASN
1	G	733	ASN
1	I	144	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 8 are monoatomic - leaving 40 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SF4	M	1801	1	0,12,12	0.00	-	-		
5	MGD	K	1804	4	41,52,52	2.40	14 (34%)	43,81,81	2.82	19 (44%)
5	MGD	M	1804	4	41,52,52	2.35	14 (34%)	43,81,81	2.69	18 (41%)
5	MGD	A	1803	4	41,52,52	2.63	17 (41%)	43,81,81	2.35	16 (37%)
6	HEC	P	1129	2	26,50,50	2.05	8 (30%)	18,82,82	2.96	10 (55%)
5	MGD	E	1804	4	41,52,52	2.40	16 (39%)	43,81,81	2.67	20 (46%)
5	MGD	G	1804	4	41,52,52	2.53	18 (43%)	43,81,81	2.73	17 (39%)
6	HEC	L	1129	2	26,50,50	2.55	5 (19%)	18,82,82	3.01	10 (55%)
3	SF4	E	1801	1	0,12,12	0.00	-	-		
6	HEC	F	1129	2	26,50,50	2.23	6 (23%)	18,82,82	2.74	9 (50%)
6	HEC	P	1128	2	26,50,50	2.34	10 (38%)	18,82,82	2.35	6 (33%)
5	MGD	O	1804	4	41,52,52	2.64	19 (46%)	43,81,81	2.75	18 (41%)
5	MGD	O	1803	4	41,52,52	3.07	17 (41%)	43,81,81	2.37	16 (37%)
5	MGD	C	1804	4	41,52,52	2.40	14 (34%)	43,81,81	2.76	18 (41%)
6	HEC	L	1128	2	26,50,50	2.45	10 (38%)	18,82,82	2.64	10 (55%)
6	HEC	B	1128	2	26,50,50	3.00	10 (38%)	18,82,82	2.89	7 (38%)
6	HEC	F	1128	2	26,50,50	2.40	5 (19%)	18,82,82	2.79	8 (44%)
5	MGD	M	1803	4	41,52,52	2.36	14 (34%)	43,81,81	2.30	15 (34%)
3	SF4	G	1801	1	0,12,12	0.00	-	-		
6	HEC	J	1128	2	26,50,50	2.90	9 (34%)	18,82,82	2.80	6 (33%)
6	HEC	H	1128	2	26,50,50	2.69	8 (30%)	18,82,82	2.96	9 (50%)
3	SF4	O	1801	1	0,12,12	0.00	-	-		
3	SF4	I	1801	1	0,12,12	0.00	-	-		
6	HEC	N	1129	2	26,50,50	2.72	9 (34%)	18,82,82	2.79	9 (50%)
6	HEC	D	1128	2	26,50,50	2.58	10 (38%)	18,82,82	3.03	10 (55%)
5	MGD	K	1803	4	41,52,52	2.36	16 (39%)	43,81,81	2.25	15 (34%)
6	HEC	D	1129	2	26,50,50	2.50	6 (23%)	18,82,82	2.86	10 (55%)
6	HEC	B	1129	2	26,50,50	2.43	7 (26%)	18,82,82	2.55	8 (44%)
5	MGD	E	1803	4	41,52,52	2.37	16 (39%)	43,81,81	2.34	12 (27%)
5	MGD	C	1803	4	41,52,52	2.42	15 (36%)	43,81,81	2.28	15 (34%)
3	SF4	A	1801	1	0,12,12	0.00	-	-		
5	MGD	A	1804	4	41,52,52	2.28	14 (34%)	43,81,81	2.80	19 (44%)
3	SF4	K	1801	1	0,12,12	0.00	-	-		
6	HEC	N	1128	2	26,50,50	2.77	11 (42%)	18,82,82	2.94	9 (50%)
5	MGD	G	1803	4	41,52,52	2.54	16 (39%)	43,81,81	2.36	14 (32%)
6	HEC	H	1129	2	26,50,50	2.71	7 (26%)	18,82,82	2.67	8 (44%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MGD	I	1804	4	41,52,52	2.70	16 (39%)	43,81,81	2.72	18 (41%)
5	MGD	I	1803	4	41,52,52	3.19	18 (43%)	43,81,81	2.39	19 (44%)
6	HEC	J	1129	2	26,50,50	2.50	9 (34%)	18,82,82	3.14	11 (61%)
3	SF4	C	1801	1	0,12,12	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MGD	K	1804	4	-	6/18/66/66	0/6/6/6
3	SF4	M	1801	1	-	-	0/6/5/5
5	MGD	M	1804	4	-	6/18/66/66	0/6/6/6
5	MGD	A	1803	4	-	6/18/66/66	0/6/6/6
6	HEC	P	1129	2	-	0/6/54/54	-
5	MGD	E	1804	4	-	6/18/66/66	0/6/6/6
5	MGD	G	1804	4	-	6/18/66/66	0/6/6/6
6	HEC	L	1129	2	-	0/6/54/54	-
3	SF4	E	1801	1	-	-	0/6/5/5
6	HEC	F	1129	2	-	0/6/54/54	-
6	HEC	P	1128	2	-	0/6/54/54	-
5	MGD	O	1804	4	-	5/18/66/66	0/6/6/6
5	MGD	O	1803	4	-	5/18/66/66	0/6/6/6
5	MGD	C	1804	4	-	5/18/66/66	0/6/6/6
6	HEC	L	1128	2	-	0/6/54/54	-
6	HEC	B	1128	2	-	0/6/54/54	-
6	HEC	F	1128	2	-	0/6/54/54	-
5	MGD	M	1803	4	-	6/18/66/66	0/6/6/6
3	SF4	G	1801	1	-	-	0/6/5/5
6	HEC	J	1128	2	-	0/6/54/54	-
6	HEC	H	1128	2	-	0/6/54/54	-
3	SF4	O	1801	1	-	-	0/6/5/5
3	SF4	I	1801	1	-	-	0/6/5/5
6	HEC	N	1129	2	-	2/6/54/54	-
6	HEC	D	1128	2	-	0/6/54/54	-
5	MGD	K	1803	4	-	6/18/66/66	0/6/6/6
6	HEC	D	1129	2	-	0/6/54/54	-
6	HEC	B	1129	2	-	0/6/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MGD	E	1803	4	-	6/18/66/66	0/6/6/6
5	MGD	C	1803	4	-	6/18/66/66	0/6/6/6
3	SF4	A	1801	1	-	-	0/6/5/5
3	SF4	K	1801	1	-	-	0/6/5/5
5	MGD	A	1804	4	-	5/18/66/66	0/6/6/6
6	HEC	N	1128	2	-	0/6/54/54	-
5	MGD	G	1803	4	-	5/18/66/66	0/6/6/6
6	HEC	H	1129	2	-	0/6/54/54	-
3	SF4	C	1801	1	-	-	0/6/5/5
5	MGD	I	1803	4	-	6/18/66/66	0/6/6/6
6	HEC	J	1129	2	-	0/6/54/54	-
5	MGD	I	1804	4	-	7/18/66/66	0/6/6/6

The worst 5 of 384 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	O	1803	MGD	C23-C14	10.24	1.61	1.53
6	N	1129	HEC	C3B-C2B	-10.07	1.30	1.40
6	H	1129	HEC	C3B-C2B	-9.83	1.30	1.40
6	N	1128	HEC	C3B-C2B	-9.22	1.31	1.40
6	B	1128	HEC	C3B-C2B	-9.20	1.31	1.40

The worst 5 of 409 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1804	MGD	O11-C23-N22	-8.54	99.79	108.57
5	O	1804	MGD	O11-C23-N22	-8.34	100.00	108.57
5	K	1804	MGD	O11-C23-N22	-8.28	100.06	108.57
5	A	1804	MGD	O11-C23-N22	-8.11	100.23	108.57
5	E	1804	MGD	O11-C23-N22	-7.95	100.40	108.57

There are no chirality outliers.

5 of 94 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	K	1804	MGD	C5'-O5'-PB-O1B
5	K	1804	MGD	C5'-O5'-PB-O2B
5	M	1804	MGD	C5'-O5'-PB-O1B
5	M	1804	MGD	C5'-O5'-PB-O2B
5	A	1803	MGD	PA-O3B-PB-O5'


There are no ring outliers.

35 monomers are involved in 324 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	K	1804	MGD	7	0
5	M	1804	MGD	7	0
5	A	1803	MGD	7	0
6	P	1129	HEC	15	0
5	E	1804	MGD	7	0
5	G	1804	MGD	6	0
6	L	1129	HEC	17	0
3	E	1801	SF4	1	0
6	F	1129	HEC	11	0
6	P	1128	HEC	10	0
5	O	1804	MGD	8	0
5	O	1803	MGD	7	0
5	C	1804	MGD	6	0
6	L	1128	HEC	9	0
6	B	1128	HEC	3	0
6	F	1128	HEC	12	0
5	M	1803	MGD	8	0
6	J	1128	HEC	11	0
6	H	1128	HEC	13	0
6	N	1129	HEC	19	0
6	D	1128	HEC	11	0
5	K	1803	MGD	8	0
6	D	1129	HEC	22	0
6	B	1129	HEC	12	0
5	E	1803	MGD	8	0
5	C	1803	MGD	8	0
5	A	1804	MGD	8	0
3	K	1801	SF4	1	0
6	N	1128	HEC	11	0
5	G	1803	MGD	7	0
6	H	1129	HEC	14	0
5	I	1804	MGD	6	0
5	I	1803	MGD	7	0
6	J	1129	HEC	16	0
3	C	1801	SF4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand MGD M 1804




Bond lengths



Bond angles




Torsions




Rings


Ligand MGD A 1803




Bond lengths




Bond angles




Torsions




Rings




Ligand MGD E 1804




Bond lengths



Bond angles




Torsions




Rings


Ligand MGD G 1804




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC L 1129




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC F 1129




Bond lengths



Bond angles





Torsions




Rings

Ligand HEC P 1128







Ligand MGD O 1803




Bond lengths



Bond angles




Torsions




Rings


Ligand MGD C 1804




Bond lengths




Bond angles




Torsions




Rings




Ligand HEC B 1128




Bond lengths




Bond angles




Torsions




Rings




Ligand MGD M 1803




Bond lengths




Bond angles




Torsions




Rings




Ligand HEC H 1128




Bond lengths



Bond angles





Torsions




Rings

Ligand HEC N 1129







Ligand MGD K 1803




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC D 1129




Ligand HEC B 1129




Bond lengths




Bond angles




Torsions




Rings




Ligand MGD C 1803




Bond lengths



Bond angles




Torsions




Rings


Ligand MGD A 1804




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC N 1128




Ligand MGD G 1803




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC H 1129




Bond lengths




Bond angles





Torsions



Rings







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	790/802 (98%)	-0.32	7 (0%) 84 75	10, 24, 60, 88	0
1	C	790/802 (98%)	-0.18	10 (1%) 77 65	12, 38, 70, 92	0
1	E	790/802 (98%)	-0.29	6 (0%) 86 78	10, 30, 63, 88	0
1	G	790/802 (98%)	-0.05	16 (2%) 65 51	12, 44, 73, 92	0
1	I	790/802 (98%)	0.47	51 (6%) 18 11	23, 58, 77, 92	0
1	K	790/802 (98%)	-0.12	12 (1%) 73 61	17, 43, 70, 90	0
1	M	790/802 (98%)	-0.14	11 (1%) 75 63	13, 42, 70, 91	0
1	O	790/802 (98%)	0.34	39 (4%) 29 17	25, 53, 76, 95	0
2	B	127/130 (97%)	-0.22	1 (0%) 86 78	10, 33, 70, 83	0
2	D	127/130 (97%)	-0.07	2 (1%) 72 59	14, 38, 75, 87	0
2	F	127/130 (97%)	-0.17	2 (1%) 72 59	11, 34, 70, 85	0
2	H	127/130 (97%)	-0.09	2 (1%) 72 59	11, 39, 76, 86	0
2	J	127/130 (97%)	0.12	5 (3%) 39 25	18, 47, 82, 93	0
2	L	127/130 (97%)	-0.12	4 (3%) 49 32	15, 38, 75, 96	0
2	N	127/130 (97%)	-0.11	2 (1%) 72 59	12, 39, 75, 90	0
2	P	127/130 (97%)	-0.01	4 (3%) 49 32	19, 44, 76, 89	0
All	All	7336/7456 (98%)	-0.04	174 (2%) 59 44	10, 43, 73, 96	0

The worst 5 of 174 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	J	2	ASP	7.0
1	M	79	ASP	6.8
1	E	79	ASP	6.5
2	L	2	ASP	6.2
1	O	79	ASP	6.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MGD	I	1804	47/47	0.90	0.21	47,53,61,64	0
6	HEC	L	1129	43/43	0.92	0.25	10,29,44,46	0
6	HEC	P	1128	43/43	0.92	0.26	27,37,49,54	0
6	HEC	J	1128	43/43	0.92	0.27	31,37,50,56	0
6	HEC	H	1129	43/43	0.92	0.23	13,19,42,46	0
6	HEC	P	1129	43/43	0.92	0.22	23,40,42,43	0
5	MGD	I	1803	47/47	0.92	0.19	34,49,58,61	0
4	MO	I	1802	1/1	0.93	0.05	66,66,66,66	0
5	MGD	O	1804	47/47	0.93	0.20	46,50,53,54	0
6	HEC	H	1128	43/43	0.93	0.25	15,24,38,45	0
6	HEC	D	1128	43/43	0.93	0.24	20,29,44,52	0
6	HEC	N	1128	43/43	0.93	0.25	25,31,43,51	0
5	MGD	O	1803	47/47	0.93	0.18	37,45,56,57	0
6	HEC	L	1128	43/43	0.93	0.23	27,35,44,51	0
6	HEC	F	1128	43/43	0.93	0.25	14,23,47,56	0
6	HEC	J	1129	43/43	0.93	0.25	32,43,47,50	0
6	HEC	N	1129	43/43	0.94	0.21	18,27,41,44	0
5	MGD	K	1804	47/47	0.94	0.21	24,36,39,42	0
6	HEC	D	1129	43/43	0.94	0.22	14,19,48,55	0
6	HEC	F	1129	43/43	0.94	0.21	10,19,38,43	0
5	MGD	C	1804	47/47	0.95	0.19	21,27,39,40	0
5	MGD	E	1804	47/47	0.95	0.18	10,12,20,24	0
6	HEC	B	1128	43/43	0.95	0.20	12,15,38,45	0
5	MGD	A	1804	47/47	0.96	0.16	10,10,12,18	0
5	MGD	G	1804	47/47	0.96	0.17	28,35,39,42	0
5	MGD	A	1803	47/47	0.96	0.16	10,12,16,17	0
4	MO	O	1802	1/1	0.96	0.08	62,62,62,62	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	HEC	B	1129	43/43	0.96	0.18	10,16,36,41	0
5	MGD	C	1803	47/47	0.96	0.18	19,26,32,34	0
5	MGD	G	1803	47/47	0.97	0.15	23,26,36,37	0
5	MGD	E	1803	47/47	0.97	0.15	10,17,21,22	0
5	MGD	K	1803	47/47	0.97	0.17	31,34,36,40	0
5	MGD	M	1803	47/47	0.97	0.16	23,28,34,36	0
5	MGD	M	1804	47/47	0.97	0.16	23,26,30,34	0
3	SF4	O	1801	8/8	0.98	0.10	29,30,33,33	0
4	MO	C	1802	1/1	0.98	0.07	38,38,38,38	0
4	MO	E	1802	1/1	0.98	0.06	28,28,28,28	0
4	MO	A	1802	1/1	0.99	0.07	24,24,24,24	0
3	SF4	A	1801	8/8	0.99	0.10	10,10,10,12	0
3	SF4	I	1801	8/8	0.99	0.11	34,37,37,39	0
3	SF4	K	1801	8/8	0.99	0.11	10,10,11,12	0
4	MO	K	1802	1/1	0.99	0.09	40,40,40,40	0
3	SF4	M	1801	8/8	0.99	0.09	10,10,12,12	0
3	SF4	G	1801	8/8	0.99	0.09	10,10,12,12	0
4	MO	M	1802	1/1	0.99	0.07	39,39,39,39	0
4	MO	G	1802	1/1	0.99	0.09	35,35,35,35	0
3	SF4	E	1801	8/8	0.99	0.09	10,10,11,12	0
3	SF4	C	1801	8/8	0.99	0.09	10,10,11,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MGD I 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC L 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC P 1128:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC J 1128:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC H 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC P 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MGD I 1803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD O 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC H 1128:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 1128:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC N 1128:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MGD O 1803:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC L 1128:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC F 1128:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC J 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC N 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD K 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC F 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD C 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MGD E 1804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1128:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD A 1804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MGD G 1804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD A 1803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC B 1129:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD C 1803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MGD G 1803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD E 1803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around MGD K 1803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MGD M 1803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around MGD M 1804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.