



Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 02:33 am BST

PDB ID : 4OHK
Title : Human GKRP bound to AMG-2526 and S6P
Authors : Jordan, S.R.; Chmait, S.
Deposited on : 2014-01-17
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	638	<div> <div>%</div> <div> <div></div> <div>68%</div> <div>22%</div> <div>• 8%</div> </div> </div>
1	B	638	<div> <div>%</div> <div> <div></div> <div>72%</div> <div>18%</div> <div>• 8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IOD	A	709	-	-	X	-
4	IOD	B	713	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9322 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase regulatory protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	585	Total	C	N	O	S	0	0	0
			4521	2882	774	841	24			
1	B	590	Total	C	N	O	S	0	0	0
			4554	2901	781	848	24			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	EXPRESSION TAG	UNP Q14397
A	-10	ALA	-	EXPRESSION TAG	UNP Q14397
A	-9	HIS	-	EXPRESSION TAG	UNP Q14397
A	-8	HIS	-	EXPRESSION TAG	UNP Q14397
A	-7	HIS	-	EXPRESSION TAG	UNP Q14397
A	-6	HIS	-	EXPRESSION TAG	UNP Q14397
A	-5	HIS	-	EXPRESSION TAG	UNP Q14397
A	-4	HIS	-	EXPRESSION TAG	UNP Q14397
A	-3	ASP	-	EXPRESSION TAG	UNP Q14397
A	-2	GLU	-	EXPRESSION TAG	UNP Q14397
A	-1	VAL	-	EXPRESSION TAG	UNP Q14397
A	0	ASP	-	EXPRESSION TAG	UNP Q14397
A	626	GLY	-	EXPRESSION TAG	UNP Q14397
B	-11	MET	-	EXPRESSION TAG	UNP Q14397
B	-10	ALA	-	EXPRESSION TAG	UNP Q14397
B	-9	HIS	-	EXPRESSION TAG	UNP Q14397
B	-8	HIS	-	EXPRESSION TAG	UNP Q14397
B	-7	HIS	-	EXPRESSION TAG	UNP Q14397
B	-6	HIS	-	EXPRESSION TAG	UNP Q14397
B	-5	HIS	-	EXPRESSION TAG	UNP Q14397
B	-4	HIS	-	EXPRESSION TAG	UNP Q14397
B	-3	ASP	-	EXPRESSION TAG	UNP Q14397
B	-2	GLU	-	EXPRESSION TAG	UNP Q14397
B	-1	VAL	-	EXPRESSION TAG	UNP Q14397
B	0	ASP	-	EXPRESSION TAG	UNP Q14397

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	626	GLY	-	EXPRESSION TAG	UNP Q14397

- Molecule 2 is (2R)-2-{4-[(2S)-4-[(6-aminopyridin-3-yl)sulfonyl]-2-(prop-1-yn-1-yl)piperazin-1-yl]phenyl}-1,1,1-trifluorohex-4-yn-2-ol (three-letter code: 2TE) (formula: C₂₄H₂₅F₃N₄O₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			35	24	3	4	3	1		
2	B	1	Total	C	F	N	O	S	0	0
			35	24	3	4	3	1		

- Molecule 3 is D-SORBITOL-6-PHOSPHATE (three-letter code: S6P) (formula: C₆H₁₅O₉P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	6	9	1		
3	B	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 4 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	13	Total	I	0	0
			13	13		
4	A	12	Total	I	0	0
			12	12		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	46	Total 46	O 46	0	0
7	B	53	Total 53	O 53	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glucokinase regulatory protein



• Molecule 1: Glucokinase regulatory protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	149.59Å 149.59Å 132.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.72 – 2.80 29.72 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.3 (29.72-2.80) 97.4 (29.72-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.214 , 0.283 0.219 , 0.282	Depositor DCC
R_{free} test set	2039 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	58.7	Xtriage
Anisotropy	0.129	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 34.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	0.026 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9322	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2TE, GOL, IOD, SO4, S6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/4603	0.78	3/6228 (0.0%)
1	B	0.62	0/4637	0.80	2/6274 (0.0%)
All	All	0.60	0/9240	0.79	5/12502 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	478	ARG	NE-CZ-NH1	6.74	123.67	120.30
1	A	6	ARG	NE-CZ-NH1	6.16	123.38	120.30
1	B	227	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	B	6	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	A	478	ARG	NE-CZ-NH2	-5.19	117.70	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	447	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4618	80	0
1	B	4554	0	4647	78	0
2	A	35	0	25	13	0
2	B	35	0	25	7	0
3	A	16	0	13	1	0
3	B	16	0	13	1	0
4	A	12	0	0	7	0
4	B	13	0	0	6	0
5	B	6	0	8	1	0
6	B	15	0	0	0	0
7	A	46	0	0	1	0
7	B	53	0	0	4	0
All	All	9322	0	9349	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:ASN:OD1	1:B:225:THR:HG21	1.72	0.89
1:A:525:ARG:HG2	2:A:701:2TE:H23	1.60	0.83
1:A:146:VAL:O	1:A:347:VAL:HG21	1.83	0.79
1:A:5:LYS:HB3	4:A:709:IOD:I	2.58	0.72
1:A:508:LEU:HD13	1:A:515:LEU:HD22	1.73	0.71
1:B:419:VAL:O	1:B:423:VAL:HG12	1.91	0.70
1:B:301:ARG:HD2	7:B:826:HOH:O	1.91	0.69
1:A:525:ARG:HG2	2:A:701:2TE:C23	2.23	0.69
1:A:447:ILE:HG22	1:A:449:LEU:C	2.13	0.69
1:B:179:SER:OG	3:B:702:S6P:O2P	2.08	0.68
1:B:525:ARG:HG2	2:B:701:2TE:C23	2.22	0.67
1:A:504:HIS:CD2	2:A:701:2TE:H23B	2.30	0.67
1:A:336:GLN:NE2	1:A:414:ASP:OD1	2.28	0.66
1:A:411:THR:HG22	1:A:438:HIS:HB2	1.76	0.66
1:B:245:LEU:HG	1:B:269:LEU:HD21	1.77	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:712:IOD:I	4:B:714:IOD:I	3.55	0.65
1:A:504:HIS:NE2	2:A:701:2TE:H23B	2.11	0.65
1:A:393:LEU:O	1:A:397:LEU:HB3	1.97	0.64
1:B:448:PRO:HA	1:B:449:LEU:C	2.18	0.64
1:A:182:LEU:HD22	1:A:205:LEU:HD21	1.78	0.64
1:B:485:VAL:O	1:B:489:VAL:HG23	1.99	0.63
1:B:389:GLN:OE1	1:B:421:THR:HG21	1.98	0.63
1:A:525:ARG:HG2	2:A:701:2TE:C22	2.30	0.62
1:A:447:ILE:HG22	1:A:450:LYS:N	2.15	0.62
1:B:393:LEU:HD22	1:B:425:GLN:NE2	2.14	0.62
1:A:245:LEU:HD13	1:A:269:LEU:HD21	1.81	0.62
1:B:508:LEU:C	1:B:508:LEU:HD12	2.20	0.62
1:A:337:THR:HG21	1:A:479:GLU:OE2	2.01	0.61
1:B:410:PHE:O	1:B:437:ALA:HA	2.00	0.60
1:A:512:ASN:C	1:A:512:ASN:HD22	2.04	0.60
1:A:468:TYR:HB2	4:A:703:IOD:I	2.72	0.59
1:A:480:LEU:HD21	1:A:484:TRP:CH2	2.38	0.59
1:B:445:LEU:HG	4:B:713:IOD:I	2.73	0.59
1:B:124:LEU:HD12	1:B:472:PHE:CD2	2.38	0.58
1:B:5:LYS:HB2	4:B:710:IOD:I	2.74	0.58
1:B:389:GLN:HE21	1:B:418:GLU:HG3	1.70	0.56
1:B:279:LYS:CE	1:B:291:CYS:SG	2.94	0.56
1:A:5:LYS:CB	4:A:709:IOD:I	3.24	0.56
1:A:121:PHE:HB3	1:A:134:TYR:CE2	2.41	0.55
1:B:246:ASN:HD22	1:B:246:ASN:N	2.02	0.55
1:A:36:PRO:O	1:A:39:GLN:HG2	2.07	0.55
1:B:525:ARG:HG2	2:B:701:2TE:H23	1.88	0.55
1:B:469:GLU:HG2	7:B:803:HOH:O	2.07	0.54
1:B:148:SER:O	1:B:149:ARG:HG3	2.08	0.54
1:B:508:LEU:HD13	1:B:515:LEU:HD22	1.89	0.54
1:B:304:GLN:OE1	7:B:820:HOH:O	2.19	0.54
1:A:531:LYS:HE2	4:A:711:IOD:I	2.78	0.53
1:B:46:ALA:O	1:B:50:VAL:HG23	2.08	0.53
1:B:146:VAL:O	1:B:347:VAL:HG21	2.08	0.53
1:B:279:LYS:HE2	1:B:291:CYS:SG	2.49	0.53
1:B:312:LYS:O	1:B:457:ILE:HD11	2.08	0.53
1:B:267:LYS:NZ	1:B:271:GLU:OE1	2.43	0.52
1:A:332:LEU:HB3	1:A:342:ALA:HB1	1.91	0.52
1:B:246:ASN:H	1:B:246:ASN:HD22	1.57	0.52
1:A:180:VAL:HG11	1:A:258:SER:HB2	1.91	0.52
1:A:419:VAL:O	1:A:423:VAL:HG23	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:LEU:HD21	1:A:176:ILE:HD12	1.93	0.51
1:B:305:VAL:O	1:B:308:SER:OG	2.27	0.51
1:A:104:LEU:HD23	1:A:176:ILE:HB	1.92	0.51
1:B:128:LEU:HD21	1:B:468:TYR:CD1	2.46	0.51
1:B:448:PRO:HD3	1:B:451:LYS:HB2	1.92	0.51
1:B:81:THR:O	1:B:85:GLN:HG3	2.11	0.50
1:A:521:ALA:HB1	2:A:701:2TE:C8	2.42	0.50
1:A:124:LEU:HA	1:A:472:PHE:CZ	2.47	0.50
1:B:529:GLN:NE2	1:B:533:ARG:HE	2.08	0.50
1:A:278:HIS:O	1:A:281:VAL:HG22	2.12	0.49
1:B:503:ASN:C	1:B:503:ASN:HD22	2.16	0.49
1:A:146:VAL:O	1:A:146:VAL:HG12	2.13	0.49
1:A:451:LYS:HA	1:A:453:PHE:N	2.27	0.49
1:A:451:LYS:N	1:A:452:LEU:HB2	2.27	0.49
1:A:414:ASP:O	1:A:415:ASN:CB	2.61	0.49
1:B:480:LEU:HD21	1:B:484:TRP:CH2	2.47	0.49
2:A:701:2TE:H7	2:A:701:2TE:C13	2.43	0.48
1:B:249:ILE:HD12	1:B:261:LYS:HB3	1.96	0.48
1:B:71:TYR:O	1:B:73:ARG:HG3	2.14	0.48
1:A:525:ARG:CB	2:A:701:2TE:C22	2.92	0.48
1:A:146:VAL:O	1:A:146:VAL:CG1	2.61	0.48
1:B:436:LEU:HD23	1:B:482:THR:HG23	1.97	0.47
1:A:79:ILE:O	1:A:83:MET:HG3	2.14	0.47
1:B:175:VAL:HG21	1:B:194:CYS:SG	2.55	0.47
1:A:525:ARG:HB3	2:A:701:2TE:C22	2.44	0.47
1:B:552:ILE:O	1:B:553:ARG:C	2.53	0.47
1:B:225:THR:H	1:B:228:GLN:HE21	1.62	0.47
1:A:146:VAL:HG13	1:A:343:ILE:CG2	2.45	0.46
2:B:701:2TE:H11	2:B:701:2TE:C13	2.43	0.46
1:A:453:PHE:HB2	1:A:456:ILE:HG23	1.97	0.46
1:B:315:THR:HG22	1:B:434:GLN:HE21	1.80	0.46
1:A:416:LEU:N	1:A:416:LEU:HD12	2.29	0.46
1:B:447:ILE:HB	1:B:448:PRO:HD2	1.97	0.46
1:B:122:ASN:OD1	1:B:132:PRO:HB2	2.16	0.46
1:B:279:LYS:HE3	1:B:291:CYS:SG	2.56	0.46
1:B:525:ARG:HG2	2:B:701:2TE:H23A	1.94	0.46
1:B:101:LEU:HD11	1:B:135:THR:HG22	1.98	0.45
1:B:315:THR:HG22	1:B:434:GLN:NE2	2.30	0.45
1:A:491:THR:O	1:A:495:VAL:HG23	2.16	0.45
1:B:25:GLU:OE2	4:B:711:IOD:I	3.03	0.45
1:B:250:GLY:HA2	4:B:705:IOD:I	2.86	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:225:THR:HG22	1:B:228:GLN:HG3	1.98	0.45
1:A:4:THR:O	1:A:8:GLN:HB2	2.16	0.45
2:A:701:2TE:F3	2:A:701:2TE:C21	2.54	0.45
1:B:53:LEU:HD12	1:B:488:THR:HG23	1.97	0.45
1:A:473:ILE:O	1:A:477:GLN:HG3	2.16	0.45
1:B:231:GLU:O	1:B:235:LYS:HD3	2.16	0.45
2:B:701:2TE:C13	2:B:701:2TE:C11	2.94	0.45
1:A:104:LEU:CD2	1:A:176:ILE:HD12	2.47	0.45
1:A:236:MET:HB2	1:A:242:ALA:HB3	1.98	0.45
1:A:417:THR:HA	1:A:420:GLN:OE1	2.16	0.45
1:A:400:LEU:C	1:A:401:THR:HG1	2.19	0.44
1:A:309:GLN:OE1	1:A:458:SER:O	2.35	0.44
1:B:101:LEU:HD11	1:B:135:THR:CG2	2.47	0.44
1:B:312:LYS:NZ	1:B:456:ILE:O	2.40	0.44
1:B:444:THR:O	1:B:446:PRO:HD3	2.17	0.44
1:B:25:GLU:O	1:B:33:LYS:NZ	2.51	0.44
1:B:555:ALA:HB1	1:B:556:PRO:HD2	2.00	0.44
1:A:207:GLY:O	1:A:246:ASN:HA	2.18	0.44
2:B:701:2TE:H3A	2:B:701:2TE:C16	2.48	0.44
1:A:137:LEU:HD22	1:A:162:GLU:HB3	2.00	0.43
1:A:481:SER:O	1:A:485:VAL:HG23	2.18	0.43
1:B:420:GLN:O	1:B:424:GLU:HB2	2.17	0.43
1:B:458:SER:HB3	4:B:713:IOD:I	2.88	0.43
1:A:525:ARG:CG	2:A:701:2TE:H23	2.41	0.43
1:A:340:ILE:O	1:A:343:ILE:HB	2.17	0.43
1:A:416:LEU:N	1:A:416:LEU:CD1	2.82	0.43
2:A:701:2TE:C7	2:A:701:2TE:C13	2.97	0.43
1:A:438:HIS:CG	1:A:478:ARG:HG3	2.54	0.43
1:B:278:HIS:O	1:B:281:VAL:HG23	2.19	0.43
1:A:571:ILE:HB	1:A:572:PRO:HD3	2.00	0.42
1:A:331:TYR:HB2	1:A:406:VAL:HG13	2.02	0.42
1:A:509:ARG:HG2	1:A:511:SER:OG	2.19	0.42
1:B:79:ILE:O	1:B:83:MET:HG3	2.20	0.42
1:A:519:ALA:HB2	1:A:571:ILE:HD11	2.00	0.42
1:A:250:GLY:HA2	4:A:705:IOD:I	2.90	0.42
1:A:30:ILE:HD12	1:A:210:PRO:HD3	2.01	0.42
1:B:568:GLU:HA	5:B:716:GOL:H32	2.01	0.42
3:A:702:S6P:H2	7:A:837:HOH:O	2.18	0.42
1:A:523:LEU:HA	1:A:523:LEU:HD23	1.86	0.42
1:B:108:GLY:O	1:B:111:GLY:N	2.53	0.42
1:A:335:TRP:CZ2	1:A:419:VAL:HG22	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:412:LEU:HD12	1:B:439:SER:HB3	2.00	0.42
1:A:525:ARG:CG	2:A:701:2TE:C22	2.98	0.41
1:A:113:MET:HA	1:A:113:MET:HE2	2.02	0.41
1:A:44:ALA:HB1	1:A:48:ASN:HB2	2.02	0.41
1:B:271:GLU:O	1:B:272:THR:C	2.58	0.41
1:B:469:GLU:CG	7:B:803:HOH:O	2.67	0.41
1:A:272:THR:HA	1:A:295:ILE:HG21	2.02	0.41
1:A:44:ALA:HB1	1:A:48:ASN:CB	2.51	0.41
1:B:521:ALA:HB1	2:B:701:2TE:C10	2.50	0.41
1:B:216:ASN:OD1	1:B:225:THR:CG2	2.57	0.41
1:B:207:GLY:O	1:B:246:ASN:HA	2.21	0.41
1:A:225:THR:OG1	1:A:228:GLN:HG3	2.21	0.41
1:A:535:ILE:O	1:A:539:LEU:HG	2.20	0.41
1:A:519:ALA:HB1	1:A:571:ILE:HG12	2.02	0.41
1:A:96:GLU:N	1:A:97:PRO:CD	2.83	0.41
1:B:330:VAL:HA	1:B:405:THR:O	2.20	0.41
1:A:25:GLU:HG3	4:A:710:IOD:I	2.91	0.41
1:B:345:ASP:OD1	1:B:487:ASN:ND2	2.53	0.41
1:A:101:LEU:HD12	1:A:133:LEU:O	2.21	0.41
1:A:210:PRO:HD2	1:A:213:MET:SD	2.61	0.41
1:B:48:ASN:ND2	1:B:51:ARG:HE	2.19	0.40
1:B:3:GLY:O	1:B:7:PHE:HD2	2.05	0.40
1:A:334:GLY:HA2	1:A:409:ILE:O	2.21	0.40
1:A:86:VAL:O	1:A:87:ALA:C	2.59	0.40
1:A:447:ILE:O	1:A:450:LYS:N	2.54	0.40
1:B:48:ASN:HD22	1:B:51:ARG:HE	1.70	0.40
1:B:214:ALA:O	1:B:227:ARG:HD3	2.22	0.40
1:B:335:TRP:CH2	1:B:419:VAL:HG22	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/638 (91%)	522 (90%)	48 (8%)	9 (2%)	9	31
1	B	584/638 (92%)	540 (92%)	37 (6%)	7 (1%)	13	39
All	All	1163/1276 (91%)	1062 (91%)	85 (7%)	16 (1%)	11	34

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	260	MET
1	A	415	ASN
1	B	260	MET
1	B	415	ASN
1	B	448	PRO
1	A	168	ALA
1	B	418	GLU
1	A	139	ALA
1	A	326	LYS
1	A	336	GLN
1	B	336	GLN
1	A	548	LEU
1	B	127	GLY
1	B	530	SER
1	A	452	LEU
1	A	447	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/542 (92%)	452 (91%)	46 (9%)	9	27
1	B	501/542 (92%)	468 (93%)	33 (7%)	16	44
All	All	999/1084 (92%)	920 (92%)	79 (8%)	12	34

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG
1	A	20	GLU
1	A	35	ASN
1	A	98	ASP
1	A	143	ARG
1	A	152	THR
1	A	164	LYS
1	A	166	VAL
1	A	170	LYS
1	A	172	ARG
1	A	183	SER
1	A	193	CYS
1	A	226	PHE
1	A	227	ARG
1	A	235	LYS
1	A	239	LYS
1	A	246	ASN
1	A	279	LYS
1	A	289	GLN
1	A	309	GLN
1	A	312	LYS
1	A	316	LEU
1	A	322	THR
1	A	332	LEU
1	A	338	LEU
1	A	356	ASP
1	A	357	PHE
1	A	358	ARG
1	A	361	ARG
1	A	389	GLN
1	A	402	GLU
1	A	427	LYS
1	A	431	ASN
1	A	439	SER
1	A	441	VAL
1	A	444	THR
1	A	455	SER
1	A	458	SER
1	A	463	LEU
1	A	465	PHE
1	A	467	GLU
1	A	471	ASN
1	A	473	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	503	ASN
1	A	512	ASN
1	A	605	LEU
1	B	4	THR
1	B	6	ARG
1	B	12	GLU
1	B	34	SER
1	B	47	GLU
1	B	62	GLN
1	B	72	GLN
1	B	197	ASN
1	B	225	THR
1	B	227	ARG
1	B	235	LYS
1	B	246	ASN
1	B	279	LYS
1	B	291	CYS
1	B	304	GLN
1	B	337	THR
1	B	401	THR
1	B	415	ASN
1	B	423	VAL
1	B	433	ILE
1	B	434	GLN
1	B	439	SER
1	B	440	THR
1	B	445	LEU
1	B	451	LYS
1	B	455	SER
1	B	460	THR
1	B	471	ASN
1	B	499	LYS
1	B	503	ASN
1	B	511	SER
1	B	582	CYS
1	B	598	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	A	55	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	123	GLN
1	A	158	HIS
1	A	190	GLN
1	A	196	ASN
1	A	246	ASN
1	A	289	GLN
1	A	309	GLN
1	A	389	GLN
1	A	415	ASN
1	A	425	GLN
1	A	431	ASN
1	A	471	ASN
1	A	503	ASN
1	A	512	ASN
1	A	529	GLN
1	B	9	HIS
1	B	39	GLN
1	B	48	ASN
1	B	55	GLN
1	B	72	GLN
1	B	130	GLN
1	B	196	ASN
1	B	197	ASN
1	B	228	GLN
1	B	246	ASN
1	B	304	GLN
1	B	309	GLN
1	B	389	GLN
1	B	415	ASN
1	B	425	GLN
1	B	431	ASN
1	B	434	GLN
1	B	471	ASN
1	B	503	ASN
1	B	529	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 25 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	B	717	-	4,4,4	0.54	0	6,6,6	0.20	0
3	S6P	A	702	-	15,15,15	1.31	2 (13%)	21,21,21	1.25	3 (14%)
6	SO4	B	718	-	4,4,4	0.42	0	6,6,6	0.35	0
2	2TE	B	701	-	36,37,37	1.92	7 (19%)	46,55,55	2.68	15 (32%)
3	S6P	B	702	-	15,15,15	1.29	1 (6%)	21,21,21	1.00	0
6	SO4	B	719	-	4,4,4	0.33	0	6,6,6	0.40	0
2	2TE	A	701	-	36,37,37	1.98	12 (33%)	46,55,55	2.76	12 (26%)
5	GOL	B	716	-	5,5,5	0.63	0	5,5,5	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	S6P	A	702	-	-	2/20/20/20	-
2	2TE	B	701	-	-	14/34/52/52	0/3/3/3
5	GOL	B	716	-	-	4/4/4/4	-
3	S6P	B	702	-	-	1/20/20/20	-
2	2TE	A	701	-	-	3/34/52/52	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	2TE	O2-S1	5.77	1.49	1.43
2	A	701	2TE	S1-N2	-5.01	1.56	1.63
2	B	701	2TE	S1-N2	-4.86	1.56	1.63
2	A	701	2TE	O1-S1	4.78	1.48	1.43
2	A	701	2TE	O2-S1	4.49	1.48	1.43
2	B	701	2TE	O1-S1	3.82	1.47	1.43
3	A	702	S6P	P-O3P	3.72	1.62	1.50
2	B	701	2TE	C2-N1	-3.71	1.41	1.46
2	B	701	2TE	C3-N2	-3.61	1.44	1.47
3	B	702	S6P	P-O3P	3.56	1.62	1.50
2	B	701	2TE	C4-N2	-3.30	1.44	1.47
2	A	701	2TE	C24-C12	-3.11	1.50	1.53
2	A	701	2TE	C21-C22	3.04	1.29	1.19
2	A	701	2TE	C16-C5	2.60	1.41	1.38
2	A	701	2TE	C2-N1	-2.46	1.43	1.46
2	A	701	2TE	C23-C22	2.40	1.52	1.47
2	A	701	2TE	C4-N2	-2.38	1.45	1.47
2	A	701	2TE	C12-C9	-2.36	1.50	1.52
2	B	701	2TE	C5-S1	-2.27	1.73	1.76
3	A	702	S6P	C6-C5	2.27	1.55	1.51
2	A	701	2TE	C1-N1	2.24	1.50	1.46
2	A	701	2TE	C2-C13	-2.08	1.46	1.48

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	2TE	F1-C24-C12	-11.97	101.75	112.07
2	B	701	2TE	C4-N2-C3	-8.64	103.08	112.70
2	A	701	2TE	C4-N2-S1	-7.15	104.05	117.05
2	B	701	2TE	F3-C24-C12	-6.78	106.22	112.07
2	B	701	2TE	C4-N2-S1	-5.88	106.36	117.05
2	B	701	2TE	O2-S1-O1	-5.65	110.37	119.52
2	A	701	2TE	C4-N2-C3	-5.46	106.62	112.70
2	A	701	2TE	O2-S1-O1	-5.23	111.05	119.52
2	A	701	2TE	C3-N2-S1	-4.83	108.53	117.26
2	B	701	2TE	C3-N2-S1	-4.75	108.67	117.26
2	B	701	2TE	O2-S1-N2	4.58	110.86	106.69
2	B	701	2TE	O3-C12-C24	3.77	111.78	105.99
2	B	701	2TE	C19-C5-S1	3.64	123.59	119.76
2	B	701	2TE	O2-S1-C5	3.26	112.17	108.05
3	A	702	S6P	O2P-P-O3P	-3.08	98.63	110.68
2	B	701	2TE	C5-S1-N2	3.03	110.92	107.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	2TE	F1-C24-C12	-3.02	109.46	112.07
2	B	701	2TE	C16-C5-S1	-2.87	117.46	120.21
2	A	701	2TE	C5-S1-N2	2.84	110.68	107.30
2	A	701	2TE	C20-C12-C24	2.76	111.37	109.03
2	A	701	2TE	C1-N1-C2	2.73	118.34	110.99
2	A	701	2TE	F1-C24-F2	2.70	115.79	107.53
3	A	702	S6P	O1-C1-C2	-2.66	105.29	111.07
2	A	701	2TE	F2-C24-C12	-2.51	109.91	112.07
2	B	701	2TE	F2-C24-C12	2.49	114.21	112.07
2	A	701	2TE	C1-C4-N2	-2.39	107.08	108.91
2	B	701	2TE	C20-C12-C24	2.33	111.00	109.03
2	A	701	2TE	O3-C12-C24	2.24	109.42	105.99
3	A	702	S6P	O2P-P-O6	2.22	112.65	106.73
2	B	701	2TE	C1-N1-C2	2.17	116.83	110.99

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	716	GOL	O1-C1-C2-C3
5	B	716	GOL	C1-C2-C3-O3
3	A	702	S6P	O1-C1-C2-C3
3	A	702	S6P	O1-C1-C2-O2
2	B	701	2TE	C20-C12-C24-F2
2	B	701	2TE	C20-C12-C24-F3
2	B	701	2TE	C20-C12-C24-F1
2	B	701	2TE	O3-C12-C24-F2
2	B	701	2TE	O3-C12-C24-F3
2	B	701	2TE	O3-C12-C24-F1
2	B	701	2TE	C9-C12-C24-F2
2	B	701	2TE	C9-C12-C24-F3
2	A	701	2TE	C3-N2-S1-O1
2	A	701	2TE	C3-N2-S1-C5
2	B	701	2TE	C3-N2-S1-C5
2	B	701	2TE	C3-N2-S1-O1
5	B	716	GOL	O1-C1-C2-O2
5	B	716	GOL	O2-C2-C3-O3
2	B	701	2TE	C9-C12-C24-F1
3	B	702	S6P	O1-C1-C2-O2
2	B	701	2TE	C11-C6-N1-C1
2	A	701	2TE	C7-C6-N1-C1
2	B	701	2TE	C7-C6-N1-C1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	701	2TE	C24-C12-C20-C21


There are no ring outliers.


5 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	702	S6P	1	0
2	B	701	2TE	7	0
3	B	702	S6P	1	0
2	A	701	2TE	13	0
5	B	716	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand S6P A 702





Ligand S6P B 702





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	585/638 (91%)	-0.25	9 (1%) 73 68	32, 59, 100, 137	0
1	B	590/638 (92%)	-0.34	7 (1%) 79 73	30, 52, 85, 124	0
All	All	1175/1276 (92%)	-0.30	16 (1%) 75 70	30, 55, 94, 137	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	MET	4.0
1	A	470	GLY	3.3
1	A	449	LEU	3.3
1	A	469	GLU	2.9
1	A	466	PHE	2.9
1	A	465	PHE	2.7
1	A	357	PHE	2.6
1	B	448	PRO	2.6
1	B	463	LEU	2.5
1	B	2	PRO	2.4
1	B	131	LYS	2.4
1	A	69	SER	2.4
1	B	465	PHE	2.4
1	B	466	PHE	2.3
1	A	448	PRO	2.1
1	A	358	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	B	717	5/5	0.81	0.28	85,92,104,112	0
4	IOD	A	712	1/1	0.85	0.10	92,92,92,92	1
4	IOD	A	710	1/1	0.89	0.23	111,111,111,111	1
6	SO4	B	718	5/5	0.89	0.47	76,88,94,107	0
4	IOD	B	714	1/1	0.90	0.07	80,80,80,80	1
4	IOD	B	713	1/1	0.90	0.10	86,86,86,86	1
5	GOL	B	716	6/6	0.91	0.21	57,70,71,72	0
4	IOD	A	708	1/1	0.92	0.14	102,102,102,102	1
4	IOD	A	714	1/1	0.92	0.10	72,72,72,72	1
4	IOD	A	707	1/1	0.93	0.06	82,82,82,82	1
4	IOD	A	711	1/1	0.93	0.07	59,59,59,59	1
4	IOD	B	709	1/1	0.93	0.11	93,93,93,93	1
4	IOD	B	711	1/1	0.93	0.07	101,101,101,101	1
4	IOD	B	715	1/1	0.95	0.11	97,97,97,97	1
4	IOD	A	703	1/1	0.95	0.05	93,93,93,93	0
4	IOD	A	713	1/1	0.96	0.06	84,84,84,84	1
2	2TE	A	701	35/35	0.96	0.16	33,38,55,59	0
4	IOD	B	703	1/1	0.97	0.09	69,69,69,69	0
6	SO4	B	719	5/5	0.97	0.19	40,40,42,43	5
2	2TE	B	701	35/35	0.97	0.15	35,41,59,62	0
4	IOD	B	706	1/1	0.97	0.05	90,90,90,90	0
4	IOD	A	706	1/1	0.97	0.05	98,98,98,98	0
4	IOD	B	708	1/1	0.98	0.04	72,72,72,72	1
3	S6P	B	702	16/16	0.98	0.16	27,31,36,36	0
3	S6P	A	702	16/16	0.98	0.17	34,40,42,45	0
4	IOD	B	707	1/1	0.98	0.04	84,84,84,84	0
4	IOD	B	712	1/1	0.98	0.07	60,60,60,60	1
4	IOD	A	709	1/1	0.98	0.09	85,85,85,85	1
4	IOD	B	710	1/1	0.99	0.17	91,91,91,91	1
4	IOD	B	704	1/1	0.99	0.05	69,69,69,69	0
4	IOD	A	705	1/1	0.99	0.02	73,73,73,73	1
4	IOD	B	705	1/1	0.99	0.03	66,66,66,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	IOD	A	704	1/1	0.99	0.05	80,80,80,80	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 2TE A 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2TE B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around S6P B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around S6P A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.