



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 23, 2021 – 10:06 AM EDT

PDB ID : 3OLZ
Title : Crystal structure of the GluK3 (GluR7) ATD dimer at 2.75 Angstrom resolution
Authors : Kumar, J.; Mayer, M.L.
Deposited on : 2010-08-26
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.17.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.17.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	
1	B	398	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12002 atoms, of which 5941 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate receptor, ionotropic kainate 3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	372	Total	C	H	N	O	S	0	0	0
			5937	1905	2945	527	541	19			
1	B	371	Total	C	H	N	O	S	0	0	0
			5914	1898	2931	525	541	19			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	393	LEU	-	expression tag	UNP D3ZDH2
A	394	GLU	-	expression tag	UNP D3ZDH2
A	395	LEU	-	expression tag	UNP D3ZDH2
A	396	VAL	-	expression tag	UNP D3ZDH2
A	397	PRO	-	expression tag	UNP D3ZDH2
A	398	ARG	-	expression tag	UNP D3ZDH2
B	393	LEU	-	expression tag	UNP D3ZDH2
B	394	GLU	-	expression tag	UNP D3ZDH2
B	395	LEU	-	expression tag	UNP D3ZDH2
B	396	VAL	-	expression tag	UNP D3ZDH2
B	397	PRO	-	expression tag	UNP D3ZDH2
B	398	ARG	-	expression tag	UNP D3ZDH2

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
2	A	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
2	A	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
2	B	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
2	B	1	Total	C	H	N	O	0	0
			27	8	13	1	5		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	B	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	6	Total	O	0	0
			6	6		
4	B	8	Total	O	0	0
			8	8		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glutamate receptor, ionotropic kainate 3



- Molecule 1: Glutamate receptor, ionotropic kainate 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	171.21 Å 171.21 Å 68.23 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.31 – 2.75 43.31 – 2.75	Depositor EDS
% Data completeness (in resolution range)	98.0 (43.31-2.75) 98.0 (43.31-2.75)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 2.77 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.195 , 0.253 0.192 , 0.243	Depositor DCC
R_{free} test set	1493 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	54.8	Xtriage
Anisotropy	0.079	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 57.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12002	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/3060	0.49	0/4144
1	B	0.35	0/3051	0.49	0/4132
All	All	0.35	0/6111	0.49	0/8276

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2992	2945	2959	79	0
1	B	2983	2931	2945	63	0
2	A	42	39	39	0	0
2	B	28	26	26	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	6	0	0	0	0
4	B	8	0	0	0	0
All	All	6061	5941	5969	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:ARG:HD3	1:A:368:GLU:O	1.79	0.81
1:A:71:LEU:HD21	1:A:99:VAL:HG11	1.68	0.76
1:A:121:LEU:CD1	1:A:298:ALA:HB2	2.17	0.74
1:A:242:ARG:CD	1:A:368:GLU:O	2.36	0.74
1:B:239:GLU:HG2	1:B:240:PRO:HD3	1.72	0.72
1:B:35:ILE:CD1	1:B:296:TYR:CE1	2.75	0.70
1:B:318:GLN:HB2	1:B:321:ARG:HB2	1.75	0.69
1:A:71:LEU:HD13	1:A:97:LEU:HD22	1.76	0.68
1:A:82:SER:HB2	1:A:105:ARG:CZ	2.26	0.65
1:A:123:PRO:HG3	1:A:253:ILE:HD12	1.77	0.65
1:B:190:MET:HE2	1:B:198:ILE:HD13	1.79	0.64
1:B:129:SER:HB3	1:B:159:GLU:HB2	1.79	0.64
1:B:190:MET:HE2	1:B:198:ILE:CD1	2.27	0.63
1:B:239:GLU:CG	1:B:240:PRO:HD3	2.29	0.63
1:A:121:LEU:HD12	1:A:298:ALA:HB2	1.81	0.63
1:A:287:VAL:HG12	1:A:288:MET:N	2.15	0.62
1:A:167:TYR:CD2	1:A:168:ASN:N	2.69	0.61
1:A:71:LEU:CD2	1:A:99:VAL:HG11	2.31	0.61
1:B:13:TYR:CE2	1:B:54:ARG:HG2	2.37	0.60
1:B:87:THR:HG21	1:B:107:LYS:HE2	1.83	0.60
1:B:163:ALA:HA	1:B:166:ARG:CG	2.33	0.58
1:B:190:MET:CE	1:B:198:ILE:HD13	2.33	0.58
1:B:32:SER:HA	1:B:35:ILE:HG12	1.85	0.57
1:A:155:ILE:HG23	1:B:151:SER:HB3	1.86	0.57
1:B:123:PRO:HG3	1:B:253:ILE:HD12	1.86	0.56
1:B:150:ASP:OD1	1:B:152:THR:HB	2.05	0.56
1:B:321:ARG:HD3	1:B:323:LYS:HE2	1.87	0.56
1:A:87:THR:HG21	1:A:107:LYS:HG2	1.88	0.56
1:B:225:HIS:CG	1:B:247:ASN:HB2	2.40	0.56
1:A:64:THR:HG23	1:A:93:ILE:HD11	1.89	0.55
1:A:150:ASP:OD2	1:A:152:THR:HB	2.07	0.55
1:A:337:GLU:HA	1:A:351:LYS:HE3	1.90	0.54
1:A:87:THR:HG21	1:A:107:LYS:CD	2.38	0.53
1:A:176:LEU:HD11	1:A:210:ILE:HD11	1.91	0.52
1:A:82:SER:HB2	1:A:105:ARG:NH1	2.23	0.52
1:B:152:THR:HG22	1:B:156:ARG:HH21	1.73	0.52
1:B:35:ILE:HD11	1:B:296:TYR:CE1	2.45	0.52
1:A:5:ILE:HD11	1:A:314:VAL:HG23	1.91	0.51
1:A:106:TRP:CZ3	1:A:152:THR:HG21	2.46	0.51
1:A:260:HIS:O	1:A:264:ILE:HG12	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:GLY:HA3	1:A:101:HIS:NE2	2.26	0.50
1:B:220:MET:HG3	1:B:246:VAL:HG21	1.93	0.50
1:B:132:ILE:HG21	1:B:160:LEU:HD22	1.92	0.50
1:A:317:LEU:HD11	1:A:325:TRP:HB2	1.94	0.50
1:A:163:ALA:HB3	1:A:164:PRO:HD3	1.93	0.50
1:A:123:PRO:CG	1:A:253:ILE:HD12	2.41	0.50
1:A:318:GLN:HB2	1:A:321:ARG:HB2	1.92	0.49
1:A:124:ASP:OD2	1:A:126:ALA:HB3	2.12	0.49
1:B:71:LEU:HD13	1:B:97:LEU:HD22	1.93	0.49
1:A:5:ILE:HD11	1:A:76:VAL:CG1	2.42	0.49
1:B:184:ARG:HB2	1:B:185:PRO:HD3	1.95	0.49
1:B:32:SER:HA	1:B:35:ILE:CG1	2.43	0.49
1:A:143:SER:HA	1:A:170:ARG:O	2.13	0.49
1:B:163:ALA:HA	1:B:166:ARG:HG2	1.93	0.49
1:A:121:LEU:CD1	1:A:298:ALA:CB	2.91	0.48
1:A:171:LEU:HD12	1:A:171:LEU:O	2.12	0.48
1:B:36:ILE:HD11	1:B:48:LEU:CD2	2.43	0.48
1:A:169:ILE:O	1:A:169:ILE:HG23	2.13	0.48
1:A:188:LYS:HG2	1:A:217:MET:HE1	1.96	0.48
1:A:213:GLN:O	1:A:217:MET:HG2	2.14	0.48
1:A:239:GLU:N	1:A:240:PRO:CD	2.77	0.48
1:A:136:VAL:HG13	1:A:141:TRP:HB2	1.95	0.48
1:B:296:TYR:C	1:B:296:TYR:CD2	2.88	0.48
1:A:318:GLN:HG2	1:A:321:ARG:NH2	2.29	0.47
1:A:273:LEU:HD12	1:A:273:LEU:N	2.29	0.47
1:B:71:LEU:CD2	1:B:99:VAL:HG21	2.45	0.47
1:B:304:VAL:HG21	1:B:340:TRP:CZ3	2.49	0.47
1:A:41:THR:O	1:A:41:THR:CG2	2.64	0.46
1:A:67:ALA:O	1:A:71:LEU:HG	2.15	0.46
1:A:222:GLU:H	1:A:222:GLU:CD	2.19	0.46
1:B:36:ILE:HD12	1:B:43:LEU:HD12	1.97	0.46
1:B:125:TYR:CD2	1:B:156:ARG:HB3	2.50	0.46
1:A:84:GLY:O	1:A:88:ASN:ND2	2.48	0.46
1:A:321:ARG:HD3	1:A:323:LYS:HD3	1.97	0.46
1:A:321:ARG:HG2	1:A:322:HIS:H	1.80	0.46
1:B:32:SER:HA	1:B:35:ILE:HD11	1.97	0.46
1:B:32:SER:HA	1:B:35:ILE:CD1	2.45	0.46
1:A:208:ALA:HB2	1:A:236:LEU:HD22	1.98	0.45
1:B:268:TRP:CD1	1:B:288:MET:HG3	2.52	0.45
1:A:157:LEU:O	1:A:161:ILE:HG12	2.17	0.45
1:B:136:VAL:HG13	1:B:141:TRP:HB2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:PRO:HG3	1:A:253:ILE:CD1	2.45	0.45
1:B:124:ASP:OD2	1:B:126:ALA:HB3	2.16	0.45
1:B:152:THR:HG22	1:B:156:ARG:NH2	2.32	0.45
1:B:35:ILE:CD1	1:B:296:TYR:HE1	2.26	0.45
1:B:132:ILE:CG2	1:B:160:LEU:HD22	2.46	0.45
1:B:301:ILE:HD11	1:B:347:ILE:HG21	1.99	0.45
1:A:178:ILE:HG13	1:A:179:ASP:N	2.32	0.44
1:A:255:ASN:ND2	1:A:258:ASN:HB2	2.32	0.44
1:B:239:GLU:N	1:B:240:PRO:CD	2.80	0.44
1:A:5:ILE:CD1	1:A:314:VAL:HG23	2.47	0.44
1:B:82:SER:CB	1:B:105:ARG:NH1	2.81	0.44
1:B:161:ILE:HD12	1:B:173:ILE:HD11	1.98	0.44
1:A:106:TRP:CZ3	1:A:152:THR:CG2	3.01	0.44
1:B:155:ILE:O	1:B:155:ILE:HG22	2.16	0.44
1:A:91:GLN:HA	1:A:101:HIS:HD1	1.83	0.44
1:A:12:GLU:CD	1:A:83:GLN:HG2	2.38	0.43
1:A:87:THR:HG21	1:A:107:LYS:CG	2.48	0.43
1:B:91:GLN:HE21	1:B:103:GLN:HE22	1.65	0.43
1:A:374:VAL:O	1:A:385:ILE:HG23	2.18	0.43
1:A:58:HIS:NE2	1:B:112:ASP:HB2	2.33	0.43
1:A:167:TYR:CG	1:A:168:ASN:N	2.87	0.43
1:B:82:SER:HB2	1:B:105:ARG:NH1	2.33	0.43
1:A:5:ILE:HD12	1:A:5:ILE:HA	1.89	0.43
1:A:301:ILE:HD11	1:A:347:ILE:HG21	2.00	0.43
1:A:287:VAL:CG1	1:A:288:MET:N	2.81	0.43
1:B:162:MET:O	1:B:166:ARG:HG2	2.19	0.43
1:B:265:VAL:HA	1:B:288:MET:CE	2.48	0.43
1:A:172:LYS:HD3	1:B:165:SER:HB3	2.01	0.43
1:B:21:VAL:HG12	1:B:22:MET:O	2.18	0.43
1:B:249:THR:HG22	1:B:250:GLY:N	2.34	0.43
1:A:12:GLU:OE1	1:A:83:GLN:HG2	2.18	0.42
1:A:225:HIS:CG	1:A:247:ASN:HB2	2.54	0.42
1:A:233:LEU:HD22	1:A:250:GLY:HA3	2.01	0.42
1:B:102:ILE:HG21	1:B:298:ALA:HB1	2.01	0.42
1:A:32:SER:HB3	1:A:296:TYR:CD1	2.53	0.42
1:B:83:GLN:HA	1:B:83:GLN:OE1	2.19	0.42
1:B:163:ALA:N	1:B:164:PRO:CD	2.82	0.42
1:A:184:ARG:N	1:A:185:PRO:CD	2.82	0.42
1:A:208:ALA:HB2	1:A:236:LEU:CD2	2.49	0.42
1:B:351:LYS:HD2	1:B:351:LYS:N	2.35	0.42
1:A:227:ILE:HA	1:A:249:THR:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:166:ARG:O	1:B:167:TYR:HB2	2.19	0.42
1:A:139:LEU:O	1:A:140:LYS:HB2	2.19	0.42
1:A:113:ASN:ND2	1:B:58:HIS:HB3	2.34	0.42
1:B:36:ILE:HD11	1:B:48:LEU:CB	2.49	0.41
1:B:321:ARG:HD3	1:B:323:LYS:CE	2.51	0.41
1:A:28:ALA:HB2	1:A:292:ALA:HB1	2.03	0.41
1:A:318:GLN:CG	1:A:321:ARG:NH2	2.84	0.41
1:A:41:THR:O	1:A:41:THR:HG22	2.20	0.41
1:A:163:ALA:N	1:A:164:PRO:CD	2.84	0.41
1:B:79:PHE:CD2	1:B:79:PHE:N	2.89	0.41
1:A:6:ARG:HG2	1:A:75:VAL:HG12	2.04	0.40
1:A:104:LEU:HD11	1:A:295:LEU:HD13	2.02	0.40
1:A:152:THR:HG22	1:A:156:ARG:HE	1.86	0.40
1:B:127:SER:HB2	1:B:359:PHE:CZ	2.56	0.40
1:A:106:TRP:HZ3	1:A:152:THR:HG21	1.86	0.40
1:B:228:PHE:HB3	1:B:230:THR:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/398 (92%)	355 (96%)	12 (3%)	1 (0%)	41	60
1	B	367/398 (92%)	356 (97%)	10 (3%)	1 (0%)	41	60
All	All	735/796 (92%)	711 (97%)	22 (3%)	2 (0%)	41	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	321	ARG
1	B	164	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/344 (94%)	320 (99%)	4 (1%)	71	82
1	B	323/344 (94%)	318 (98%)	5 (2%)	65	78
All	All	647/688 (94%)	638 (99%)	9 (1%)	67	79

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	SER
1	A	125	TYR
1	A	322	HIS
1	A	365	SER
1	B	125	TYR
1	B	129	SER
1	B	152	THR
1	B	165	SER
1	B	248	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	HIS
1	A	53	GLN
1	A	88	ASN
1	A	91	GLN
1	A	209	GLN
1	A	255	ASN
1	A	258	ASN
1	B	53	GLN
1	B	88	ASN
1	B	91	GLN
1	B	258	ASN
1	B	311	GLN
1	B	339	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	400	1	14,14,15	0.51	0	17,19,21	1.09	1 (5%)
2	NAG	B	400	1	14,14,15	0.62	0	17,19,21	0.96	0
2	NAG	A	399	1	14,14,15	0.59	0	17,19,21	0.76	0
2	NAG	B	399	1	14,14,15	0.53	0	17,19,21	1.20	1 (5%)
2	NAG	A	401	1	14,14,15	0.58	0	17,19,21	0.92	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	400	1	-	2/6/23/26	0/1/1/1
2	NAG	B	400	1	-	2/6/23/26	0/1/1/1
2	NAG	A	399	1	-	2/6/23/26	0/1/1/1
2	NAG	B	399	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	401	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	NAG	O5-C5-C6	3.60	112.84	107.20
2	B	399	NAG	O5-C5-C6	3.32	112.41	107.20
2	A	401	NAG	C2-N2-C7	-2.37	119.53	122.90
2	A	401	NAG	O5-C5-C6	2.13	110.55	107.20

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	400	NAG	O5-C5-C6-O6
2	A	401	NAG	C8-C7-N2-C2
2	B	399	NAG	O5-C5-C6-O6
2	A	401	NAG	O7-C7-N2-C2
2	A	400	NAG	C4-C5-C6-O6
2	A	399	NAG	C8-C7-N2-C2
2	B	400	NAG	C8-C7-N2-C2
2	B	399	NAG	C4-C5-C6-O6
2	A	399	NAG	O7-C7-N2-C2
2	B	400	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	372/398 (93%)	0.42	17 (4%) 32 39	30, 56, 107, 163	0
1	B	371/398 (93%)	0.42	17 (4%) 32 39	34, 60, 107, 241	0
All	All	743/796 (93%)	0.42	34 (4%) 32 39	30, 57, 107, 241	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	166	ARG	6.0
1	B	84	GLY	4.0
1	A	320	HIS	3.8
1	A	321	ARG	3.5
1	B	322	HIS	3.4
1	A	322	HIS	3.1
1	B	167	TYR	3.1
1	A	84	GLY	3.1
1	A	83	GLN	2.9
1	A	86	CYS	2.9
1	A	194	ARG	2.8
1	B	20	GLN	2.8
1	B	73	LEU	2.7
1	B	142	ARG	2.7
1	A	82	SER	2.6
1	A	385	ILE	2.6
1	A	371	LEU	2.5
1	B	86	CYS	2.5
1	B	40	ARG	2.4
1	B	363	ILE	2.4
1	B	370	GLY	2.4
1	B	169	ILE	2.4
1	A	167	TYR	2.3
1	B	165	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	370	GLY	2.3
1	B	85	SER	2.3
1	A	137	GLN	2.2
1	A	111	LEU	2.2
1	A	71	LEU	2.2
1	B	320	HIS	2.2
1	B	326	ARG	2.2
1	B	83	GLN	2.1
1	A	168	ASN	2.1
1	A	87	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	400	14/15	0.83	0.29	137,169,203,204	0
2	NAG	A	401	14/15	0.87	0.27	87,108,163,163	0
2	NAG	A	400	14/15	0.89	0.23	67,115,147,150	0
2	NAG	A	399	14/15	0.90	0.21	94,119,154,154	0
2	NAG	B	399	14/15	0.91	0.25	65,95,121,132	0
3	CL	B	401	1/1	0.91	0.19	71,71,71,71	0
3	CL	A	402	1/1	0.94	0.09	59,59,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.