



# Full wwPDB X-ray Structure Validation Report ⓘ

May 28, 2020 – 08:11 pm BST

PDB ID : 1OOZ  
Title : Deletion mutant of SUCCINYL-COA:3-KETOACID COA TRANSFERASE FROM PIG HEART  
Authors : Coros, A.M.; Swenson, L.; Wolodko, W.T.; Fraser, M.E.  
Deposited on : 2003-03-04  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	475	<div> <div>2%</div> <div> <div></div> <div>76%</div> <div>20%</div> <div>• •</div> </div> </div>
1	B	475	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>19%</div> <div>• •</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinyl-CoA:3-ketoacid-coenzyme A transferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	463	Total	C	N	O	S	0	3	0
			3537	2239	605	673	20			
1	B	462	Total	C	N	O	S	0	6	0
			3539	2241	605	673	20			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	DELETION	UNP Q29551
A	?	-	ASP	DELETION	UNP Q29551
A	?	-	VAL	DELETION	UNP Q29551
A	?	-	LYS	DELETION	UNP Q29551
A	?	-	THR	DELETION	UNP Q29551
A	?	-	ARG	DELETION	UNP Q29551
B	?	-	GLU	DELETION	UNP Q29551
B	?	-	ASP	DELETION	UNP Q29551
B	?	-	VAL	DELETION	UNP Q29551
B	?	-	LYS	DELETION	UNP Q29551
B	?	-	THR	DELETION	UNP Q29551
B	?	-	ARG	DELETION	UNP Q29551

- Molecule 2 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	K	0	0
			1	1		
2	A	2	Total	K	0	0
			2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	407	Total 407	O 407	0	0
3	B	375	Total 375	O 375	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 <sub>1</sub> 2 <sub>1</sub> 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.82Å 139.11Å 68.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.73 – 2.10 39.73 – 2.07	Depositor EDS
% Data completeness (in resolution range)	95.0 (39.73-2.10) 92.8 (39.73-2.07)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.62 (at 2.06Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.161 , 0.210 0.162 , 0.209	Depositor DCC
$R_{free}$ test set	5219 reflections (9.79%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.0	Xtriage
Anisotropy	0.153	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 54.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7861	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:  
K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.90	3/3609 (0.1%)	0.95	4/4870 (0.1%)
1	B	0.91	4/3626 (0.1%)	0.97	5/4893 (0.1%)
All	All	0.91	7/7235 (0.1%)	0.96	9/9763 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	196[A]	CYS	CB-SG	-8.27	1.68	1.82
1	B	196[B]	CYS	CB-SG	-8.27	1.68	1.82
1	B	305	GLU	CD-OE1	6.94	1.33	1.25
1	A	196[A]	CYS	CB-SG	-6.42	1.71	1.82
1	A	196[B]	CYS	CB-SG	-6.42	1.71	1.82
1	B	95	GLU	CB-CG	-5.70	1.41	1.52
1	A	305	GLU	CD-OE1	5.41	1.31	1.25

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	351	ARG	NE-CZ-NH2	-13.57	113.52	120.30
1	A	351	ARG	NE-CZ-NH2	-12.61	114.00	120.30
1	B	351	ARG	NE-CZ-NH1	9.50	125.05	120.30
1	B	429	ARG	NE-CZ-NH2	-9.05	115.78	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	429	ARG	NE-CZ-NH1	7.24	123.92	120.30
1	A	185	ARG	NE-CZ-NH1	6.84	123.72	120.30
1	A	351	ARG	NE-CZ-NH1	6.52	123.56	120.30
1	B	351	ARG	CG-CD-NE	-5.56	100.12	111.80
1	A	351	ARG	CG-CD-NE	-5.47	100.31	111.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	226	TYR	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3537	0	3593	103	0
1	B	3539	0	3600	98	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
3	A	407	0	0	14	0
3	B	375	0	0	9	0
All	All	7861	0	7193	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:LYS:HZ3	1:A:429:ARG:NH1	1.46	1.11
1:B:397:LYS:HZ3	1:B:429:ARG:NH1	1.57	1.03
1:B:397:LYS:HZ1	1:B:429:ARG:NH2	1.58	1.00
1:B:397:LYS:NZ	1:B:429:ARG:HH12	1.60	1.00
1:B:150:VAL:HG22	1:B:159[B]:ILE:HG22	1.40	0.99

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:LYS:HZ1	1:A:429:ARG:NH2	1.59	0.99
1:A:397:LYS:NZ	1:A:429:ARG:HH12	1.62	0.97
1:A:397:LYS:NZ	1:A:429:ARG:HH22	1.62	0.96
1:B:397:LYS:NZ	1:B:429:ARG:HH22	1.65	0.92
1:B:284:ILE:HG23	3:B:707:HOH:O	1.69	0.91
1:B:57:ASN:HD21	1:B:239:ARG:HH12	1.18	0.90
1:A:397:LYS:NZ	1:A:429:ARG:NH1	2.22	0.86
1:A:196[B]:CYS:SG	1:A:202:THR:HG21	2.17	0.84
1:A:397:LYS:NZ	1:A:429:ARG:NH2	2.22	0.79
1:B:397:LYS:NZ	1:B:429:ARG:NH1	2.24	0.79
1:A:78:GLY:HA2	1:A:382:LYS:HD2	1.65	0.79
1:A:397:LYS:HZ1	1:A:429:ARG:HH22	0.83	0.78
1:B:397:LYS:HZ1	1:B:429:ARG:HH22	0.81	0.77
1:B:326:ASN:HB3	1:B:332[A]:VAL:HG11	1.68	0.76
1:B:78:GLY:HA2	1:B:382:LYS:HD2	1.68	0.76
1:A:56:ASP:HB2	3:A:832:HOH:O	1.86	0.74
1:B:397:LYS:NZ	1:B:429:ARG:NH2	2.29	0.74
1:A:157:HIS:HD2	3:A:521:HOH:O	1.70	0.73
1:B:120:THR:O	1:B:159[B]:ILE:HD11	1.88	0.73
1:B:148:ARG:CB	1:B:159[A]:ILE:HD13	2.19	0.72
1:A:165:ARG:NH1	1:B:395:LYS:HE3	2.05	0.72
1:B:397:LYS:HZ3	1:B:429:ARG:HH12	0.77	0.71
1:A:96:LEU:HD11	1:A:381:VAL:CG1	2.21	0.70
1:B:293:PHE:HD2	1:B:481:THR:HB	1.56	0.70
1:A:397:LYS:HZ3	1:A:429:ARG:HH12	0.75	0.70
1:B:107:ARG:HA	3:B:625:HOH:O	1.92	0.69
1:A:441:ARG:NH1	1:A:442:LYS:HE3	2.08	0.69
1:A:293:PHE:HD2	1:A:481:THR:HB	1.56	0.69
1:A:397:LYS:NZ	1:A:429:ARG:CZ	2.56	0.68
1:B:260:ASP:OD1	1:B:262:VAL:HG13	1.92	0.68
1:B:57:ASN:ND2	1:B:239:ARG:HH12	1.91	0.68
1:A:243:LEU:HD11	1:A:320:VAL:HG21	1.76	0.67
1:B:441:ARG:NH1	1:B:442:LYS:HE3	2.08	0.67
1:B:317:GLN:CD	1:B:317:GLN:H	1.99	0.66
1:B:148:ARG:HB3	1:B:159[A]:ILE:HD13	1.77	0.65
1:B:148:ARG:CG	1:B:159[A]:ILE:HD13	2.25	0.65
1:B:148:ARG:HG3	1:B:159[A]:ILE:HD13	1.79	0.65
1:A:260:ASP:OD1	1:A:262:VAL:HG13	1.97	0.65
1:B:178:GLN:HB2	1:B:212:ILE:HG13	1.80	0.64
1:B:397:LYS:NZ	1:B:429:ARG:CZ	2.62	0.63
1:B:118:THR:OG1	1:B:351:ARG:HD2	1.97	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:295:SER:H	1:B:298:MET:HE3	1.64	0.62
1:A:374:TRP:CZ3	1:A:375:MET:HE2	2.36	0.60
1:A:414:MET:HE3	3:A:872:HOH:O	2.00	0.60
1:A:395:LYS:NZ	1:B:165:ARG:NH1	2.49	0.60
1:A:395:LYS:NZ	1:B:165:ARG:HH12	2.00	0.60
1:A:96:LEU:HD11	1:A:381:VAL:HG13	1.85	0.59
1:A:441:ARG:HH12	1:A:442:LYS:HE3	1.65	0.59
1:B:436:VAL:HB	1:B:449:GLU:HB2	1.83	0.59
1:A:78:GLY:CA	1:A:382:LYS:HD2	2.33	0.59
1:B:441:ARG:HH12	1:B:442:LYS:HE3	1.68	0.59
1:B:150:VAL:CG2	1:B:159[B]:ILE:HG22	2.25	0.58
1:A:2:LYS:HE2	3:A:801:HOH:O	2.04	0.58
1:A:178:GLN:HB2	1:A:212:ILE:HG13	1.86	0.57
1:A:165:ARG:NH1	1:B:395:LYS:CE	2.68	0.57
1:A:60:LEU:CD1	1:A:69:ILE:CD1	2.83	0.57
1:B:246:ARG:HH11	1:B:246:ARG:HG2	1.69	0.57
1:A:118:THR:OG1	1:A:351:ARG:HD2	2.05	0.56
1:A:262:VAL:HG23	1:A:433:GLU:HB3	1.86	0.56
1:A:262:VAL:HG23	1:A:433:GLU:CB	2.34	0.56
1:B:60:LEU:CD1	1:B:69:ILE:CD1	2.83	0.56
1:B:141:ILE:HD13	3:B:845:HOH:O	2.06	0.56
1:A:107:ARG:HA	3:A:845:HOH:O	2.06	0.55
1:B:477:GLN:HG3	3:B:638:HOH:O	2.07	0.55
1:A:165:ARG:NH1	1:B:395:LYS:NZ	2.55	0.55
1:B:262:VAL:HG23	1:B:433:GLU:HB3	1.88	0.55
1:B:260:ASP:OD1	1:B:262:VAL:CG1	2.56	0.54
1:A:329:LYS:HD3	3:A:722:HOH:O	2.07	0.54
1:B:146:LYS:HE2	3:B:804:HOH:O	2.06	0.54
1:A:246:ARG:HH11	1:A:246:ARG:HG2	1.73	0.54
1:A:395:LYS:HE3	1:B:165:ARG:NH1	2.23	0.54
1:B:262:VAL:HG23	1:B:433:GLU:CB	2.37	0.54
1:B:171:VAL:HG11	1:B:196[A]:CYS:SG	2.49	0.52
1:A:97[A]:THR:HG23	1:A:102:LEU:HB2	1.92	0.52
1:A:395:LYS:HZ2	1:B:165:ARG:HH12	1.57	0.52
1:A:315:PRO:HB2	1:A:319:GLU:HB2	1.93	0.51
1:A:60:LEU:HD12	1:A:72[B]:MET:HE3	1.90	0.51
1:B:230:LEU:HD13	1:B:231:VAL:N	2.26	0.51
1:B:159[A]:ILE:HD11	1:B:161:GLU:CD	2.31	0.51
1:A:295:SER:H	1:A:298:MET:HE3	1.76	0.51
1:A:60:LEU:HD12	1:A:72[B]:MET:CE	2.42	0.50
1:A:243:LEU:CD1	1:A:320:VAL:HG21	2.41	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:ASP:OD1	1:A:262:VAL:CG1	2.59	0.50
1:A:436:VAL:HB	1:A:449:GLU:HB2	1.93	0.50
1:B:265:ARG:HD2	1:B:451:TRP:CZ2	2.47	0.50
1:A:246:ARG:NH2	3:A:798:HOH:O	2.39	0.49
1:A:305:GLU:HB2	1:A:347:PHE:CZ	2.48	0.49
1:B:176:ALA:HA	1:B:181:ASN:O	2.10	0.49
1:A:451:TRP:HB3	1:A:454:LEU:HD12	1.95	0.49
1:A:295:SER:OG	1:A:297:ASN:HB2	2.13	0.48
1:B:295:SER:OG	1:B:297:ASN:HB2	2.12	0.48
1:A:174:TRP:CE2	1:A:185:ARG:HD2	2.49	0.48
1:A:440:ASP:HB3	1:A:443:LYS:HG3	1.94	0.48
1:A:345:GLU:OE1	3:A:829:HOH:O	2.20	0.48
1:A:205:GLU:HA	1:A:231:VAL:O	2.14	0.48
1:A:265:ARG:HD2	1:A:451:TRP:CZ2	2.49	0.48
1:B:330:GLU:O	1:B:332[A]:VAL:HG13	2.13	0.48
1:B:205:GLU:HA	1:B:231:VAL:O	2.14	0.47
1:A:262:VAL:HG23	1:A:433:GLU:CG	2.44	0.47
1:A:395:LYS:CE	1:B:165:ARG:NH1	2.77	0.47
1:B:70:LYS:HE3	3:B:623:HOH:O	2.14	0.47
1:A:96:LEU:HD13	1:A:383:GLY:HA2	1.97	0.47
1:B:78:GLY:CA	1:B:382:LYS:HD2	2.42	0.47
1:B:60:LEU:CD1	1:B:69:ILE:HD11	2.45	0.47
1:A:305:GLU:HG3	3:A:601:HOH:O	2.14	0.47
1:B:173:ALA:HB3	1:B:206:VAL:HG12	1.96	0.47
1:A:448:ILE:C	1:A:473:LEU:HD12	2.36	0.46
1:A:60:LEU:CD1	1:A:69:ILE:HD11	2.45	0.46
1:A:359:MET:HA	1:A:399:VAL:O	2.16	0.46
1:B:135:TYR:HD1	1:B:140:SER:O	1.97	0.46
1:A:89:ALA:HB1	1:A:137:LYS:HE3	1.98	0.46
1:A:245:VAL:HG13	1:A:315:PRO:O	2.14	0.46
1:B:440:ASP:HB3	1:B:443:LYS:HG3	1.97	0.45
1:A:156:GLN:HG2	1:A:157:HIS:N	2.31	0.45
1:A:452:GLU:HG3	1:A:452:GLU:O	2.16	0.45
1:A:245:VAL:HG12	1:A:246:ARG:N	2.31	0.45
1:B:262:VAL:HG23	1:B:433:GLU:CG	2.46	0.45
1:A:230:LEU:HD13	1:A:231:VAL:N	2.30	0.45
1:B:246:ARG:NH1	1:B:246:ARG:HG2	2.32	0.45
1:B:402:MET:O	1:B:432:THR:HA	2.17	0.45
1:A:397:LYS:HZ3	1:A:429:ARG:CZ	2.14	0.45
1:A:60:LEU:HD13	1:A:69:ILE:HD11	1.99	0.45
1:B:452:GLU:O	1:B:452:GLU:HG3	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:PHE:HA	1:A:201:THR:O	2.16	0.45
1:A:298:MET:HE1	3:A:818:HOH:O	2.17	0.45
1:B:171:VAL:HG13	1:B:192:ASN:HB3	1.99	0.44
1:B:305:GLU:HB2	1:B:347:PHE:CZ	2.52	0.44
1:B:159[A]:ILE:HD12	1:B:160:LEU:N	2.32	0.44
1:B:51:ASN:OD1	1:B:99:GLN:HG3	2.18	0.44
1:B:174:TRP:CE2	1:B:175:LYS:HE3	2.53	0.44
1:A:397:LYS:CE	1:A:429:ARG:NH1	2.80	0.44
1:A:295:SER:HB3	1:A:298:MET:HE2	2.00	0.44
1:A:134:LYS:HE2	3:A:606:HOH:O	2.17	0.43
1:B:316:LEU:HD23	1:B:316:LEU:HA	1.80	0.43
1:B:295:SER:HB3	1:B:298:MET:HE2	2.00	0.43
1:A:165:ARG:HH12	1:B:395:LYS:NZ	2.15	0.43
1:A:17:GLY:HA2	1:A:45:GLU:O	2.18	0.43
1:A:96:LEU:CD1	1:A:381:VAL:HG13	2.48	0.43
1:A:176:ALA:HA	1:A:181:ASN:O	2.19	0.43
1:A:449:GLU:HB3	1:A:476:MET:HA	2.00	0.43
1:B:448:ILE:C	1:B:473:LEU:HD12	2.39	0.43
1:A:51:ASN:OD1	1:A:99:GLN:HG3	2.18	0.43
1:B:134:LYS:HE2	3:B:850:HOH:O	2.19	0.43
1:B:97[A]:THR:HG23	1:B:102:LEU:HB2	2.01	0.43
1:B:101:THR:O	1:B:105:ARG:HG3	2.18	0.43
1:B:359:MET:HA	1:B:399:VAL:O	2.19	0.43
1:B:14:ILE:HD12	1:B:38:LEU:HD11	2.02	0.42
1:B:168:PHE:HA	1:B:201:THR:O	2.18	0.42
1:B:137:LYS:HA	1:B:137:LYS:HD2	1.58	0.42
1:A:111:ALA:O	1:B:351:ARG:HB3	2.19	0.42
1:B:148:ARG:HB3	1:B:159[A]:ILE:CD1	2.47	0.42
1:A:240:ILE:HD13	1:A:320:VAL:CG1	2.49	0.42
1:A:165:ARG:HH12	1:B:395:LYS:HZ2	1.66	0.42
1:A:416:LYS:NZ	3:A:876:HOH:O	2.53	0.42
1:A:83:PHE:CD1	1:A:83:PHE:C	2.93	0.42
1:B:159[A]:ILE:HD11	1:B:161:GLU:HG2	2.02	0.42
1:B:261:ASN:ND2	3:B:711:HOH:O	2.52	0.42
1:A:225:ILE:HA	1:B:279:TYR:CZ	2.55	0.42
1:A:118:THR:HG1	1:A:351:ARG:HD2	1.84	0.42
1:A:45:GLU:HA	1:A:70:LYS:HB2	2.02	0.42
1:A:295:SER:C	1:A:297:ASN:N	2.73	0.41
1:B:159[A]:ILE:HD12	1:B:160:LEU:O	2.21	0.41
1:B:289:LEU:HD23	1:B:289:LEU:HA	1.87	0.41
1:A:239:ARG:NH1	3:A:656:HOH:O	2.42	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:VAL:HG23	1:A:433:GLU:HG3	2.03	0.41
1:B:305:GLU:HG3	3:B:619:HOH:O	2.20	0.41
1:A:237:GLU:O	1:A:238:LYS:HB2	2.21	0.41
1:A:156:GLN:CG	1:A:157:HIS:N	2.84	0.41
1:A:477:GLN:HG3	3:A:663:HOH:O	2.20	0.41
1:B:245:VAL:HG12	1:B:246:ARG:N	2.36	0.41
1:A:171:VAL:HG11	1:A:196[A]:CYS:SG	2.61	0.41
1:B:295:SER:C	1:B:297:ASN:N	2.73	0.41
1:B:96:LEU:HD13	1:B:383:GLY:HA2	2.03	0.41
1:A:268:LYS:HG2	1:A:479:VAL:HG12	2.03	0.40
1:B:23:GLY:HA3	1:B:192:ASN:OD1	2.21	0.40
1:A:101:THR:O	1:A:105:ARG:HG3	2.22	0.40
1:B:174:TRP:CZ2	1:B:175:LYS:HE3	2.57	0.40
1:A:340:TYR:CD2	1:B:217:PRO:HB2	2.56	0.40
1:A:186:LYS:HA	1:A:340:TYR:CD2	2.57	0.40
1:A:442:LYS:HD3	1:A:442:LYS:HA	1.73	0.40
1:A:177:ASP:HA	1:A:210:VAL:O	2.21	0.40
1:B:442:LYS:HA	1:B:442:LYS:HD3	1.76	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/475 (97%)	450 (98%)	9 (2%)	1 (0%)	47	49
1	B	462/475 (97%)	452 (98%)	9 (2%)	1 (0%)	47	49
All	All	922/950 (97%)	902 (98%)	18 (2%)	2 (0%)	47	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	190	ASN
1	B	190	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	381/387 (98%)	373 (98%)	8 (2%)	53	59
1	B	383/387 (99%)	372 (97%)	11 (3%)	42	46
All	All	764/774 (99%)	745 (98%)	19 (2%)	49	52

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	LEU
1	A	131	SER
1	A	137	LYS
1	A	262	VAL
1	A	284	ILE
1	A	360	LEU
1	A	363	MET
1	A	452	GLU
1	B	60	LEU
1	B	131	SER
1	B	159[A]	ILE
1	B	159[B]	ILE
1	B	262	VAL
1	B	284	ILE
1	B	317	GLN
1	B	341	PHE
1	B	360	LEU
1	B	363	MET
1	B	452	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	156	GLN
1	A	157	HIS
1	A	297	ASN
1	B	57	ASN
1	B	157	HIS
1	B	297	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	463/475 (97%)	-0.24	10 (2%) 62 66	5, 14, 36, 60	0
1	B	462/475 (97%)	-0.15	12 (2%) 56 61	6, 15, 34, 55	0
All	All	925/950 (97%)	-0.20	22 (2%) 59 64	5, 15, 35, 60	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	481	THR	5.6
1	A	481	THR	4.4
1	B	260	ASP	4.2
1	A	407	LYS	3.7
1	B	138	ASP	3.5
1	B	297	ASN	3.4
1	A	261	ASN	3.0
1	B	137	LYS	2.9
1	B	480	THR	2.9
1	A	408	GLY	2.9
1	A	480	THR	2.8
1	A	381	VAL	2.7
1	B	295	SER	2.5
1	A	297	ASN	2.4
1	A	443	LYS	2.4
1	B	5	THR	2.4
1	B	296	PRO	2.4
1	A	471	PRO	2.3
1	A	406	ALA	2.2
1	B	453	GLY	2.2
1	B	57	ASN	2.2
1	B	407	LYS	2.1



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	K	A	482	1/1	0.97	0.08	24,24,24,24	0
2	K	A	483	1/1	0.98	0.08	33,33,33,33	0
2	K	B	482	1/1	0.99	0.04	25,25,25,25	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.