



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 06:24 PM BST

PDB ID : 3OZV
Title : The Crystal Structure of flavohemoglobin from *R. eutrophus* in complex with econazole
Authors : El Hammi, E.; Warkentin, E.; Demmer, U.; Ermler, U.; Baciou, L.
Deposited on : 2010-09-27
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	403	<div> <div>5%</div> <div>81%</div> <div>15%</div> <div>.</div> </div>
1	B	403	<div> <div>21%</div> <div>79%</div> <div>19%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DGG	B	406	-	-	-	X
5	ECN	A	411	X	-	X	-
5	ECN	B	411	X	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 6722 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flavohemoglobin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	403	Total	C	N	O	S	0	1	0
			3162	2015	543	590	14			
1	A	403	Total	C	N	O	S	0	0	0
			3156	2011	543	588	14			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is 1-[GLYCEROLYLPHOSPHONYL]-2-[8-(2-HEXYL-CYCLOPROPYL)-OCT ANAL-1-YL]-3-[HEXADECANAL-1-YL]-GLYCEROL (three-letter code: DGG) (formula: C₃₉H₇₅O₁₀P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			19	17	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			19	17	2		

- Molecule 5 is 1-[(2S)-2-[(4-CHLOROBENZYL)OXY]-2-(2,4-DICHLOROPHENYL)ETHYL]-1H-IMIDAZOLE (three-letter code: ECN) (formula: C₁₈H₁₅Cl₃N₂O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	Cl	N	O	0	0
			24	18	3	2	1		
5	A	1	Total	C	Cl	N	O	0	0
			24	18	3	2	1		

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	58	Total	O	0	0
			58	58		
7	A	63	Total	O	0	0
			63	63		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Flavohemoglobin



• Molecule 1: Flavohemoglobin



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	87.22Å 87.22Å 291.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 29.13 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.0 (30.00-2.40) 99.1 (29.13-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.6.0046	Depositor
R, R_{free}	0.210 , 0.248 0.227 , 0.254	Depositor DCC
R_{free} test set	2258 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	49.3	Xtriage
Anisotropy	0.080	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6722	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ECN, PO4, DGG, FAD, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3233	0.71	0/4393
1	B	0.64	0/3242	0.70	2/4405 (0.0%)
All	All	0.64	0/6475	0.71	2/8798 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	102	LEU	CA-CB-CG	6.16	129.47	115.30
1	B	228	GLY	N-CA-C	-5.17	100.17	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	226	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3156	0	3112	60	0
1	B	3162	0	3118	52	0
2	A	43	0	30	4	0
2	B	43	0	30	4	0
3	A	53	0	31	4	0
3	B	53	0	31	0	0
4	A	19	0	31	6	0
4	B	19	0	31	6	0
5	A	24	0	15	15	0
5	B	24	0	15	18	0
6	A	5	0	0	0	0
7	A	63	0	0	0	0
7	B	58	0	0	0	0
All	All	6722	0	6444	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:ILE:HG22	5:B:411:ECN:CL2	1.41	1.57
5:A:411:ECN:H10	5:A:411:ECN:C20	1.70	1.21
1:B:24:ILE:CG2	5:B:411:ECN:CL2	2.26	1.19
5:A:411:ECN:C10	5:A:411:ECN:H20	1.53	1.16
5:B:411:ECN:C10	5:B:411:ECN:H20	1.38	1.15
1:A:399:ASP:HA	1:A:400:LEU:HB2	1.28	1.13
1:A:24:ILE:HG21	5:A:411:ECN:CL2	1.85	1.13
5:B:411:ECN:C10	5:B:411:ECN:C20	2.27	1.12
4:A:406:DGG:H352	5:A:411:ECN:H2	1.30	1.11
1:B:77:VAL:HG11	4:B:406:DGG:H241	1.21	1.11
5:B:411:ECN:C20	5:B:411:ECN:H10	1.81	1.10
5:B:411:ECN:H10	5:B:411:ECN:H20	1.18	1.08
1:A:341:ARG:HG2	1:A:341:ARG:HH21	1.21	1.01
1:A:220:ARG:HH21	1:A:220:ARG:HG2	1.32	0.94
1:B:102:LEU:HD13	5:B:411:ECN:C9	2.04	0.87
4:B:406:DGG:H341	5:B:411:ECN:H8C2	1.56	0.85
1:B:371:ILE:HD11	1:B:395:VAL:HG13	1.58	0.84
1:B:63:ALA:HB1	4:B:406:DGG:H242	1.60	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:411:ECN:C19	5:B:411:ECN:H10	2.09	0.82
1:A:54:GLN:HE21	1:A:55:GLN:NE2	1.78	0.81
4:A:406:DGG:H352	5:A:411:ECN:C2	2.09	0.81
1:A:398:PRO:O	1:A:399:ASP:HB2	1.82	0.80
1:A:48:GLN:N	1:A:49:GLU:HA	1.95	0.79
1:B:77:VAL:CG1	4:B:406:DGG:H241	2.09	0.78
1:B:371:ILE:HD11	1:B:395:VAL:CG1	2.12	0.78
5:A:411:ECN:H20	5:A:411:ECN:H10	0.79	0.76
1:A:399:ASP:CA	1:A:400:LEU:HB2	2.12	0.75
5:A:411:ECN:C10	5:A:411:ECN:C20	2.41	0.74
5:A:411:ECN:CL4	5:A:411:ECN:H10	2.26	0.72
1:B:59:ARG:HG3	1:B:59:ARG:HH21	1.55	0.71
1:B:102:LEU:HD13	5:B:411:ECN:C11	2.21	0.70
1:A:211:SER:OG	1:A:220:ARG:NH2	2.26	0.69
1:B:57:LEU:HD11	5:B:411:ECN:H2	1.75	0.68
1:A:374:MET:CE	1:A:393:TYR:HB2	2.24	0.67
1:A:399:ASP:HB3	1:A:401:PHE:N	2.10	0.67
1:A:102:LEU:HD11	5:A:411:ECN:C9	2.25	0.66
1:A:54:GLN:NE2	1:A:55:GLN:NE2	2.43	0.66
4:A:406:DGG:C35	5:A:411:ECN:H2	2.18	0.65
1:A:341:ARG:NH2	1:A:342:ASP:OD1	2.29	0.65
1:B:295:GLN:HB2	1:B:323:ASN:O	1.96	0.64
1:A:220:ARG:NH2	1:A:220:ARG:HG2	2.06	0.64
1:A:303:ARG:HB3	1:A:307:VAL:HG11	1.79	0.64
1:A:341:ARG:HG2	1:A:341:ARG:NH2	1.95	0.63
1:A:24:ILE:CG2	5:A:411:ECN:CL2	2.75	0.63
1:A:47:HIS:CD2	1:A:53:GLN:OE1	2.51	0.62
1:A:226:GLU:HG2	3:A:405:FAD:O3B	2.00	0.62
1:A:399:ASP:HA	1:A:400:LEU:CB	2.16	0.62
1:B:63:ALA:HB1	4:B:406:DGG:C24	2.29	0.62
1:B:77:VAL:HG21	4:B:406:DGG:H261	1.81	0.61
1:A:54:GLN:HE21	1:A:55:GLN:HE21	1.46	0.61
1:B:102:LEU:HD22	5:B:411:ECN:C10	2.30	0.60
1:A:67:ASN:ND2	4:A:406:DGG:H232	2.16	0.60
1:A:398:PRO:O	1:A:399:ASP:CB	2.50	0.60
1:B:59:ARG:HD3	1:B:400:LEU:O	2.03	0.59
1:A:168:VAL:CG2	1:A:307:VAL:HG23	2.32	0.58
1:A:120:SER:O	1:A:124:GLN:HG3	2.04	0.58
2:A:404:HEM:HMB2	2:A:404:HEM:HBB2	1.85	0.58
1:B:329:PHE:HE1	1:B:353:GLN:HE22	1.52	0.58
1:A:48:GLN:N	1:A:49:GLU:CA	2.66	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:MET:O	1:B:48:GLN:HB2	2.04	0.57
1:A:211:SER:OG	1:A:220:ARG:HG2	2.05	0.57
1:B:223:VAL:O	1:B:241:HIS:HE1	1.86	0.57
1:B:64:TYR:CZ	1:B:68:ILE:HD12	2.40	0.56
1:B:27:CYS:SG	1:B:108:GLU:OE2	2.63	0.56
1:B:372:PRO:O	1:B:373:PHE:HB2	2.06	0.56
2:A:404:HEM:NB	5:A:411:ECN:H3	2.21	0.56
1:A:168:VAL:HG22	1:A:307:VAL:HG23	1.88	0.55
1:B:102:LEU:HD22	5:B:411:ECN:H10	1.89	0.55
2:B:404:HEM:HBB2	2:B:404:HEM:HMB2	1.89	0.55
1:A:293:PRO:N	1:A:294:ARG:HA	2.22	0.55
1:A:229:GLY:O	1:A:231:GLN:N	2.41	0.53
1:A:154:TRP:HB3	1:A:251:LYS:HB3	1.91	0.53
1:B:143:ARG:O	1:B:147:GLN:HG3	2.07	0.53
1:B:397:GLY:O	1:B:399:ASP:OD1	2.27	0.53
1:A:303:ARG:HB3	1:A:307:VAL:CG1	2.39	0.52
1:A:290:GLN:O	1:A:291:ALA:HB3	2.10	0.51
1:B:102:LEU:HD13	5:B:411:ECN:C10	2.41	0.51
1:B:291:ALA:HA	1:B:292:PRO:C	2.31	0.51
1:A:285:LEU:HD12	1:A:296:VAL:HG11	1.91	0.51
1:B:15:PRO:HG3	3:A:405:FAD:C2A	2.41	0.51
1:B:185:PHE:CE2	1:B:214:PRO:HA	2.46	0.51
1:B:371:ILE:CD1	1:B:395:VAL:HG13	2.36	0.50
2:A:404:HEM:CMB	2:A:404:HEM:HBB2	2.42	0.50
1:A:351:VAL:HG22	1:A:358:ILE:HG12	1.92	0.50
1:A:367:ILE:HG22	1:A:374:MET:HG2	1.93	0.50
1:B:28:PHE:HB2	5:B:411:ECN:CL2	2.49	0.49
1:A:285:LEU:HD13	1:A:298:PHE:CD1	2.48	0.49
1:B:382:LYS:HE3	1:B:388:GLU:OE1	2.13	0.49
1:A:77:VAL:CG2	4:A:406:DGG:H271	2.44	0.48
1:B:371:ILE:HD11	1:B:395:VAL:HG11	1.95	0.47
1:B:145:ALA:HB2	1:B:152:LYS:HG3	1.96	0.47
2:B:404:HEM:HHB	2:B:404:HEM:HBC2	1.96	0.47
1:A:339:GLN:HB3	1:A:343:TYR:CZ	2.50	0.47
5:B:411:ECN:C9	5:B:411:ECN:CL4	3.00	0.47
2:A:404:HEM:C4B	5:A:411:ECN:H3	2.50	0.47
2:B:404:HEM:CMB	2:B:404:HEM:HBB2	2.45	0.47
1:B:154:TRP:HB3	1:B:251:LYS:HB3	1.97	0.46
1:B:321:TYR:O	1:B:322:GLU:CB	2.64	0.46
1:A:370:PRO:O	1:A:373:PHE:HB3	2.16	0.46
1:B:228:GLY:O	1:B:229:GLY:C	2.54	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:329:PHE:HE1	1:B:353:GLN:NE2	2.13	0.46
2:B:404:HEM:NB	5:B:411:ECN:H3	2.30	0.46
1:B:7:LYS:HG2	1:B:68:ILE:HG12	1.97	0.46
1:B:268:PRO:HA	1:B:294:ARG:HG3	1.98	0.45
1:B:60:ALA:HB2	1:B:400:LEU:HD13	1.99	0.45
1:A:24:ILE:HD13	5:A:411:ECN:CL2	2.54	0.45
1:B:298:PHE:HB3	1:B:326:LEU:HD12	1.99	0.44
1:A:64:TYR:HB2	4:A:406:DGG:H281	2.00	0.44
1:A:294:ARG:O	1:A:295:GLN:HB2	2.18	0.44
1:A:374:MET:HE3	1:A:393:TYR:HB2	1.97	0.44
1:A:102:LEU:HD11	5:A:411:ECN:C11	2.48	0.43
1:A:145:ALA:HB2	1:A:152:LYS:HG3	2.00	0.43
1:B:59:ARG:NH2	1:B:59:ARG:HG3	2.28	0.43
1:A:47:HIS:HD2	1:A:53:GLN:OE1	1.98	0.43
1:B:303:ARG:HB3	1:B:307:VAL:HG21	1.99	0.43
1:A:46:ALA:C	1:A:48:GLN:H	2.22	0.43
1:A:223:VAL:O	1:A:241:HIS:HE1	2.01	0.43
1:B:317:ALA:O	1:B:321:TYR:HD2	2.02	0.42
1:A:166:SER:HB2	1:A:306:ALA:O	2.19	0.42
1:A:168:VAL:HG21	1:A:307:VAL:HG23	2.01	0.42
1:B:273:SER:HB3	1:B:281:MET:HG3	2.02	0.42
1:B:163:ARG:HB3	1:B:163:ARG:HE	1.72	0.42
1:B:78:LEU:HD23	1:B:81:ILE:HD12	2.01	0.42
1:A:292:PRO:HA	1:A:293:PRO:HA	1.73	0.41
1:A:308:HIS:CE1	1:A:311:ARG:HG3	2.55	0.41
1:B:57:LEU:HD11	5:B:411:ECN:C2	2.46	0.41
1:A:78:LEU:HA	1:A:78:LEU:HD23	1.93	0.41
1:A:259:PHE:CG	1:A:394:GLU:HB2	2.55	0.41
1:B:50:GLN:O	1:B:51:GLY:C	2.60	0.41
1:A:323:ASN:ND2	1:A:323:ASN:H	2.18	0.41
1:B:187:PRO:HG2	1:B:261:ILE:HD11	2.02	0.40
1:A:48:GLN:H	1:A:49:GLU:HA	1.83	0.40
1:B:306:ALA:HB2	1:B:334:LEU:HD11	2.03	0.40
1:A:48:GLN:HG2	3:A:405:FAD:C4A	2.51	0.40
1:A:226:GLU:CG	3:A:405:FAD:O3B	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/403 (100%)	379 (94%)	15 (4%)	7 (2%)	9	11
1	B	402/403 (100%)	382 (95%)	11 (3%)	9 (2%)	6	7
All	All	803/806 (100%)	761 (95%)	26 (3%)	16 (2%)	7	9

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	293	PRO
1	B	373	PHE
1	A	47	HIS
1	A	230	PRO
1	B	51	GLY
1	B	52	GLN
1	B	215	ASN
1	B	229	GLY
1	A	295	GLN
1	A	399	ASP
1	B	184	ASN
1	B	322	GLU
1	A	50	GLN
1	A	291	ALA
1	A	229	GLY
1	B	292	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/334 (100%)	309 (92%)	25 (8%)	13	21
1	B	335/334 (100%)	314 (94%)	21 (6%)	18	28
All	All	669/668 (100%)	623 (93%)	46 (7%)	16	25

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	19[A]	GLU
1	B	19[B]	GLU
1	B	34	GLU
1	B	54	GLN
1	B	73	SER
1	B	102	LEU
1	B	117	ASP
1	B	120	SER
1	B	211	SER
1	B	231	GLN
1	B	266	LYS
1	B	267	THR
1	B	271	LEU
1	B	278	LEU
1	B	285	LEU
1	B	290	GLN
1	B	294	ARG
1	B	303	ARG
1	B	351	VAL
1	B	362	ASP
1	B	375	ARG
1	A	5	LYS
1	A	47	HIS
1	A	49	GLU
1	A	54	GLN
1	A	77	VAL
1	A	116	ASP
1	A	192	SER
1	A	220	ARG
1	A	258	SER
1	A	271	LEU
1	A	290	GLN
1	A	303	ARG
1	A	315	ARG
1	A	319	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	322	GLU
1	A	323	ASN
1	A	332	GLN
1	A	336	GLU
1	A	338	VAL
1	A	341	ARG
1	A	362	ASP
1	A	375	ARG
1	A	381	LEU
1	A	394	GLU
1	A	401	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	47	HIS
1	B	50	GLN
1	B	53	GLN
1	B	67	ASN
1	B	231	GLN
1	B	241	HIS
1	B	339	GLN
1	B	353	GLN
1	B	392	HIS
1	A	47	HIS
1	A	55	GLN
1	A	241	HIS
1	A	290	GLN
1	A	339	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	A	405	-	51,58,58	1.58	7 (13%)	60,89,89	1.78	11 (18%)
3	FAD	B	405	-	51,58,58	1.63	8 (15%)	60,89,89	2.00	12 (20%)
6	PO4	A	407	-	4,4,4	0.79	0	6,6,6	0.54	0
4	DGG	B	406	-	16,19,50	0.62	0	14,22,59	0.63	0
2	HEM	A	404	1,5	27,50,50	2.07	5 (18%)	17,82,82	2.19	7 (41%)
2	HEM	B	404	1,5	27,50,50	2.19	6 (22%)	17,82,82	1.85	2 (11%)
5	ECN	A	411	2	24,26,26	1.51	4 (16%)	32,35,35	2.72	11 (34%)
5	ECN	B	411	2	24,26,26	1.19	3 (12%)	32,35,35	2.26	7 (21%)
4	DGG	A	406	-	16,19,50	0.49	0	14,22,59	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	405	-	-	1/30/50/50	0/6/6/6
3	FAD	B	405	-	-	0/30/50/50	0/6/6/6
4	DGG	B	406	-	-	9/14/21/59	0/1/1/1
2	HEM	A	404	1,5	-	1/6/54/54	-
2	HEM	B	404	1,5	-	1/6/54/54	-
5	ECN	A	411	2	1/1/1/1	5/13/13/13	0/3/3/3
5	ECN	B	411	2	1/1/1/1	4/13/13/13	0/3/3/3
4	DGG	A	406	-	-	8/14/21/59	0/1/1/1

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	405	FAD	C1'-N10	5.77	1.54	1.48
3	A	405	FAD	C4X-N5	5.32	1.40	1.33
2	B	404	HEM	C3C-C2C	-5.28	1.33	1.40
2	B	404	HEM	C3D-C2D	4.90	1.52	1.37
2	A	404	HEM	C3D-C2D	4.89	1.52	1.37
2	A	404	HEM	C3C-C2C	-4.76	1.33	1.40
3	A	405	FAD	C2A-N3A	4.62	1.39	1.32
3	A	405	FAD	C10-N1	4.33	1.38	1.33
2	A	404	HEM	C3B-C2B	-4.24	1.34	1.40
2	B	404	HEM	C3B-C2B	-4.13	1.34	1.40
2	A	404	HEM	C3B-CAB	4.06	1.56	1.47
3	B	405	FAD	C4X-N5	4.01	1.39	1.33
3	B	405	FAD	C10-N1	3.92	1.38	1.33
5	A	411	ECN	C14-CL4	3.89	1.82	1.73
2	B	404	HEM	C3C-CAC	3.74	1.55	1.47
3	B	405	FAD	C4-N3	3.58	1.39	1.33
5	A	411	ECN	C16-CL8	3.55	1.82	1.74
2	B	404	HEM	C3B-CAB	3.46	1.55	1.47
3	B	405	FAD	C2A-N3A	3.45	1.37	1.32
5	B	411	ECN	C14-CL4	3.43	1.81	1.73
2	A	404	HEM	C3C-CAC	3.24	1.54	1.47
3	A	405	FAD	C5X-N5	2.85	1.40	1.35
3	A	405	FAD	C4-N3	2.81	1.37	1.33
3	A	405	FAD	C2A-N1A	2.78	1.39	1.33
5	A	411	ECN	C15-C16	2.66	1.42	1.38
5	A	411	ECN	C15-C14	2.59	1.42	1.38
3	B	405	FAD	C2A-N1A	2.54	1.38	1.33
3	B	405	FAD	C2B-C1B	-2.40	1.50	1.53
3	A	405	FAD	C9A-N10	2.15	1.41	1.38
2	B	404	HEM	CAA-C2A	2.14	1.55	1.52
5	B	411	ECN	C5-C20	-2.13	1.46	1.52
5	B	411	ECN	C11-CL2	2.08	1.79	1.74
3	B	405	FAD	C5X-N5	2.02	1.38	1.35

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	405	FAD	C1'-N10-C9A	7.11	123.89	118.29
5	A	411	ECN	O20-C20-C5	-7.10	101.35	112.08
3	B	405	FAD	C4-N3-C2	6.86	120.93	115.14
5	B	411	ECN	C21-C5-C14	6.24	123.02	116.81
5	B	411	ECN	O20-C20-C19	6.22	118.72	106.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	405	FAD	C4-N3-C2	6.19	120.36	115.14
3	B	405	FAD	N3A-C2A-N1A	-6.00	119.30	128.68
2	B	404	HEM	CBA-CAA-C2A	-5.97	101.48	112.49
3	A	405	FAD	C1'-N10-C9A	5.56	122.67	118.29
5	A	411	ECN	C5-C14-CL4	-5.52	114.70	120.41
3	A	405	FAD	N3A-C2A-N1A	-5.36	120.30	128.68
5	A	411	ECN	C15-C14-CL4	5.23	126.93	118.49
5	A	411	ECN	C21-C5-C14	5.19	121.97	116.81
2	A	404	HEM	CBA-CAA-C2A	-5.16	102.97	112.49
5	A	411	ECN	C15-C16-CL8	5.09	125.51	119.15
5	B	411	ECN	C14-C5-C20	-4.33	117.84	122.16
3	B	405	FAD	C5X-C9A-N10	3.90	120.54	117.72
5	A	411	ECN	O20-C20-C19	3.68	113.65	106.33
2	B	404	HEM	CMB-C2B-C3B	3.62	131.46	124.68
3	A	405	FAD	C4'-C3'-C2'	-3.59	105.89	113.36
5	B	411	ECN	O20-C20-C5	-3.55	106.72	112.08
5	B	411	ECN	C15-C14-C5	-3.46	118.28	122.41
5	A	411	ECN	C15-C14-C5	-3.38	118.37	122.41
2	A	404	HEM	CMB-C2B-C3B	3.29	130.84	124.68
5	A	411	ECN	C14-C5-C20	-3.27	118.89	122.16
3	B	405	FAD	C4X-C4-N3	-3.08	119.22	123.43
2	A	404	HEM	CAD-CBD-CGD	-3.03	107.58	112.67
3	A	405	FAD	C4X-N5-C5X	3.00	119.77	116.77
3	A	405	FAD	C4-C4X-N5	3.00	122.02	118.60
2	A	404	HEM	CMA-C3A-C4A	-2.97	123.90	128.46
5	B	411	ECN	C13-C11-CL2	2.87	123.84	119.35
3	B	405	FAD	C4X-N5-C5X	2.87	119.64	116.77
3	B	405	FAD	C9A-N10-C10	-2.83	118.20	121.91
3	B	405	FAD	P-O3P-PA	-2.79	123.23	132.83
5	A	411	ECN	O20-C8-C1	2.79	116.32	109.91
3	B	405	FAD	C1'-C2'-C3'	2.70	117.33	109.79
2	A	404	HEM	CMC-C2C-C3C	2.65	129.63	124.68
5	B	411	ECN	C9-C11-CL2	-2.63	115.24	119.35
3	A	405	FAD	C4-C4X-C10	-2.54	118.27	119.95
5	A	411	ECN	C17-C16-CL8	-2.51	115.43	119.35
3	A	405	FAD	C1'-C2'-C3'	2.42	116.55	109.79
2	A	404	HEM	CBD-CAD-C3D	-2.37	108.11	112.48
3	A	405	FAD	C10-C4X-N5	-2.31	119.66	121.26
3	A	405	FAD	C5X-C9A-N10	2.23	119.33	117.72
3	A	405	FAD	P-O3P-PA	-2.22	125.22	132.83
3	B	405	FAD	C3B-C2B-C1B	2.11	104.15	100.98
2	A	404	HEM	C1D-C2D-C3D	-2.08	105.55	107.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	411	ECN	C8-C1-C2	-2.06	115.83	120.66
3	B	405	FAD	C10-C4X-N5	-2.03	119.85	121.26
3	B	405	FAD	C2A-N1A-C6A	2.01	122.19	118.75

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	411	ECN	C20
5	B	411	ECN	C20

All (29) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	404	HEM	C3D-CAD-CBD-CGD
5	A	411	ECN	N1-C19-C20-C5
5	A	411	ECN	C19-C20-O20-C8
5	A	411	ECN	C5-C20-O20-C8
5	A	411	ECN	C1-C8-O20-C20
5	B	411	ECN	N1-C19-C20-O20
5	B	411	ECN	N1-C19-C20-C5
5	B	411	ECN	C1-C8-O20-C20
4	A	406	DGG	C29-C30-C31-C32
4	B	406	DGG	C30-C31-C32-C33
4	B	406	DGG	C32-C33-C34-C35
4	A	406	DGG	C32-C33-C34-C35
4	A	406	DGG	C30-C31-C32-C33
4	B	406	DGG	C31-C32-C33-C34
4	A	406	DGG	C31-C32-C33-C34
4	A	406	DGG	C22-C23-C24-C25
4	B	406	DGG	C26-C27-C28-C29
4	B	406	DGG	C22-C23-C24-C25
4	A	406	DGG	C23-C24-C25-C26
5	A	411	ECN	N1-C19-C20-O20
5	B	411	ECN	C19-C20-O20-C8
4	A	406	DGG	C39-C30-C31-C32
4	B	406	DGG	C25-C26-C27-C28
4	B	406	DGG	C33-C34-C35-C36
2	B	404	HEM	C3D-CAD-CBD-CGD
3	A	405	FAD	O2'-C2'-C3'-O3'
4	B	406	DGG	C21-C22-C23-C24
4	B	406	DGG	C23-C24-C25-C26
4	A	406	DGG	C27-C28-C29-C39


There are no ring outliers.


7 monomers are involved in 50 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	405	FAD	4	0
4	B	406	DGG	6	0
2	A	404	HEM	4	0
2	B	404	HEM	4	0
5	A	411	ECN	15	0
5	B	411	ECN	18	0
4	A	406	DGG	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/403 (100%)	0.15	22 (5%) 25 24	28, 55, 102, 170	0
1	B	403/403 (100%)	0.90	86 (21%) 0 0	27, 62, 145, 185	0
All	All	806/806 (100%)	0.53	108 (13%) 3 2	27, 57, 134, 185	0

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	402	ALA	10.1
1	B	292	PRO	9.3
1	B	381	LEU	7.6
1	A	292	PRO	7.6
1	B	293	PRO	7.0
1	B	335	PRO	6.2
1	A	293	PRO	6.1
1	B	319	LYS	5.9
1	B	386	ILE	5.9
1	B	334	LEU	5.8
1	B	321	TYR	5.8
1	B	402	ALA	5.5
1	A	400	LEU	5.5
1	B	380	ALA	5.4
1	B	362	ASP	5.4
1	B	320	THR	5.3
1	B	343	TYR	5.2
1	B	356	LYS	5.0
1	B	318	ALA	4.8
1	B	400	LEU	4.7
1	A	228	GLY	4.7
1	B	403	GLU	4.6
1	B	291	ALA	4.5
1	B	305	SER	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	295	GLN	4.4
1	B	337	ASP	4.4
1	B	341	ARG	4.4
1	B	269	ILE	4.3
1	B	263	VAL	4.3
1	B	289	LEU	4.3
1	B	287	VAL	4.2
1	A	230	PRO	4.2
1	B	339	GLN	4.1
1	B	352	LYS	4.1
1	B	379	ASP	4.0
1	B	322	GLU	4.0
1	B	399	ASP	3.9
1	B	290	GLN	3.8
1	B	389	ALA	3.8
1	A	401	PHE	3.8
1	B	288	ALA	3.7
1	B	347	GLY	3.7
1	B	265	ALA	3.7
1	B	332	GLN	3.7
1	B	357	SER	3.6
1	B	363	ALA	3.6
1	B	307	VAL	3.5
1	B	382	LYS	3.5
1	B	306	ALA	3.4
1	B	346	PRO	3.4
1	B	361	PRO	3.4
1	B	330	TYR	3.4
1	B	342	ASP	3.3
1	B	264	ASP	3.3
1	B	304	ASN	3.3
1	B	314	LEU	3.3
1	B	387	HIS	3.2
1	B	376	MET	3.2
1	B	350	ASP	3.2
1	A	362	ASP	3.2
1	B	388	GLU	3.1
1	B	262	ASP	3.1
1	B	354	ILE	3.1
1	B	390	ARG	3.0
1	A	382	LYS	3.0
1	B	296	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	333	PRO	2.9
1	B	355	GLU	2.8
1	B	393	TYR	2.8
1	B	372	PRO	2.8
1	B	323	ASN	2.8
1	B	401	PHE	2.7
1	A	279	THR	2.7
1	A	282	VAL	2.7
1	B	298	PHE	2.6
1	B	344	ASP	2.6
1	A	48	GLN	2.5
1	B	398	PRO	2.5
1	B	395	VAL	2.5
1	B	353	GLN	2.5
1	B	364	ASP	2.5
1	B	345	TYR	2.4
1	B	312	ASP	2.4
1	B	279	THR	2.3
1	A	383	ASN	2.3
1	B	213	MET	2.3
1	B	73	SER	2.3
1	B	378	HIS	2.3
1	B	302	ALA	2.2
1	B	396	PHE	2.2
1	A	47	HIS	2.2
1	B	375	ARG	2.2
1	B	280	PRO	2.2
1	A	398	PRO	2.2
1	B	299	VAL	2.1
1	A	72	ASN	2.1
1	B	366	TYR	2.1
1	A	50	GLN	2.1
1	A	143	ARG	2.1
1	B	286	LYS	2.1
1	A	316	GLU	2.1
1	B	358	ILE	2.1
1	A	323	ASN	2.1
1	A	49	GLU	2.1
1	B	338	VAL	2.0
1	B	316	GLU	2.0
1	B	359	LEU	2.0
1	A	291	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	DGG	A	406	19/50	0.68	0.31	45,58,95,97	0
4	DGG	B	406	19/50	0.70	0.48	28,71,191,193	0
5	ECN	A	411	24/24	0.89	0.24	29,73,99,139	0
5	ECN	B	411	24/24	0.95	0.20	31,53,239,322	0
3	FAD	B	405	53/53	0.95	0.15	24,35,55,63	0
3	FAD	A	405	53/53	0.96	0.13	23,33,80,88	0
6	PO4	A	407	5/5	0.97	0.15	58,70,73,88	0
2	HEM	B	404	43/43	0.98	0.15	19,32,56,80	0
2	HEM	A	404	43/43	0.98	0.16	21,29,66,82	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around DGG A 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DGG B 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ECN A 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ECN B 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FAD B 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD A 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.