



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2021 – 10:25 PM EDT

PDB ID : 1P0M  
Title : Crystal structure of human butyryl cholinesterase in complex with a choline molecule  
Authors : Nicolet, Y.; Lockridge, O.; Masson, P.; Fontecilla-Camps, J.C.; Nachon, F.  
Deposited on : 2003-04-10  
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	<div> <div>5%</div> <div> <div></div> <div>76%</div> <div>21%</div> <div>..</div> </div> </div>
2	B	3	<div> <div>67%</div> <div>33%</div> </div>
2	C	3	<div> <div>67%</div> <div>33%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MES	A	606	-	-	X	-

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 4627 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cholinesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	523	Total	C	N	O	S	92	5	0
			4205	2719	705	765	16			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	engineered mutation	UNP P06276
A	455	GLN	ASN	engineered mutation	UNP P06276
A	481	GLN	ASN	engineered mutation	UNP P06276
A	486	GLN	ASN	engineered mutation	UNP P06276

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	9	0	0
			38	22	2	14			
2	C	3	Total	C	N	O	6	0	0
			38	22	2	14			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	1	0
			14	8	1	5		
3	A	1	Total	C	N	O	4	0
			14	8	1	5		

- Molecule 4 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Cl	0	0
			2	2		

- Molecule 6 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	S	3	0
			12	6	1	4	1		

- Molecule 7 is CHOLINE ION (three-letter code: CHT) (formula: C<sub>5</sub>H<sub>14</sub>NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			7	5	1	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	1	0
			6	3	3		

- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	265	Total 266	O 266	0	1




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cholinesterase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	154.66Å 154.66Å 128.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.43 – 2.38 49.43 – 2.33	Depositor EDS
% Data completeness (in resolution range)	92.9 (49.43-2.38) 91.5 (49.43-2.33)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.44 (at 2.32Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, $R_{free}$	0.215 , 0.244 0.191 , 0.221	Depositor DCC
$R_{free}$ test set	1538 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.0	Xtriage
Anisotropy	0.490	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 68.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4627	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FUC, SO4, MES, CL, CHT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.42	0/4323	0.64	1/5864 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	482	GLU	N-CA-C	-5.35	96.56	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4205	0	4108	101	0
2	B	38	0	34	1	0
2	C	38	0	34	0	0
3	A	42	0	39	4	0
4	A	5	0	0	0	0
5	A	2	0	0	0	0
6	A	12	0	13	6	0
7	A	7	0	14	1	0
8	A	12	0	16	0	0
9	A	266	0	0	11	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4627	0	4258	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:ARG:HH22	1:A:458:LYS:HA	1.21	1.04
1:A:323:LYS:HE2	6:A:606:MES:H61	1.45	0.97
1:A:518:GLN:HE21	1:A:518:GLN:H	0.98	0.92
1:A:518:GLN:H	1:A:518:GLN:NE2	1.75	0.84
1:A:99:ILE:HD11	9:A:904:HOH:O	1.79	0.81
1:A:154:LEU:HD21	1:A:162:ALA:HB1	1.64	0.80
1:A:452:ARG:NH2	1:A:458:LYS:HD2	1.97	0.79
1:A:240:ARG:HG2	1:A:240:ARG:HH11	1.48	0.79
1:A:154:LEU:CD2	1:A:162:ALA:HB1	2.13	0.78
1:A:452:ARG:NH2	1:A:458:LYS:HA	1.98	0.76
1:A:518:GLN:HE21	1:A:518:GLN:N	1.80	0.76
1:A:323:LYS:HG3	6:A:606:MES:H62	1.67	0.75
1:A:156:LEU:HD22	1:A:261:ILE:HD11	1.68	0.75
1:A:176:GLN:HE21	1:A:180:LYS:NZ	1.87	0.72
1:A:323:LYS:HE2	6:A:606:MES:C6	2.22	0.69
1:A:100:PRO:HB3	1:A:138:ARG:HD3	1.73	0.69
1:A:43:PHE:CD1	1:A:154:LEU:HD22	2.29	0.68
1:A:62:ALA:O	1:A:86:THR:HG21	1.95	0.66
1:A:320:GLY:HA3	1:A:419:TYR:CE1	2.31	0.66
1:A:188:ASN:ND2	1:A:190:LYS:H	1.94	0.66
1:A:154:LEU:HD21	1:A:162:ALA:CB	2.27	0.64
1:A:176:GLN:HG2	1:A:180:LYS:HE2	1.81	0.63
1:A:156:LEU:HD13	1:A:243:THR:HG21	1.81	0.61
1:A:227[A]:PHE:CE2	1:A:303:PRO:HB2	2.36	0.61
1:A:276:GLU:O	1:A:279:VAL:HG22	2.00	0.61
1:A:34:ALA:HB2	1:A:173:LEU:HD23	1.85	0.59
1:A:198[B]:SER:OG	1:A:199:ALA:N	2.28	0.59
1:A:420:TYR:OH	6:A:606:MES:H62	2.04	0.58
1:A:188:ASN:HD21	1:A:190:LYS:HB2	1.69	0.58
3:A:538:NAG:H3	9:A:958:HOH:O	2.03	0.58
1:A:161:GLU:HG3	1:A:258:THR:HG23	1.85	0.57
1:A:319:VAL:O	1:A:418:PHE:HA	2.04	0.57
1:A:35:GLN:HG2	9:A:906:HOH:O	2.04	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:GLU:OE2	1:A:408:LYS:HE3	2.04	0.57
1:A:452:ARG:HH21	1:A:458:LYS:HD2	1.67	0.56
1:A:508:THR:HG22	9:A:964:HOH:O	2.06	0.56
1:A:452:ARG:HH22	1:A:458:LYS:CA	2.08	0.56
1:A:285:PRO:HG2	1:A:357:PHE:CE1	2.40	0.56
1:A:159:ASN:OD1	1:A:161:GLU:HG2	2.06	0.56
1:A:240:ARG:HG2	1:A:240:ARG:NH1	2.20	0.55
1:A:69:ILE:HD11	1:A:88:LEU:HD11	1.89	0.54
1:A:24:THR:O	1:A:101:ALA:HB3	2.07	0.53
1:A:119:GLN:NE2	1:A:288:VAL:HG13	2.23	0.53
1:A:238:GLU:O	1:A:242:ARG:HG3	2.09	0.53
1:A:245:ASN:ND2	2:B:3:FUC:H5	2.24	0.52
3:A:538:NAG:H5	9:A:958:HOH:O	2.10	0.52
1:A:154:LEU:HD23	1:A:162:ALA:HB1	1.88	0.52
1:A:320:GLY:HA3	1:A:419:TYR:CZ	2.45	0.52
1:A:42:ARG:O	1:A:43:PHE:HB2	2.10	0.51
1:A:304:ASP:HB3	9:A:866:HOH:O	2.10	0.51
1:A:100:PRO:CB	1:A:138:ARG:HD3	2.39	0.51
1:A:344:ILE:HG23	1:A:382:PRO:O	2.11	0.51
1:A:176:GLN:HE21	1:A:180:LYS:CE	2.23	0.51
1:A:40:ARG:HD3	9:A:885:HOH:O	2.11	0.51
1:A:380:GLN:HA	1:A:380:GLN:OE1	2.10	0.51
7:A:607:CHT:O6	7:A:607:CHT:H83	2.11	0.50
1:A:23:GLY:HA3	1:A:135:ARG:NH2	2.28	0.49
1:A:500:TYR:CZ	1:A:511[B]:MET:HB2	2.47	0.49
1:A:14:ARG:NH2	1:A:57:ASN:OD1	2.45	0.49
1:A:14:ARG:NH2	3:A:537:NAG:H5	2.28	0.48
1:A:119:GLN:HE21	1:A:288:VAL:HG13	1.77	0.48
1:A:176:GLN:NE2	1:A:180:LYS:NZ	2.58	0.48
1:A:211:PRO:HD2	9:A:864:HOH:O	2.13	0.48
1:A:231:TRP:HD1	1:A:397:ASN:HD22	1.62	0.47
1:A:337:PHE:CE1	1:A:345:ILE:HD13	2.49	0.47
1:A:425:SER:HB3	1:A:428:LEU:HD23	1.97	0.47
1:A:272:ILE:O	1:A:276:GLU:HG3	2.14	0.47
1:A:522:TRP:O	1:A:527:PRO:HD3	2.14	0.47
1:A:253:SER:O	1:A:254:ARG:HD2	2.14	0.46
1:A:424:ARG:NH1	1:A:430:TRP:O	2.48	0.46
1:A:227[A]:PHE:CD2	1:A:227[A]:PHE:C	2.89	0.46
1:A:320:GLY:HA3	1:A:419:TYR:CD1	2.50	0.46
1:A:198[A]:SER:HB3	9:A:899[A]:HOH:O	2.15	0.46
1:A:261:ILE:O	1:A:265:ARG:HG3	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:ASP:OD1	1:A:304:ASP:N	2.47	0.46
1:A:380:GLN:HB2	9:A:949:HOH:O	2.16	0.45
1:A:322:ASN:O	1:A:325:GLU:HG2	2.16	0.45
1:A:407:LYS:HG3	1:A:495:SER:OG	2.16	0.45
1:A:112:TRP:HA	1:A:195:PHE:O	2.17	0.45
1:A:515:ARG:NH2	6:A:606:MES:H71	2.31	0.45
1:A:197:GLU:HA	1:A:223:GLN:O	2.16	0.45
1:A:26:THR:HB	1:A:99:ILE:HG12	1.98	0.45
1:A:14:ARG:NH2	3:A:537:NAG:C5	2.80	0.44
1:A:69:ILE:CG2	1:A:70:ASP:N	2.81	0.44
1:A:69:ILE:HG23	1:A:83:ASN:CG	2.38	0.44
1:A:500:TYR:CZ	1:A:511[A]:MET:HB2	2.52	0.44
1:A:227[A]:PHE:CD2	1:A:303:PRO:HB2	2.52	0.44
1:A:195:PHE:CB	1:A:221:ILE:HB	2.47	0.44
1:A:428:LEU:HD21	1:A:440:TYR:CD2	2.53	0.43
1:A:117:GLY:O	1:A:118:PHE:HB2	2.18	0.43
1:A:509:ARG:HG2	1:A:509:ARG:NH1	2.34	0.43
1:A:102:PRO:HD2	1:A:138:ARG:HH22	1.83	0.42
1:A:195:PHE:HB2	1:A:221:ILE:HB	2.02	0.42
1:A:53:SER:HA	9:A:900:HOH:O	2.20	0.42
1:A:448:LEU:N	1:A:449:PRO:CD	2.83	0.42
1:A:330:LEU:O	1:A:334:ALA:HB3	2.20	0.42
1:A:284:THR:HB	1:A:285:PRO:HD2	2.02	0.41
1:A:69:ILE:HD12	1:A:69:ILE:N	2.35	0.41
1:A:76:PHE:CE2	1:A:78:GLY:HA3	2.55	0.41
1:A:420:TYR:CE2	6:A:606:MES:H51	2.55	0.41
1:A:101:ALA:HA	1:A:102:PRO:C	2.41	0.41
1:A:205:SER:HB3	1:A:222:LEU:HD21	2.03	0.41
1:A:310:GLY:HA2	1:A:312:PHE:CE2	2.56	0.41
1:A:506:GLU:HB2	1:A:507:SER:H	1.70	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	522/529 (99%)	497 (95%)	23 (4%)	2 (0%)	34	46

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	506	GLU
1	A	54	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	452/454 (100%)	429 (95%)	23 (5%)	24	36

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	17	GLN
1	A	35	GLN
1	A	86	THR
1	A	154	LEU
1	A	156	LEU
1	A	188	ASN
1	A	195	PHE
1	A	198[A]	SER
1	A	198[B]	SER
1	A	236	LEU
1	A	237	TYR
1	A	240	ARG
1	A	270	GLN
1	A	282	TYR
1	A	286	LEU
1	A	300	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	428	LEU
1	A	454	ASP
1	A	471	TRP
1	A	495	SER
1	A	508	THR
1	A	518	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	ASN
1	A	172	GLN
1	A	176	GLN
1	A	188	ASN
1	A	214	HIS
1	A	275	ASN
1	A	311	GLN
1	A	397	ASN
1	A	498	GLN
1	A	518	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	B	1	1,2	14,14,15	0.67	0	17,19,21	0.60	0
2	NAG	B	2	2	14,14,15	0.59	0	17,19,21	0.61	0
2	FUC	B	3	2	10,10,11	0.49	0	14,14,16	0.51	0
2	NAG	C	1	1,2	14,14,15	0.56	0	17,19,21	0.82	0
2	NAG	C	2	2	14,14,15	0.50	0	17,19,21	0.78	1 (5%)
2	FUC	C	3	2	10,10,11	0.66	0	14,14,16	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	4/6/23/26	0/1/1/1
2	FUC	B	3	2	-	-	0/1/1/1
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	C2-N2-C7	-2.21	119.75	122.90

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1	NAG	C8-C7-N2-C2
2	B	1	NAG	O7-C7-N2-C2
2	B	2	NAG	C8-C7-N2-C2
2	B	2	NAG	O7-C7-N2-C2
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	B	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SO4	A	601	-	4,4,4	0.39	0	6,6,6	0.09	0
8	GOL	A	603	-	5,5,5	0.47	0	5,5,5	0.33	0
6	MES	A	606	-	12,12,12	1.55	2 (16%)	14,16,16	1.28	1 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	A	537	1	14,14,15	0.60	0	17,19,21	0.70	0
7	CHT	A	607	-	6,6,6	0.76	0	8,8,8	0.27	0
3	NAG	A	538	1	14,14,15	0.62	0	17,19,21	0.73	0
8	GOL	A	602	-	5,5,5	0.33	0	5,5,5	0.27	0
3	NAG	A	536	1	14,14,15	0.71	0	17,19,21	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	A	603	-	-	2/4/4/4	-
6	MES	A	606	-	-	3/6/14/14	0/1/1/1
3	NAG	A	537	1	-	2/6/23/26	0/1/1/1
7	CHT	A	607	-	-	0/4/4/4	-
3	NAG	A	538	1	-	2/6/23/26	0/1/1/1
8	GOL	A	602	-	-	2/4/4/4	-
3	NAG	A	536	1	-	2/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	606	MES	C8-S	3.92	1.83	1.77
6	A	606	MES	O2S-S	2.18	1.51	1.45

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	606	MES	C5-N4-C3	3.36	116.40	108.83

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	536	NAG	C8-C7-N2-C2
3	A	536	NAG	O7-C7-N2-C2
8	A	603	GOL	O1-C1-C2-O2
8	A	603	GOL	O1-C1-C2-C3
3	A	538	NAG	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	538	NAG	C4-C5-C6-O6
3	A	537	NAG	C8-C7-N2-C2
3	A	537	NAG	O7-C7-N2-C2
8	A	602	GOL	C1-C2-C3-O3
6	A	606	MES	N4-C7-C8-S
6	A	606	MES	C8-C7-N4-C5
8	A	602	GOL	O2-C2-C3-O3
6	A	606	MES	C8-C7-N4-C3

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	606	MES	6	0
3	A	537	NAG	2	0
7	A	607	CHT	1	0
3	A	538	NAG	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	523/529 (98%)	0.27	28 (5%)	25 28	28, 45, 69, 86	47 (8%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	376	TRP	5.4
1	A	55	ILE	4.6
1	A	52	TRP	4.5
1	A	256	ASN	4.1
1	A	51	LYS	3.8
1	A	380	GLN	3.6
1	A	263	CYS	3.6
1	A	258	THR	3.4
1	A	54	ASP	3.3
1	A	259	GLU	3.2
1	A	251	GLY	3.1
1	A	342	ASN	3.0
1	A	452	ARG	3.0
1	A	381	ARG	2.8
1	A	14	ARG	2.7
1	A	382	PRO	2.7
1	A	507	SER	2.6
1	A	22	GLY	2.6
1	A	260	ILE	2.4
1	A	344	ILE	2.4
1	A	252	CYS	2.4
1	A	21	PHE	2.4
1	A	385	TYR	2.3
1	A	266	ASN	2.2
1	A	495	SER	2.1
1	A	49	LEU	2.1
1	A	20	VAL	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	250	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NAG	B	2	14/15	0.73	0.29	70,73,76,78	5
2	NAG	B	1	14/15	0.82	0.30	62,74,80,81	3
2	NAG	C	2	14/15	0.85	0.20	63,66,72,73	7
2	FUC	C	3	10/11	0.88	0.16	66,71,74,76	1
2	FUC	B	3	10/11	0.93	0.35	67,70,75,76	1
2	NAG	C	1	14/15	0.94	0.13	50,60,68,69	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain B:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
8	GOL	A	602	6/6	0.75	0.28	61,73,74,80	0
3	NAG	A	538	14/15	0.76	0.22	56,66,72,73	4
3	NAG	A	537	14/15	0.76	0.34	76,80,88,89	1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CL	A	701	1/1	0.77	0.23	70,70,70,70	1
3	NAG	A	536	14/15	0.79	0.18	66,71,77,80	0
6	MES	A	606	12/12	0.86	0.19	61,68,81,83	5
4	SO4	A	601	5/5	0.87	0.36	77,85,86,87	0
5	CL	A	702	1/1	0.90	0.50	58,58,58,58	1
8	GOL	A	603	6/6	0.91	0.31	64,66,68,69	1
7	CHT	A	607	7/7	0.96	0.29	37,43,56,60	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.