



Full wwPDB EM Validation Report ⓘ

Nov 9, 2022 – 04:46 PM EST

PDB ID : 6P4L
EMDB ID : EMD-20252
Title : Bile salts alter the mouse norovirus capsid conformation; possible implications for cell attachment and immune evasion.
Authors : Smith, T.J.
Deposited on : 2019-05-28
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	541	
1	B	541	
1	C	541	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 4583 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	203	Total	C	N	O	S	0	0
			1549	1004	256	280	9		
1	B	205	Total	C	N	O	S	0	0
			1559	1009	258	283	9		
1	C	193	Total	C	N	O	S	0	0
			1475	958	244	264	9		

GLY	GLU	VAL	LEU	LEU	ARG	PHE	ARG	ARG	THR	TYR	MET	ARG	GLN	ILE	ASP	THR	ALA	ASP	ALA	ALA	ALA	GLU	GLU	PRO	GLN	PHE	VAL	VAL	SER	TRP	PHE	ALA	ALA	SER	ASN	PHE	THR	VAL	GLN	SER	LEU	LEU	LEU	ARG	TYR	ARG	ASN	THR	THR	GLY	GLN	LEU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	PHE	GLU	CYS	LYS	LEU	TYR	ASN	GLU	GLY	TYR	ILE	ALA	LEU	ALA	LEU	SER	TYR	SER	SER	SER	SER	GLY	GLY	GLY	PRO	PRO	LEU	LEU	THR	PHE	PRO	PRO	THR	THR	THR	ASP	GLY	ILE	PHE	GLU	VAL	VAL	VAL	SER	SER	TRP	TRP	VAL	VAL	PRO	PRO	ARG	ARG	LEU	LEU	TYR	TYR	GLN	GLN	LEU	LEU	ALA	ALA	SER	SER	VAL	VAL	GLY	GLY	SER	SER	LEU	LEU	ALA	ALA	THR	THR	GLY	GLY	ARG	ARG	MET	MET	LEU	LEU	LYS	LYS	GLN	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 1: Capsid protein



MET	ARG	MET	SER	ASP	GLY	ALA	ALA	PRO	LYS	ALA	ASN	GLY	SER	GLU	ALA	SER	GLY	GLN	ASP	LEU	VAL	PRO	ALA	ALA	VAL	GLU	GLN	A29	V30	P31	I32	V35	A36	F56	Q61	I69	S70	P75	L82	L88	N89	L92	Y99	N105	Q109	T118	A119
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------

G120	K121		P129	V130	F131	P132	K133	D150	V151	R152	I157	L162	D163	V164	R165	L168	P188	Tl91	N192	S193	P194	E197	V200	V201	S206	Z207	K208	V216	V217	P220	P221	ILE	GLU	ARG	THR	THR	ILE	TYR	ARG	MET	VAL	ASP	LEU	PRO	VAL	ILE	GLN	ILE	PRO	ARG
------	------	--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	CYS	THR	HIS	ALA	ARG	TRP	PRO	ALA	ALA	VAL	TYR	GLY	LEU	LEU	VAL	ASP	PRO	LEU	SER	PRO	ASN	PRO	GLN	TRP	TRP	GLN	ASN	GLY	ARG	VAL	HIS	ASP	VAL	ASP	GLY	THR	LEU	LEU	GLY	THR	THR	PRO	ILE	SER	GLY	SER	SER	TRP	VAL	SER	CYS	PHE	ALA	ALA	ALA	GLU	ALA	ALA	TYR	GLU	GLU	PHE	TYR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

SER	GLY	THR	GLY	GLY	VAL	ALA	THR	THR	THR	LEU	ILE	GLU	GLN	ASP	GLY	SER	ALA	TYR	VAL	PRO	PRO	GLY	ASP	ARG	ALA	ALA	PRO	LEU	GLY	TYR	PRO	ASP	PHE	SER	SER	GLY	GLN	LEU	GLU	ILE	GLU	GLU	VAL	GLN	THR	GLU	THR	THR	THR	LYS	GLY	ASP	LYS	LEU	LYS	VAL	THR	THR	THR	PHE	GLU	GLU	MET	THR	ILE
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU	GLY	PRO	THR	ASN	ALA	ASP	GLN	ALA	PRO	TYR	GLN	GLY	ARG	PHE	ALA	SER	VAL	THR	ALA	ALA	ALA	SER	LEU	ASP	VAL	VAL	ARG	ARG	ARG	ALA	VAL	VAL	PRO	ARG	SER	SER	ILE	TYR	GLY	GLN	PHE	THR	THR	ILE	PRO	GLU	TYR	ASN	GLY	ASP	GLY	LEU	VAL	VAL	PRO	PRO	LEU	ALA	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PRO	ILE	GLY	PRO	PHE	LEU	PRO	GLY	GLU	VAL	LEU	LEU	ARG	ARG	PHE	THR	THR	TYR	MET	ARG	GLN	ILE	ASP	THR	ALA	ALA	ASP	ALA	ALA	ALA	GLU	GLU	ALA	ALA	ILE	ASP	CYS	PRO	PRO	GLN	GLU	PHE	VAL	SER	TRP	PHE	ALA	SER	ASN	ALA	PHE	THR	VAL	GLN	VAL	SER	THR	ALA	ALA	GLU	ALA	LEU	LEU	LEU	LEU	ARG	TYR	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ASN	THR	LEU	THR	GLY	GLN	LEU	LEU	PHE	CYS	LYS	LEU	TYR	ASN	GLU	GLY	TYR	ILE	ALA	LEU	SER	SER	SER	GLY	PRO	THR	ASP	ILE	PHE	GLU	VAL	VAL	SER	TRP	VAL	PRO	ARG	LEU	TYR	GLN	LEU	ALA	SER	VAL	GLY	SER	LEU	ALA	THR	GLY	ARG	MET
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

LEU
LYS
GLN

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	30719	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	28	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	OTHER	Depositor
Maximum map value	24.837	Depositor
Minimum map value	-15.053	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.777	Depositor
Recommended contour level	1.0	Depositor
Map size (Å)	695.50006, 695.50006, 695.50006	wwPDB
Map dimensions	650, 650, 650	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/1593	0.54	0/2188
1	B	0.45	0/1603	0.53	0/2201
1	C	0.45	0/1518	0.53	0/2084
All	All	0.45	0/4714	0.53	0/6473

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	22	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1549	0	1549	23	0
1	B	1559	0	1557	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1475	0	1477	26	0
All	All	4583	0	4583	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ASN:HD22	1:A:92:LEU:HG	1.55	0.72
1:C:121:LYS:NZ	1:C:150:ASP:OD2	2.28	0.66
1:A:88:LEU:O	1:A:207:SER:OG	2.13	0.65
1:C:165:ARG:NH1	1:C:168:LEU:O	2.31	0.63
1:B:75:PRO:HG3	1:B:188:PRO:HD3	1.79	0.63
1:A:92:LEU:HD11	1:A:209:PRO:HG3	1.82	0.62
1:A:107:GLU:OE2	1:A:158:GLN:NE2	2.33	0.61
1:C:216:VAL:HG12	1:C:217:TYR:HB2	1.82	0.61
1:B:136:LEU:HA	1:B:140:GLN:HE21	1.64	0.61
1:B:89:ASN:HD22	1:B:92:LEU:HG	1.66	0.61
1:A:28:GLN:HG2	1:A:29:ALA:H	1.69	0.58
1:A:100:THR:HG22	1:A:217:TYR:HB3	1.85	0.57
1:B:130:TYR:H	1:B:177:GLU:HG2	1.70	0.56
1:B:49:ASN:ND2	1:B:216:VAL:O	2.39	0.55
1:B:30:VAL:HG23	1:B:32:ILE:HG22	1.88	0.55
1:B:26:VAL:O	1:B:28:GLN:NE2	2.40	0.54
1:C:61:GLN:HA	1:C:206:LEU:HD23	1.91	0.53
1:B:105:ASN:HD22	1:B:163:ASP:H	1.56	0.53
1:B:173:GLN:O	1:B:175:GLN:N	2.42	0.53
1:B:21:LEU:HD12	1:B:154:LEU:HG	1.90	0.52
1:C:35:VAL:HG22	1:C:162:LEU:HD12	1.92	0.51
1:C:75:PRO:HD3	1:C:188:PRO:HB3	1.92	0.51
1:C:30:VAL:HG23	1:C:32:ILE:HG22	1.91	0.51
1:B:25:ALA:HB1	1:B:157:ILE:HG12	1.93	0.50
1:A:109:GLN:HE21	1:A:156:PRO:HB2	1.76	0.50
1:C:69:ILE:HB	1:C:201:VAL:HG12	1.93	0.50
1:A:216:VAL:HG12	1:A:217:TYR:HB2	1.92	0.50
1:B:74:THR:O	1:B:77:GLU:HG3	2.12	0.50
1:B:101:GLY:HA2	1:B:170:HIS:O	2.12	0.50
1:B:105:ASN:ND2	1:B:163:ASP:H	2.11	0.49
1:B:212:ASP:OD2	1:B:212:ASP:N	2.46	0.49
1:A:173:GLN:HB3	1:A:175:GLN:HE22	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:105:ASN:ND2	1:C:163:ASP:H	2.11	0.49
1:C:89:ASN:HD22	1:C:92:LEU:HG	1.78	0.48
1:A:74:THR:O	1:A:77:GLU:HG3	2.14	0.48
1:C:191:THR:OG1	1:C:192:ASN:N	2.45	0.47
1:A:126:LEU:HD21	1:A:160:PRO:O	2.14	0.47
1:B:71:PRO:HG3	1:B:198:SER:HB3	1.96	0.47
1:A:130:TYR:H	1:A:177:GLU:CD	2.18	0.47
1:A:104:GLY:HA3	1:A:213:PHE:HA	1.96	0.47
1:A:131:PHE:CD1	1:A:132:PRO:HD2	2.50	0.46
1:A:99:TYR:HA	1:A:217:TYR:O	2.15	0.46
1:C:99:TYR:HA	1:C:217:TYR:O	2.15	0.46
1:C:150:ASP:OD1	1:C:152:ARG:HG2	2.15	0.46
1:B:150:ASP:OD1	1:B:151:VAL:N	2.49	0.46
1:B:130:TYR:H	1:B:177:GLU:CG	2.29	0.45
1:C:70:SER:HB3	1:C:200:VAL:HG12	1.98	0.45
1:C:197:GLU:N	1:C:197:GLU:OE1	2.48	0.45
1:C:36:ALA:O	1:C:165:ARG:NH2	2.50	0.45
1:C:130:TYR:O	1:C:131:PHE:HB3	2.15	0.45
1:A:172:THR:O	1:A:173:GLN:NE2	2.49	0.45
1:C:109:GLN:HA	1:C:157:ILE:O	2.17	0.45
1:C:220:PRO:HA	1:C:221:PRO:HD3	1.89	0.45
1:A:54:TRP:CE3	1:A:57:GLN:HG3	2.52	0.44
1:B:115:ASN:OD1	1:B:116:ALA:N	2.51	0.44
1:B:216:VAL:HG12	1:B:217:TYR:HB2	2.00	0.44
1:B:73:ASN:HD22	1:B:77:GLU:CD	2.20	0.43
1:A:36:ALA:O	1:A:165:ARG:NH2	2.50	0.43
1:C:133:LYS:HD3	1:C:133:LYS:HA	1.89	0.43
1:A:75:PRO:HD3	1:A:188:PRO:HB3	2.01	0.43
1:A:72:ARG:HH22	1:A:197:GLU:HB3	1.84	0.42
1:C:82:LEU:HD13	1:C:88:LEU:HD21	2.00	0.42
1:C:129:PRO:O	1:C:130:TYR:CG	2.72	0.42
1:B:89:ASN:HB3	1:B:92:LEU:HB2	2.02	0.42
1:B:81:ASP:OD1	1:B:182:VAL:HG22	2.19	0.42
1:B:133:LYS:NZ	1:B:177:GLU:OE1	2.38	0.41
1:C:118:THR:HG22	1:C:119:ALA:H	1.83	0.41
1:C:56:PHE:O	1:C:208:LYS:HD2	2.21	0.41
1:C:105:ASN:HD22	1:C:163:ASP:H	1.69	0.41
1:A:21:LEU:HD12	1:A:21:LEU:HA	1.71	0.41
1:B:22:VAL:O	1:B:153:THR:HG22	2.21	0.41
1:B:189:LEU:O	1:B:190:ARG:NH1	2.53	0.41
1:A:110:LEU:HD21	1:A:124:VAL:HG21	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:THR:HG22	1:C:119:ALA:N	2.35	0.41
1:B:99:TYR:HA	1:B:217:TYR:O	2.20	0.40
1:A:161:LEU:HA	1:A:161:LEU:HD12	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	201/541 (37%)	183 (91%)	18 (9%)	0	100	100
1	B	203/541 (38%)	184 (91%)	19 (9%)	0	100	100
1	C	191/541 (35%)	176 (92%)	13 (7%)	2 (1%)	15	49
All	All	595/1623 (37%)	543 (91%)	50 (8%)	2 (0%)	44	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	194	PRO
1	C	132	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	169/444 (38%)	169 (100%)	0	100	100
1	B	170/444 (38%)	170 (100%)	0	100	100
1	C	161/444 (36%)	161 (100%)	0	100	100
All	All	500/1332 (38%)	500 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	146	HIS
1	A	170	HIS
1	A	173	GLN
1	B	61	GLN
1	B	105	ASN
1	B	109	GLN
1	B	140	GLN
1	B	170	HIS
1	C	49	ASN
1	C	57	GLN
1	C	105	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20252. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 325



Y Index: 325




Z Index: 325


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 357



Y Index: 293




Z Index: 293


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 11046 nm^3 ; this corresponds to an approximate mass of 9979 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-20252 and PDB model 6P4L. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlays


9.1.1 Map-model overlay [i](#)



X




Y




Z


9.1.2 Map-model assembly overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.0).

9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9615	<div></div> 0.5620
A	<div></div> 0.9528	<div></div> 0.5510
B	<div></div> 0.9597	<div></div> 0.5670
C	<div></div> 0.9725	<div></div> 0.5680

