



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 09:57 pm BST

PDB ID : 4P72  
Title : PheRS in complex with compound 2a  
Authors : Ferguson, A.D.  
Deposited on : 2014-03-25  
Resolution : 2.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	792	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 16%, green 82%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>82%</span> <span>16%</span> <span>•</span> </div> </div>
1	B	792	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 15%, green 83%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>83%</span> <span>15%</span> <span>•</span> </div> </div>
2	C	338	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 59%, yellow 9%, grey 30%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span></span> <span>59%</span> <span>9%</span> <span>•</span> <span>30%</span> </div> </div>
2	D	338	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 10%, green 60%, grey 28%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>60%</span> <span>10%</span> <span>•</span> <span>28%</span> </div> </div>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 16183 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phenylalanine–tRNA ligase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	791	Total	C	N	O	S	0	0	0
			6103	3854	1087	1141	21			
1	B	791	Total	C	N	O	S	0	0	0
			6103	3854	1087	1141	21			

- Molecule 2 is a protein called Phenylalanine–tRNA ligase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	235	Total	C	N	O	S	0	0	0
			1897	1203	335	345	14			
2	D	244	Total	C	N	O	S	0	0	0
			1954	1238	345	356	15			

- Molecule 3 is 2-{3-[(4-chloropyridin-2-yl)amino]phenoxy}-N-methylacetamide (three-letter code: 2NL) (formula: C<sub>14</sub>H<sub>14</sub>ClN<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total	C	Cl	N	O	0	0
			20	14	1	3	2		
3	D	1	Total	C	Cl	N	O	0	0
			20	14	1	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	33	Total	O	0	0
			33	33		
4	B	43	Total	O	0	0
			43	43		
4	C	6	Total	O	0	0
			6	6		
4	D	4	Total	O	0	0
			4	4		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Phenylalanine-tRNA ligase beta subunit





#### • Molecule 1: Phenylalanine-tRNA ligase beta subunit






● Molecule 2: Phenylalanine-tRNA ligase alpha subunit



● Molecule 2: Phenylalanine-tRNA ligase alpha subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.30Å 218.83Å 107.63Å 90.00° 101.94° 90.00°	Depositor
Resolution (Å)	75.87 – 2.62 60.93 – 2.62	Depositor EDS
% Data completeness (in resolution range)	99.1 (75.87-2.62) 99.7 (60.93-2.62)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.26 (at 2.61Å)	Xtriage
Refinement program	BUSTER 2.11.5	Depositor
R, $R_{free}$	0.184 , 0.221 0.190 , 0.228	Depositor DCC
$R_{free}$ test set	3822 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.5	Xtriage
Anisotropy	0.489	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 42.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	16183	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2NL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	0/6221	0.75	1/8450 (0.0%)
1	B	0.50	0/6221	0.75	1/8450 (0.0%)
2	C	0.53	0/1946	0.78	1/2628 (0.0%)
2	D	0.55	0/2003	0.76	3/2706 (0.1%)
All	All	0.51	0/16391	0.76	6/22234 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	118	ASP	C-N-CA	8.29	142.44	121.70
1	B	575	ARG	CB-CA-C	-7.50	95.40	110.40
2	D	153	ARG	CD-NE-CZ	6.46	132.65	123.60
1	A	575	ARG	N-CA-CB	5.67	120.80	110.60
2	D	153	ARG	CG-CD-NE	-5.48	100.29	111.80
2	D	103	GLN	CB-CG-CD	5.07	124.78	111.60

There are no chirality outliers.

All (1) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	A	386	GLU	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6103	0	6136	64	0
1	B	6103	0	6136	69	0
2	C	1897	0	1821	25	0
2	D	1954	0	1881	28	0
3	C	20	0	14	3	0
3	D	20	0	14	2	0
4	A	33	0	0	0	0
4	B	43	0	0	0	0
4	C	6	0	0	0	0
4	D	4	0	0	0	0
All	All	16183	0	16002	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:228:GLY:HA3	3:C:301:2NL:H1	1.45	0.97
1:A:566:ARG:HH12	2:C:22:GLN:HE22	1.09	0.93
1:B:559:ASN:HD21	2:D:252:LEU:H	1.23	0.85
1:B:312:ILE:HG12	1:B:315:VAL:HG13	1.59	0.84
1:B:761:HIS:HD2	1:B:763:SER:H	1.28	0.81
1:A:761:HIS:HD2	1:A:763:SER:H	1.27	0.81
1:A:566:ARG:HH12	2:C:22:GLN:NE2	1.79	0.80
1:A:198:HIS:HD2	1:A:200:GLU:H	1.26	0.80
1:B:463:GLU:HG2	2:D:174:PRO:HB3	1.64	0.78
1:B:198:HIS:HD2	1:B:200:GLU:H	1.29	0.77
1:B:564:GLN:HG2	2:D:252:LEU:HD12	1.68	0.75
1:A:483:LEU:HB3	2:D:44:ILE:CG1	2.17	0.74
1:A:695:ARG:H	2:D:257:GLN:HE22	1.34	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:779:VAL:HG11	1:A:790:LEU:HD21	1.71	0.70
1:A:94:ILE:O	1:A:104:ILE:O	2.12	0.68
1:B:564:GLN:HE21	2:D:252:LEU:HB2	1.57	0.68
2:D:28:HIS:HD2	2:D:30:VAL:H	1.42	0.67
1:A:483:LEU:HB3	2:D:44:ILE:HG13	1.76	0.67
1:B:615:LYS:NZ	2:C:16:THR:HG22	2.09	0.67
1:B:514:SER:H	2:D:126:MET:CE	2.09	0.66
2:C:70:HIS:HD2	2:C:72:ALA:H	1.41	0.66
2:C:28:HIS:HD2	2:C:30:VAL:H	1.43	0.65
1:B:514:SER:H	2:D:126:MET:HE1	1.61	0.65
2:D:167:SER:HB2	2:D:177:GLU:HG3	1.79	0.65
2:D:70:HIS:HD2	2:D:72:ALA:H	1.43	0.65
1:B:703:VAL:HG11	1:B:771:VAL:HG21	1.77	0.65
1:A:564:GLN:HE21	2:C:252:LEU:HB2	1.63	0.64
1:A:359:PHE:CE1	1:A:363:VAL:HG21	2.33	0.62
1:A:359:PHE:CD1	1:A:363:VAL:HG21	2.35	0.61
1:B:559:ASN:ND2	2:D:252:LEU:H	1.98	0.60
1:B:615:LYS:HZ1	2:C:16:THR:HG22	1.66	0.59
1:A:779:VAL:CG1	1:A:790:LEU:HD21	2.33	0.58
1:B:557:GLN:HE21	1:B:672:LEU:HD12	1.68	0.57
3:D:301:2NL:N2	3:D:301:2NL:H8	2.19	0.57
1:B:409:ALA:HA	1:B:412:VAL:HG13	1.87	0.56
1:A:200:GLU:OE1	1:A:221:ARG:HD3	2.05	0.56
1:B:310:LEU:HD22	1:B:321:SER:HB3	1.87	0.56
1:A:106:LYS:HE3	1:A:115:PHE:CE1	2.41	0.56
1:B:164:ASN:H	1:B:164:ASN:HD22	1.53	0.56
2:C:233:ARG:HH11	2:C:233:ARG:HG3	1.71	0.55
1:A:323:VAL:HG22	1:A:327:THR:HG21	1.88	0.55
1:B:312:ILE:HG12	1:B:315:VAL:CG1	2.34	0.55
1:B:251:VAL:HG21	1:B:379:ILE:HG13	1.89	0.55
1:B:597:ARG:HA	1:B:609:VAL:CG1	2.36	0.55
1:A:702:GLU:H	1:B:563:GLN:HE22	1.54	0.54
1:A:310:LEU:HD22	1:A:321:SER:HB3	1.88	0.54
1:B:414:GLN:HG3	1:B:415:MET:N	2.22	0.54
1:B:713:GLN:HB2	1:B:742:HIS:HE1	1.73	0.54
2:C:132:GLY:HA3	2:C:227:PHE:CZ	2.42	0.54
1:A:493:ALA:O	1:A:687:VAL:HG12	2.09	0.53
1:B:581:GLU:H	1:B:581:GLU:CD	2.11	0.53
3:C:301:2NL:H8	3:C:301:2NL:N2	2.23	0.53
1:A:177:GLU:OE2	1:A:467:ARG:NH1	2.41	0.53
2:D:132:GLY:HA3	2:D:227:PHE:CZ	2.42	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:LEU:HD21	1:B:178:VAL:HG21	1.90	0.53
1:A:741:TYR:HB3	1:A:752:SER:HB3	1.91	0.52
1:A:482:ARG:HD2	1:B:478:TYR:O	2.09	0.52
1:B:697:LEU:HD11	2:C:254:PHE:HB2	1.92	0.52
1:A:164:ASN:H	1:A:164:ASN:HD22	1.56	0.52
1:B:741:TYR:HB3	1:B:752:SER:HB3	1.91	0.52
2:C:199:LEU:HD23	2:C:233:ARG:HH22	1.74	0.52
1:A:8:LEU:HD21	1:A:178:VAL:HG21	1.91	0.51
1:A:233:MET:CE	1:A:250:ASP:HB3	2.40	0.51
2:D:163:ARG:HB3	2:D:179:ASP:HB2	1.93	0.51
1:A:87:LEU:HD21	1:A:135:GLU:HG2	1.92	0.51
1:A:89:ILE:HD13	1:A:118:LEU:HD22	1.92	0.51
1:B:476:VAL:HG13	2:D:146:GLY:HA2	1.91	0.51
2:C:163:ARG:HB3	2:C:179:ASP:HB2	1.93	0.51
1:A:380:LEU:HD11	1:A:387:PRO:HG3	1.93	0.50
1:B:380:LEU:HD11	1:B:387:PRO:HG3	1.94	0.50
1:A:483:LEU:HB3	2:D:44:ILE:HG12	1.90	0.50
2:C:64:LEU:HD11	2:C:92:SER:HB2	1.94	0.50
1:B:597:ARG:HA	1:B:609:VAL:HG12	1.94	0.50
1:B:716:PRO:HA	2:C:15:VAL:HG21	1.94	0.49
2:C:28:HIS:CD2	2:C:30:VAL:H	2.27	0.49
1:A:478:TYR:O	1:B:482:ARG:HG3	2.12	0.49
2:D:64:LEU:HD11	2:D:92:SER:HB2	1.94	0.49
1:B:38:VAL:HG12	1:B:156:THR:HG23	1.93	0.49
1:B:575:ARG:HG3	1:B:588:MET:SD	2.53	0.49
1:A:575:ARG:HD2	1:A:577:VAL:HG23	1.95	0.48
1:A:716:PRO:HA	2:D:15:VAL:HG21	1.95	0.48
1:A:177:GLU:O	1:A:181:ILE:HG13	2.13	0.48
1:B:713:GLN:HB2	1:B:742:HIS:CE1	2.48	0.48
1:A:415:MET:HG2	1:A:462:ILE:HG21	1.94	0.48
1:B:514:SER:N	2:D:126:MET:HE1	2.26	0.48
2:D:28:HIS:CD2	2:D:30:VAL:H	2.27	0.48
1:B:55:GLN:HE21	1:B:56:HIS:N	2.12	0.48
1:A:537:ILE:HD13	2:C:117:CYS:O	2.14	0.47
1:A:519:ALA:O	1:A:523:LEU:CD2	2.63	0.47
1:B:198:HIS:HD2	1:B:200:GLU:N	2.06	0.47
1:B:575:ARG:HD2	1:B:577:VAL:HG23	1.96	0.47
1:B:618:VAL:HG12	1:B:622:LEU:HD22	1.96	0.47
1:A:452:ARG:HD2	1:A:452:ARG:HA	1.83	0.46
1:A:270:GLU:HG2	1:A:320:HIS:O	2.15	0.46
1:A:297:ARG:NH1	1:A:348:SER:HB2	2.30	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:415:MET:SD	2:C:206:MET:HG3	2.55	0.46
1:A:618:VAL:HG12	1:A:622:LEU:HD22	1.98	0.46
1:B:270:GLU:HG2	1:B:320:HIS:O	2.16	0.46
2:C:199:LEU:HD23	2:C:233:ARG:NH2	2.30	0.46
1:B:202:ARG:HD3	1:B:202:ARG:HA	1.77	0.46
1:B:315:VAL:HB	1:B:356:SER:HB3	1.97	0.46
2:D:167:SER:CB	2:D:177:GLU:HG3	2.45	0.46
1:A:315:VAL:HB	1:A:356:SER:HB3	1.98	0.45
1:B:575:ARG:HG3	1:B:588:MET:CG	2.47	0.45
1:A:435:THR:O	1:A:446:VAL:HA	2.16	0.45
1:A:5:GLU:HG2	1:A:9:ARG:HD2	1.99	0.45
1:A:519:ALA:O	1:A:523:LEU:HD22	2.16	0.45
1:B:435:THR:O	1:B:446:VAL:HA	2.16	0.45
1:A:507:TYR:HB3	1:A:570:PHE:HD2	1.82	0.45
1:A:574:LEU:HD13	1:A:585:GLN:HB3	1.98	0.45
1:B:507:TYR:HB3	1:B:570:PHE:HD2	1.81	0.45
2:D:92:SER:N	2:D:93:PRO:HD2	2.31	0.45
1:A:627:ALA:HB2	1:A:689:GLY:HA2	1.99	0.44
2:C:153:ARG:HG2	2:C:159:GLN:HA	1.99	0.44
1:A:202:ARG:HD3	1:A:202:ARG:HA	1.75	0.44
3:D:301:2NL:N2	3:D:301:2NL:C6	2.81	0.44
1:B:627:ALA:HB2	1:B:689:GLY:HA2	2.00	0.44
1:A:13:ASN:O	1:A:184:VAL:HG21	2.17	0.44
1:A:575:ARG:HG2	1:A:588:MET:CG	2.48	0.44
1:A:566:ARG:HD2	1:A:596:LYS:O	2.18	0.44
1:B:415:MET:HG2	1:B:462:ILE:HG21	2.00	0.44
2:C:92:SER:N	2:C:93:PRO:HD2	2.33	0.43
1:A:9:ARG:NH1	1:A:16:VAL:O	2.49	0.43
1:B:474:LEU:HB2	2:D:145:LYS:HE2	2.01	0.43
1:B:761:HIS:CD2	1:B:763:SER:H	2.20	0.43
1:A:198:HIS:HD2	1:A:200:GLU:N	2.03	0.43
1:B:177:GLU:O	1:B:181:ILE:HG12	2.19	0.43
1:B:597:ARG:HA	1:B:609:VAL:HG13	2.00	0.43
1:A:359:PHE:CD1	1:A:363:VAL:CG2	3.01	0.43
1:B:167:ASP:O	1:B:173:GLY:HA3	2.19	0.42
1:B:87:LEU:HD13	1:B:89:ILE:HD13	2.01	0.42
1:A:568:ARG:HA	1:A:593:ILE:HG22	2.02	0.42
1:B:165:ARG:HA	1:B:165:ARG:HD2	1.76	0.42
3:C:301:2NL:N2	3:C:301:2NL:C6	2.82	0.42
1:B:14:PRO:HB2	1:B:16:VAL:HG22	2.01	0.42
1:B:572:SER:HA	1:B:588:MET:O	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:575:ARG:HG2	1:A:588:MET:HG3	2.02	0.41
1:B:566:ARG:HD2	1:B:596:LYS:O	2.20	0.41
1:B:476:VAL:HG13	2:D:146:GLY:CA	2.49	0.41
1:A:557:GLN:HA	1:A:560:LEU:HB2	2.01	0.41
1:B:602:TRP:CD1	2:D:18:PRO:HD2	2.55	0.41
1:B:557:GLN:HA	1:B:560:LEU:HB2	2.03	0.41
2:D:153:ARG:HG3	2:D:158:LYS:O	2.19	0.41
1:A:712:ASP:O	1:A:715:VAL:HG12	2.20	0.41
1:A:572:SER:HA	1:A:588:MET:O	2.20	0.41
1:A:14:PRO:HB2	1:A:16:VAL:HG22	2.02	0.41
1:B:478:TYR:HE1	2:D:150:GLU:HG2	1.86	0.41
1:A:704:ARG:HA	1:A:757:LEU:O	2.21	0.41
1:B:248:VAL:O	1:B:251:VAL:HG22	2.21	0.40
1:B:615:LYS:HZ2	2:C:16:THR:HG22	1.83	0.40
2:C:163:ARG:HB2	2:C:198:TRP:CZ3	2.56	0.40
2:C:199:LEU:CD2	2:C:233:ARG:HH22	2.34	0.40
1:B:715:VAL:HA	1:B:716:PRO:HD3	2.00	0.40
1:B:455:ILE:HD13	1:B:460:ASP:HB3	2.03	0.40
1:B:568:ARG:HA	1:B:593:ILE:HG22	2.02	0.40
1:A:184:VAL:CG2	1:A:185:PRO:HD2	2.50	0.40
1:A:593:ILE:HD12	1:A:609:VAL:HG21	2.03	0.40
1:B:633:PHE:HB3	2:C:16:THR:HG21	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	789/792 (100%)	770 (98%)	19 (2%)	0	100	100
1	B	789/792 (100%)	772 (98%)	17 (2%)	0	100	100
2	C	231/338 (68%)	220 (95%)	10 (4%)	1 (0%)	34	55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	240/338 (71%)	228 (95%)	10 (4%)	2 (1%)	19	36
All	All	2049/2260 (91%)	1990 (97%)	56 (3%)	3 (0%)	51	74

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	120	ASP
2	C	122	THR
2	D	122	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	645/646 (100%)	583 (90%)	62 (10%)	8	15
1	B	645/646 (100%)	576 (89%)	69 (11%)	6	11
2	C	205/287 (71%)	189 (92%)	16 (8%)	12	24
2	D	211/287 (74%)	194 (92%)	17 (8%)	11	22
All	All	1706/1866 (91%)	1542 (90%)	164 (10%)	8	15

All (164) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	SER
1	A	24	ARG
1	A	27	MET
1	A	54	GLU
1	A	60	ASP
1	A	63	ARG
1	A	76	VAL
1	A	106	LYS
1	A	110	ARG
1	A	122	LYS
1	A	123	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	127	SER
1	A	128	GLU
1	A	129	GLU
1	A	142	VAL
1	A	146	VAL
1	A	164	ASN
1	A	171	LEU
1	A	202	ARG
1	A	225	LEU
1	A	257	ILE
1	A	270	GLU
1	A	282	ASP
1	A	289	LEU
1	A	292	GLN
1	A	295	THR
1	A	307	GLN
1	A	315	VAL
1	A	342	LEU
1	A	361	ARG
1	A	381	ASP
1	A	382	ILE
1	A	386	GLU
1	A	399	LEU
1	A	406	THR
1	A	411	ARG
1	A	437	VAL
1	A	446	VAL
1	A	463	GLU
1	A	515	PHE
1	A	522	GLU
1	A	540	ASP
1	A	560	LEU
1	A	565	SER
1	A	575	ARG
1	A	581	GLU
1	A	606	ARG
1	A	622	LEU
1	A	666	LEU
1	A	673	GLU
1	A	676	VAL
1	A	682	LEU
1	A	690	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	697	LEU
1	A	710	LEU
1	A	713	GLN
1	A	723	GLN
1	A	730	GLU
1	A	736	ARG
1	A	744	LYS
1	A	768	ASP
1	A	785	ARG
1	B	4	SER
1	B	27	MET
1	B	76	VAL
1	B	89	ILE
1	B	93	MET
1	B	101	ASP
1	B	106	LYS
1	B	122	LYS
1	B	123	GLU
1	B	128	GLU
1	B	129	GLU
1	B	142	VAL
1	B	146	VAL
1	B	164	ASN
1	B	165	ARG
1	B	171	LEU
1	B	202	ARG
1	B	225	LEU
1	B	243	ARG
1	B	245	ILE
1	B	249	VAL
1	B	257	ILE
1	B	270	GLU
1	B	282	ASP
1	B	289	LEU
1	B	292	GLN
1	B	307	GLN
1	B	308	ARG
1	B	312	ILE
1	B	342	LEU
1	B	361	ARG
1	B	381	ASP
1	B	382	ILE

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	386	GLU
1	B	399	LEU
1	B	406	THR
1	B	411	ARG
1	B	412	VAL
1	B	414	GLN
1	B	421	ASP
1	B	437	VAL
1	B	452	ARG
1	B	463	GLU
1	B	480	GLN
1	B	482	ARG
1	B	515	PHE
1	B	548	LEU
1	B	560	LEU
1	B	564	GLN
1	B	565	SER
1	B	575	ARG
1	B	581	GLU
1	B	606	ARG
1	B	622	LEU
1	B	645	GLN
1	B	666	LEU
1	B	672	LEU
1	B	673	GLU
1	B	682	LEU
1	B	710	LEU
1	B	713	GLN
1	B	723	GLN
1	B	730	GLU
1	B	736	ARG
1	B	744	LYS
1	B	764	ARG
1	B	768	ASP
1	B	777	ASN
1	B	785	ARG
2	C	11	GLU
2	C	15	VAL
2	C	84	ASN
2	C	90	HIS
2	C	92	SER
2	C	95	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	C	103	GLN
2	C	109	VAL
2	C	117	CYS
2	C	118	ASP
2	C	121	LEU
2	C	153	ARG
2	C	160	LEU
2	C	171	PHE
2	C	199	LEU
2	C	234	LEU
2	D	8	LEU
2	D	15	VAL
2	D	20	ARG
2	D	44	ILE
2	D	57	ASP
2	D	84	ASN
2	D	90	HIS
2	D	92	SER
2	D	95	GLN
2	D	109	VAL
2	D	117	CYS
2	D	122	THR
2	D	153	ARG
2	D	160	LEU
2	D	184	ILE
2	D	199	LEU
2	D	234	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	75	GLN
1	A	144	GLN
1	A	164	ASN
1	A	198	HIS
1	A	564	GLN
1	A	713	GLN
1	A	723	GLN
1	A	742	HIS
1	A	761	HIS
1	B	55	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	144	GLN
1	B	164	ASN
1	B	198	HIS
1	B	261	GLN
1	B	559	ASN
1	B	563	GLN
1	B	564	GLN
1	B	723	GLN
1	B	742	HIS
1	B	761	HIS
2	C	22	GLN
2	C	28	HIS
2	C	70	HIS
2	C	95	GLN
2	D	28	HIS
2	D	70	HIS
2	D	95	GLN
2	D	181	GLN
2	D	257	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	2NL	C	301	-	21,21,21	0.31	0	25,27,27	0.71	0
3	2NL	D	301	-	21,21,21	0.31	0	25,27,27	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	2NL	C	301	-	-	2/11/11/11	0/2/2/2
3	2NL	D	301	-	-	0/11/11/11	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	301	2NL	N-C1-C2-O1
3	C	301	2NL	O-C1-C2-O1


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	2NL	3	0
3	D	301	2NL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight  $> 250$  and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	791/792 (99%)	-0.10	4 (0%) 91 89	33, 51, 84, 107	0
1	B	791/792 (99%)	-0.14	9 (1%) 80 78	29, 49, 82, 107	0
2	C	235/338 (69%)	-0.19	1 (0%) 92 91	38, 49, 78, 112	0
2	D	244/338 (72%)	-0.08	2 (0%) 86 84	35, 50, 88, 114	0
All	All	2061/2260 (91%)	-0.12	16 (0%) 86 84	29, 50, 83, 114	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	709	LEU	3.6
1	A	102	PHE	3.5
1	A	101	ASP	2.7
1	B	782	LEU	2.7
1	B	746	ILE	2.4
1	A	94	ILE	2.4
1	B	754	ALA	2.2
1	B	401	LYS	2.2
1	B	790	LEU	2.2
1	B	738	PHE	2.2
1	B	673	GLU	2.2
2	D	118	ASP	2.2
1	A	83	VAL	2.1
2	D	69	HIS	2.1
2	C	120	ASP	2.1
1	B	402	VAL	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	2NL	D	301	20/20	0.91	0.20	39,46,62,77	0
3	2NL	C	301	20/20	0.93	0.21	32,42,57,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.