



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 05:23 PM BST

PDB ID : 2P8S
Title : Human dipeptidyl peptidase IV/CD26 in complex with a cyclohexalamine inhibitor
Authors : Scapin, G.; Biftu, T.
Deposited on : 2007-03-23
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	728	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>14%</div> <div>.</div> </div> </div>
1	B	728	<div> <div>3%</div> <div> <div></div> <div>84%</div> <div>15%</div> <div>.</div> </div> </div>
2	C	2	<div> <div>50%</div> <div>50%</div> </div>
2	D	2	<div> <div>100%</div> </div>
2	E	2	<div> <div>50%</div> <div>50%</div> </div>
2	F	2	<div> <div>50%</div> <div>50%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	2	 50%50%
2	H	2	 50%50%
2	I	2	 50%50%
2	J	2	 100%
2	K	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	C	2	X	-	-	-
2	NAG	D	1	X	-	-	-
2	NAG	D	2	-	-	-	X
2	NAG	F	2	X	-	-	-
2	NAG	H	2	-	-	-	X
3	NAG	A	1092	-	-	-	X
3	NAG	A	1520	-	-	-	X
3	NAG	B	2092	-	-	-	X
3	NAG	B	2150	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 13442 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIPEPTIDYL PEPTIDASE IV SOLUBLE FORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	5	0
			6000	3846	990	1138	26			
1	B	728	Total	C	N	O	S	0	4	0
			5994	3844	988	1136	26			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	THR	SER	cloning artifact	UNP P27487
B	39	THR	SER	cloning artifact	UNP P27487

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	H	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Na 1 1	0	0

- Molecule 5 is (1S,2R,5S)-5-[3-(TRIFLUOROMETHYL)-5,6-DIHYDRO[1,2,4]TRIAZOL O[4,3-A]PYRAZIN-7(8H)-YL]-2-(2,4,5-TRIFLUOROPHENYL)CYCLOHEXANAMINE (three-letter code: 417) (formula: C₁₈H₁₉F₆N₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C F N 58 36 12 10	0	1
5	B	1	Total C F N 58 36 12 10	0	1


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	504	Total O 504 504	0	0
6	B	491	Total O 491 491	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DIPEPTIDYL PEPTIDASE IV SOLUBLE FORM



- Molecule 1: DIPEPTIDYL PEPTIDASE IV SOLUBLE FORM



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAC1
MAC2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAC1
MAC2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	118.14Å 126.17Å 137.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 46.46 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.9 (30.00-2.20) 98.8 (46.46-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.67 (at 2.20Å)	Xtriage
Refinement program	CNS, CNX	Depositor
R, R_{free}	0.186 , 0.227 0.179 , 0.221	Depositor DCC
R_{free} test set	5222 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	27.2	Xtriage
Anisotropy	0.389	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13442	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, 417, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/6172	0.68	2/8392 (0.0%)
1	B	0.48	0/6166	0.67	1/8386 (0.0%)
All	All	0.48	0/12338	0.67	3/16778 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	319	ILE	N-CA-C	-5.78	95.41	111.00
1	B	388	GLN	N-CA-C	-5.26	96.79	111.00
1	A	300	LEU	N-CA-C	-5.01	97.48	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	700	TYR	Sidechain
1	B	700	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6000	0	5704	73	0
1	B	5994	0	5701	90	0
2	C	28	0	25	0	0
2	D	28	0	25	5	0
2	E	28	0	25	0	0
2	F	28	0	25	4	0
2	G	28	0	25	2	0
2	H	28	0	25	4	0
2	I	28	0	25	1	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
3	A	42	0	39	3	0
3	B	42	0	39	7	0
4	A	1	0	0	0	0
5	A	58	0	38	0	0
5	B	58	0	38	2	0
6	A	504	0	0	5	0
6	B	491	0	0	9	0
All	All	13442	0	11784	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:ARG:HE	3:B:2150:NAG:H83	1.17	1.08
1:A:253:ARG:HH21	1:B:253:ARG:HH21	0.95	0.89
1:A:75:ASN:HD21	3:A:1092:NAG:HN2	1.16	0.88
1:A:149:PRO:HA	2:D:1:NAG:H82	1.56	0.87
2:H:1:NAG:H4	2:H:2:NAG:N2	1.93	0.84
1:B:726:VAL:HG23	1:B:728:VAL:HG23	1.61	0.82
1:B:640:LEU:HD11	1:B:650:GLY:HA3	1.62	0.80
1:B:75:ASN:HD21	3:B:2092:NAG:HN2	1.30	0.80
1:A:253:ARG:NH2	1:B:253:ARG:HH21	1.80	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:LYS:HZ3	1:B:712:HIS:HD2	1.36	0.73
1:A:153:GLN:HE22	1:A:170:ASN:ND2	1.86	0.73
1:B:91:GLU:HG3	1:B:93:SER:H	1.53	0.73
1:A:676:PRO:HG2	1:A:677:GLU:OE2	1.88	0.73
1:B:272:ASN:C	1:B:272:ASN:HD22	1.93	0.72
1:A:179:ASN:H	1:A:179:ASN:HD22	1.38	0.71
1:A:581:ARG:NH1	3:A:1520:NAG:H62	2.06	0.71
1:A:581:ARG:CZ	3:A:1520:NAG:H62	2.22	0.70
1:B:258:LYS:NZ	1:B:712:HIS:HD2	1.89	0.69
1:B:272:ASN:HD21	1:B:274:ASP:HB2	1.57	0.69
1:A:596:ARG:O	1:A:597:ARG:HD3	1.94	0.68
1:B:147:ARG:NE	3:B:2150:NAG:H83	2.02	0.68
1:B:658:ARG:HG2	1:B:661:TYR:CE2	2.27	0.68
1:B:258:LYS:HZ3	1:B:712:HIS:CD2	2.12	0.67
1:B:596:ARG:O	1:B:597:ARG:HD2	1.95	0.67
2:H:1:NAG:H61	2:H:2:NAG:C7	2.25	0.67
1:A:77:LEU:HD23	1:A:88:VAL:HA	1.78	0.66
1:B:114:ILE:HG23	1:B:135:TYR:HB3	1.78	0.65
1:A:640:LEU:HD11	1:A:650:GLY:HA3	1.78	0.65
1:A:253:ARG:HH21	1:B:253:ARG:NH2	1.80	0.64
1:B:121:VAL:HB	1:B:129:THR:OG1	1.97	0.64
1:B:620:ASP:OD2	1:B:623:ARG:HD3	1.97	0.64
1:A:471[A]:ARG:HG3	1:A:480:TYR:CE2	2.32	0.64
1:B:75:ASN:ND2	3:B:2092:NAG:HN2	1.96	0.63
1:A:258:LYS:NZ	1:A:712:HIS:HD2	1.96	0.63
1:B:696:LYS:HG3	1:B:728:VAL:HG22	1.80	0.63
1:B:691:ARG:HD2	6:B:2363:HOH:O	1.99	0.63
1:A:139:LYS:HB3	1:A:139:LYS:NZ	2.13	0.62
1:B:272:ASN:ND2	1:B:274:ASP:H	1.97	0.62
1:A:136:ASP:HB3	1:A:139:LYS:HG2	1.81	0.62
1:A:184:ARG:HH11	1:A:187:TRP:HA	1.65	0.62
1:B:114:ILE:CG2	1:B:135:TYR:HB3	2.30	0.62
1:A:65:ASP:OD2	1:A:466:LYS:HB2	2.00	0.61
1:B:75:ASN:HD21	3:B:2092:NAG:C1	2.14	0.61
2:H:1:NAG:H4	2:H:2:NAG:HN2	1.64	0.61
1:A:173:TYR:CE2	1:A:184:ARG:HG2	2.36	0.60
1:A:388:GLN:HB3	1:A:391:LYS:HB2	1.83	0.60
1:A:535:ASP:OD1	1:A:538:LYS:HE2	2.02	0.60
1:A:111:GLY:O	1:A:137:LEU:HD12	2.01	0.60
1:A:435:GLN:NE2	1:A:441:LYS:HD2	2.19	0.58
1:B:272:ASN:HD22	1:B:274:ASP:H	1.52	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:ASN:N	1:A:170:ASN:HD22	2.02	0.57
1:A:179:ASN:N	1:A:179:ASN:HD22	2.02	0.57
2:F:2:NAG:H3	2:F:2:NAG:O7	2.04	0.57
2:F:1:NAG:H62	2:F:2:NAG:O5	2.05	0.56
1:B:107:ILE:HG22	1:B:108:SER:O	2.06	0.55
1:B:358:ARG:HD2	6:B:2788:HOH:O	2.07	0.55
1:A:69:LEU:HD13	1:A:107:ILE:HD12	1.89	0.54
1:A:248:TYR:CZ	1:B:234:PRO:HB2	2.41	0.54
1:B:676:PRO:HG2	1:B:677:GLU:OE2	2.07	0.53
1:A:388:GLN:CB	1:A:391:LYS:HB2	2.39	0.53
1:A:184:ARG:NH1	1:A:187:TRP:HA	2.23	0.53
1:B:51[A]:ASN:HD21	1:B:54:ARG:HG3	1.74	0.52
1:B:65:ASP:OD2	1:B:466:LYS:HB2	2.09	0.52
1:A:402:TRP:CD2	1:A:421:GLU:HB2	2.45	0.52
1:A:154:TRP:CE2	1:A:212[A]:SER:HB2	2.45	0.52
1:A:726:VAL:HG23	1:A:728:VAL:HG23	1.91	0.52
2:D:2:NAG:O7	2:D:2:NAG:H3	2.10	0.51
1:B:731:GLN:NE2	6:B:2470:HOH:O	2.44	0.51
1:B:501:ASP:O	1:B:505:GLN:HG2	2.10	0.51
1:B:60:LEU:HD12	1:B:60:LEU:C	2.31	0.51
1:B:520:ASN:O	1:B:521:GLU:HB2	2.10	0.50
1:A:154:TRP:CE2	1:A:212[B]:SER:HB3	2.46	0.50
2:H:1:NAG:C4	2:H:2:NAG:N2	2.71	0.50
1:A:54:ARG:HG3	6:A:9368:HOH:O	2.11	0.49
1:A:622:LYS:HE2	6:A:9341:HOH:O	2.11	0.49
2:G:1:NAG:H61	2:G:2:NAG:O5	2.11	0.49
1:B:150:ASN:O	1:B:151:ASN:HB2	2.12	0.49
1:B:487:ASN:HD22	1:B:487:ASN:C	2.14	0.49
1:B:109:PRO:HG2	1:B:158:SER:O	2.12	0.49
1:A:98:PHE:CE2	1:A:100:HIS:HB2	2.48	0.49
1:A:149:PRO:HA	2:D:1:NAG:C8	2.36	0.49
1:B:129:THR:HB	6:B:2795:HOH:O	2.11	0.49
1:B:272:ASN:C	1:B:272:ASN:ND2	2.65	0.48
1:B:658:ARG:HG3	1:B:658:ARG:O	2.12	0.48
1:B:75:ASN:HD21	1:B:92:ASN:ND2	2.11	0.48
1:B:487:ASN:HD22	1:B:488:ASP:N	2.11	0.48
1:A:510:PRO:HD3	1:A:569:SER:HB2	1.95	0.48
1:B:487:ASN:ND2	1:B:489:LYS:H	2.11	0.48
1:B:357:PHE:CD1	5:B:1002[B]:417:H222	2.49	0.48
1:A:512:LYS:HE3	1:A:527:GLN:OE1	2.13	0.48
1:B:334:SER:O	1:B:336:ARG:HG2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:614:SER:HB3	1:B:621[A]:ASN:ND2	2.29	0.48
5:B:1002[B]:417:H221	6:B:2812:HOH:O	2.13	0.48
1:B:658:ARG:HD3	1:B:660:GLU:HB2	1.95	0.47
1:A:153:GLN:HE22	1:A:170:ASN:HD21	1.60	0.47
1:A:109:PRO:HD2	1:A:161:GLY:O	2.14	0.47
1:B:658:ARG:HG2	1:B:661:TYR:CD2	2.50	0.47
1:B:159:PRO:HD3	1:B:216:TRP:CB	2.44	0.47
1:B:111:GLY:O	1:B:137:LEU:HD12	2.15	0.47
1:A:139:LYS:HB3	1:A:139:LYS:HZ3	1.78	0.47
1:A:319:ILE:HG12	6:A:9191:HOH:O	2.14	0.47
2:D:1:NAG:O3	2:D:2:NAG:N2	2.48	0.47
1:A:159:PRO:HD3	1:A:216:TRP:CB	2.44	0.47
1:B:510:PRO:HD3	1:B:569:SER:HB2	1.96	0.46
6:B:2777:HOH:O	2:I:1:NAG:H82	2.15	0.46
1:A:224:ALA:HB1	1:A:268:PHE:CZ	2.50	0.46
1:B:139:LYS:O	1:B:141:GLN:HG3	2.15	0.46
1:B:597:ARG:HG2	6:B:2751:HOH:O	2.16	0.46
1:B:614:SER:HB3	1:B:621[A]:ASN:HD21	1.81	0.46
1:A:626:ILE:HG23	1:A:636:THR:HG23	1.98	0.46
1:A:310:ARG:HA	1:A:328:CYS:O	2.15	0.46
1:B:254:VAL:HA	1:B:255:PRO:HD3	1.88	0.45
1:B:147:ARG:HE	3:B:2150:NAG:C8	2.06	0.45
1:B:129:THR:CB	6:B:2795:HOH:O	2.63	0.45
1:A:137:LEU:O	1:A:140:ARG:HD2	2.16	0.45
1:B:272:ASN:ND2	1:B:274:ASP:N	2.64	0.45
1:B:448:GLU:HG3	6:B:2741:HOH:O	2.16	0.45
1:A:459:VAL:HG22	1:A:460:SER:N	2.32	0.44
1:B:402:TRP:CD2	1:B:421:GLU:HB2	2.53	0.44
1:A:143:ILE:CD1	1:A:178:PRO:HB2	2.47	0.44
1:B:459:VAL:HG22	1:B:460:SER:N	2.33	0.44
1:A:258:LYS:HZ1	1:A:712:HIS:HD2	1.62	0.44
1:A:196:ASN:OD1	1:A:227:GLN:HG3	2.18	0.43
1:A:626:ILE:O	1:A:650:GLY:HA2	2.18	0.43
1:B:167:VAL:HG21	1:B:198:ILE:HG23	1.98	0.43
2:F:1:NAG:H62	2:F:2:NAG:C1	2.48	0.43
1:B:60:LEU:HD12	1:B:60:LEU:O	2.17	0.43
2:D:1:NAG:H4	2:D:2:NAG:H2	1.78	0.43
1:A:136:ASP:CB	1:A:139:LYS:HG2	2.47	0.43
1:A:756:SER:O	1:A:760:LYS:HG3	2.18	0.43
2:G:2:NAG:C1	2:G:2:NAG:O7	2.65	0.43
1:B:765:LEU:HA	1:B:766:PRO:HD3	1.93	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:1:NAG:C6	2:F:2:NAG:C1	2.97	0.43
1:A:291:ALA:O	1:A:295:ILE:HG23	2.19	0.43
1:B:450:ASN:C	1:B:450:ASN:HD22	2.21	0.43
1:B:156:THR:HG21	1:B:214:LEU:HD11	2.01	0.43
1:A:415:LEU:C	1:A:415:LEU:HD23	2.39	0.43
1:B:741:GLY:O	1:B:742:ILE:C	2.57	0.43
1:A:299:TYR:CE1	1:A:665:VAL:HG22	2.54	0.43
1:A:765:LEU:HA	1:A:766:PRO:HD3	1.94	0.43
1:B:751:ILE:O	1:B:755:MET:HG3	2.19	0.43
1:A:105:TYR:HB2	1:A:114:ILE:HD11	2.02	0.42
1:B:422:TYR:CE2	1:B:423:LYS:HE2	2.54	0.42
1:A:139:LYS:HG3	1:A:141:GLN:HB2	2.00	0.42
1:A:184:ARG:HD2	1:A:187:TRP:CD2	2.55	0.42
1:A:41:LYS:HE2	1:A:53:TYR:OH	2.20	0.42
1:A:403:GLU:OE1	1:A:585:TYR:HA	2.20	0.42
1:B:491:LEU:O	1:B:492:ARG:HB3	2.20	0.42
1:B:206:GLU:OE2	1:B:663:ASP:OD2	2.37	0.42
1:A:461:PHE:CD2	1:A:468:TYR:HB3	2.55	0.42
1:A:378:GLU:HG2	6:A:9386:HOH:O	2.19	0.41
1:B:626:ILE:O	1:B:650:GLY:HA2	2.20	0.41
1:B:627:TRP:HB2	1:B:651:ILE:HB	2.02	0.41
1:A:69:LEU:CD1	1:A:107:ILE:HD12	2.50	0.41
1:A:534:PHE:HZ	1:A:618:PHE:CG	2.38	0.41
1:A:60:LEU:HD12	1:A:60:LEU:C	2.41	0.41
1:B:127:SER:HB3	1:B:211:TYR:CD1	2.56	0.41
1:B:73:GLU:O	1:B:74:ASN:HB2	2.20	0.41
1:B:520:ASN:O	1:B:521:GLU:CB	2.69	0.41
1:B:546[A]:VAL:HG22	1:B:547:TYR:N	2.36	0.41
1:B:54:ARG:HB2	1:B:54:ARG:HE	1.76	0.41
1:A:693:GLU:HB2	6:A:9265:HOH:O	2.21	0.41
1:B:105:TYR:HB2	1:B:114:ILE:HD11	2.03	0.41
1:A:677:GLU:CD	1:A:677:GLU:H	2.24	0.41
1:B:684:ARG:HA	1:B:684:ARG:HD3	1.97	0.41
1:A:669:ARG:HD2	1:A:670:TYR:CZ	2.56	0.41
1:B:112:GLN:HG2	1:B:138:ASN:HD21	1.86	0.41
1:B:513:LYS:O	1:B:527:GLN:HA	2.22	0.40
1:B:314:GLN:HG2	1:B:325:MET:HB2	2.04	0.40
1:B:649:CYS:HB3	1:B:699:GLU:HB2	2.04	0.40
1:B:98:PHE:CD2	1:B:100:HIS:HB2	2.56	0.40
1:B:158:SER:HB3	1:B:163:LYS:HB2	2.02	0.40
1:B:414:TYR:CD2	1:B:433:LYS:HE2	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:ASN:ND2	3:B:2092:NAG:C1	2.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	731/728 (100%)	709 (97%)	22 (3%)	0	100	100
1	B	730/728 (100%)	699 (96%)	30 (4%)	1 (0%)	51	60
All	All	1461/1456 (100%)	1408 (96%)	52 (4%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	320	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	658/653 (101%)	640 (97%)	18 (3%)	44	57
1	B	657/653 (101%)	641 (98%)	16 (2%)	49	62
All	All	1315/1306 (101%)	1281 (97%)	34 (3%)	47	58

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	THR
1	A	54	ARG
1	A	139	LYS
1	A	147	ARG
1	A	170	ASN
1	A	179	ASN
1	A	184	ARG
1	A	230	ASP
1	A	326	ASP
1	A	344	GLN
1	A	379	GLU
1	A	385	CYS
1	A	388	GLN
1	A	448	GLU
1	A	472	CYS
1	A	520	ASN
1	A	566	TYR
1	A	597	ARG
1	B	57	LEU
1	B	66	HIS
1	B	129	THR
1	B	156	THR
1	B	254	VAL
1	B	272	ASN
1	B	385	CYS
1	B	388	GLN
1	B	448	GLU
1	B	450	ASN
1	B	472	CYS
1	B	487	ASN
1	B	566	TYR
1	B	621[A]	ASN
1	B	621[B]	ASN
1	B	658	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	123	GLN
1	A	169	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	170	ASN
1	A	179	ASN
1	A	435	GLN
1	A	505	GLN
1	A	572	ASN
1	A	712	HIS
1	B	74	ASN
1	B	75	ASN
1	B	138	ASN
1	B	141	GLN
1	B	169	ASN
1	B	272	ASN
1	B	345	HIS
1	B	450	ASN
1	B	487	ASN
1	B	533	HIS
1	B	572	ASN
1	B	685	ASN
1	B	712	HIS
1	B	731	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

18 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.90	1 (7%)	17,19,21	1.43	3 (17%)
2	NAG	C	2	2	14,14,15	0.82	0	17,19,21	0.80	0
2	NAG	D	1	1,2	14,14,15	0.92	1 (7%)	17,19,21	0.72	0
2	NAG	D	2	2	14,14,15	0.93	1 (7%)	17,19,21	0.86	0
2	NAG	E	1	1,2	14,14,15	0.64	0	17,19,21	0.77	1 (5%)
2	NAG	E	2	2	14,14,15	0.77	0	17,19,21	0.70	0
2	NAG	F	1	1,2	14,14,15	0.79	0	17,19,21	0.75	0
2	NAG	F	2	2	14,14,15	0.82	1 (7%)	17,19,21	0.69	0
2	NAG	G	1	1,2	14,14,15	0.78	0	17,19,21	0.92	1 (5%)
2	NAG	G	2	2	14,14,15	0.64	0	17,19,21	0.59	0
2	NAG	H	1	1,2	14,14,15	0.68	0	17,19,21	0.65	0
2	NAG	H	2	2	14,14,15	0.92	1 (7%)	17,19,21	0.73	0
2	NAG	I	1	1,2	14,14,15	0.53	0	17,19,21	0.64	0
2	NAG	I	2	2	14,14,15	0.68	0	17,19,21	0.62	0
2	NAG	J	1	1,2	14,14,15	0.64	0	17,19,21	0.74	0
2	NAG	J	2	2	14,14,15	0.63	0	17,19,21	0.65	0
2	NAG	K	1	1,2	14,14,15	0.50	0	17,19,21	0.93	1 (5%)
2	NAG	K	2	2	14,14,15	0.63	0	17,19,21	0.74	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	D	1	1,2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	3/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	1/1/5/7	3/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	1/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	J	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	NAG	C1-C2	2.88	1.56	1.52
2	C	1	NAG	C1-C2	2.57	1.56	1.52
2	H	2	NAG	C1-C2	2.51	1.56	1.52
2	D	2	NAG	C1-C2	2.36	1.55	1.52
2	F	2	NAG	C1-C2	2.17	1.55	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	NAG	C4-C3-C2	-3.86	105.36	111.02
2	K	1	NAG	C2-N2-C7	-2.77	118.95	122.90
2	G	1	NAG	C2-N2-C7	-2.38	119.52	122.90
2	E	1	NAG	C2-N2-C7	-2.23	119.73	122.90
2	C	1	NAG	O4-C4-C3	2.15	115.31	110.35
2	C	1	NAG	C3-C4-C5	-2.03	106.61	110.24
2	K	2	NAG	C2-N2-C7	-2.03	120.01	122.90

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	F	2	NAG	C1
2	C	2	NAG	C1
2	D	1	NAG	C1

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	2	NAG	O5-C5-C6-O6
2	H	1	NAG	O5-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	H	1	NAG	C4-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	K	2	NAG	O5-C5-C6-O6
2	K	2	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	G	2	NAG	C1-C2-N2-C7
2	H	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C3-C2-N2-C7
2	J	1	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	D	2	NAG	C3-C2-N2-C7
2	I	2	NAG	C4-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6


There are no ring outliers.


9 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	1	NAG	4	0
2	F	2	NAG	4	0
2	D	2	NAG	3	0
2	H	2	NAG	4	0
2	G	2	NAG	2	0
2	F	1	NAG	3	0
2	G	1	NAG	1	0
2	D	1	NAG	4	0
2	I	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.























5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	B	2092	1	14,14,15	0.78	0	17,19,21	0.59	0
3	NAG	A	1281	1	14,14,15	0.80	0	17,19,21	0.84	1 (5%)
5	417	A	1001[A]	-	29,32,32	1.76	6 (20%)	38,49,49	1.45	6 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	417	A	1001[B]	-	29,32,32	1.80	6 (20%)	38,49,49	1.47	5 (13%)
5	417	B	1002[A]	-	29,32,32	1.88	8 (27%)	38,49,49	1.46	5 (13%)
3	NAG	B	2150	1	14,14,15	0.74	0	17,19,21	0.83	0
3	NAG	B	2321	1	14,14,15	0.64	0	17,19,21	0.95	1 (5%)
3	NAG	A	1520	1	14,14,15	0.81	0	17,19,21	0.65	0
3	NAG	A	1092	1	14,14,15	0.98	1 (7%)	17,19,21	0.59	0
5	417	B	1002[B]	-	29,32,32	1.92	9 (31%)	38,49,49	1.42	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	2092	1	-	4/6/23/26	0/1/1/1
3	NAG	A	1281	1	-	2/6/23/26	0/1/1/1
5	417	A	1001[A]	-	-	0/14/36/36	0/3/4/4
5	417	A	1001[B]	-	-	0/14/36/36	0/3/4/4
5	417	B	1002[A]	-	-	3/14/36/36	0/3/4/4
3	NAG	B	2150	1	-	0/6/23/26	0/1/1/1
3	NAG	B	2321	1	-	0/6/23/26	0/1/1/1
3	NAG	A	1520	1	-	2/6/23/26	0/1/1/1
3	NAG	A	1092	1	-	1/6/23/26	0/1/1/1
5	417	B	1002[B]	-	-	0/14/36/36	0/3/4/4

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1002[A]	417	N35-N34	-6.43	1.25	1.37
5	A	1001[B]	417	N35-N34	-6.33	1.25	1.37
5	A	1001[A]	417	N35-N34	-6.24	1.25	1.37
5	B	1002[B]	417	N35-N34	-5.87	1.26	1.37
3	A	1092	NAG	C1-C2	2.90	1.56	1.52
5	B	1002[B]	417	C4-C3	2.88	1.44	1.39
5	B	1002[B]	417	C1-C2	2.87	1.42	1.37
5	B	1002[B]	417	C3-C2	2.74	1.43	1.38
5	B	1002[B]	417	C39-C33	2.73	1.54	1.51
5	A	1001[A]	417	C4-C5	2.66	1.42	1.37
5	B	1002[A]	417	C3-C2	2.63	1.43	1.38
5	B	1002[A]	417	C4-C5	2.61	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1002[A]	417	C4-C3	2.61	1.44	1.39
5	A	1001[B]	417	C4-C3	2.57	1.44	1.39
5	A	1001[B]	417	C3-C2	2.56	1.43	1.38
5	A	1001[B]	417	C4-C5	2.52	1.41	1.37
5	B	1002[A]	417	C10-C9	2.51	1.57	1.53
5	B	1002[A]	417	C1-C2	2.51	1.41	1.37
5	B	1002[A]	417	C39-C33	2.45	1.53	1.51
5	A	1001[A]	417	C3-C2	2.42	1.42	1.38
5	B	1002[B]	417	C1-C6	2.41	1.41	1.37
5	A	1001[A]	417	C4-C3	2.38	1.43	1.39
5	B	1002[B]	417	C13-C12	2.25	1.57	1.53
5	B	1002[B]	417	C4-C5	2.21	1.41	1.37
5	A	1001[A]	417	C39-C33	2.19	1.53	1.51
5	B	1002[B]	417	C26-C25	2.13	1.55	1.51
5	A	1001[A]	417	C23-C22	2.12	1.56	1.49
5	B	1002[A]	417	C1-C6	2.10	1.41	1.37
5	A	1001[B]	417	C1-C2	2.04	1.41	1.37
5	A	1001[B]	417	C1-C6	2.04	1.41	1.37

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1001[B]	417	F42-C39-C33	-4.98	105.97	111.32
5	B	1002[B]	417	C39-C33-N34	4.26	126.49	122.36
5	B	1002[A]	417	F42-C39-C33	-3.83	107.21	111.32
5	A	1001[A]	417	F42-C39-C33	-3.61	107.44	111.32
5	B	1002[A]	417	C39-C33-N34	3.59	125.84	122.36
5	B	1002[A]	417	F41-C39-C33	-3.58	107.47	111.32
5	B	1002[B]	417	F41-C39-C33	-3.50	107.56	111.32
5	A	1001[B]	417	C39-C33-N34	3.42	125.68	122.36
5	B	1002[B]	417	F42-C39-C33	-3.33	107.75	111.32
5	A	1001[A]	417	F41-C39-C33	-3.32	107.76	111.32
5	A	1001[B]	417	C23-N24-C33	3.12	131.70	125.38
5	A	1001[A]	417	C23-N24-C33	3.11	131.70	125.38
5	B	1002[A]	417	C23-N24-C33	3.09	131.64	125.38
5	B	1002[B]	417	C23-N24-C33	2.87	131.20	125.38
5	A	1001[A]	417	C39-C33-N34	2.85	125.13	122.36
5	A	1001[A]	417	C39-C33-N24	2.61	126.77	124.19
5	A	1001[B]	417	F41-C39-C33	-2.40	108.75	111.32
5	A	1001[A]	417	C33-N34-N35	2.38	109.95	105.24
3	A	1281	NAG	C2-N2-C7	-2.32	119.60	122.90
5	B	1002[A]	417	C33-N34-N35	2.27	109.74	105.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	1002[B]	417	C33-N34-N35	2.14	109.49	105.24
3	B	2321	NAG	C2-N2-C7	-2.13	119.87	122.90
5	A	1001[B]	417	C33-N34-N35	2.01	109.22	105.24

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	2092	NAG	C4-C5-C6-O6
3	B	2092	NAG	O5-C5-C6-O6
3	B	2092	NAG	C1-C2-N2-C7
3	A	1281	NAG	C4-C5-C6-O6
3	A	1520	NAG	C3-C2-N2-C7
3	A	1281	NAG	O5-C5-C6-O6
5	B	1002[A]	417	C11-C12-N21-C26
5	B	1002[A]	417	C13-C12-N21-C22
3	A	1520	NAG	O5-C5-C6-O6
3	B	2092	NAG	C3-C2-N2-C7
5	B	1002[A]	417	C11-C12-N21-C22
3	A	1092	NAG	C1-C2-N2-C7


There are no ring outliers.


5 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2092	NAG	4	0
3	B	2150	NAG	3	0
3	A	1520	NAG	2	0
3	A	1092	NAG	1	0
5	B	1002[B]	417	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	728/728 (100%)	-0.26	13 (1%) 68 66	15, 25, 46, 60	0
1	B	728/728 (100%)	-0.22	20 (2%) 54 52	16, 26, 45, 59	0
All	All	1456/1456 (100%)	-0.24	33 (2%) 60 58	15, 26, 46, 60	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	39	THR	6.4
1	A	766	PRO	4.6
1	B	766	PRO	4.4
1	A	97	GLU	4.2
1	B	98	PHE	3.9
1	B	39	THR	3.9
1	B	96	ASP	3.8
1	A	74	ASN	3.5
1	B	91	GLU	3.5
1	A	73	GLU	3.3
1	B	74	ASN	3.1
1	B	73	GLU	3.0
1	B	138	ASN	3.0
1	A	138	ASN	3.0
1	B	92	ASN	2.8
1	B	93	SER	2.8
1	B	97	GLU	2.8
1	B	88	VAL	2.7
1	A	99	GLY	2.7
1	A	92	ASN	2.7
1	B	100	HIS	2.7
1	A	96	ASP	2.6
1	A	279	VAL	2.6
1	A	93	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	40	ARG	2.4
1	A	98	PHE	2.3
1	B	621[A]	ASN	2.3
1	B	505	GLN	2.3
1	B	765	LEU	2.2
1	B	95	PHE	2.2
1	B	506	ASN	2.1
1	A	40	ARG	2.0
1	B	140	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	H	2	14/15	0.47	0.43	59,61,63,63	0
2	NAG	G	2	14/15	0.53	0.38	54,56,59,59	0
2	NAG	D	2	14/15	0.54	0.41	56,60,62,63	0
2	NAG	C	2	14/15	0.57	0.32	57,59,60,60	0
2	NAG	F	2	14/15	0.71	0.32	52,55,58,58	0
2	NAG	G	1	14/15	0.74	0.27	43,48,49,53	0
2	NAG	K	2	14/15	0.75	0.20	46,48,50,50	0
2	NAG	D	1	14/15	0.78	0.38	52,55,56,58	0
2	NAG	E	2	14/15	0.82	0.22	50,52,54,56	0
2	NAG	C	1	14/15	0.83	0.18	43,46,53,54	0
2	NAG	H	1	14/15	0.85	0.19	46,51,55,56	0
2	NAG	E	1	14/15	0.90	0.17	40,44,47,47	0
2	NAG	I	2	14/15	0.90	0.17	44,46,49,49	0
2	NAG	J	2	14/15	0.90	0.25	43,45,49,49	0
2	NAG	F	1	14/15	0.93	0.13	34,37,43,47	0
2	NAG	K	1	14/15	0.94	0.11	31,33,40,42	0
2	NAG	I	1	14/15	0.94	0.11	33,39,43,43	0
2	NAG	J	1	14/15	0.95	0.10	29,31,37,40	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	B	2150	14/15	0.59	0.56	58,60,64,64	0
3	NAG	A	1520	14/15	0.64	0.41	56,58,61,62	0
3	NAG	B	2092	14/15	0.69	0.42	58,59,61,62	0
3	NAG	A	1092	14/15	0.69	0.47	62,64,65,66	0
3	NAG	B	2321	14/15	0.77	0.23	43,46,48,49	0
3	NAG	A	1281	14/15	0.78	0.19	44,45,47,47	0
5	417	B	1002[A]	29/29	0.89	0.26	18,23,32,33	29
5	417	B	1002[B]	29/29	0.89	0.26	23,25,30,31	29
5	417	A	1001[A]	29/29	0.90	0.25	16,20,30,31	29
5	417	A	1001[B]	29/29	0.90	0.25	21,23,33,35	29

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NA	A	9001	1/1	0.95	0.07	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 417 B 1002 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 417 B 1002 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 417 A 1001 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 417 A 1001 (B):

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.