



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 09:59 am BST

PDB ID : 1PD8
Title : Analysis of Three Crystal Structure Determinations of a 5-Methyl-6-N-Methylanilino Pyridopyrimidine Antifolate Complex with Human Dihydrofolate Reductase
Authors : Cody, V.; Luft, J.R.; Pangborn, W.; Gangjee, A.
Deposited on : 2003-05-19
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	186	<div> <div style="width: 46%; background-color: green;"></div> <div style="width: 34%; background-color: yellow;"></div> <div style="width: 17%; background-color: orange;"></div> <div style="width: 1%; background-color: red;"></div> <div style="width: 2%; background-color: grey;"></div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CO4	A	301	X	-	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 1645 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrofolate reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	186	1502	963	253	279	7	0	0	0

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	48	21	7	17	3	0	0

- Molecule 3 is 2,4-DIAMINO-5-METHYL-6-[(3,4,5-TRIMETHOXY-N-METHYLANILINO) METHYL]PYRIDO[2,3-D]PYRIMIDINE (three-letter code: CO4) (formula: $C_{19}H_{24}N_6O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			28	19	6	3		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	67	Total O 67 67	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Dihydrofolate reductase



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	85.87Å 85.87Å 77.64Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.10)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	0.10	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.173 , 0.197	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1645	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, CO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	1/1537 (0.1%)	2.31	65/2073 (3.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	78	GLU	CD-OE2	5.49	1.31	1.25

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	70	ARG	NE-CZ-NH2	-20.19	110.20	120.30
1	A	137	ARG	NE-CZ-NH2	12.24	126.42	120.30
1	A	70	ARG	NE-CZ-NH1	11.95	126.27	120.30
1	A	168	ASP	CB-CG-OD1	-11.42	108.02	118.30
1	A	162	TYR	CB-CG-CD1	-11.02	114.39	121.00
1	A	137	ARG	NE-CZ-NH1	-10.59	115.01	120.30
1	A	172	GLU	OE1-CD-OE2	10.05	135.36	123.30
1	A	110	ASP	CB-CG-OD1	9.78	127.10	118.30
1	A	123	GLU	OE1-CD-OE2	9.69	134.92	123.30
1	A	91	ARG	NE-CZ-NH2	-9.12	115.74	120.30
1	A	90	SER	N-CA-CB	9.10	124.15	110.50
1	A	32	ARG	CD-NE-CZ	8.96	136.14	123.60
1	A	145	ASP	CB-CG-OD1	8.92	126.33	118.30
1	A	68	LYS	CA-CB-CG	8.81	132.79	113.40
1	A	28	ARG	NE-CZ-NH2	-8.79	115.91	120.30
1	A	78	GLU	CG-CD-OE1	8.50	135.29	118.30
1	A	33	TYR	CB-CG-CD1	8.11	125.86	121.00
1	A	44	GLU	OE1-CD-OE2	7.83	132.69	123.30
1	A	12	GLN	CG-CD-NE2	-7.65	98.33	116.70
1	A	35	GLN	CG-CD-OE1	7.57	136.74	121.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	GLU	CG-CD-OE2	-7.54	103.21	118.30
1	A	162	TYR	CB-CG-CD2	7.41	125.45	121.00
1	A	32	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	A	35	GLN	CB-CG-CD	7.30	130.57	111.60
1	A	186	ASP	CB-CG-OD2	-7.27	111.76	118.30
1	A	88	PHE	O-C-N	6.87	133.69	122.70
1	A	78	GLU	CG-CD-OE2	-6.78	104.75	118.30
1	A	30	GLU	CG-CD-OE1	6.77	131.85	118.30
1	A	161	GLU	OE1-CD-OE2	6.69	131.32	123.30
1	A	140	GLN	N-CA-CB	6.59	122.47	110.60
1	A	107	ASN	N-CA-CB	-6.56	98.79	110.60
1	A	143	GLU	CA-CB-CG	6.47	127.63	113.40
1	A	161	GLU	CG-CD-OE2	-6.44	105.42	118.30
1	A	10	VAL	CB-CA-C	-6.39	99.27	111.40
1	A	87	HIS	CA-C-O	-6.22	107.04	120.10
1	A	32	ARG	NE-CZ-NH2	-6.11	117.24	120.30
1	A	119	SER	O-C-N	6.05	132.39	122.70
1	A	12	GLN	CB-CG-CD	-5.89	96.28	111.60
1	A	133	LEU	CA-CB-CG	5.87	128.79	115.30
1	A	123	GLU	CA-CB-CG	-5.75	100.74	113.40
1	A	21	ASP	CB-CG-OD2	-5.64	113.22	118.30
1	A	78	GLU	CB-CA-C	-5.59	99.22	110.40
1	A	18	LYS	CD-CE-NZ	-5.56	98.92	111.70
1	A	169	VAL	CB-CA-C	5.55	121.95	111.40
1	A	38	THR	CA-CB-CG2	-5.54	104.65	112.40
1	A	105	LEU	N-CA-CB	-5.54	99.33	110.40
1	A	168	ASP	CB-CA-C	5.51	121.42	110.40
1	A	157	LYS	CB-CA-C	-5.47	99.45	110.40
1	A	138	ILE	CA-CB-CG1	5.47	121.40	111.00
1	A	33	TYR	CB-CG-CD2	-5.47	117.72	121.00
1	A	18	LYS	CA-CB-CG	-5.42	101.48	113.40
1	A	14	MET	CG-SD-CE	-5.41	91.55	100.20
1	A	121	TYR	CB-CG-CD1	-5.37	117.78	121.00
1	A	58	PHE	CB-CG-CD2	-5.33	117.07	120.80
1	A	31	PHE	CB-CA-C	-5.32	99.76	110.40
1	A	140	GLN	O-C-N	5.29	131.17	122.70
1	A	138	ILE	N-CA-C	-5.20	96.95	111.00
1	A	154	GLU	OE1-CD-OE2	5.17	129.50	123.30
1	A	161	GLU	CA-C-O	5.16	130.94	120.10
1	A	101	GLU	CB-CA-C	-5.10	100.19	110.40
1	A	140	GLN	CB-CA-C	-5.09	100.21	110.40
1	A	118	SER	O-C-N	5.08	130.84	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	50	VAL	CA-CB-CG2	5.08	118.52	110.90
1	A	30	GLU	OE1-CD-OE2	-5.07	117.21	123.30
1	A	22	LEU	CA-C-O	-5.01	109.57	120.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1502	0	1511	91	1
2	A	48	0	26	11	0
3	A	28	0	24	7	0
4	A	67	0	0	8	1
All	All	1645	0	1561	98	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:GLN:O	1:A:106:ALA:HB2	1.48	1.11
1:A:139:MET:HE1	1:A:178:LYS:HD3	1.36	1.06
3:A:301:CO4:C4B	3:A:301:CO4:O3'	2.15	0.95
1:A:105:LEU:HA	1:A:108:LYS:HD2	1.48	0.93
2:A:300:NDP:H42N	3:A:301:CO4:H512	1.49	0.93
1:A:26:PRO:O	1:A:173:LYS:HE3	1.70	0.91
1:A:107:ASN:ND2	1:A:107:ASN:H	1.66	0.90
1:A:40:THR:HG22	4:A:247:HOH:O	1.71	0.89
3:A:301:CO4:H4B3	3:A:301:CO4:O3'	1.74	0.88
1:A:139:MET:CE	1:A:178:LYS:HD3	2.06	0.86
1:A:72:ASN:H	1:A:87:HIS:HD2	1.21	0.84
1:A:55:LYS:HD3	4:A:226:HOH:O	1.81	0.80
1:A:55:LYS:HD2	2:A:300:NDP:H51N	1.64	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:MET:HE1	1:A:178:LYS:CD	2.12	0.77
1:A:28:ARG:HH12	1:A:173:LYS:NZ	1.85	0.74
1:A:184:LYS:HA	4:A:234:HOH:O	1.87	0.73
1:A:1:VAL:HG22	1:A:109:VAL:HG12	1.70	0.73
1:A:107:ASN:HD22	1:A:107:ASN:H	1.35	0.71
1:A:91:ARG:O	2:A:300:NDP:H2A	1.90	0.71
1:A:72:ASN:H	1:A:87:HIS:CD2	2.08	0.71
1:A:99:LEU:HG	1:A:105:LEU:HD12	1.74	0.69
1:A:139:MET:HE3	1:A:178:LYS:HE2	1.75	0.68
1:A:139:MET:CE	1:A:178:LYS:CD	2.70	0.67
1:A:102:GLN:O	1:A:106:ALA:CB	2.35	0.67
1:A:4:LEU:HD12	1:A:112:VAL:HG22	1.76	0.67
1:A:63:LYS:HD2	1:A:64:ASN:ND2	2.10	0.66
1:A:186:ASP:OD1	1:A:186:ASP:C	2.34	0.65
1:A:28:ARG:H	1:A:28:ARG:HH21	1.44	0.65
1:A:13:ASN:O	1:A:14:MET:HB2	1.96	0.65
1:A:99:LEU:HA	1:A:102:GLN:HG2	1.79	0.64
1:A:114:ILE:HD13	1:A:124:ALA:HB2	1.82	0.62
1:A:166:LEU:HD22	1:A:166:LEU:H	1.64	0.62
3:A:301:CO4:H4B2	3:A:301:CO4:O3'	1.98	0.62
1:A:1:VAL:HG22	1:A:109:VAL:CG1	2.30	0.61
1:A:99:LEU:HG	1:A:105:LEU:CD1	2.30	0.61
1:A:16:ILE:O	2:A:300:NDP:H2N	2.00	0.60
1:A:105:LEU:HD23	1:A:108:LYS:HD2	1.84	0.59
1:A:129:GLY:O	1:A:184:LYS:NZ	2.36	0.58
1:A:139:MET:HE3	1:A:178:LYS:CE	2.33	0.58
1:A:61:PRO:HB3	4:A:252:HOH:O	2.06	0.56
1:A:78:GLU:HG3	2:A:300:NDP:P2B	2.46	0.56
1:A:119:SER:HA	1:A:122:LYS:HG2	1.88	0.56
1:A:3:SER:HB3	1:A:5:ASN:HD21	1.71	0.55
1:A:147:PHE:CD1	1:A:147:PHE:N	2.75	0.55
1:A:168:ASP:O	1:A:170:GLN:NE2	2.39	0.54
1:A:20:GLY:HA2	2:A:300:NDP:H3D	1.89	0.54
1:A:107:ASN:HD22	1:A:107:ASN:N	2.05	0.54
1:A:166:LEU:H	1:A:166:LEU:CD2	2.21	0.53
1:A:97:LEU:O	1:A:100:THR:HB	2.09	0.53
1:A:6:CYS:HB2	1:A:133:LEU:HD12	1.91	0.52
1:A:28:ARG:HH12	1:A:173:LYS:HZ3	1.55	0.52
1:A:99:LEU:HA	1:A:102:GLN:CG	2.39	0.52
1:A:99:LEU:O	1:A:102:GLN:HG2	2.10	0.52
1:A:63:LYS:HD2	1:A:64:ASN:HD21	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:301:CO4:H4'2	3:A:301:CO4:C51	2.23	0.51
1:A:75:LEU:O	2:A:300:NDP:H1B	2.10	0.51
1:A:105:LEU:O	1:A:108:LYS:HB2	2.10	0.51
1:A:166:LEU:HD22	1:A:166:LEU:N	2.26	0.51
1:A:63:LYS:CD	1:A:64:ASN:ND2	2.74	0.51
1:A:50:VAL:HG21	1:A:67:LEU:HD12	1.94	0.50
1:A:130:HIS:HE1	1:A:183:GLU:OE1	1.94	0.49
1:A:132:LYS:HE3	4:A:212:HOH:O	2.12	0.49
1:A:130:HIS:CE1	1:A:183:GLU:OE1	2.66	0.49
1:A:2:GLY:HA3	4:A:250:HOH:O	2.14	0.48
3:A:301:CO4:H2'	3:A:301:CO4:H9'1	1.35	0.48
1:A:116:GLY:HA3	2:A:300:NDP:H5N	1.97	0.47
1:A:76:SER:HB3	1:A:89:LEU:HD11	1.97	0.47
1:A:99:LEU:C	1:A:102:GLN:HG2	2.36	0.47
1:A:102:GLN:C	1:A:106:ALA:HB2	2.28	0.47
1:A:13:ASN:O	1:A:14:MET:CB	2.63	0.46
1:A:42:SER:OG	1:A:110:ASP:OD1	2.34	0.46
1:A:105:LEU:HA	1:A:108:LYS:CD	2.33	0.46
1:A:29:ASN:HB2	1:A:172:GLU:OE1	2.15	0.46
1:A:103:PRO:HA	1:A:106:ALA:CB	2.47	0.45
1:A:54:LYS:HE2	2:A:300:NDP:O1X	2.17	0.45
1:A:4:LEU:CD1	1:A:112:VAL:HG22	2.44	0.45
1:A:18:LYS:HE2	1:A:18:LYS:HB3	1.74	0.45
1:A:30:GLU:HG2	1:A:136:THR:HG21	1.99	0.45
1:A:77:ARG:N	2:A:300:NDP:O3X	2.44	0.45
1:A:123:GLU:O	1:A:123:GLU:HG2	2.18	0.44
1:A:139:MET:CE	1:A:178:LYS:CE	2.95	0.44
1:A:1:VAL:HG21	1:A:100:THR:CG2	2.48	0.44
1:A:133:LEU:HD22	1:A:156:TYR:CE2	2.53	0.44
1:A:28:ARG:HH12	1:A:173:LYS:HZ1	1.65	0.43
1:A:20:GLY:CA	1:A:55:LYS:HE2	2.49	0.43
1:A:156:TYR:CZ	1:A:184:LYS:HD3	2.54	0.43
1:A:63:LYS:HD3	1:A:64:ASN:CG	2.39	0.43
1:A:100:THR:HG22	1:A:101:GLU:N	2.34	0.42
1:A:28:ARG:NH1	4:A:245:HOH:O	2.52	0.42
1:A:102:GLN:C	1:A:104:GLU:N	2.72	0.41
1:A:125:MET:HE3	1:A:125:MET:HB3	1.63	0.41
1:A:31:PHE:O	1:A:35:GLN:HG2	2.20	0.41
1:A:130:HIS:HB2	4:A:210:HOH:O	2.20	0.41
1:A:133:LEU:HD22	1:A:156:TYR:CD2	2.55	0.41
1:A:99:LEU:CA	1:A:102:GLN:HG2	2.48	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:ASN:HD22	1:A:185:ASN:HA	1.67	0.40
1:A:145:ASP:OD1	1:A:146:THR:HG22	2.22	0.40
2:A:300:NDP:H42N	3:A:301:CO4:C51	2.35	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:GLU:OE2	4:A:207:HOH:O[8_544]	1.87	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	184/186 (99%)	176 (96%)	6 (3%)	2 (1%)	14 9

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	GLU
1	A	43	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	168/168 (100%)	148 (88%)	20 (12%)	5 2

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	VAL
1	A	3	SER
1	A	10	VAL
1	A	14	MET
1	A	28	ARG
1	A	36	ARG
1	A	55	LYS
1	A	63	LYS
1	A	68	LYS
1	A	72	ASN
1	A	77	ARG
1	A	100	THR
1	A	107	ASN
1	A	112	VAL
1	A	118	SER
1	A	119	SER
1	A	133	LEU
1	A	140	GLN
1	A	146	THR
1	A	185	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	ASN
1	A	12	GLN
1	A	64	ASN
1	A	87	HIS
1	A	102	GLN
1	A	107	ASN
1	A	185	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CO4	A	301	-	30,30,30	1.30	4 (13%)	40,43,43	3.09	18 (45%)
2	NDP	A	300	-	45,52,52	3.05	22 (48%)	53,80,80	3.13	26 (49%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CO4	A	301	-	1/1/1/1	2/14/14/14	0/3/3/3
2	NDP	A	300	-	-	7/30/77/77	0/5/5/5

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	NDP	C7N-N7N	7.88	1.54	1.33
2	A	300	NDP	O7N-C7N	-6.91	1.08	1.24
2	A	300	NDP	O4B-C1B	6.40	1.50	1.41
2	A	300	NDP	P2B-O3X	-5.46	1.33	1.54
2	A	300	NDP	O4B-C4B	-5.25	1.33	1.45
2	A	300	NDP	O4D-C1D	5.07	1.54	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	NDP	O3B-C3B	4.62	1.53	1.43
2	A	300	NDP	C3D-C4D	3.86	1.62	1.53
2	A	300	NDP	P2B-O2B	3.80	1.66	1.59
2	A	300	NDP	PA-O5B	-3.72	1.44	1.59
2	A	300	NDP	C7N-C3N	3.32	1.55	1.48
3	A	301	CO4	C8A-N8'	3.18	1.41	1.37
2	A	300	NDP	O4D-C4D	3.07	1.51	1.45
2	A	300	NDP	C2N-C3N	3.03	1.43	1.34
2	A	300	NDP	O2B-C2B	-2.97	1.33	1.44
2	A	300	NDP	C6A-C5A	2.81	1.53	1.43
2	A	300	NDP	PA-O1A	-2.81	1.41	1.50
2	A	300	NDP	C5A-C4A	-2.71	1.33	1.40
2	A	300	NDP	C1D-N1N	2.65	1.53	1.46
2	A	300	NDP	P2B-O2X	-2.52	1.45	1.54
3	A	301	CO4	C8'-C6D	2.50	1.55	1.51
3	A	301	CO4	O4'-C4'	2.48	1.42	1.38
3	A	301	CO4	C7'-C6D	2.41	1.42	1.37
2	A	300	NDP	P2B-O1X	-2.32	1.43	1.50
2	A	300	NDP	C6N-N1N	2.08	1.42	1.37
2	A	300	NDP	C6N-C5N	2.08	1.37	1.33

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	300	NDP	O2B-P2B-O1X	-8.35	77.16	109.39
2	A	300	NDP	O3D-C3D-C4D	-7.83	88.42	111.05
3	A	301	CO4	C6D-C8'-N9'	7.40	125.85	114.48
3	A	301	CO4	N2'-C2D-N3'	6.94	128.05	117.25
2	A	300	NDP	C3N-C2N-N1N	-6.41	113.95	123.10
2	A	300	NDP	O7N-C7N-C3N	5.73	131.69	120.90
3	A	301	CO4	O5'-C5'-C6'	-5.50	114.66	124.12
3	A	301	CO4	C6'-C5'-C4'	5.37	126.30	120.22
2	A	300	NDP	PN-O5D-C5D	5.09	151.54	121.68
2	A	300	NDP	O7N-C7N-N7N	-4.95	111.31	122.88
3	A	301	CO4	N2'-C2D-N1'	-4.87	109.85	117.79
2	A	300	NDP	O3X-P2B-O2X	4.85	126.16	107.64
2	A	300	NDP	O3B-C3B-C4B	-4.81	97.15	111.05
3	A	301	CO4	C9'-N9'-C1'	-4.76	111.35	119.57
3	A	301	CO4	C1'-C6'-C5'	-4.74	113.16	120.46
3	A	301	CO4	C2'-C1'-N9'	-4.49	116.14	121.33
3	A	301	CO4	C5B-O5'-C5'	-4.38	110.92	117.53
2	A	300	NDP	N6A-C6A-N1A	4.37	127.66	118.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	300	NDP	C5A-C6A-N6A	-4.31	113.81	120.35
2	A	300	NDP	O2A-PA-O5B	4.06	126.59	107.75
3	A	301	CO4	C9'-N9'-C8'	3.97	125.39	114.84
2	A	300	NDP	C3B-C2B-C1B	-3.90	95.57	102.89
3	A	301	CO4	N1'-C2D-N3'	-3.87	122.06	127.22
2	A	300	NDP	O4B-C1B-C2B	-3.68	100.21	106.59
2	A	300	NDP	C2D-C3D-C4D	-3.42	96.00	102.64
2	A	300	NDP	O3D-C3D-C2D	3.21	122.22	111.82
2	A	300	NDP	O5D-C5D-C4D	-3.15	98.17	108.99
2	A	300	NDP	O5D-PN-O1N	3.14	121.35	109.07
3	A	301	CO4	C8'-C6D-C5D	3.08	125.89	120.55
3	A	301	CO4	C8'-C6D-C7'	-3.03	116.97	121.30
2	A	300	NDP	O2B-C2B-C3B	3.02	122.64	111.68
2	A	300	NDP	C2B-C3B-C4B	-2.94	95.60	101.99
2	A	300	NDP	C2D-C1D-N1N	2.92	120.62	113.30
2	A	300	NDP	O3X-P2B-O1X	2.80	121.66	110.68
3	A	301	CO4	C3B-O3'-C3'	-2.62	113.58	117.53
2	A	300	NDP	O2X-P2B-O1X	-2.51	100.84	110.68
2	A	300	NDP	PN-O3-PA	2.51	141.43	132.83
2	A	300	NDP	O2A-PA-O1A	-2.46	100.08	112.24
3	A	301	CO4	C1'-C2'-C3'	-2.32	116.89	120.46
2	A	300	NDP	O4D-C1D-N1N	-2.26	103.63	108.06
3	A	301	CO4	C3'-C4'-C5'	-2.23	117.28	119.57
3	A	301	CO4	C4D-C4A-C8A	-2.16	113.04	115.45
3	A	301	CO4	O5'-C5'-C4'	2.14	118.92	115.16
2	A	300	NDP	C4A-C5A-N7A	2.13	111.62	109.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	301	CO4	N9'

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	NDP	C5D-O5D-PN-O3
3	A	301	CO4	C5'-C4'-O4'-C4B
3	A	301	CO4	C3'-C4'-O4'-C4B
2	A	300	NDP	C3B-C4B-C5B-O5B
2	A	300	NDP	C2B-O2B-P2B-O2X
2	A	300	NDP	O4B-C4B-C5B-O5B
2	A	300	NDP	O4D-C1D-N1N-C2N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	300	NDP	C2D-C1D-N1N-C2N
2	A	300	NDP	C2N-C3N-C7N-N7N


There are no ring outliers.

2 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	CO4	7	0
2	A	300	NDP	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.