



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 06:07 am BST

PDB ID : 2PD7
Title : 2.0 Angstrom Crystal Structure of the Fungal Blue-Light Photoreceptor Vivid
Authors : Zoltowski, B.D.; Crane, B.R.; Bilwes, A.M.
Deposited on : 2007-03-31
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	149	<div> <div>4%</div> <div>68%</div> <div>24%</div> <div>7%</div> <div>•</div> </div>
1	B	149	<div> <div>8%</div> <div>46%</div> <div>42%</div> <div>7%</div> <div>• 5%</div> </div>

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 2742 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vivid PAS protein VVD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	149	1193	751	204	225	13	0	1	0
1	B	142	1130	710	194	215	11	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	36	MET	-	INITIATING METHIONINE	UNP Q9C3Y6
B	36	MET	-	INITIATING METHIONINE	UNP Q9C3Y6

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	166	Total	O	0	0
			166	166		
3	B	147	Total	O	0	0
			147	147		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Vivid PAS protein VVD



• Molecule 1: Vivid PAS protein VVD



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	36.35Å 80.70Å 58.57Å 90.00° 95.76° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 47.24 – 2.00	Depositor EDS
% Data completeness (in resolution range)	91.3 (30.00-2.00) 92.0 (47.24-2.00)	Depositor EDS
R_{merge}	0.72	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.00Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.245 , 0.285 0.242 , 0.283	Depositor DCC
R_{free} test set	2046 reflections (9.84%)	wwPDB-VP
Wilson B-factor (Å ²)	24.3	Xtriage
Anisotropy	0.749	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 53.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2742	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/1216	0.78	3/1641 (0.2%)
1	B	0.38	0/1150	0.67	0/1550
All	All	0.39	0/2366	0.73	3/3191 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	36	MET	O-C-N	10.17	138.97	122.70
1	A	36	MET	C-N-CA	-10.07	96.54	121.70
1	A	36	MET	CA-C-N	-7.60	100.48	117.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1193	0	1179	57	0
1	B	1130	0	1120	78	0
2	A	53	0	31	2	0
2	B	53	0	30	6	0
3	A	166	0	0	7	0
3	B	147	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	2742	0	2360	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:SER:HB2	2:B:7202:FAD:H8A	1.34	1.04
1:A:59:ASN:N	1:A:60:PRO:HD2	1.75	0.99
1:A:53:GLN:HE22	1:A:169:ARG:H	1.15	0.89
1:A:57:ARG:HG3	1:A:60:PRO:HD3	1.59	0.83
1:A:118:VAL:HA	1:A:119:LYS:HE2	1.60	0.83
1:B:163:LEU:HD11	1:B:165:MET:SD	2.22	0.80
1:B:129:SER:CB	2:B:7202:FAD:H8A	2.12	0.80
1:B:62:VAL:HB	1:B:144:GLU:OE1	1.83	0.79
1:B:139:ILE:HD11	1:B:165:MET:CE	2.12	0.79
1:A:73:LEU:HD11	1:A:87:TYR:HE1	1.50	0.76
1:B:131:THR:HG23	1:B:147:VAL:HG21	1.68	0.76
1:B:130:ASN:HA	1:B:133:ASN:ND2	2.00	0.76
1:A:37:HIS:N	3:A:403:HOH:O	1.78	0.75
1:A:119:LYS:H	1:A:119:LYS:CE	2.01	0.73
1:B:139:ILE:HD11	1:B:165:MET:HE2	1.70	0.72
1:A:119:LYS:H	1:A:119:LYS:HE2	1.55	0.71
1:B:147:VAL:HG22	1:B:148:GLU:H	1.56	0.71
1:B:176:ARG:HH21	1:B:176:ARG:HG2	1.56	0.71
1:A:155:ASN:ND2	1:A:157:GLN:H	1.90	0.70
1:A:59:ASN:OD1	1:A:59:ASN:N	2.22	0.70
1:B:57:ARG:HH21	1:B:144:GLU:CD	1.95	0.69
1:A:58:PRO:C	1:A:60:PRO:HD2	2.11	0.69
1:B:54:ILE:HD12	1:B:179:MET:CE	2.22	0.68
1:B:147:VAL:HG22	1:B:148:GLU:N	2.10	0.67
1:B:90:GLU:CD	1:B:90:GLU:H	2.00	0.65
1:B:163:LEU:HD23	1:B:182:GLN:HG3	1.77	0.65
1:B:61:GLN:O	1:B:62:VAL:HG23	1.97	0.65
1:B:73:LEU:HD11	1:B:87:TYR:HE2	1.61	0.64
1:A:67:VAL:HG21	1:A:181:PHE:CE1	2.33	0.64
1:A:120:PRO:C	1:A:121:LYS:HG2	2.19	0.64
1:B:57:ARG:NH2	1:B:144:GLU:OE1	2.30	0.64
1:A:118:VAL:HA	1:A:119:LYS:CE	2.29	0.63
1:A:59:ASN:N	1:A:60:PRO:CD	2.59	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:ARG:NH2	2:B:7202:FAD:O2P	2.33	0.62
1:B:139:ILE:HD11	1:B:165:MET:HE3	1.81	0.62
1:A:141:ARG:HH21	1:A:141:ARG:HG3	1.65	0.61
1:B:135:MET:O	1:B:139:ILE:HG12	2.00	0.61
1:A:162:PHE:HB3	1:A:183:CYS:HB2	1.81	0.61
1:B:54:ILE:HD12	1:B:179:MET:HE2	1.81	0.60
1:B:63:GLU:HB3	3:B:486:HOH:O	2.02	0.60
1:B:82:ASP:OD2	1:B:109:ARG:NH1	2.35	0.59
1:B:115:ASP:O	1:B:117:MET:HG2	2.03	0.59
1:A:64:LEU:HD21	1:A:166:ILE:HD11	1.85	0.59
1:B:130:ASN:HA	1:B:133:ASN:HD21	1.68	0.58
1:B:121:LYS:HA	2:B:7202:FAD:O2A	2.02	0.58
1:B:179:MET:HE3	1:B:181:PHE:HZ	1.68	0.58
1:A:73:LEU:HB3	3:A:612:HOH:O	2.04	0.58
1:B:170:ASP:OD2	1:B:172:THR:HG22	2.03	0.58
1:B:76:CYS:HB3	1:B:83:THR:HG22	1.87	0.57
1:A:36:MET:HA	3:A:403:HOH:O	2.05	0.57
1:B:172:THR:HG21	1:B:174:GLU:CD	2.25	0.57
1:A:109:ARG:HG3	1:A:118:VAL:HG13	1.86	0.57
1:A:132:ILE:HG22	1:A:135:MET:CE	2.35	0.56
1:B:64:LEU:HD23	1:B:65:GLY:O	2.05	0.56
1:A:155:ASN:C	1:A:155:ASN:HD22	2.09	0.56
1:B:90:GLU:CD	1:B:90:GLU:N	2.60	0.55
1:B:99:SER:N	1:B:102:GLU:OE2	2.39	0.55
1:A:57:ARG:NH2	1:A:62:VAL:O	2.40	0.55
1:A:119:LYS:N	1:A:119:LYS:HE2	2.20	0.54
1:B:176:ARG:NH2	1:B:176:ARG:HG2	2.22	0.54
1:B:50:TYR:O	1:B:54:ILE:HG13	2.07	0.54
1:B:163:LEU:CD1	1:B:165:MET:SD	2.96	0.53
1:B:73:LEU:HD12	1:B:73:LEU:C	2.28	0.53
1:B:102:GLU:OE1	1:B:154:LYS:HE2	2.09	0.53
1:A:73:LEU:HD11	1:A:87:TYR:CE1	2.37	0.53
1:B:179:MET:HE3	1:B:181:PHE:CZ	2.43	0.52
1:B:163:LEU:HD13	1:B:163:LEU:C	2.30	0.52
1:B:54:ILE:CD1	1:B:179:MET:HE2	2.40	0.52
1:B:79:LYS:HD2	1:B:176:ARG:HD2	1.92	0.52
1:B:64:LEU:HD21	1:B:67:VAL:HB	1.92	0.52
1:A:124:ARG:HB3	1:A:127:VAL:HG23	1.91	0.51
1:A:132:ILE:HD11	3:A:334:HOH:O	2.10	0.51
1:B:93:LEU:HD11	1:B:100:ASN:ND2	2.26	0.50
1:A:110:PHE:HA	1:A:118:VAL:HG12	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:LYS:CG	1:A:122:SER:HB3	2.41	0.50
1:B:81:LYS:HE2	3:B:600:HOH:O	2.11	0.50
1:B:73:LEU:HD11	1:B:87:TYR:CE2	2.45	0.50
1:B:153:LYS:HE3	1:B:157:GLN:NE2	2.26	0.50
1:A:167:PRO:HB2	1:A:175:TYR:CD1	2.47	0.49
1:A:73:LEU:HD12	1:A:73:LEU:C	2.33	0.49
1:A:63:GLU:O	1:A:63:GLU:HG2	2.12	0.49
1:A:73:LEU:CB	3:A:612:HOH:O	2.60	0.49
1:A:48:MET:HG2	1:B:52:ILE:HD12	1.94	0.49
1:A:115:ASP:OD2	1:A:117:MET:HB2	2.13	0.48
1:B:67:VAL:HG11	1:B:181:PHE:HE2	1.79	0.48
1:A:64:LEU:CD2	1:A:166:ILE:HD11	2.43	0.48
1:B:147:VAL:HG23	3:B:587:HOH:O	2.12	0.48
1:A:119:LYS:HG2	1:A:122:SER:CB	2.44	0.47
1:B:54:ILE:HD12	1:B:179:MET:HE3	1.94	0.47
1:A:132:ILE:HG22	1:A:135:MET:HE3	1.95	0.47
1:A:155:ASN:ND2	1:A:155:ASN:C	2.68	0.47
1:A:125:LYS:HD2	3:A:359:HOH:O	2.13	0.47
1:B:163:LEU:HD13	1:B:164:THR:N	2.30	0.47
1:A:73:LEU:HG	1:A:89:SER:HB3	1.96	0.46
1:B:103:VAL:HG23	1:B:104:LEU:N	2.31	0.46
1:B:145:VAL:HG22	1:B:146:GLN:N	2.30	0.46
1:B:51:LEU:HD22	1:B:67:VAL:CG1	2.46	0.46
1:B:169:ARG:NE	3:B:306:HOH:O	2.42	0.46
1:B:57:ARG:CZ	1:B:60:PRO:HB3	2.46	0.46
1:A:39:LEU:HD12	1:A:39:LEU:HA	1.82	0.45
1:A:109:ARG:O	1:A:118:VAL:HG11	2.16	0.45
1:A:64:LEU:HD21	1:A:166:ILE:CD1	2.46	0.45
1:B:147:VAL:CG2	1:B:148:GLU:N	2.79	0.45
1:B:147:VAL:CG2	1:B:148:GLU:H	2.27	0.45
1:B:107:ASN:HD22	1:B:109:ARG:H	1.65	0.45
1:A:155:ASN:HD22	1:A:157:GLN:H	1.64	0.45
1:A:67:VAL:HG21	1:A:181:PHE:HE1	1.81	0.44
1:B:102:GLU:O	1:B:106:ARG:NE	2.51	0.44
1:A:155:ASN:HD22	1:A:156:GLY:N	2.15	0.44
2:A:5201:FAD:H51A	2:A:5201:FAD:H8A	2.00	0.44
1:B:172:THR:CG2	1:B:174:GLU:HG2	2.48	0.43
1:B:67:VAL:HG11	1:B:181:PHE:CE2	2.52	0.43
1:B:114:PRO:HG3	1:B:152:PHE:CD2	2.52	0.43
1:A:128:ASP:OD1	1:A:130:ASN:HB3	2.18	0.43
1:B:113:SER:HA	1:B:114:PRO:HD3	1.73	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:LYS:HE3	1:B:157:GLN:HE21	1.82	0.43
1:A:103:VAL:HG23	1:A:104:LEU:N	2.34	0.43
1:B:100:ASN:HA	1:B:103:VAL:HG22	2.00	0.43
1:B:73:LEU:HG	1:B:89:SER:HB3	2.01	0.42
1:A:36:MET:HG3	3:A:403:HOH:O	2.19	0.42
1:A:119:LYS:HG3	1:A:122:SER:HB3	2.00	0.42
1:A:48:MET:HG2	1:B:52:ILE:CD1	2.50	0.42
1:B:99:SER:OG	1:B:102:GLU:HG3	2.20	0.41
1:B:51:LEU:HD22	1:B:67:VAL:HG13	2.01	0.41
1:B:158:ARG:HG2	1:B:159:PHE:N	2.35	0.41
1:B:176:ARG:HH21	1:B:176:ARG:CG	2.29	0.41
1:A:119:LYS:HG2	1:A:122:SER:HB3	2.03	0.41
1:B:45:TYR:CE2	1:B:86:VAL:HG11	2.56	0.41
1:B:74:ILE:HD11	2:B:7202:FAD:C6	2.51	0.40
1:A:132:ILE:HG12	1:A:132:ILE:H	1.71	0.40
1:B:110:PHE:O	1:B:116:GLY:HA2	2.21	0.40
1:B:69:THR:HG23	1:B:69:THR:O	2.20	0.40
1:A:121:LYS:N	2:A:5201:FAD:O1A	2.50	0.40
2:B:7202:FAD:N3A	2:B:7202:FAD:C2B	2.85	0.40
1:A:155:ASN:HD21	1:A:157:GLN:CB	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	148/149 (99%)	140 (95%)	7 (5%)	1 (1%)	22	16
1	B	140/149 (94%)	132 (94%)	6 (4%)	2 (1%)	11	5
All	All	288/298 (97%)	272 (94%)	13 (4%)	3 (1%)	15	9

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	60	PRO
1	B	172	THR
1	B	62	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/132 (101%)	119 (90%)	14 (10%)	7	4
1	B	126/132 (96%)	110 (87%)	16 (13%)	4	2
All	All	259/264 (98%)	229 (88%)	30 (12%)	5	3

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	MET
1	A	39	LEU
1	A	59	ASN
1	A	63	GLU
1	A	81	LYS
1	A	100	ASN
1	A	104	LEU
1	A	119	LYS
1	A	121	LYS
1	A	125	LYS
1	A	127	VAL
1	A	132	ILE
1	A	146	GLN
1	A	155	ASN
1	B	61	GLN
1	B	67	VAL
1	B	69	THR
1	B	86	VAL
1	B	90	GLU
1	B	109	ARG
1	B	115	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	125	LYS
1	B	128	ASP
1	B	133	ASN
1	B	136	ARG
1	B	141	ARG
1	B	144	GLU
1	B	161	ASN
1	B	172	THR
1	B	182	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	53	GLN
1	A	146	GLN
1	A	155	ASN
1	B	56	ASN
1	B	100	ASN
1	B	107	ASN
1	B	157	GLN
1	B	161	ASN
1	B	182	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	5201	-	51,58,58	2.06	12 (23%)	60,89,89	1.97	7 (11%)
2	FAD	B	7202	-	51,58,58	2.07	14 (27%)	60,89,89	2.09	7 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	5201	-	-	5/30/50/50	0/6/6/6
2	FAD	B	7202	-	-	13/30/50/50	0/6/6/6

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	7202	FAD	C4X-N5	6.21	1.42	1.33
2	A	5201	FAD	C4X-N5	6.21	1.42	1.33
2	A	5201	FAD	C9A-N10	5.87	1.46	1.38
2	B	7202	FAD	C4-N3	5.04	1.41	1.33
2	B	7202	FAD	C4X-C10	5.02	1.43	1.38
2	B	7202	FAD	C9A-N10	4.63	1.44	1.38
2	A	5201	FAD	C4X-C10	4.45	1.43	1.38
2	A	5201	FAD	C4-N3	4.33	1.40	1.33
2	A	5201	FAD	O4B-C1B	4.05	1.46	1.41
2	A	5201	FAD	C4A-N3A	3.74	1.40	1.35
2	B	7202	FAD	C10-N1	3.72	1.38	1.33
2	B	7202	FAD	C5X-N5	3.43	1.41	1.35
2	B	7202	FAD	O2B-C2B	-3.37	1.35	1.43
2	A	5201	FAD	C10-N1	3.13	1.37	1.33
2	A	5201	FAD	C9-C8	3.07	1.45	1.37
2	A	5201	FAD	C2A-N3A	2.82	1.36	1.32
2	B	7202	FAD	C4A-N3A	2.73	1.39	1.35
2	A	5201	FAD	C5X-N5	2.69	1.39	1.35
2	B	7202	FAD	C9-C8	2.68	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	7202	FAD	C2B-C1B	-2.51	1.50	1.53
2	B	7202	FAD	O3B-C3B	-2.34	1.37	1.43
2	B	7202	FAD	C2A-N1A	2.22	1.38	1.33
2	B	7202	FAD	PA-O2A	-2.15	1.45	1.55
2	A	5201	FAD	C4'-C3'	2.14	1.57	1.53
2	A	5201	FAD	C2A-N1A	2.08	1.37	1.33
2	B	7202	FAD	C5A-C4A	-2.08	1.35	1.40

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	7202	FAD	C4-N3-C2	11.28	124.66	115.14
2	A	5201	FAD	C4-N3-C2	10.77	124.24	115.14
2	B	7202	FAD	C4X-C4-N3	-6.01	115.21	123.43
2	A	5201	FAD	C4X-C4-N3	-5.68	115.66	123.43
2	A	5201	FAD	C1'-N10-C9A	5.00	122.23	118.29
2	B	7202	FAD	C1'-N10-C9A	4.74	122.03	118.29
2	B	7202	FAD	O4B-C1B-C2B	-3.64	101.61	106.93
2	A	5201	FAD	C3B-C2B-C1B	3.17	105.75	100.98
2	B	7202	FAD	O5B-C5B-C4B	-3.06	98.45	108.99
2	A	5201	FAD	C2B-C3B-C4B	2.49	107.49	102.64
2	B	7202	FAD	O2B-C2B-C3B	2.41	119.61	111.82
2	A	5201	FAD	C4A-C5A-N7A	2.30	111.79	109.40
2	B	7202	FAD	C4-C4X-C10	-2.17	118.52	119.95
2	A	5201	FAD	O2B-C2B-C3B	2.10	118.62	111.82

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	7202	FAD	N10-C1'-C2'-O2'
2	B	7202	FAD	C3'-C4'-C5'-O5'
2	B	7202	FAD	O4'-C4'-C5'-O5'
2	B	7202	FAD	C5'-O5'-P-O1P
2	B	7202	FAD	C5'-O5'-P-O2P
2	B	7202	FAD	O4B-C4B-C5B-O5B
2	B	7202	FAD	C3B-C4B-C5B-O5B
2	A	5201	FAD	C3'-C4'-C5'-O5'
2	A	5201	FAD	C4'-C5'-O5'-P
2	A	5201	FAD	O4'-C4'-C5'-O5'
2	A	5201	FAD	P-O3P-PA-O1A
2	B	7202	FAD	P-O3P-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	7202	FAD	PA-O3P-P-O2P
2	B	7202	FAD	C4'-C5'-O5'-P
2	B	7202	FAD	C5'-O5'-P-O3P
2	A	5201	FAD	O4B-C4B-C5B-O5B
2	B	7202	FAD	PA-O3P-P-O1P
2	B	7202	FAD	C4B-C5B-O5B-PA


There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	5201	FAD	2	0
2	B	7202	FAD	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	149/149 (100%)	0.12	6 (4%) 38 37	18, 29, 45, 54	0
1	B	142/149 (95%)	0.64	12 (8%) 10 10	23, 41, 55, 64	0
All	All	291/298 (97%)	0.38	18 (6%) 20 19	18, 34, 53, 64	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	94	TYR	3.7
1	B	133	ASN	3.0
1	B	155	ASN	2.9
1	B	64	LEU	2.9
1	B	117	MET	2.7
1	B	43	GLY	2.6
1	A	117	MET	2.5
1	B	119	LYS	2.5
1	A	132	ILE	2.4
1	B	171	GLU	2.4
1	A	36	MET	2.4
1	B	63	GLU	2.4
1	A	121	LYS	2.3
1	B	160	VAL	2.3
1	A	59	ASN	2.1
1	B	126	TYR	2.1
1	B	118	VAL	2.0
1	B	71	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FAD	B	7202	53/53	0.88	0.19	24,41,74,74	0
2	FAD	A	5201	53/53	0.93	0.17	16,24,67,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.