



Full wwPDB EM Validation Report ⓘ

Nov 12, 2022 – 08:49 AM EST

PDB ID : 6PES
EMDB ID : EMD-20331
Title : Cryo-EM structure of alpha-synuclein H50Q Wide Fibril
Authors : Boyer, D.R.; Li, B.; Sawaya, M.R.; Jiang, L.; Eisenberg, D.S.
Deposited on : 2019-06-20
Resolution : 3.60 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY









The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	140	
1	B	140	
1	C	140	
1	D	140	
1	E	140	
1	V	140	
1	W	140	
1	X	140	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	Y	140	<div><div><div>5%</div><div>26%</div><div>13%</div><div>61%</div></div></div>
1	Z	140	<div><div><div>5%</div><div>26%</div><div>12%</div><div>61%</div></div></div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 4040 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-synuclein.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	64	Total	C	N	O	0	0
			441	275	76	90		
1	B	64	Total	C	N	O	0	0
			441	275	76	90		
1	C	64	Total	C	N	O	0	0
			441	275	76	90		
1	D	64	Total	C	N	O	0	0
			441	275	76	90		
1	E	64	Total	C	N	O	0	0
			441	275	76	90		
1	W	54	Total	C	N	O	0	0
			367	228	64	75		
1	V	54	Total	C	N	O	0	0
			367	228	64	75		
1	X	54	Total	C	N	O	0	0
			367	228	64	75		
1	Y	54	Total	C	N	O	0	0
			367	228	64	75		
1	Z	54	Total	C	N	O	0	0
			367	228	64	75		

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	50	GLN	HIS	engineered mutation	UNP P37840
B	50	GLN	HIS	engineered mutation	UNP P37840
C	50	GLN	HIS	engineered mutation	UNP P37840
D	50	GLN	HIS	engineered mutation	UNP P37840
E	50	GLN	HIS	engineered mutation	UNP P37840
W	50	GLN	HIS	engineered mutation	UNP P37840
V	50	GLN	HIS	engineered mutation	UNP P37840
X	50	GLN	HIS	engineered mutation	UNP P37840
Y	50	GLN	HIS	engineered mutation	UNP P37840
Z	50	GLN	HIS	engineered mutation	UNP P37840

ASN GLU ASP
GLU GLY
GLY PHE
ALA MET
PRO LYS
GLN GLY
GLU ILE
LEU LYS
GLU ASP
MET MET
PRO VAL
VAL ASP
PRO ASP
ASN ASP
GLU ASN
ALA TYR
GLU MET
MET PRO
SER SER
GLU GLY
GLY TYR
GLN GLN
TYR ASP
PRO GLU
GLU ALA

- Molecule 1: Alpha-synuclein

Chain E:



MET ASP VAL PHE MET LYS GLY LEU SER LYS ALA LYS GLU GLY MET VAL VAL ASP ALA ALA ALA GLU LYS THR LYS GLN GLY VAL ALA GLU ALA GLY TYR LYS ASP TYR GLU PRO GLU ALA

ASN GLU ASP
GLU GLY
GLY PHE
ALA MET
PRO LYS
GLN GLY
GLU ILE
LEU LYS
GLU ASP
MET MET
PRO VAL
VAL ASP
PRO ASP
ASN ASP
GLU ASN
ALA TYR
GLU MET
MET PRO
SER SER
GLU GLY
GLY TYR
GLN GLN
TYR ASP
PRO GLU
GLU ALA

- Molecule 1: Alpha-synuclein

Chain W:



MET ASP VAL PHE MET LYS GLY LEU SER LYS ALA LYS GLU GLY MET VAL VAL ASP ALA ALA ALA GLU LYS THR LYS GLN GLY VAL ALA GLU ALA GLY TYR LYS ASP TYR GLU PRO GLU ALA

A69 V74 A78 Q79 R80 T81 G84 A85 G86 S87 A90 F94 V95 K96 K97 ASP GLN LEU GLY LYS ASN GLU ALA GLY ALA GLY LYS PRO GLN GLY ILE LEU GLU ASP MET PRO VAL SER LYS T44 K45 E46 G47 V48 V49 Q50 T54 K58 E61 V66 G67 G68

PRO GLU ALA

- Molecule 1: Alpha-synuclein

Chain V:



MET ASP VAL PHE MET LYS GLY LEU SER LYS ALA LYS GLU GLY MET VAL VAL ASP ALA ALA ALA GLU LYS THR LYS GLN GLY VAL ALA GLU ALA GLY TYR LYS ASP TYR GLU PRO GLU ALA

A69 V74 A78 Q79 R80 T81 G84 A85 G86 S87 A90 F94 V95 K96 K97 ASP GLN LEU GLY LYS ASN GLU ALA GLY ALA GLY LYS PRO GLN GLY ILE LEU GLU ASP MET PRO VAL SER LYS T44 K45 E46 G47 V48 V49 Q50 T54 K58 E61 V66 G67 G68

PRO GLU ALA

- Molecule 1: Alpha-synuclein

Chain X:




MET ASP VAL PHE MET LYS GLY LEU SER LYS ALA LYS GLU GLY MET VAL VAL ASP ALA ALA ALA GLU LYS THR LYS GLN GLY VAL ALA GLU ALA GLY TYR LYS ASP TYR GLU PRO GLU ALA

A69 V74 A78 Q79 R80 T81 G84 A85 G86 S87 A90 F94 V95 K96 K97 ASP GLN LEU GLY LYS ASN GLU ALA GLY ALA GLY LYS PRO GLN GLY ILE LEU GLU ASP MET PRO VAL SER LYS T44 K45 E46 G47 V48 V49 Q50 T54 K58 E61 V66 G67 G68

PRO GLU ALA


GLU
PRO
GLU
ALA

● Molecule 1: Alpha-synuclein



GLU
PRO
GLU
ALA

● Molecule 1: Alpha-synuclein



GLU
ALA

4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=-0.83°, rise=4.82 Å, axial sym=C1	Depositor
Number of segments used	28016	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	26	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	9.145	Depositor
Minimum map value	-8.161	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.0	Depositor
Map size (Å)	136.32, 136.32, 136.32	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.065, 1.065, 1.065	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/442	0.56	0/597
1	B	0.48	0/442	0.56	0/597
1	C	0.48	0/442	0.56	0/597
1	D	0.48	0/442	0.56	0/597
1	E	0.48	0/442	0.56	0/597
1	V	0.46	1/367 (0.3%)	0.52	0/496
1	W	0.46	1/367 (0.3%)	0.53	0/496
1	X	0.46	1/367 (0.3%)	0.52	0/496
1	Y	0.47	1/367 (0.3%)	0.52	0/496
1	Z	0.46	1/367 (0.3%)	0.53	0/496
All	All	0.47	5/4045 (0.1%)	0.54	0/5465

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Z	66	VAL	CB-CG2	-5.12	1.42	1.52
1	Y	66	VAL	CB-CG2	-5.11	1.42	1.52
1	W	66	VAL	CB-CG2	-5.10	1.42	1.52
1	V	66	VAL	CB-CG2	-5.08	1.42	1.52
1	X	66	VAL	CB-CG2	-5.07	1.42	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	441	0	463	10	0
1	B	441	0	463	10	0
1	C	441	0	463	10	0
1	D	441	0	463	7	0
1	E	441	0	463	7	0
1	V	367	0	389	18	0
1	W	367	0	389	13	0
1	X	367	0	389	19	0
1	Y	367	0	389	20	0
1	Z	367	0	389	14	0
All	All	4040	0	4260	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:W:54:THR:HG21	1:W:74:VAL:HG21	1.71	0.71
1:V:54:THR:HG21	1:V:74:VAL:HG21	1.71	0.71
1:Z:54:THR:HG21	1:Z:74:VAL:HG21	1.71	0.71
1:X:54:THR:HG21	1:X:74:VAL:HG21	1.71	0.71
1:Y:54:THR:HG21	1:Y:74:VAL:HG21	1.71	0.71
1:V:94:PHE:HE2	1:V:96:LYS:HB2	1.63	0.64
1:W:94:PHE:HE2	1:W:96:LYS:HB2	1.63	0.64
1:X:94:PHE:HE2	1:X:96:LYS:HB2	1.63	0.64
1:Y:94:PHE:HE2	1:Y:96:LYS:HB2	1.63	0.64
1:Z:94:PHE:HE2	1:Z:96:LYS:HB2	1.63	0.64
1:W:45:LYS:HB3	1:W:48:VAL:HG11	1.85	0.59
1:V:45:LYS:HB3	1:V:48:VAL:HG11	1.85	0.59
1:X:45:LYS:HB3	1:X:48:VAL:HG11	1.85	0.59
1:Y:45:LYS:HB3	1:Y:48:VAL:HG11	1.85	0.59
1:Z:45:LYS:HB3	1:Z:48:VAL:HG11	1.85	0.59
1:A:80:LYS:O	1:C:80:LYS:HB3	2.05	0.56
1:V:46:GLU:HA	1:X:46:GLU:O	2.06	0.55
1:W:81:THR:O	1:W:81:THR:HG23	2.06	0.55
1:X:48:VAL:HG13	1:Y:48:VAL:HG23	1.89	0.55
1:V:81:THR:HG23	1:V:81:THR:O	2.06	0.55
1:X:81:THR:O	1:X:81:THR:HG23	2.06	0.55
1:Y:81:THR:HG23	1:Y:81:THR:O	2.06	0.55
1:Z:81:THR:HG23	1:Z:81:THR:O	2.06	0.54
1:Y:46:GLU:HA	1:Z:46:GLU:O	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:W:46:GLU:HA	1:V:46:GLU:O	2.08	0.54
1:C:80:LYS:O	1:E:80:LYS:HB3	2.08	0.53
1:X:79:GLN:O	1:Y:79:GLN:HA	2.09	0.53
1:B:80:LYS:HB3	1:D:80:LYS:O	2.08	0.53
1:C:58:LYS:HD3	1:C:61:GLU:HG3	1.91	0.52
1:E:58:LYS:HD3	1:E:61:GLU:HG3	1.92	0.52
1:A:58:LYS:HD3	1:A:61:GLU:HG3	1.92	0.52
1:B:58:LYS:HD3	1:B:61:GLU:HG3	1.91	0.52
1:D:58:LYS:HD3	1:D:61:GLU:HG3	1.92	0.52
1:W:48:VAL:HG13	1:V:48:VAL:HG23	1.92	0.52
1:Y:48:VAL:HG13	1:Z:48:VAL:HG23	1.92	0.52
1:W:58:LYS:NZ	1:W:61:GLU:OE2	2.43	0.51
1:Y:79:GLN:O	1:Z:79:GLN:HA	2.09	0.51
1:X:46:GLU:HA	1:Y:46:GLU:O	2.11	0.51
1:V:58:LYS:NZ	1:V:61:GLU:OE2	2.43	0.51
1:W:79:GLN:O	1:V:79:GLN:HA	2.09	0.51
1:X:58:LYS:NZ	1:X:61:GLU:OE2	2.43	0.51
1:A:80:LYS:HB3	1:B:80:LYS:O	2.10	0.50
1:V:79:GLN:O	1:X:79:GLN:HA	2.10	0.50
1:Z:58:LYS:NZ	1:Z:61:GLU:OE2	2.43	0.50
1:Y:58:LYS:NZ	1:Y:61:GLU:OE2	2.43	0.50
1:V:48:VAL:HG13	1:X:48:VAL:HG23	1.94	0.49
1:C:82:VAL:HG11	1:C:89:ALA:HB2	1.96	0.48
1:A:82:VAL:HG11	1:A:89:ALA:HB2	1.96	0.48
1:B:82:VAL:HG11	1:B:89:ALA:HB2	1.96	0.48
1:D:82:VAL:HG11	1:D:89:ALA:HB2	1.96	0.48
1:E:82:VAL:HG11	1:E:89:ALA:HB2	1.96	0.48
1:W:94:PHE:CE2	1:W:96:LYS:HB2	2.46	0.47
1:Z:94:PHE:CE2	1:Z:96:LYS:HB2	2.46	0.47
1:A:48:VAL:HG23	1:B:48:VAL:HG13	1.96	0.47
1:Y:94:PHE:CE2	1:Y:96:LYS:HB2	2.46	0.46
1:C:48:VAL:HG13	1:E:48:VAL:HG23	1.97	0.46
1:B:48:VAL:HG23	1:D:48:VAL:HG13	1.97	0.46
1:X:94:PHE:CE2	1:X:96:LYS:HB2	2.46	0.46
1:A:48:VAL:HG13	1:C:48:VAL:HG23	1.98	0.46
1:W:84:GLY:O	1:W:87:SER:HB3	2.16	0.45
1:V:94:PHE:CE2	1:V:96:LYS:HB2	2.46	0.45
1:V:84:GLY:O	1:V:87:SER:HB3	2.16	0.45
1:X:84:GLY:O	1:X:87:SER:HB3	2.16	0.45
1:Y:84:GLY:O	1:Y:87:SER:HB3	2.16	0.45
1:A:98:ASP:HB3	1:B:98:ASP:OD1	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:V:61:GLU:HA	1:X:61:GLU:O	2.17	0.44
1:Z:84:GLY:O	1:Z:87:SER:HB3	2.16	0.44
1:V:69:ALA:O	1:X:69:ALA:HA	2.17	0.44
1:A:45:LYS:HB3	1:A:48:VAL:HG11	2.00	0.44
1:C:45:LYS:HB3	1:C:48:VAL:HG11	2.00	0.44
1:E:45:LYS:HB3	1:E:48:VAL:HG11	2.00	0.44
1:B:45:LYS:HB3	1:B:48:VAL:HG11	2.00	0.44
1:D:45:LYS:HB3	1:D:48:VAL:HG11	2.00	0.43
1:C:98:ASP:OD1	1:E:98:ASP:HB3	2.19	0.43
1:W:69:ALA:O	1:V:69:ALA:HA	2.19	0.43
1:X:82:VAL:O	1:Y:82:VAL:HA	2.19	0.43
1:B:98:ASP:HB3	1:D:98:ASP:OD1	2.19	0.42
1:W:61:GLU:HA	1:V:61:GLU:O	2.19	0.42
1:Y:69:ALA:O	1:Z:69:ALA:HA	2.19	0.42
1:Y:61:GLU:HA	1:Z:61:GLU:O	2.19	0.42
1:Z:49:VAL:HG23	1:Z:78:ALA:HB2	2.02	0.41
1:Y:49:VAL:HG23	1:Y:78:ALA:HB2	2.02	0.41
1:X:49:VAL:HG23	1:X:78:ALA:HB2	2.02	0.41
1:X:69:ALA:O	1:Y:69:ALA:HA	2.21	0.41
1:V:49:VAL:HG23	1:V:78:ALA:HB2	2.02	0.41
1:A:98:ASP:OD1	1:C:98:ASP:HB3	2.21	0.41
1:A:94:PHE:HE2	1:A:96:LYS:HB3	1.86	0.41
1:B:94:PHE:HE2	1:B:96:LYS:HB3	1.86	0.41
1:D:94:PHE:HE2	1:D:96:LYS:HB3	1.86	0.41
1:W:49:VAL:HG23	1:W:78:ALA:HB2	2.02	0.41
1:C:94:PHE:HE2	1:C:96:LYS:HB3	1.86	0.40
1:Z:81:THR:O	1:Z:81:THR:CG2	2.69	0.40
1:E:94:PHE:HE2	1:E:96:LYS:HB3	1.86	0.40
1:X:61:GLU:HA	1:Y:61:GLU:O	2.21	0.40
1:Y:81:THR:O	1:Y:81:THR:CG2	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	62/140 (44%)	56 (90%)	6 (10%)	0	100	100
1	B	62/140 (44%)	56 (90%)	6 (10%)	0	100	100
1	C	62/140 (44%)	56 (90%)	6 (10%)	0	100	100
1	D	62/140 (44%)	56 (90%)	6 (10%)	0	100	100
1	E	62/140 (44%)	56 (90%)	6 (10%)	0	100	100
1	V	52/140 (37%)	44 (85%)	8 (15%)	0	100	100
1	W	52/140 (37%)	44 (85%)	8 (15%)	0	100	100
1	X	52/140 (37%)	44 (85%)	8 (15%)	0	100	100
1	Y	52/140 (37%)	44 (85%)	8 (15%)	0	100	100
1	Z	52/140 (37%)	44 (85%)	8 (15%)	0	100	100
All	All	570/1400 (41%)	500 (88%)	70 (12%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	45/103 (44%)	44 (98%)	1 (2%)	52	77
1	B	45/103 (44%)	44 (98%)	1 (2%)	52	77
1	C	45/103 (44%)	44 (98%)	1 (2%)	52	77
1	D	45/103 (44%)	44 (98%)	1 (2%)	52	77
1	E	45/103 (44%)	44 (98%)	1 (2%)	52	77
1	V	37/103 (36%)	37 (100%)	0	100	100
1	W	37/103 (36%)	37 (100%)	0	100	100
1	X	37/103 (36%)	37 (100%)	0	100	100
1	Y	37/103 (36%)	37 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	Z	37/103 (36%)	37 (100%)	0	100	100
All	All	410/1030 (40%)	405 (99%)	5 (1%)	72	87

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	LYS
1	B	96	LYS
1	C	96	LYS
1	D	96	LYS
1	E	96	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	GLN
1	B	99	GLN
1	C	99	GLN
1	D	99	GLN
1	E	99	GLN
1	W	50	GLN
1	V	50	GLN
1	X	50	GLN
1	Y	50	GLN
1	Z	50	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20331. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 64



Y Index: 64




Z Index: 64


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 74



Y Index: 91



Z Index: 66


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 2.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 99 nm^3 ; this corresponds to an approximate mass of 89 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.278 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.58	4.15	3.61
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20331 and PDB model 6PES. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.0).

9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (2.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.6042	<div></div> 0.5190
A	<div></div> 0.6500	<div></div> 0.5320
B	<div></div> 0.6477	<div></div> 0.5360
C	<div></div> 0.6500	<div></div> 0.5370
D	<div></div> 0.6477	<div></div> 0.5310
E	<div></div> 0.6500	<div></div> 0.5280
V	<div></div> 0.5504	<div></div> 0.5050
W	<div></div> 0.5422	<div></div> 0.5010
X	<div></div> 0.5531	<div></div> 0.5030
Y	<div></div> 0.5531	<div></div> 0.5030
Z	<div></div> 0.5531	<div></div> 0.5040

1.0

0.0

<0.0