



wwPDB X-ray Structure Validation Summary Report ⓘ

May 21, 2020 – 05:46 pm BST

PDB ID : 3PIE
Title : Crystal structure of the 5'->3' exoribonuclease Xrn1, E178Q mutant
Authors : Chang, J.H.; Xiang, S.; Tong, L.
Deposited on : 2010-11-06
Resolution : 2.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1155	<div> <div>0%</div> <div> <div></div> <div>54%</div> <div>31%</div> <div>6%</div> <div>8%</div> </div> </div>
1	B	1155	<div> <div>2%</div> <div> <div></div> <div>53%</div> <div>32%</div> <div>6%</div> <div>9%</div> </div> </div>
1	C	1155	<div> <div>2%</div> <div> <div></div> <div>56%</div> <div>29%</div> <div>7%</div> <div>8%</div> </div> </div>
1	D	1155	<div> <div>2%</div> <div> <div></div> <div>50%</div> <div>31%</div> <div>7%</div> <div>11%</div> </div> </div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 34009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'->3' EXORIBONUCLEASE (Xrn1).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1057	Total	C	N	O	S	0	0	0
			8549	5509	1438	1579	23			
1	B	1056	Total	C	N	O	S	0	0	0
			8535	5501	1436	1575	23			
1	C	1066	Total	C	N	O	S	0	0	0
			8605	5543	1446	1593	23			
1	D	1023	Total	C	N	O	S	0	0	0
			8320	5365	1397	1535	23			

There are 188 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	178	GLN	GLU	ENGINEERED MUTATION	UNP Q6CJ09
A	469	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	470	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	471	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	472	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	473	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	474	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	475	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	476	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	477	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	478	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	479	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	480	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	481	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	482	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	483	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	484	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	485	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	486	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	487	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1036	UNK	-	SEE REMARK 999	UNP Q6CJ09

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1037	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1038	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1039	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1040	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1041	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1042	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1043	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1044	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1045	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1046	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1047	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1048	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1049	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1050	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1051	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1052	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1053	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1054	UNK	-	SEE REMARK 999	UNP Q6CJ09
A	1246	LEU	-	EXPRESSION TAG	UNP Q6CJ09
A	1247	GLU	-	EXPRESSION TAG	UNP Q6CJ09
A	1248	HIS	-	EXPRESSION TAG	UNP Q6CJ09
A	1249	HIS	-	EXPRESSION TAG	UNP Q6CJ09
A	1250	HIS	-	EXPRESSION TAG	UNP Q6CJ09
A	1251	HIS	-	EXPRESSION TAG	UNP Q6CJ09
A	1252	HIS	-	EXPRESSION TAG	UNP Q6CJ09
A	1253	HIS	-	EXPRESSION TAG	UNP Q6CJ09
B	178	GLN	GLU	ENGINEERED MUTATION	UNP Q6CJ09
B	469	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	470	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	471	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	472	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	473	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	474	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	475	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	476	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	477	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	478	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	479	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	480	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	481	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	482	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	483	UNK	-	SEE REMARK 999	UNP Q6CJ09

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	484	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	485	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	486	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	487	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1036	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1037	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1038	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1039	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1040	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1041	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1042	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1043	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1044	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1045	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1046	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1047	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1048	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1049	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1050	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1051	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1052	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1053	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1054	UNK	-	SEE REMARK 999	UNP Q6CJ09
B	1246	LEU	-	EXPRESSION TAG	UNP Q6CJ09
B	1247	GLU	-	EXPRESSION TAG	UNP Q6CJ09
B	1248	HIS	-	EXPRESSION TAG	UNP Q6CJ09
B	1249	HIS	-	EXPRESSION TAG	UNP Q6CJ09
B	1250	HIS	-	EXPRESSION TAG	UNP Q6CJ09
B	1251	HIS	-	EXPRESSION TAG	UNP Q6CJ09
B	1252	HIS	-	EXPRESSION TAG	UNP Q6CJ09
B	1253	HIS	-	EXPRESSION TAG	UNP Q6CJ09
C	178	GLN	GLU	ENGINEERED MUTATION	UNP Q6CJ09
C	469	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	470	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	471	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	472	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	473	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	474	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	475	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	476	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	477	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	478	UNK	-	SEE REMARK 999	UNP Q6CJ09

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	479	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	480	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	481	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	482	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	483	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	484	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	485	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	486	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	487	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1036	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1037	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1038	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1039	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1040	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1041	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1042	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1043	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1044	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1045	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1046	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1047	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1048	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1049	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1050	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1051	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1052	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1053	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1054	UNK	-	SEE REMARK 999	UNP Q6CJ09
C	1246	LEU	-	EXPRESSION TAG	UNP Q6CJ09
C	1247	GLU	-	EXPRESSION TAG	UNP Q6CJ09
C	1248	HIS	-	EXPRESSION TAG	UNP Q6CJ09
C	1249	HIS	-	EXPRESSION TAG	UNP Q6CJ09
C	1250	HIS	-	EXPRESSION TAG	UNP Q6CJ09
C	1251	HIS	-	EXPRESSION TAG	UNP Q6CJ09
C	1252	HIS	-	EXPRESSION TAG	UNP Q6CJ09
C	1253	HIS	-	EXPRESSION TAG	UNP Q6CJ09
D	178	GLN	GLU	ENGINEERED MUTATION	UNP Q6CJ09
D	469	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	470	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	471	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	472	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	473	UNK	-	SEE REMARK 999	UNP Q6CJ09

Continued on next page...


Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	474	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	475	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	476	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	477	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	478	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	479	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	480	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	481	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	482	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	483	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	484	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	485	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	486	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	487	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1036	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1037	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1038	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1039	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1040	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1041	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1042	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1043	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1044	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1045	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1046	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1047	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1048	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1049	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1050	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1051	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1052	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1053	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1054	UNK	-	SEE REMARK 999	UNP Q6CJ09
D	1246	LEU	-	EXPRESSION TAG	UNP Q6CJ09
D	1247	GLU	-	EXPRESSION TAG	UNP Q6CJ09
D	1248	HIS	-	EXPRESSION TAG	UNP Q6CJ09
D	1249	HIS	-	EXPRESSION TAG	UNP Q6CJ09
D	1250	HIS	-	EXPRESSION TAG	UNP Q6CJ09
D	1251	HIS	-	EXPRESSION TAG	UNP Q6CJ09
D	1252	HIS	-	EXPRESSION TAG	UNP Q6CJ09
D	1253	HIS	-	EXPRESSION TAG	UNP Q6CJ09

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'->3' EXORIBONUCLEASE (Xrn1)







• Molecule 1: 5'->3' EXORIBONUCLEASE (Xrn1)





• Molecule 1: 5'->3' EXORIBONUCLEASE (Xrn1)







4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	115.72Å 132.29Å 143.89Å 110.07° 105.70° 103.75°	Depositor
Resolution (Å)	30.00 – 2.90 29.49 – 2.88	Depositor EDS
% Data completeness (in resolution range)	97.2 (30.00-2.90) 96.4 (29.49-2.88)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.49 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.241 , 0.305 0.244 , 0.247	Depositor DCC
R_{free} test set	7868 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	67.6	Xtriage
Anisotropy	0.175	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 49.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.009 for -h,-k,h+k+l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	34009	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.81	3/8567 (0.0%)	0.83	4/11553 (0.0%)
1	B	0.81	2/8543 (0.0%)	0.83	2/11521 (0.0%)
1	C	0.74	3/8613 (0.0%)	0.79	4/11616 (0.0%)
1	D	0.66	0/8409	0.76	3/11337 (0.0%)
All	All	0.76	8/34132 (0.0%)	0.80	13/46027 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2
1	D	0	1
All	All	0	3

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	705	CYS	CB-SG	8.69	1.97	1.82
1	C	1086	ALA	C-O	6.39	1.35	1.23
1	B	709	GLU	CB-CG	6.38	1.64	1.52
1	A	598	GLU	CB-CG	5.65	1.62	1.52
1	C	1089	ILE	C-O	5.48	1.33	1.23

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	240	LEU	CA-CB-CG	6.40	130.02	115.30
1	D	774	LEU	CA-CB-CG	6.27	129.72	115.30
1	C	264	ILE	CB-CA-C	-6.16	99.28	111.60
1	B	860	ASP	CB-CG-OD1	5.75	123.48	118.30
1	A	950	LEU	CA-CB-CG	5.52	128.00	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	797	ARG	Peptide
1	C	980	TYR	Peptide
1	D	860	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8549	0	8404	377	0
1	B	8535	0	8385	351	0
1	C	8605	0	8450	346	0
1	D	8320	0	8233	327	0
All	All	34009	0	33472	1394	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

The worst 5 of 1394 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:744:LEU:HD22	1:A:798:TRP:CD1	1.67	1.28
1:D:917:ILE:CD1	1:D:917:ILE:H	1.56	1.15
1:A:798:TRP:HB3	1:A:799:PRO:CD	1.76	1.15
1:A:744:LEU:HD22	1:A:798:TRP:NE1	1.60	1.13
1:D:917:ILE:N	1:D:917:ILE:HD13	1.56	1.11

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1001/1155 (87%)	869 (87%)	95 (10%)	37 (4%)	3	13
1	B	998/1155 (86%)	842 (84%)	109 (11%)	47 (5%)	2	8
1	C	1008/1155 (87%)	866 (86%)	104 (10%)	38 (4%)	3	13
1	D	982/1155 (85%)	824 (84%)	117 (12%)	41 (4%)	3	10
All	All	3989/4620 (86%)	3401 (85%)	425 (11%)	163 (4%)	3	11

5 of 163 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	111	ALA
1	A	112	LEU
1	A	263	GLU
1	A	265	THR
1	A	353	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	922/1004 (92%)	805 (87%)	117 (13%)	4	13
1	B	919/1004 (92%)	791 (86%)	128 (14%)	3	10
1	C	927/1004 (92%)	814 (88%)	113 (12%)	5	15
1	D	905/1004 (90%)	765 (84%)	140 (16%)	2	8
All	All	3673/4016 (92%)	3175 (86%)	498 (14%)	3	11

5 of 498 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1098	SER
1	C	355	ILE
1	D	826	LYS
1	B	1118	SER
1	C	55	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 117 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	975	GLN
1	C	269	GLN
1	D	703	ASN
1	B	1232	ASN
1	C	97	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1023/1155 (88%)	-0.31	11 (1%) 80 80	34, 57, 89, 110	0
1	B	1020/1155 (88%)	-0.23	21 (2%) 63 61	29, 64, 116, 133	0
1	C	1030/1155 (89%)	-0.18	20 (1%) 66 65	32, 72, 100, 124	0
1	D	1004/1155 (86%)	-0.08	23 (2%) 60 58	43, 79, 123, 144	0
All	All	4077/4620 (88%)	-0.20	75 (1%) 68 67	29, 67, 113, 144	0

The worst 5 of 75 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	663	LEU	5.7
1	A	229	THR	5.0
1	D	229	THR	4.8
1	D	399	LEU	3.9
1	B	717	ASN	3.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.