



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 11:57 pm BST

PDB ID : 4PJV  
Title : Structure of PARP2 catalytic domain bound to inhibitor BMN 673  
Authors : Aoyagi-Scharber, M.; Gardberg, A.S.; Edwards, T.L.  
Deposited on : 2014-05-12  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	368	<div> <div>%</div> <div> <div></div> <div>76%</div> <div>15%</div> <div>• 8%</div> </div> </div>
1	B	368	<div> <div>%</div> <div> <div></div> <div>73%</div> <div>15%</div> <div>• 10%</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5331 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Poly [ADP-ribose] polymerase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2597	1653	443	482	19			
1	B	330	Total	C	N	O	S	0	0	0
			2517	1601	432	465	19			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	212	MET	-	expression tag	UNP Q9UGN5
A	213	HIS	-	expression tag	UNP Q9UGN5
A	214	HIS	-	expression tag	UNP Q9UGN5
A	215	HIS	-	expression tag	UNP Q9UGN5
A	216	HIS	-	expression tag	UNP Q9UGN5
A	217	HIS	-	expression tag	UNP Q9UGN5
A	218	HIS	-	expression tag	UNP Q9UGN5
A	219	SER	-	expression tag	UNP Q9UGN5
A	220	SER	-	expression tag	UNP Q9UGN5
A	221	GLY	-	expression tag	UNP Q9UGN5
A	222	VAL	-	expression tag	UNP Q9UGN5
A	223	ASP	-	expression tag	UNP Q9UGN5
A	224	LEU	-	expression tag	UNP Q9UGN5
A	225	GLY	-	expression tag	UNP Q9UGN5
A	226	THR	-	expression tag	UNP Q9UGN5
A	227	GLU	-	expression tag	UNP Q9UGN5
A	228	ASN	-	expression tag	UNP Q9UGN5
A	229	LEU	-	expression tag	UNP Q9UGN5
A	230	TYR	-	expression tag	UNP Q9UGN5
A	231	PHE	-	expression tag	UNP Q9UGN5
A	232	GLN	-	expression tag	UNP Q9UGN5
A	233	SER	-	expression tag	UNP Q9UGN5
A	234	MET	-	expression tag	UNP Q9UGN5
A	447	HIS	PRO	see remark 999	UNP Q9UGN5
B	212	MET	-	expression tag	UNP Q9UGN5

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	213	HIS	-	expression tag	UNP Q9UGN5
B	214	HIS	-	expression tag	UNP Q9UGN5
B	215	HIS	-	expression tag	UNP Q9UGN5
B	216	HIS	-	expression tag	UNP Q9UGN5
B	217	HIS	-	expression tag	UNP Q9UGN5
B	218	HIS	-	expression tag	UNP Q9UGN5
B	219	SER	-	expression tag	UNP Q9UGN5
B	220	SER	-	expression tag	UNP Q9UGN5
B	221	GLY	-	expression tag	UNP Q9UGN5
B	222	VAL	-	expression tag	UNP Q9UGN5
B	223	ASP	-	expression tag	UNP Q9UGN5
B	224	LEU	-	expression tag	UNP Q9UGN5
B	225	GLY	-	expression tag	UNP Q9UGN5
B	226	THR	-	expression tag	UNP Q9UGN5
B	227	GLU	-	expression tag	UNP Q9UGN5
B	228	ASN	-	expression tag	UNP Q9UGN5
B	229	LEU	-	expression tag	UNP Q9UGN5
B	230	TYR	-	expression tag	UNP Q9UGN5
B	231	PHE	-	expression tag	UNP Q9UGN5
B	232	GLN	-	expression tag	UNP Q9UGN5
B	233	SER	-	expression tag	UNP Q9UGN5
B	234	MET	-	expression tag	UNP Q9UGN5
B	447	HIS	PRO	see remark 999	UNP Q9UGN5

- Molecule 2 is (8S,9R)-5-fluoro-8-(4-fluorophenyl)-9-(1-methyl-1H-1,2,4-triazol-5-yl)-2,7,8,9-tetrahydro-3H-pyrido[4,3,2-de]phthalazin-3-one (three-letter code: 2YQ) (formula: C<sub>19</sub>H<sub>14</sub>F<sub>2</sub>N<sub>6</sub>O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			28	19	2	6	1		
2	B	1	Total	C	F	N	O	0	0
			28	19	2	6	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	74	Total	O	0	0
			74	74		
4	B	69	Total	O	0	0
			69	69		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Poly [ADP-ribose] polymerase 2



- Molecule 1: Poly [ADP-ribose] polymerase 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.86Å 57.74Å 69.29Å 77.28° 79.99° 63.88°	Depositor
Resolution (Å)	67.33 – 2.50 44.35 – 2.50	Depositor EDS
% Data completeness (in resolution range)	91.9 (67.33-2.50) 92.0 (44.35-2.50)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.95 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.214 , 0.287 0.215 , 0.282	Depositor DCC
$R_{free}$ test set	1148 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	20.7	Xtriage
Anisotropy	0.383	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 37.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5331	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.25% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, 2YQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.64	0/2651	0.74	1/3591 (0.0%)
1	B	0.63	1/2569 (0.0%)	0.70	0/3479
All	All	0.63	1/5220 (0.0%)	0.72	1/7070 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	427	TRP	CD2-CE2	5.43	1.47	1.41

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	316	ARG	NE-CZ-NH1	5.24	122.92	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2597	0	2513	42	0
1	B	2517	0	2409	37	1
2	A	28	0	14	1	0
2	B	28	0	14	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	12	0	16	0	0
3	B	6	0	8	0	0
4	A	74	0	0	0	0
4	B	69	0	0	2	0
All	All	5331	0	4974	77	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:LYS:NZ	1:A:287:ASP:OD2	2.11	0.82
1:A:277:ALA:HB1	1:A:308:ARG:HD3	1.73	0.71
1:B:255:MET:CE	1:B:333:LEU:HD12	2.22	0.70
1:A:382:ILE:HD12	1:A:404:LEU:HD21	1.75	0.67
1:B:308:ARG:O	1:B:309:ILE:HD13	1.98	0.62
1:A:382:ILE:CD1	1:A:404:LEU:HD21	2.29	0.62
1:B:255:MET:HE3	1:B:333:LEU:HD12	1.79	0.61
1:A:280:GLN:HE22	1:B:565:ASN:HD21	1.47	0.61
1:B:452:ILE:HD12	1:B:459:LYS:HG3	1.83	0.61
1:B:451:PRO:HA	4:B:740:HOH:O	2.02	0.59
1:B:391:ALA:HB1	1:B:556:TYR:CZ	2.38	0.59
1:A:255:MET:CE	1:A:333:LEU:CD1	2.82	0.58
1:A:486:LEU:HD12	1:A:572:LEU:HD13	1.86	0.57
1:A:331:ILE:HD11	1:A:451:PRO:HG2	1.86	0.56
1:A:285:ILE:HG23	1:A:298:LEU:HD11	1.88	0.56
1:B:486:LEU:HD21	1:B:569:MET:HG2	1.86	0.56
1:A:234:MET:HE3	1:A:242:ILE:HG13	1.89	0.55
1:A:269:LYS:O	1:A:274:GLN:NE2	2.39	0.55
1:A:332:GLN:HG2	2:A:601:2YQ:H11	1.87	0.55
1:A:529:VAL:HG12	1:A:530:THR:N	2.22	0.54
1:A:529:VAL:HG12	1:A:530:THR:H	1.72	0.54
1:B:331:ILE:HD11	1:B:451:PRO:HG2	1.90	0.54
1:A:282:LEU:HD22	1:A:327:LEU:CD1	2.38	0.53
1:B:332:GLN:HG2	2:B:601:2YQ:H11	1.93	0.50
1:A:234:MET:CE	1:A:239:GLN:HA	2.42	0.49
1:A:255:MET:HE1	1:A:333:LEU:HD12	1.95	0.49
1:B:282:LEU:HA	1:B:285:ILE:HD12	1.95	0.49
1:B:422:ASN:HB3	1:B:492:LEU:HB2	1.94	0.49
1:B:367:CYS:HB2	1:B:409:LYS:HG2	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:MET:HE1	1:A:333:LEU:CD1	2.43	0.48
1:A:427:TRP:HZ3	1:A:573:LEU:HD22	1.79	0.48
1:A:560:ILE:N	1:A:560:ILE:HD12	2.28	0.48
1:B:521:MET:HE2	1:B:542:SER:HA	1.94	0.48
1:A:234:MET:HE2	1:A:239:GLN:HA	1.96	0.47
1:A:270:LEU:HD12	1:A:274:GLN:OE1	2.14	0.47
1:A:280:GLN:HE22	1:B:565:ASN:ND2	2.12	0.47
1:A:559:TYR:C	1:A:560:ILE:HD12	2.34	0.47
1:A:446:ALA:HB3	1:A:459:LYS:HB3	1.97	0.47
1:B:255:MET:HE2	1:B:333:LEU:HD12	1.93	0.47
1:B:234:MET:HE2	1:B:238:VAL:HB	1.95	0.47
1:B:389:THR:HB	1:B:466:MET:HA	1.97	0.47
1:B:438:ILE:HG23	1:B:443:LEU:HD23	1.97	0.46
1:B:469:LYS:NZ	1:B:556:TYR:O	2.49	0.46
1:B:379:PHE:CZ	1:B:401:LEU:HD23	2.50	0.46
1:B:439:LEU:HA	1:B:439:LEU:HD12	1.79	0.45
1:B:321:ILE:HD13	1:B:330:LYS:HG3	1.98	0.45
1:B:254:MET:HE3	1:B:433:SER:HB3	1.99	0.45
1:B:523:PRO:HB3	1:B:538:LEU:O	2.18	0.44
1:A:285:ILE:HG23	1:A:298:LEU:CD1	2.48	0.44
1:B:247:ASN:OD1	1:B:249:GLN:HB3	2.17	0.44
1:B:522:ALA:HB1	1:B:523:PRO:HD2	2.00	0.43
1:B:522:ALA:CB	1:B:557:ASN:ND2	2.82	0.43
1:B:382:ILE:CD1	1:B:404:LEU:HD21	2.49	0.42
1:A:486:LEU:HD12	1:A:572:LEU:CD1	2.49	0.42
1:B:282:LEU:HD22	1:B:327:LEU:CD1	2.48	0.42
1:A:334:LEU:HD23	1:A:337:LEU:HD12	2.01	0.42
1:B:392:PRO:HD2	1:B:556:TYR:OH	2.20	0.42
1:A:391:ALA:HB1	1:A:556:TYR:CZ	2.54	0.42
1:A:333:LEU:HD12	1:A:333:LEU:O	2.19	0.42
1:A:255:MET:HE3	1:A:333:LEU:HD13	2.02	0.41
1:A:343:ALA:O	1:A:347:VAL:HG13	2.20	0.41
1:A:484:LEU:HA	1:A:573:LEU:O	2.19	0.41
1:B:560:ILE:HD12	1:B:560:ILE:N	2.35	0.41
1:B:497:GLU:HG3	4:B:710:HOH:O	2.20	0.41
1:A:519:GLY:N	1:A:557:ASN:OD1	2.48	0.41
1:A:238:VAL:CG2	1:A:371:PRO:HD3	2.50	0.41
1:A:528:PHE:CD1	1:A:537:PRO:HA	2.56	0.41
1:A:486:LEU:HD21	1:A:569:MET:HG2	2.02	0.41
1:A:282:LEU:HD23	1:A:282:LEU:HA	1.90	0.41
1:B:235:ASP:HB3	1:B:238:VAL:HG23	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:GLU:O	1:B:289:ILE:N	2.54	0.41
1:B:414:GLU:N	1:B:414:GLU:OE1	2.54	0.41
1:B:254:MET:O	1:B:257:GLU:HB2	2.20	0.41
1:A:439:LEU:HD12	1:A:439:LEU:HA	1.76	0.40
1:A:529:VAL:CG1	1:A:530:THR:H	2.34	0.40
1:A:509:LEU:O	1:A:510:GLN:C	2.59	0.40
1:A:346:LEU:C	1:A:346:LEU:HD23	2.42	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:315:LEU:O	1:B:380:LYS:NZ[1_465]	2.12	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/368 (90%)	325 (98%)	8 (2%)	0	100	100
1	B	322/368 (88%)	310 (96%)	12 (4%)	0	100	100
All	All	655/736 (89%)	635 (97%)	20 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/320 (84%)	259 (96%)	10 (4%)	34	60
1	B	257/320 (80%)	245 (95%)	12 (5%)	26	49
All	All	526/640 (82%)	504 (96%)	22 (4%)	30	54

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	235	ASP
1	A	239	GLN
1	A	303	ASN
1	A	418	GLU
1	A	422	ASN
1	A	439	LEU
1	A	452	ILE
1	A	478	ARG
1	A	530	THR
1	A	570	ARG
1	B	234	MET
1	B	255	MET
1	B	307	THR
1	B	344	ILE
1	B	356	HIS
1	B	383	SER
1	B	409	LYS
1	B	413	LYS
1	B	422	ASN
1	B	439	LEU
1	B	452	ILE
1	B	554	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	565	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	GOL	A	603	-	5,5,5	0.15	0	5,5,5	0.69	0
3	GOL	A	602	-	5,5,5	0.34	0	5,5,5	0.62	0
3	GOL	B	602	-	5,5,5	0.48	0	5,5,5	1.12	0
2	2YQ	B	601	-	27,32,32	2.97	7 (25%)	30,48,48	1.93	10 (33%)
2	2YQ	A	601	-	27,32,32	2.10	6 (22%)	30,48,48	1.88	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	603	-	-	0/4/4/4	-
3	GOL	A	602	-	-	0/4/4/4	-
3	GOL	B	602	-	-	2/4/4/4	-
2	2YQ	B	601	-	-	0/4/20/20	0/4/5/5
2	2YQ	A	601	-	-	0/4/20/20	0/4/5/5

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	2YQ	C3-C5	-12.19	1.46	1.51
2	A	601	2YQ	C3-C5	-6.66	1.49	1.51
2	A	601	2YQ	C7-N3	-4.82	1.35	1.40
2	B	601	2YQ	C11-C6	-4.72	1.45	1.52
2	B	601	2YQ	C7-N3	-4.39	1.35	1.40
2	B	601	2YQ	C3-C2	-3.83	1.39	1.43
2	A	601	2YQ	C11-C6	-3.50	1.47	1.52
2	A	601	2YQ	C10-C9	2.70	1.40	1.36
2	A	601	2YQ	N2-N1	2.59	1.40	1.34
2	B	601	2YQ	N2-N1	2.29	1.40	1.34
2	B	601	2YQ	C1-C2	-2.11	1.38	1.42
2	B	601	2YQ	C10-C1	-2.09	1.37	1.41
2	A	601	2YQ	C7-C2	-2.03	1.40	1.42

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	2YQ	C10-C9-C8	-5.21	119.97	124.09
2	A	601	2YQ	C2-C7-N3	4.41	120.34	117.45
2	B	601	2YQ	F1-C9-C8	4.05	124.04	118.25
2	A	601	2YQ	C19-N4-C17	4.00	133.59	128.84
2	B	601	2YQ	C19-N4-C17	3.91	133.48	128.84
2	B	601	2YQ	C10-C9-C8	-3.58	121.26	124.09
2	B	601	2YQ	C2-C7-N3	3.48	119.73	117.45
2	B	601	2YQ	F1-C9-C10	-2.98	114.69	119.17
2	B	601	2YQ	C4-C1-C2	2.98	121.40	119.18
2	B	601	2YQ	C16-C11-C12	2.73	121.70	118.29
2	B	601	2YQ	C9-C10-C1	2.50	121.22	119.43
2	A	601	2YQ	C9-C10-C1	2.33	121.10	119.43
2	B	601	2YQ	C5-C17-N6	2.28	129.42	125.08
2	B	601	2YQ	C13-C12-C11	-2.13	119.06	121.20
2	A	601	2YQ	C13-C12-C11	-2.08	119.11	121.20

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	602	GOL	O1-C1-C2-C3
3	B	602	GOL	O1-C1-C2-O2


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	2YQ	1	0
2	A	601	2YQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	339/368 (92%)	-0.38	2 (0%) 89 90	9, 18, 30, 42	0
1	B	330/368 (89%)	-0.16	5 (1%) 73 75	8, 23, 48, 66	0
All	All	669/736 (90%)	-0.27	7 (1%) 82 84	8, 19, 43, 66	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	347	VAL	3.4
1	B	356	HIS	3.2
1	B	357	PRO	3.1
1	B	234	MET	2.8
1	A	234	MET	2.6
1	A	349	THR	2.4
1	B	552	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	GOL	A	603	6/6	0.93	0.16	8,8,8,9	0
3	GOL	A	602	6/6	0.95	0.12	7,7,7,7	0
2	2YQ	B	601	28/28	0.96	0.11	9,10,10,12	0
2	2YQ	A	601	28/28	0.96	0.12	10,11,11,12	0
3	GOL	B	602	6/6	0.97	0.12	7,7,7,7	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 2YQ B 601:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.