



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2020 – 03:58 PM BST

PDB ID : 6PL5  
Title : Structural coordination of polymerization and crosslinking by a peptidoglycan synthase complex  
Authors : Sjodt, M.; Rohs, P.D.A.; Erlandson, S.C.; Zheng, S.; Rudner, D.Z.; Bernhardt, T.G.; Kruse, A.C.  
Deposited on : 2019-06-30  
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1659 (3.60-3.40)
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	<div> <div>%</div> <div> <div></div> <div>77%</div> <div>12%</div> <div>11%</div> </div> </div>
2	B	598	<div> <div>2%</div> <div> <div></div> <div>73%</div> <div>23%</div> <div></div> </div> </div>
3	D	11	<div> <div></div> <div>100%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6843 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan glycosyltransferase RodA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	S	0	0	0
			2513	1692	411	407	3			

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	ASP	-	expression tag	UNP Q5SIX3
A	-16	TYR	-	expression tag	UNP Q5SIX3
A	-15	LYS	-	expression tag	UNP Q5SIX3
A	-14	ASP	-	expression tag	UNP Q5SIX3
A	-13	ASP	-	expression tag	UNP Q5SIX3
A	-12	ASP	-	expression tag	UNP Q5SIX3
A	-11	ASP	-	expression tag	UNP Q5SIX3
A	-10	LEU	-	expression tag	UNP Q5SIX3
A	-9	GLU	-	expression tag	UNP Q5SIX3
A	-8	VAL	-	expression tag	UNP Q5SIX3
A	-7	LEU	-	expression tag	UNP Q5SIX3
A	-6	PHE	-	expression tag	UNP Q5SIX3
A	-5	GLN	-	expression tag	UNP Q5SIX3
A	-4	GLY	-	expression tag	UNP Q5SIX3
A	-3	PRO	-	expression tag	UNP Q5SIX3
A	-2	GLY	-	expression tag	UNP Q5SIX3
A	-1	GLY	-	expression tag	UNP Q5SIX3
A	0	SER	-	expression tag	UNP Q5SIX3
A	1	SER	-	expression tag	UNP Q5SIX3

- Molecule 2 is a protein called Penicillin-binding protein 2/cell division protein FtsI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	577	Total	C	N	O	S	0	0	0
			4275	2737	742	787	9			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP Q5SJ23
B	1	GLY	-	expression tag	UNP Q5SJ23
B	576	GLY	-	expression tag	UNP Q5SJ23
B	577	SER	-	expression tag	UNP Q5SJ23
B	578	LEU	-	expression tag	UNP Q5SJ23
B	579	GLU	-	expression tag	UNP Q5SJ23
B	580	VAL	-	expression tag	UNP Q5SJ23
B	581	LEU	-	expression tag	UNP Q5SJ23
B	582	PHE	-	expression tag	UNP Q5SJ23
B	583	GLN	-	expression tag	UNP Q5SJ23
B	584	GLY	-	expression tag	UNP Q5SJ23
B	585	PRO	-	expression tag	UNP Q5SJ23
B	586	GLU	-	expression tag	UNP Q5SJ23
B	587	ASP	-	expression tag	UNP Q5SJ23
B	588	GLN	-	expression tag	UNP Q5SJ23
B	589	VAL	-	expression tag	UNP Q5SJ23
B	590	ASP	-	expression tag	UNP Q5SJ23
B	591	PRO	-	expression tag	UNP Q5SJ23
B	592	ARG	-	expression tag	UNP Q5SJ23
B	593	LEU	-	expression tag	UNP Q5SJ23
B	594	ILE	-	expression tag	UNP Q5SJ23
B	595	ASP	-	expression tag	UNP Q5SJ23
B	596	GLY	-	expression tag	UNP Q5SJ23
B	597	LYS	-	expression tag	UNP Q5SJ23


- Molecule 3 is a protein called Unknown peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	11	Total	C	N	O	0	0	0
			55	33	11	11			


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peptidoglycan glycosyltransferase RodA



- Molecule 2: Penicillin-binding protein 2/cell division protein FtsI



- Molecule 3: Unknown peptide



There are no outlier residues recorded for this chain.

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.57Å 119.57Å 267.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.77 – 3.50 48.28 – 3.50	Depositor EDS
% Data completeness (in resolution range)	94.2 (44.77-3.50) 79.2 (48.28-3.50)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.40 (at 3.48Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, $R_{free}$	0.285 , 0.305 0.286 , 0.305	Depositor DCC
$R_{free}$ test set	1774 reflections (6.59%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	127.2	Xtriage
Anisotropy	0.372	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 118.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.045 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	6843	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	175.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/2576	0.39	0/3529
2	B	0.23	0/4372	0.42	0/5980
All	All	0.24	0/6948	0.41	0/9509

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2513	0	2628	32	0
2	B	4275	0	4218	88	0
3	D	55	0	13	0	0
All	All	6843	0	6859	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:168:ALA:HB3	2:B:171:GLU:HB2	1.67	0.75

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:230:LEU:HD11	2:B:246:LYS:HA	1.69	0.74
2:B:332:CYS:HB3	2:B:351:MET:HB2	1.71	0.73
1:A:173:PRO:HG2	1:A:177:LEU:HB2	1.72	0.71
1:A:229:GLY:O	2:B:27:GLN:NE2	2.25	0.69
1:A:257:VAL:HG21	1:A:333:SER:HA	1.75	0.69
2:B:48:ILE:HG12	2:B:185:ARG:HH21	1.59	0.68
2:B:218:LEU:HB3	2:B:264:ALA:HB2	1.74	0.68
1:A:33:ALA:HB2	1:A:260:VAL:HG11	1.75	0.67
2:B:75:THR:O	2:B:124:ASN:ND2	2.29	0.66
2:B:516:ALA:HB3	2:B:527:HIS:HB2	1.79	0.64
2:B:135:TYR:H	2:B:274:ASN:HD21	1.46	0.63
1:A:227:ALA:HB2	2:B:26:LEU:HB3	1.81	0.61
2:B:399:GLU:N	2:B:399:GLU:OE1	2.33	0.61
1:A:62:ARG:NH2	1:A:295:SER:OG	2.34	0.60
2:B:133:ARG:HD3	2:B:147:VAL:HG21	1.83	0.60
2:B:262:VAL:HG21	2:B:461:LEU:HD23	1.83	0.59
2:B:299:ARG:NH1	2:B:551:GLU:OE2	2.35	0.59
2:B:308:SER:HB2	2:B:514:GLY:HA2	1.84	0.59
1:A:26:GLY:HA2	1:A:332:PHE:CD1	2.38	0.58
1:A:330:PRO:O	1:A:332:PHE:N	2.36	0.58
2:B:447:LEU:HD23	2:B:545:VAL:HG13	1.87	0.56
2:B:190:ASN:OD1	2:B:191:VAL:N	2.37	0.56
2:B:254:ALA:HB3	2:B:264:ALA:HB3	1.88	0.55
2:B:379:PHE:O	2:B:383:LEU:N	2.39	0.54
2:B:294:LEU:HD13	2:B:297:LEU:HD12	1.89	0.54
2:B:449:THR:HG22	2:B:456:LYS:HA	1.89	0.53
2:B:133:ARG:NE	2:B:171:GLU:OE2	2.39	0.53
2:B:337:VAL:HG22	2:B:342:VAL:HG22	1.89	0.53
2:B:501:VAL:HG13	2:B:565:ARG:HD2	1.90	0.53
1:A:273:LEU:HD11	1:A:277:TYR:HE1	1.74	0.52
2:B:141:GLY:O	2:B:145:GLY:N	2.42	0.52
2:B:151:ASN:OD1	2:B:152:ALA:N	2.42	0.52
1:A:329:LEU:HD12	1:A:330:PRO:HD2	1.92	0.52
2:B:229:ALA:O	2:B:233:ILE:N	2.36	0.52
2:B:74:TYR:HE1	2:B:77:GLY:HA2	1.75	0.51
2:B:389:LEU:HD21	2:B:478:PRO:HD2	1.92	0.51
2:B:145:GLY:HA3	2:B:168:ALA:HB1	1.91	0.51
1:A:65:LEU:HD22	1:A:351:LEU:HD23	1.93	0.50
2:B:318:LEU:HD21	2:B:371:ALA:HB1	1.92	0.50
2:B:369:TYR:HA	2:B:427:LEU:HD22	1.94	0.50
2:B:213:THR:HB	2:B:261:GLU:HB3	1.92	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:GLN:HG2	1:A:107:LEU:H	1.76	0.49
2:B:414:ARG:HA	2:B:420:PRO:HD2	1.93	0.49
2:B:493:VAL:HA	2:B:498:ALA:HB3	1.94	0.49
1:A:218:GLY:O	1:A:222:ILE:HG12	2.13	0.49
2:B:54:LYS:HG2	2:B:65:GLN:HG3	1.94	0.49
2:B:462:VAL:HG11	2:B:465:ILE:HG13	1.95	0.48
2:B:537:ASP:OD1	2:B:538:GLY:N	2.46	0.48
2:B:312:LEU:HD21	2:B:489:LEU:HD11	1.95	0.47
2:B:146:TYR:HB2	2:B:276:PHE:HB2	1.96	0.47
2:B:502:LEU:HA	2:B:505:PHE:HB2	1.96	0.47
1:A:173:PRO:O	1:A:177:LEU:N	2.42	0.47
2:B:377:LEU:HD21	2:B:423:PRO:HB3	1.96	0.47
2:B:116:GLU:O	2:B:119:THR:OG1	2.31	0.47
2:B:336:ILE:HD13	2:B:370:GLN:HG3	1.97	0.47
2:B:500:PHE:CD2	2:B:501:VAL:HG23	2.50	0.47
2:B:184:VAL:H	2:B:202:GLU:HB3	1.79	0.46
2:B:428:SER:HB3	2:B:433:GLN:HB3	1.97	0.46
2:B:303:PRO:HB2	2:B:437:LEU:HB3	1.97	0.46
2:B:72:LEU:HB2	2:B:103:LEU:O	2.14	0.46
2:B:68:LEU:HD22	2:B:129:GLU:HB3	1.97	0.46
1:A:232:GLY:H	1:A:266:GLY:HA3	1.80	0.46
1:A:42:ARG:HB2	1:A:334:TYR:OH	2.14	0.46
2:B:170:LEU:HD21	2:B:212:LEU:HD11	1.98	0.46
2:B:316:TYR:CE2	2:B:386:ARG:HB3	2.51	0.46
2:B:479:GLY:HA3	2:B:482:TRP:CE2	2.51	0.46
2:B:22:ARG:NH2	2:B:25:GLN:OE1	2.49	0.46
2:B:361:ALA:HA	2:B:492:THR:OG1	2.15	0.46
2:B:73:VAL:HG22	2:B:102:VAL:HG22	1.97	0.46
2:B:332:CYS:SG	2:B:366:THR:OG1	2.74	0.45
2:B:330:TYR:HB2	2:B:367:TRP:CE3	2.51	0.45
1:A:43:GLN:HB2	1:A:334:TYR:CE1	2.52	0.45
2:B:400:VAL:HG23	2:B:461:LEU:HD11	1.98	0.45
1:A:253:HIS:O	1:A:257:VAL:HG22	2.17	0.45
2:B:48:ILE:HD11	2:B:185:ARG:HB3	1.98	0.44
2:B:380:VAL:HG21	2:B:421:TRP:CH2	2.51	0.44
1:A:121:ALA:HB1	1:A:135:LEU:HD21	1.99	0.44
2:B:145:GLY:HA3	2:B:168:ALA:CB	2.47	0.44
2:B:534:GLY:N	2:B:544:LEU:O	2.51	0.44
2:B:255:LEU:HD22	2:B:459:LEU:HD22	2.00	0.43
2:B:261:GLU:OE2	2:B:463:LYS:NZ	2.51	0.43
2:B:544:LEU:HD22	2:B:571:TYR:CG	2.53	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:ALA:HA	1:A:132:ASP:HB2	2.00	0.43
2:B:218:LEU:HD11	2:B:571:TYR:CD1	2.54	0.43
1:A:315:LEU:HB2	2:B:19:LEU:HD13	2.01	0.43
2:B:47:ASP:HA	2:B:184:VAL:HA	1.99	0.43
2:B:361:ALA:HB2	2:B:491:LYS:HB3	2.00	0.43
2:B:392:LEU:HD12	2:B:392:LEU:HA	1.90	0.43
2:B:550:PHE:HE2	2:B:560:ALA:HA	1.83	0.43
1:A:203:ARG:O	1:A:207:VAL:HG23	2.19	0.42
1:A:18:LEU:O	1:A:22:ILE:HG13	2.19	0.42
1:A:26:GLY:HA2	1:A:332:PHE:HD1	1.79	0.42
2:B:86:LEU:HB2	2:B:87:PRO:HD3	2.00	0.42
2:B:505:PHE:CZ	2:B:574:ILE:HG13	2.55	0.42
1:A:273:LEU:HD11	1:A:277:TYR:CE1	2.54	0.42
1:A:42:ARG:HA	1:A:45:VAL:HG22	2.02	0.42
2:B:403:LYS:HD2	2:B:403:LYS:HA	1.91	0.42
2:B:135:TYR:H	2:B:274:ASN:ND2	2.14	0.42
2:B:119:THR:HA	2:B:125:LEU:HD23	2.00	0.41
2:B:431:ILE:HD11	2:B:433:GLN:HB2	2.02	0.41
2:B:63:LEU:HD13	2:B:139:ILE:HD12	2.01	0.41
2:B:326:PRO:HB3	2:B:484:VAL:HG21	2.02	0.41
2:B:203:GLU:OE1	2:B:203:GLU:N	2.45	0.41
1:A:123:GLU:HA	1:A:294:LEU:HD23	2.02	0.41
1:A:166:VAL:HG13	1:A:298:LEU:HD22	2.02	0.41
1:A:188:VAL:HB	1:A:189:PRO:HD3	2.02	0.41
1:A:315:LEU:HD21	1:A:329:LEU:HD22	2.03	0.41
2:B:55:ILE:HB	2:B:64:ALA:HB3	2.03	0.40
1:A:266:GLY:O	1:A:270:VAL:HG23	2.21	0.40
2:B:336:ILE:O	2:B:343:ARG:N	2.41	0.40
1:A:170:ARG:HD3	1:A:294:LEU:HD21	2.03	0.40
2:B:139:ILE:HD13	2:B:219:GLN:HG2	2.03	0.40
2:B:268:ALA:HA	2:B:270:SER:N	2.37	0.40
2:B:67:ARG:HG2	2:B:68:LEU:H	1.86	0.40
2:B:330:TYR:HB2	2:B:367:TRP:CZ3	2.56	0.40
2:B:514:GLY:HA3	2:B:529:TRP:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	332/377 (88%)	313 (94%)	17 (5%)	2 (1%)	25	64
2	B	573/598 (96%)	535 (93%)	38 (7%)	0	100	100
All	All	905/975 (93%)	848 (94%)	55 (6%)	2 (0%)	47	81

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	331	LEU
1	A	330	PRO

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/294 (86%)	251 (100%)	1 (0%)	91	96
2	B	416/471 (88%)	416 (100%)	0	100	100
All	All	668/765 (87%)	667 (100%)	1 (0%)	93	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	332	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	124	ASN
2	B	247	GLN
2	B	274	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	336/377 (89%)	-0.09	4 (1%) 79 73	109, 169, 265, 400	0
2	B	577/598 (96%)	-0.01	14 (2%) 59 53	116, 167, 242, 352	0
3	D	0/11	-	-	-	-
All	All	913/986 (92%)	-0.04	18 (1%) 65 60	109, 167, 252, 400	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1	GLY	4.5
2	B	373	ALA	4.2
2	B	376	PRO	3.3
2	B	238	ARG	3.3
2	B	374	GLN	3.1
2	B	243	PRO	2.8
2	B	76	GLY	2.8
2	B	434	GLY	2.7
2	B	424	GLY	2.7
1	A	194	PRO	2.5
2	B	422	TYR	2.4
1	A	187	LEU	2.4
2	B	338	PHE	2.4
2	B	95	PRO	2.3
1	A	229	GLY	2.3
2	B	74	TYR	2.3
1	A	97	PHE	2.2
2	B	425	GLU	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.