



# Full wwPDB X-ray Structure Validation Report ⓘ

May 23, 2020 – 07:24 pm BST

PDB ID : 6PN1  
Title : Structure of rat neuronal nitric oxide synthase heme domain in complex with  
7-(3-(Aminomethyl)-4-propoxyphenyl)-4-methylquinolin-2-amine  
Authors : Li, H.; Poulos, T.L.  
Deposited on : 2019-07-02  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	<div> <div>4%</div> <div> <div></div> <div>75%</div> <div>20%</div> <div>• •</div> </div> </div>
1	B	422	<div> <div>2%</div> <div> <div></div> <div>80%</div> <div>17%</div> <div>• •</div> </div> </div>

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 7065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, brain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	3	0
			3322	2127	566	607	22			
1	B	411	Total	C	N	O	S	0	5	0
			3366	2155	575	614	22			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $C_9H_{15}N_5O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 7-[3-(aminomethyl)-4-propoxyphenyl]-4-methylquinolin-2-amine (three-letter code: OSG) (formula: C<sub>20</sub>H<sub>23</sub>N<sub>3</sub>O) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			24	20	3	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			24	20	3	1		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula:  $Zn$ ).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Zn	0	0
			1	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	84	Total	O	0	0
			84	84		
7	B	116	Total	O	0	0
			116	116		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, brain



- Molecule 1: Nitric oxide synthase, brain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	51.66Å 112.24Å 163.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.98 – 2.20 81.98 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.1 (81.98-2.20) 99.3 (81.98-2.20)	Depositor EDS
$R_{merge}$	0.27	Depositor
$R_{sym}$	0.27	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.41 (at 2.20Å)	Xtriage
Refinement program	PHENIX (1.11.1-2575_1496: ???)	Depositor
R, $R_{free}$	0.207 , 0.259 0.203 , 0.255	Depositor DCC
$R_{free}$ test set	2488 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.5	Xtriage
Anisotropy	0.991	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 52.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7065	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZN, H4B, OSG, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/3421	0.51	0/4641
1	B	0.40	0/3474	0.52	0/4708
All	All	0.39	0/6895	0.52	0/9349

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	588	TYR	Peptide

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3322	0	3232	60	0
1	B	3366	0	3293	44	0
2	A	43	0	30	5	0
2	B	43	0	30	5	0
3	A	17	0	15	1	0
3	B	17	0	15	1	0
4	A	24	0	0	2	0
4	B	24	0	0	2	0
5	A	4	0	3	0	0
5	B	4	0	3	0	0
6	B	1	0	0	0	0
7	A	84	0	0	4	0
7	B	116	0	0	4	0
All	All	7065	0	6621	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:706:TYR:OH	2:B:801:HEM:O1D	1.91	0.88
2:A:801:HEM:HHC	2:A:801:HEM:HBB2	1.66	0.78
1:A:686:SER:HB3	1:B:682:PRO:HB2	1.67	0.77
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.70	0.72
1:A:605:ASN:O	7:A:901:HOH:O	2.09	0.71
1:A:414:ARG:NH1	1:A:706:TYR:OH	2.24	0.71
2:B:801:HEM:O1A	7:B:901:HOH:O	2.11	0.68
2:A:801:HEM:HMC2	2:A:801:HEM:HBC2	1.77	0.67
1:B:593:ILE:HA	1:B:597:ASP:HB2	1.79	0.65
2:B:801:HEM:HBC2	2:B:801:HEM:HMC2	1.78	0.65
1:B:322:LEU:HD12	1:B:699:ARG:HG2	1.78	0.64
2:A:801:HEM:HBA1	4:A:803:OSG:C22	2.28	0.63
1:A:593:ILE:HA	1:A:597:ASP:HB2	1.80	0.63
1:A:598:TYR:HA	1:A:604:TYR:HB2	1.80	0.63
1:A:517:PHE:HE1	1:A:560:LYS:H	1.45	0.62
2:B:801:HEM:HBB2	2:B:801:HEM:HHC	1.81	0.61
1:A:336:MET:HG3	1:A:337:LEU:HG	1.83	0.61
1:A:604:TYR:HB3	1:A:606:ILE:HG23	1.82	0.61
1:A:517:PHE:HD1	1:A:560:LYS:HG2	1.67	0.60
1:A:706:TYR:OH	2:A:801:HEM:O2D	2.18	0.60
1:A:455:LEU:HD12	1:A:647:THR:HB	1.84	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:628:GLN:NE2	1:B:632:GLU:OE2	2.36	0.58
1:B:567:VAL:HG21	4:B:803:OSG:C07	2.34	0.57
1:A:517:PHE:CD1	1:A:560:LYS:HG2	2.41	0.56
1:B:478:GLN:HB2	1:B:481:ARG:HG3	1.88	0.56
1:A:393:THR:OG1	1:A:394:TYR:N	2.39	0.54
1:A:567:VAL:HG21	4:A:803:OSG:C07	2.37	0.54
1:A:362:LEU:HD11	1:A:384:VAL:HG21	1.90	0.54
1:A:475:TRP:HB2	1:A:523:LEU:HB3	1.88	0.54
1:B:510:TRP:CE2	1:B:521:PRO:HD3	2.43	0.53
1:A:332:MET:HB3	1:A:335:ILE:HG13	1.91	0.53
1:A:595:VAL:HA	1:A:630:LEU:HD11	1.90	0.53
1:A:496:PRO:HA	1:A:499:VAL:HG23	1.90	0.53
1:A:450:THR:HA	1:A:455:LEU:HD23	1.91	0.53
1:B:362:LEU:HD11	1:B:384:VAL:HG21	1.91	0.52
1:A:596:ARG:NH1	7:A:903:HOH:O	2.34	0.51
1:B:530:ASP:H	1:B:717[B]:LYS:HD3	1.74	0.51
2:A:801:HEM:CGA	3:A:802:H4B:HN3	2.22	0.51
1:A:610:VAL:HG21	1:A:633:ILE:HD11	1.93	0.50
1:B:414:ARG:NH1	1:B:706:TYR:OH	2.45	0.50
1:B:322:LEU:HB2	1:B:699:ARG:HB3	1.95	0.49
1:A:631:VAL:HG11	1:B:628:GLN:HG3	1.94	0.49
1:B:605:ASN:O	7:B:902:HOH:O	2.20	0.49
1:A:600:ASP:HB2	1:A:603:ARG:HG2	1.95	0.49
1:B:482:TYR:O	1:B:498:ASN:ND2	2.46	0.48
1:A:635:ILE:HG12	1:B:624:LEU:HB2	1.95	0.48
1:B:299:ARG:CZ	1:B:299:ARG:HB3	2.44	0.48
1:A:462:PHE:HB2	1:A:581:ALA:HB3	1.95	0.48
1:A:677:VAL:HG13	1:B:676:TRP:CZ3	2.49	0.48
1:A:475:TRP:CE2	1:A:710:PRO:HB2	2.48	0.48
1:B:596:ARG:HH12	3:B:802:H4B:C4	2.27	0.48
1:A:525:GLN:HB2	1:A:531:PRO:HB3	1.96	0.47
1:B:414:ARG:HD3	1:B:678:TRP:CD2	2.49	0.47
1:A:548:HIS:CE1	1:A:550:LYS:HB2	2.49	0.47
1:A:336:MET:CG	1:A:337:LEU:HG	2.44	0.47
1:A:378:MET:H	1:A:378:MET:HG2	1.39	0.47
1:A:686:SER:HA	1:A:691:PHE:CG	2.49	0.47
1:A:387:GLU:OE1	1:A:394:TYR:HA	2.14	0.47
1:B:485:TYR:CZ	1:B:514:ARG:HA	2.49	0.47
1:B:543:GLU:O	7:B:903:HOH:O	2.21	0.46
1:B:595:VAL:HA	1:B:630:LEU:HD11	1.98	0.46
1:A:299:ARG:HE	1:A:318:LEU:HD11	1.80	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:ARG:NH2	1:A:471:ASP:OD2	2.49	0.46
1:A:510:TRP:CE2	1:A:521:PRO:HD3	2.51	0.46
1:A:674:ALA:HB3	1:A:695:MET:HB3	1.97	0.46
1:B:517:PHE:HZ	1:B:559:LEU:HD23	1.81	0.46
1:A:684:SER:HB3	1:A:687:ILE:HD11	1.97	0.46
1:B:676:TRP:CZ2	1:B:680:VAL:HG21	2.51	0.45
1:A:696:LEU:HD22	1:B:330:ILE:HD11	1.99	0.45
1:B:409:TRP:CE3	1:B:421:TRP:HA	2.51	0.45
1:B:548:HIS:NE2	1:B:632:GLU:OE1	2.48	0.45
1:A:501:PHE:HD2	1:A:520:LEU:HD13	1.82	0.45
1:B:336:MET:HE2	1:B:336:MET:HB2	1.78	0.45
1:B:513:PRO:HG2	1:B:518:ASP:CG	2.38	0.45
1:A:547:ARG:NH1	1:A:644:ASP:OD1	2.31	0.44
1:B:686:SER:HA	1:B:691:PHE:CG	2.53	0.44
1:A:666:TYR:CE2	1:A:671:GLY:HA2	2.52	0.44
1:B:388:ILE:O	1:B:392:SER:N	2.46	0.44
1:B:380:ARG:NH1	1:B:397:LYS:HE2	2.33	0.44
1:B:548:HIS:CG	1:B:549:PRO:HD2	2.53	0.44
1:A:676:TRP:CZ2	1:A:680:VAL:HG21	2.54	0.43
1:B:425:GLN:HG2	1:B:448:TYR:CE2	2.53	0.43
1:A:516:ARG:N	7:A:913:HOH:O	2.49	0.43
1:A:525:GLN:HG3	1:A:529:ASN:O	2.18	0.43
2:B:801:HEM:HBA1	4:B:803:OSG:C22	2.48	0.43
1:B:608:GLU:HG2	7:B:902:HOH:O	2.19	0.43
1:A:596:ARG:NH2	1:A:600:ASP:OD2	2.50	0.42
1:A:551:PHE:HD2	1:A:553:TRP:HE1	1.67	0.42
1:A:665:GLU:CB	1:A:672:CYS:HB2	2.49	0.42
1:A:625:TRP:CZ3	1:A:626:LYS:HG2	2.54	0.42
1:A:685:GLY:O	1:A:691:PHE:HB2	2.19	0.42
1:A:330:ILE:HD11	1:B:696:LEU:HD13	2.02	0.42
1:B:355:PHE:N	1:B:356:PRO:HD2	2.34	0.42
1:B:699:ARG:HH11	1:B:699:ARG:HB2	1.85	0.41
1:B:460:THR:O	1:B:582:CYS:HA	2.20	0.41
1:A:596:ARG:O	1:A:603:ARG:HG3	2.20	0.41
1:B:316:LEU:HB3	1:B:671:GLY:HA3	2.01	0.41
1:B:434:THR:O	1:B:438:MET:HG3	2.21	0.41
1:A:546:ILE:HG12	1:A:560:LYS:HA	2.01	0.41
1:A:645:LYS:HA	1:A:645:LYS:HD3	1.84	0.41
1:A:701:THR:HG21	7:A:949:HOH:O	2.21	0.41
1:B:409:TRP:CZ3	1:B:421:TRP:HA	2.56	0.41
1:A:595:VAL:O	1:A:599:CYS:HB2	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:300:PHE:N	1:B:300:PHE:CD1	2.89	0.40
1:A:623:SER:OG	1:A:625:TRP:HD1	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	405/422 (96%)	373 (92%)	31 (8%)	1 (0%)	47	55
1	B	412/422 (98%)	399 (97%)	11 (3%)	2 (0%)	29	31
All	All	817/844 (97%)	772 (94%)	42 (5%)	3 (0%)	34	37

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	617	ASP
1	B	619	ARG
1	A	715	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/377 (97%)	348 (95%)	17 (5%)	26	33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	371/377 (98%)	357 (96%)	14 (4%)	33	42
All	All	736/754 (98%)	705 (96%)	31 (4%)	29	38

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	321	THR
1	A	332	MET
1	A	352	ASP
1	A	378	MET
1	A	390	SER
1	A	523	LEU
1	A	527	ASN
1	A	547	ARG
1	A	550	LYS
1	A	552	ASP
1	A	608	GLU
1	A	627	ASP
1	A	645	LYS
1	A	663	GLU
1	A	701	THR
1	A	713	THR
1	A	715	VAL
1	B	299	ARG
1	B	353	GLN
1	B	368	SER
1	B	382	GLU
1	B	392	SER
1	B	455	LEU
1	B	527	ASN
1	B	540	LEU
1	B	547	ARG
1	B	606	ILE
1	B	607	LEU
1	B	608	GLU
1	B	627	ASP
1	B	699	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEM	A	801	1	27,50,50	1.88	7 (25%)	17,82,82	1.93	6 (35%)
2	HEM	B	801	1	27,50,50	1.91	7 (25%)	17,82,82	1.50	3 (17%)
4	OSG	A	803	-	26,26,26	0.81	0	35,36,36	1.38	4 (11%)
5	ACT	A	804	-	1,3,3	1.26	0	0,3,3	0.00	-
3	H4B	B	802	-	16,18,18	0.84	0	11,26,26	2.50	5 (45%)
3	H4B	A	802	-	16,18,18	0.83	0	11,26,26	2.58	6 (54%)
4	OSG	B	803	-	26,26,26	0.78	0	35,36,36	1.88	7 (20%)
5	ACT	B	804	-	1,3,3	1.49	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	801	1	-	1/6/54/54	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	801	1	-	1/6/54/54	-
4	OSG	A	803	-	-	2/10/19/19	0/3/3/3
3	H4B	B	802	-	-	3/8/17/17	0/2/2/2
3	H4B	A	802	-	-	3/8/17/17	0/2/2/2
4	OSG	B	803	-	-	2/10/19/19	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	HEM	C3B-C2B	-4.27	1.34	1.40
2	B	801	HEM	C3C-C2C	-4.12	1.34	1.40
2	B	801	HEM	C3B-C2B	-3.94	1.34	1.40
2	A	801	HEM	C3B-CAB	3.81	1.55	1.47
2	A	801	HEM	C3C-C2C	-3.74	1.35	1.40
2	B	801	HEM	C3B-CAB	3.70	1.55	1.47
2	B	801	HEM	C3C-CAC	3.26	1.54	1.47
2	A	801	HEM	C3C-CAC	3.01	1.54	1.47
2	A	801	HEM	CAA-C2A	2.61	1.55	1.52
2	B	801	HEM	CMD-C2D	2.34	1.56	1.51
2	A	801	HEM	C4B-NB	2.10	1.40	1.36
2	B	801	HEM	C4B-NB	2.05	1.40	1.36
2	B	801	HEM	C1D-ND	2.03	1.40	1.36
2	A	801	HEM	C1D-ND	2.03	1.40	1.36

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	803	OSG	O29-C24-C25	6.94	124.86	115.78
3	A	802	H4B	C4-C4A-C8A	4.50	118.56	114.57
3	B	802	H4B	C4-C4A-N5	3.90	122.40	119.12
3	B	802	H4B	C4-C4A-C8A	3.84	117.98	114.57
3	A	802	H4B	N3-C2-N1	-3.55	119.86	125.42
4	B	803	OSG	C30-O29-C24	3.51	126.27	117.69
3	B	802	H4B	N3-C2-N1	-3.50	119.92	125.42
4	B	803	OSG	O29-C24-C23	-3.46	116.48	123.97
3	A	802	H4B	C4-C4A-N5	3.37	121.95	119.12
2	A	801	HEM	CMA-C3A-C4A	-3.33	123.35	128.46
4	A	803	OSG	O29-C24-C25	3.16	119.90	115.78
4	B	803	OSG	C04-C05-C10	3.11	119.69	118.01
2	A	801	HEM	CBA-CAA-C2A	3.09	118.18	112.49
2	A	801	HEM	C4A-C3A-C2A	3.01	109.09	107.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	H4B	C2-N1-C8A	3.00	121.27	114.54
3	A	802	H4B	C4-N3-C2	2.96	120.63	115.93
2	A	801	HEM	CAD-CBD-CGD	-2.96	107.71	112.67
4	A	803	OSG	C04-C05-C10	2.94	119.60	118.01
3	B	802	H4B	C2-N1-C8A	2.89	121.02	114.54
4	A	803	OSG	C05-C10-N01	-2.86	119.77	122.81
3	B	802	H4B	C4-N3-C2	2.86	120.47	115.93
2	B	801	HEM	CAD-CBD-CGD	-2.75	108.05	112.67
4	B	803	OSG	C27-C25-C26	-2.69	115.59	120.38
4	A	803	OSG	N02-C02-N01	2.54	120.36	118.26
2	B	801	HEM	C4A-C3A-C2A	2.33	108.62	107.00
3	A	802	H4B	N2-C2-N3	2.30	120.82	117.25
4	B	803	OSG	C27-C25-C24	2.28	124.58	120.12
4	B	803	OSG	C05-C10-N01	-2.24	120.43	122.81
2	A	801	HEM	CBD-CAD-C3D	-2.22	108.38	112.48
2	A	801	HEM	CMD-C2D-C1D	-2.16	125.15	128.46
2	B	801	HEM	CAA-CBA-CGA	-2.06	109.22	112.67

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	HEM	C2A-CAA-CBA-CGA
2	B	801	HEM	C2A-CAA-CBA-CGA
3	B	802	H4B	C7-C6-C9-O9
3	B	802	H4B	C7-C6-C9-C10
3	A	802	H4B	C7-C6-C9-O9
3	A	802	H4B	C7-C6-C9-C10
4	B	803	OSG	C25-C24-O29-C30
4	B	803	OSG	C23-C24-O29-C30
4	A	803	OSG	C23-C24-O29-C30
3	B	802	H4B	N5-C6-C9-O9
3	A	802	H4B	N5-C6-C9-O9
4	A	803	OSG	C25-C24-O29-C30

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	HEM	5	0
2	B	801	HEM	5	0


*Continued on next page...*






*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	803	OSG	2	0
3	B	802	H4B	1	0
3	A	802	H4B	1	0
4	B	803	OSG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	407/422 (96%)	0.34	18 (4%) 34 32	32, 65, 117, 150	0
1	B	411/422 (97%)	0.13	7 (1%) 70 68	31, 53, 93, 125	0
All	All	818/844 (96%)	0.23	25 (3%) 49 47	31, 58, 109, 150	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	599	CYS	6.1
1	B	594	GLY	4.1
1	A	595	VAL	4.1
1	A	373	GLY	3.2
1	A	715	VAL	3.2
1	B	595	VAL	3.1
1	A	603	ARG	2.9
1	A	488	PRO	2.9
1	A	597	ASP	2.8
1	B	300	PHE	2.8
1	A	598	TYR	2.8
1	A	604	TYR	2.8
1	B	299	ARG	2.7
1	B	350	THR	2.5
1	A	352	ASP	2.5
1	A	706	TYR	2.4
1	A	716	TRP	2.4
1	A	322	LEU	2.3
1	A	551	PHE	2.3
1	B	389	GLU	2.3
1	A	381	LEU	2.3
1	A	609	GLU	2.3
1	A	370	LYS	2.2
1	A	515	GLY	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	352	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	ACT	A	804	4/4	0.85	0.22	80,82,83,86	0
5	ACT	B	804	4/4	0.85	0.25	61,76,77,84	0
3	H4B	B	802	17/17	0.87	0.17	46,55,70,71	0
3	H4B	A	802	17/17	0.93	0.21	41,52,75,77	0
4	OSG	A	803	24/24	0.93	0.18	34,56,94,99	0
4	OSG	B	803	24/24	0.94	0.19	38,53,77,85	0
2	HEM	B	801	43/43	0.96	0.13	23,42,60,65	0
2	HEM	A	801	43/43	0.97	0.13	30,46,68,79	0
6	ZN	B	805	1/1	0.99	0.13	50,50,50,50	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around OSG A 803:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OSG B 803:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around HEM B 801:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers ⓘ

There are no such residues in this entry.