



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 04:59 am BST

PDB ID : 3PO9
Title : Crystal structure of PPARgamma ligand binding domain in complex with tripropyltin
Authors : le Maire, A.; Bourguet, W.
Deposited on : 2010-11-22
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	<div> <div>8%</div> <div> <div></div> <div>66%</div> <div>22%</div> <div>•</div> <div>9%</div> </div> </div>
1	B	286	<div> <div>8%</div> <div> <div></div> <div>67%</div> <div>19%</div> <div>•</div> <div>13%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	XPT	A	1[A]	-	-	X	X
2	XPT	A	1[B]	-	-	X	X
2	XPT	A	1[C]	-	-	X	X
2	XPT	B	1	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	1	0
			2067	1332	336	389	10			
1	B	249	Total	C	N	O	S	0	2	0
			1986	1284	323	370	9			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	192	GLY	-	EXPRESSION TAG	UNP P37231
A	193	SER	-	EXPRESSION TAG	UNP P37231
A	194	HIS	-	EXPRESSION TAG	UNP P37231
A	195	MET	-	EXPRESSION TAG	UNP P37231
B	192	GLY	-	EXPRESSION TAG	UNP P37231
B	193	SER	-	EXPRESSION TAG	UNP P37231
B	194	HIS	-	EXPRESSION TAG	UNP P37231
B	195	MET	-	EXPRESSION TAG	UNP P37231

- Molecule 2 is 1-[chloro(dipropyl)-lambda 4 -sulfanyl]propane (three-letter code: XPT) (formula: C₉H₂₁ClS).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	S	0	1
			30	27	3		
2	B	1	Total	C	S	0	0
			10	9	1		

- Molecule 3 is S-1,2-PROPANEDIOL (three-letter code: PGO) (formula: C₃H₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			5	3	2		
3	B	1	Total	C	O	0	0
			5	3	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			5	3	2		
3	B	1	Total	C	O	0	0
			5	3	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	118	Total	O	0	0
			118	118		
4	B	113	Total	O	0	0
			113	113		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.41Å 61.75Å 118.66Å 90.00° 102.91° 90.00°	Depositor
Resolution (Å)	33.32 – 2.35 39.46 – 2.35	Depositor EDS
% Data completeness (in resolution range)	95.0 (33.32-2.35) 97.2 (39.46-2.35)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.22 (at 2.34Å)	Xtriage
Refinement program	PHENIX 1.6 _289	Depositor
R, R_{free}	0.201 , 0.269 0.195 , 0.258	Depositor DCC
R_{free} test set	1351 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	34.6	Xtriage
Anisotropy	0.759	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 56.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4344	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGO, XPT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2104	0.54	0/2841
1	B	0.44	0/2024	0.53	0/2729
All	All	0.42	0/4128	0.53	0/5570

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2067	0	2100	72	0
1	B	1986	0	2012	60	0
2	A	30	0	63	37	0
2	B	10	0	21	8	0
3	B	20	0	32	5	0
4	A	118	0	0	5	0
4	B	113	0	0	5	0
All	All	4344	0	4228	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1[A]:XPT:C3	2:A:1[A]:XPT:SN1	2.13	1.36
2:A:1[A]:XPT:C9	2:A:1[A]:XPT:SN1	2.13	1.36
2:A:1[B]:XPT:SN1	2:A:1[B]:XPT:C3	2.14	1.36
2:A:1[C]:XPT:SN1	2:A:1[C]:XPT:C9	2.13	1.36
2:A:1[C]:XPT:SN1	2:A:1[C]:XPT:C3	2.13	1.36
2:B:1:XPT:C6	2:B:1:XPT:SN1	2.14	1.36
2:A:1[B]:XPT:SN1	2:A:1[B]:XPT:C6	2.14	1.36
2:A:1[C]:XPT:SN1	2:A:1[C]:XPT:C6	2.13	1.35
2:A:1[B]:XPT:SN1	2:A:1[B]:XPT:C9	2.14	1.35
2:B:1:XPT:C3	2:B:1:XPT:SN1	2.15	1.35
2:A:1[A]:XPT:C6	2:A:1[A]:XPT:SN1	2.14	1.35
2:B:1:XPT:C9	2:B:1:XPT:SN1	2.15	1.33
1:B:285:CYS:SG	2:B:1:XPT:SN1	2.49	1.10
1:A:364:MET:SD	2:A:1[B]:XPT:H9	1.96	1.05
1:A:339:VAL:HG11	2:A:1[C]:XPT:H11	1.41	1.00
1:B:466:HIS:HD2	1:B:468:LEU:H	1.01	0.97
1:A:323:HIS:CE1	1:A:472:ILE:HG22	2.04	0.92
1:A:205:ASN:HD21	1:A:207:GLU:HG2	1.35	0.91
1:A:205:ASN:ND2	1:A:207:GLU:HG2	1.85	0.91
1:B:288[A]:ARG:HG3	1:B:288[A]:ARG:HH11	1.34	0.91
1:B:466:HIS:CD2	1:B:468:LEU:H	1.90	0.90
2:A:1[C]:XPT:H5A	4:A:508:HOH:O	1.76	0.84
1:B:288[B]:ARG:HD3	4:B:481:HOH:O	1.80	0.81
1:B:288[A]:ARG:CG	1:B:288[A]:ARG:HH11	1.96	0.77
1:A:330:LEU:HD11	2:A:1[C]:XPT:H10A	1.65	0.77
1:A:261:LYS:HD2	1:A:261:LYS:H	1.48	0.77
1:A:452:LEU:O	1:A:456:ILE:HG12	1.85	0.76
2:A:1[C]:XPT:H3	4:A:509:HOH:O	1.86	0.75
2:A:1[C]:XPT:H11B	2:A:1[C]:XPT:H6A	1.69	0.74
1:A:364:MET:SD	2:A:1[B]:XPT:C9	2.76	0.72
1:A:261:LYS:HD2	1:A:261:LYS:N	2.05	0.71
1:A:276:GLU:OE2	1:A:357:ARG:HD3	1.91	0.70
1:B:466:HIS:CD2	1:B:468:LEU:HB2	2.27	0.70
1:B:288[A]:ARG:HG3	1:B:288[A]:ARG:NH1	2.06	0.68
1:B:384:LEU:O	1:B:388:ILE:HG12	1.91	0.68
1:B:285:CYS:HB3	2:B:1:XPT:H10A	1.76	0.67
1:A:282:PHE:CE1	2:A:1[A]:XPT:H9A	2.30	0.67
1:A:219:TYR:CZ	1:A:223:ILE:HD11	2.31	0.66
1:A:261:LYS:HG2	1:A:262:ILE:H	1.59	0.66
1:A:286:GLN:HG2	4:A:528:HOH:O	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:247:PHE:CZ	1:B:257:MET:HG2	2.31	0.65
1:B:466:HIS:HD2	1:B:468:LEU:N	1.84	0.65
1:A:370:PHE:HA	1:A:373:LYS:HE2	1.79	0.64
1:A:323:HIS:HE1	1:A:472:ILE:HG22	1.60	0.64
1:A:474:LYS:O	1:A:475:ASP:HB2	1.96	0.64
2:A:1[A]:XPT:H10A	4:A:528:HOH:O	1.96	0.64
1:A:465:LEU:HD21	1:A:473:TYR:HD2	1.60	0.64
2:A:1[C]:XPT:H11B	2:A:1[C]:XPT:C6	2.29	0.63
1:A:286:GLN:HE22	1:A:465:LEU:HA	1.64	0.63
1:A:443:ARG:O	1:A:447:THR:HG23	2.01	0.61
1:A:255:LEU:O	1:A:259:GLU:HG3	2.00	0.61
1:A:283:GLN:HE21	1:A:283:GLN:HA	1.65	0.61
1:A:473:TYR:HA	1:A:476:LEU:HD22	1.83	0.61
1:A:364:MET:CE	2:A:1[C]:XPT:H11A	2.31	0.61
1:A:323:HIS:CE1	1:A:472:ILE:CG2	2.80	0.60
3:B:478:PGO:H32	3:B:4:PGO:O1	2.01	0.60
1:A:323:HIS:CE1	1:A:476:LEU:HD21	2.37	0.59
1:B:325:ILE:HD11	1:B:392:ILE:CG1	2.31	0.59
1:B:364:MET:SD	2:B:1:XPT:H3	2.43	0.59
1:B:455:VAL:O	1:B:459:THR:HG22	2.03	0.58
1:B:325:ILE:HD13	1:B:388:ILE:HG23	1.85	0.58
1:A:322:VAL:HG21	1:A:472:ILE:HD13	1.86	0.58
1:A:350:ARG:HG3	1:A:368:PHE:CD2	2.39	0.58
1:B:300:ALA:HA	1:B:303:ILE:HD12	1.85	0.58
1:A:305:GLY:HA2	1:A:308:ASN:HD22	1.69	0.57
1:A:449:HIS:HE1	2:A:1[A]:XPT:H9	1.70	0.56
1:A:261:LYS:HG2	1:A:262:ILE:N	2.21	0.56
1:B:256:MET:CE	1:B:280:ARG:HH12	2.19	0.56
1:A:277:VAL:HG22	1:A:280:ARG:HH21	1.72	0.55
1:B:443:ARG:O	1:B:447:THR:HG23	2.06	0.55
1:B:325:ILE:HD11	1:B:392:ILE:HG13	1.90	0.54
1:B:387:PHE:CE1	1:B:439:MET:HE2	2.43	0.54
1:B:284:GLY:O	1:B:288[B]:ARG:HG2	2.08	0.54
1:A:205:ASN:HB2	1:A:206:PRO:HD2	1.90	0.53
1:B:256:MET:HE3	1:B:280:ARG:HH12	1.74	0.53
1:A:434:LYS:HA	1:A:437:GLN:HG3	1.90	0.53
1:B:398:PRO:HD3	3:B:2:PGO:H11	1.91	0.53
1:A:329:MET:O	1:A:332:SER:HB2	2.10	0.52
1:B:239:GLY:O	1:B:240:LYS:C	2.47	0.52
1:A:260:ASP:OD1	1:A:260:ASP:N	2.41	0.51
1:A:465:LEU:HD21	1:A:473:TYR:CD2	2.42	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:GLN:NE2	1:A:283:GLN:HA	2.26	0.51
1:A:449:HIS:NE2	2:A:1[A]:XPT:H11B	2.26	0.51
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.46	0.51
1:A:252:MET:HE1	1:A:277:VAL:HG21	1.92	0.50
1:A:282:PHE:HE1	2:A:1[A]:XPT:H9A	1.74	0.50
1:A:402:ASN:O	1:A:405:PRO:HD2	2.11	0.50
1:A:364:MET:HE2	2:A:1[C]:XPT:H11A	1.93	0.50
1:A:394:SER:O	1:A:397:ARG:HG2	2.12	0.50
1:B:449:HIS:HE2	1:B:477:TYR:C	2.16	0.49
2:B:1:XPT:H11A	2:B:1:XPT:H7	1.94	0.49
1:B:370:PHE:HB2	1:B:445:ILE:HD11	1.94	0.49
1:A:323:HIS:CD2	1:A:323:HIS:H	2.29	0.49
1:A:354:LYS:HD3	1:A:365:GLU:CG	2.42	0.49
1:A:433:ALA:O	1:A:437:GLN:HG2	2.13	0.49
1:B:387:PHE:HE1	1:B:439:MET:CE	2.26	0.48
1:B:255:LEU:CD2	1:B:277:VAL:HG13	2.44	0.48
1:B:324:GLU:OE2	1:B:443:ARG:HD3	2.12	0.48
1:A:449:HIS:CE1	2:A:1[A]:XPT:H9	2.49	0.47
1:B:370:PHE:CG	1:B:445:ILE:HD11	2.50	0.47
1:A:258:GLY:O	1:A:262:ILE:HB	2.15	0.46
1:B:370:PHE:CB	1:B:445:ILE:HD11	2.45	0.46
1:B:307:VAL:HG22	4:B:36:HOH:O	2.14	0.46
1:B:288[A]:ARG:CG	1:B:288[A]:ARG:NH1	2.66	0.45
1:B:441:ASP:N	1:B:441:ASP:OD1	2.48	0.45
1:B:252:MET:SD	1:B:277:VAL:HG11	2.57	0.45
1:B:333:LEU:HB3	1:B:340:LEU:HB2	1.97	0.45
1:B:387:PHE:HE1	1:B:439:MET:HE3	1.81	0.45
2:A:1[A]:XPT:SN1	2:A:1[A]:XPT:C4	2.99	0.45
2:A:1[B]:XPT:C7	2:A:1[B]:XPT:SN1	2.99	0.44
1:A:463:MET:HG2	1:A:464:SER:N	2.31	0.44
1:B:387:PHE:CE1	1:B:439:MET:CE	2.99	0.44
1:B:402:ASN:O	1:B:405:PRO:HD2	2.16	0.44
1:A:449:HIS:HE2	2:A:1[A]:XPT:H11B	1.82	0.44
1:B:250:TYR:HB2	4:B:99:HOH:O	2.18	0.44
1:B:277:VAL:O	1:B:281:ILE:HG13	2.18	0.44
1:A:405:PRO:O	1:A:409:ILE:HG13	2.18	0.43
1:A:232:LYS:HE3	1:A:243:ASP:OD1	2.19	0.43
3:B:478:PGO:H32	3:B:4:PGO:C1	2.49	0.43
1:A:370:PHE:O	1:A:373:LYS:HG2	2.19	0.43
2:A:1[C]:XPT:SN1	2:A:1[C]:XPT:C10	2.99	0.42
1:A:452:LEU:HA	1:A:452:LEU:HD23	1.78	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288[A]:ARG:HD2	1:B:291:GLU:OE1	2.19	0.42
1:B:324:GLU:HG3	1:B:446:VAL:HG21	2.01	0.42
1:A:364:MET:SD	2:A:1[C]:XPT:H11A	2.60	0.42
1:A:440:THR:HG21	1:B:443:ARG:HG3	2.01	0.42
1:A:282:PHE:HE2	1:A:286:GLN:HE21	1.68	0.42
1:A:359:PRO:HG2	1:A:456:ILE:HD13	2.02	0.42
1:A:330:LEU:HD11	2:A:1[C]:XPT:C10	2.42	0.42
1:B:466:HIS:HD2	1:B:468:LEU:HB2	1.79	0.42
2:A:1[C]:XPT:SN1	2:A:1[C]:XPT:C7	3.02	0.42
1:B:325:ILE:HG23	1:B:388:ILE:HD12	2.02	0.42
1:A:327:TYR:HE2	2:A:1[B]:XPT:H11	1.85	0.42
1:A:303:ILE:HD11	1:A:392:ILE:HD12	2.02	0.42
1:B:468:LEU:O	1:B:472:ILE:HG13	2.20	0.42
1:A:257:MET:O	1:A:260:ASP:OD1	2.38	0.41
1:B:432:PHE:HB3	4:B:90:HOH:O	2.20	0.41
1:A:364:MET:SD	2:A:1[A]:XPT:H3	2.59	0.41
2:A:1[B]:XPT:C4	2:A:1[B]:XPT:SN1	3.01	0.41
2:A:1[B]:XPT:SN1	2:A:1[B]:XPT:C10	3.00	0.41
1:B:436:LEU:HD23	1:B:439:MET:HE1	2.02	0.41
2:A:1[C]:XPT:H11B	2:A:1[C]:XPT:H8A	2.02	0.41
1:B:285:CYS:CB	2:B:1:XPT:H10A	2.48	0.41
1:B:442:LEU:O	1:B:446:VAL:HG23	2.19	0.41
1:A:261:LYS:CD	1:A:261:LYS:H	2.23	0.41
1:A:436:LEU:O	1:A:439:MET:HG2	2.20	0.41
1:B:438:LYS:HA	1:B:438:LYS:HD3	1.92	0.41
1:B:325:ILE:HD11	1:B:392:ILE:HG12	2.03	0.41
1:A:277:VAL:HG22	1:A:280:ARG:NH2	2.34	0.41
1:A:286:GLN:NE2	1:A:465:LEU:HA	2.31	0.41
1:B:318:LEU:O	1:B:322:VAL:HG13	2.21	0.41
1:A:453:LEU:HA	1:A:453:LEU:HD12	1.88	0.41
1:B:430:GLN:O	1:B:434:LYS:HG2	2.21	0.41
1:A:325:ILE:HD11	1:A:392:ILE:HG13	2.02	0.40
1:A:430:GLN:HA	4:A:67:HOH:O	2.21	0.40
1:B:288[A]:ARG:HA	1:B:288[A]:ARG:HD2	1.96	0.40
1:B:380:ASP:OD1	1:B:380:ASP:C	2.59	0.40
1:B:288[B]:ARG:HG3	3:B:478:PGO:H2	2.02	0.40
3:B:4:PGO:H31	4:B:169:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/286 (90%)	250 (97%)	7 (3%)	1 (0%)	34	38
1	B	243/286 (85%)	232 (96%)	10 (4%)	1 (0%)	34	38
All	All	501/572 (88%)	482 (96%)	17 (3%)	2 (0%)	34	38

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	259	GLU
1	B	239	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/258 (89%)	218 (95%)	11 (5%)	25	30
1	B	218/258 (84%)	210 (96%)	8 (4%)	34	42
All	All	447/516 (87%)	428 (96%)	19 (4%)	30	35

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	207	GLU
1	A	234	ARG
1	A	260	ASP
1	A	261	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	333	LEU
1	A	357	ARG
1	A	400	LEU
1	A	427	GLU
1	A	452	LEU
1	A	453	LEU
1	A	456	ILE
1	B	276	GLU
1	B	288[A]	ARG
1	B	288[B]	ARG
1	B	311	LEU
1	B	434	LYS
1	B	441	ASP
1	B	460	GLU
1	B	468	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	205	ASN
1	A	283	GLN
1	A	308	ASN
1	A	314	GLN
1	A	410	GLN
1	B	308	ASN
1	B	415	GLN
1	B	424	ASN
1	B	430	GLN
1	B	444	GLN
1	B	466	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	XPT	A	1[A]	-	6,9,10	0.33	0	6,9,12	0.61	0
3	PGO	B	2	-	3,4,4	0.44	0	1,4,4	0.49	0
2	XPT	A	1[B]	-	6,9,10	0.35	0	6,9,12	0.64	0
2	XPT	A	1[C]	-	6,9,10	0.31	0	6,9,12	0.65	0
3	PGO	B	3	-	3,4,4	0.43	0	1,4,4	0.19	0
3	PGO	B	4	-	3,4,4	0.42	0	1,4,4	0.57	0
3	PGO	B	478	-	3,4,4	0.36	0	1,4,4	0.05	0
2	XPT	B	1	-	6,9,10	0.34	0	6,9,12	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XPT	A	1[A]	-	-	5/9/9/12	-
3	PGO	B	2	-	-	0/2/2/2	-
2	XPT	A	1[B]	-	-	8/9/9/12	-
2	XPT	A	1[C]	-	-	4/9/9/12	-
3	PGO	B	3	-	-	0/2/2/2	-
3	PGO	B	4	-	-	0/2/2/2	-
3	PGO	B	478	-	-	0/2/2/2	-
2	XPT	B	1	-	-	2/9/9/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1[A]	XPT	SN1-C3-C4-C5
2	A	1[A]	XPT	C7-C6-SN1-C3
2	A	1[B]	XPT	C4-C3-SN1-C6
2	A	1[B]	XPT	C4-C3-SN1-C9
2	A	1[B]	XPT	C7-C6-SN1-C3
2	A	1[B]	XPT	C7-C6-SN1-C9
2	A	1[B]	XPT	C11-C10-C9-SN1
2	A	1[B]	XPT	C10-C9-SN1-C3
2	A	1[B]	XPT	C10-C9-SN1-C6
2	A	1[C]	XPT	SN1-C3-C4-C5
2	A	1[C]	XPT	SN1-C6-C7-C8
2	A	1[B]	XPT	SN1-C3-C4-C5
2	A	1[A]	XPT	C7-C6-SN1-C9
2	A	1[A]	XPT	C10-C9-SN1-C3
2	A	1[A]	XPT	C10-C9-SN1-C6
2	B	1	XPT	C7-C6-SN1-C9
2	A	1[C]	XPT	C7-C6-SN1-C3
2	A	1[C]	XPT	C7-C6-SN1-C9
2	B	1	XPT	C7-C6-SN1-C3

There are no ring outliers.

7 monomers are involved in 50 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1[A]	XPT	12	0
3	B	2	PGO	1	0
2	A	1[B]	XPT	9	0
2	A	1[C]	XPT	16	0
3	B	4	PGO	3	0
3	B	478	PGO	3	0
2	B	1	XPT	8	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/286 (91%)	0.68	24 (9%) 9 14	21, 39, 63, 83	0
1	B	249/286 (87%)	0.82	24 (9%) 8 12	21, 38, 65, 80	0
All	All	510/572 (89%)	0.75	48 (9%) 8 13	21, 39, 65, 83	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	262	ILE	4.6
1	B	260	ASP	4.4
1	B	275	LYS	4.2
1	B	256	MET	4.0
1	A	275	LYS	4.0
1	B	454	GLN	3.9
1	B	240	LYS	3.8
1	A	260	ASP	3.6
1	B	459	THR	3.4
1	A	261	LYS	3.3
1	B	422	LYS	3.2
1	A	476	LEU	3.1
1	A	475	ASP	3.0
1	B	357	ARG	2.9
1	B	466	HIS	2.9
1	A	252	MET	2.8
1	B	207	GLU	2.8
1	A	423	LEU	2.7
1	B	245	SER	2.7
1	A	259	GLU	2.7
1	A	204	LEU	2.6
1	A	426	PRO	2.6
1	A	257	MET	2.5
1	A	209	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	456	ILE	2.5
1	A	205	ASN	2.5
1	A	256	MET	2.5
1	A	208	SER	2.5
1	B	475	ASP	2.5
1	B	428	SER	2.4
1	A	452	LEU	2.4
1	A	427	GLU	2.4
1	A	206	PRO	2.3
1	B	328	THR	2.3
1	B	276	GLU	2.3
1	B	327	TYR	2.3
1	A	258	GLY	2.3
1	B	451	GLN	2.3
1	A	207	GLU	2.2
1	B	474	LYS	2.2
1	B	209	ALA	2.2
1	B	427	GLU	2.1
1	B	389	ALA	2.1
1	A	253	ASN	2.1
1	B	252	MET	2.0
1	B	253	ASN	2.0
1	A	243	ASP	2.0
1	A	455	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	XPT	A	1[A]	10/11	0.74	0.55	42,45,53,54	10
2	XPT	A	1[B]	10/11	0.74	0.55	38,44,46,53	10
2	XPT	A	1[C]	10/11	0.74	0.55	37,39,42,48	10
3	PGO	B	478	5/5	0.79	0.20	41,46,49,51	0
3	PGO	B	4	5/5	0.80	0.22	39,48,53,54	0
3	PGO	B	2	5/5	0.81	0.22	44,52,58,59	0
3	PGO	B	3	5/5	0.86	0.17	52,53,54,55	0
2	XPT	B	1	10/11	0.87	0.46	37,43,47,52	0

6.5 Other polymers

There are no such residues in this entry.