



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 19, 2020 – 09:39 AM BST

PDB ID : 6PP3
Title : Structure of human endothelial nitric oxide synthase heme domain in complex with 7-(3-(Aminomethyl)-4-(pyridin-2-ylmethoxy)phenyl)-4-methylquinolin-2-amine
Authors : Li, H.; Poulos, T.L.
Deposited on : 2019-07-05
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.6
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.6


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	<div> <div>10%</div> <div> <div>68%</div> <div>21%</div> <div>• 9%</div> </div> </div>
1	B	440	<div> <div>%</div> <div> <div>75%</div> <div>15%</div> <div>• 9%</div> </div> </div>
1	C	440	<div> <div>2%</div> <div> <div>81%</div> <div>9%</div> <div>• 9%</div> </div> </div>
1	D	440	<div> <div>80%</div> <div>11%</div> <div>9%</div> </div>

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 13906 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	401	Total	C	N	O	S	0	2	0
			3215	2047	566	586	16			
1	B	402	Total	C	N	O	S	0	4	0
			3225	2054	566	589	16			
1	C	401	Total	C	N	O	S	0	2	0
			3209	2044	563	586	16			
1	D	401	Total	C	N	O	S	0	2	0
			3206	2042	563	585	16			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	298	GLU	ASP	variant	UNP P29474
B	298	GLU	ASP	variant	UNP P29474
C	298	GLU	ASP	variant	UNP P29474
D	298	GLU	ASP	variant	UNP P29474


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



-
- The chemical structure of H4B (Hydroxybenzoyl-CoA) is shown. It consists of a benzoyl group (a benzene ring with a carboxyl group) attached to the CoA moiety. The benzoyl group is shown in green, and the CoA moiety is shown in blue. The attachment point is labeled C10(S). The carboxyl group is labeled O9 and O10. The benzene ring has a hydroxyl group (OH) at the 3-position, labeled O11. The CoA moiety is a complex structure with various atoms labeled, including N1, N2, N3, N4, N5, N6, N7, N8, N9, N10, N11, N12, N13, N14, N15, N16, N17, N18, N19, N20, N21, N22, N23, N24, N25, N26, N27, N28, N29, N30, N31, N32, N33, N34, N35, N36, N37, N38, N39, N40, N41, N42, N43, N44, N45, N46, N47, N48, N49, N50, N51, N52, N53, N54, N55, N56, N57, N58, N59, N60, N61, N62, N63, N64, N65, N66, N67, N68, N69, N70, N71, N72, N73, N74, N75, N76, N77, N78, N79, N80, N81, N82, N83, N84, N85, N86, N87, N88, N89, N90, N91, N92, N93, N94, N95, N96, N97, N98, N99, N100, N101, N102, N103, N104, N105, N106, N107, N108, N109, N110, N111, N112, N113, N114, N115, N116, N117, N118, N119, N120, N121, N122, N123, N124, N125, N126, N127, N128, N129, N130, N131, N132, N133, N134, N135, N136, N137, N138, N139, N140, N141, N142, N143, N144, N145, N146, N147, N148, N149, N150, N151, N152, N153, N154, N155, N156, N157, N158, N159, N160, N161, N162, N163, N164, N165, N166, N167, N168, N169, N170, N171, N172, N173, N174, N175, N176, N177, N178, N179, N180, N181, N182, N183, N184, N185, N186, N187, N188, N189, N190, N191, N192, N193, N194, N195, N196, N197, N198, N199, N200, N201, N202, N203, N204, N205, N206, N207, N208, N209, N210, N211, N212, N213, N214, N215, N216, N217, N218, N219, N220, N221, N222, N223, N224, N225, N226, N227, N228, N229, N230, N231, N232, N233, N234, N235, N236, N237, N238, N239, N240, N241, N242, N243, N244, N245, N246, N247, N248, N249, N250, N251, N252, N253, N254, N255, N256, N257, N258, N259, N260, N261, N262, N263, N264, N265, N266, N267, N268, N269, N270, N271, N272, N273, N274, N275, N276, N277, N278, N279, N280, N281, N282, N283, N284, N285, N286, N287, N288, N289, N290, N291, N292, N293, N294, N295, N296, N297, N298, N299, N300, N301, N302, N303, N304, N305, N306, N307, N308, N309, N310, N311, N312, N313, N314, N315, N316, N317, N318, N319, N320, N321, N322, N323, N324, N325, N326, N327, N328, N329, N330, N331, N332, N333, N334, N335, N336, N337, N338, N339, N340, N341, N342, N343, N344, N345, N346, N347, N348, N349, N350, N351, N352, N353, N354, N355, N356, N357, N358, N359, N360, N361, N362, N363, N364, N365, N366, N367, N368, N369, N370, N371, N372, N373, N374, N375, N376, N377, N378, N379, N380, N381, N382, N383, N384, N385, N386, N387, N388, N389, N390, N391, N392, N393, N394, N395, N396, N397, N398, N399, N400, N401, N402, N403, N404, N405, N406, N407, N408, N409, N410, N411, N412, N413, N414, N415, N416, N417, N418, N419, N420, N421, N422, N423, N424, N425, N426, N427, N428, N429, N430, N431, N432, N433, N434, N435, N436, N437, N438, N439, N440, N441, N442, N443, N444, N445, N446, N447, N448, N449, N450, N451, N452, N453, N454, N455, N456, N457, N458, N459, N460, N461, N462, N463, N464, N465, N466, N467, N468, N469, N470, N471, N472, N473, N474, N475, N476, N477, N478, N479, N480, N481, N482, N483, N484, N485, N486, N487, N488, N489, N490, N491, N492, N493, N494, N495, N496, N497, N498, N499, N500, N501, N502, N503, N504, N505, N506, N507, N508, N509, N510, N511, N512, N513, N514, N515, N516, N517, N518, N519, N520, N521, N522, N523, N524, N525, N526, N527, N528, N529, N530, N531, N532, N533, N534, N535, N536, N537, N538, N539, N540, N541, N542, N543, N544, N545, N546, N547, N548, N549, N550, N551, N552, N553, N554, N555, N556, N557, N558, N559, N560, N561, N562, N563, N564, N565, N566, N567, N568, N569, N570, N571, N572, N573, N574, N575, N576, N577, N578, N579, N580, N581, N582, N583, N584, N585, N586, N587, N588, N589, N590, N591, N592, N593, N594, N595, N596, N597, N598, N599, N600, N601, N602, N603, N604, N605, N606, N607, N608, N609, N610, N611, N612, N613, N614, N615, N616, N617, N618, N619, N620, N621, N622, N623, N624, N625, N626, N627, N628, N629, N630, N631, N632, N633, N634, N635, N636, N637, N638, N639, N640, N641, N642, N643, N644, N645, N646, N647, N648, N649, N650, N651, N652, N653, N654, N655, N656, N657, N658, N659, N660, N661, N662, N663, N664, N665, N666, N667, N668, N669, N670, N671, N672, N673, N674, N675, N676, N677, N678, N679, N680, N681, N682, N683, N684, N685, N686, N687, N688, N689, N690, N691, N692, N693, N694, N695, N696, N697, N698, N699, N700, N701, N702, N703, N704, N705, N706, N707, N708, N709, N710, N711, N712, N713, N714, N715, N716, N717, N718, N719, N720, N721, N722, N723, N724, N725, N726, N727, N728, N729, N730, N731, N732, N733, N734, N735, N736, N737, N738, N739, N740, N741, N742, N743, N744, N745, N746, N747, N748, N749, N750, N751, N752, N753, N754, N755, N756, N757, N758, N759, N760, N761, N762, N763, N764, N765, N766, N767, N768, N769, N770, N771, N772, N773, N774, N775, N776, N777, N778, N779, N780, N781, N782, N783, N784, N785, N786, N787, N788, N789, N790, N791, N792, N793, N794, N795, N796, N797, N798, N799, N800, N801, N802, N803, N804, N805, N806, N


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		
3	C	1	Total	C	N	O	0	0
			17	9	5	3		
3	D	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 7-{3-(aminomethyl)-4-[(pyridin-2-yl)methoxy]phenyl}-4-methylquinolin-2-amine (three-letter code: OS7) (formula: C₂₃H₂₂N₄O) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			28	23	4	1		
4	B	1	Total	C	N	O	0	0
			28	23	4	1		
4	C	1	Total	C	N	O	0	0
			28	23	4	1		
4	D	1	Total	C	N	O	0	0
			28	23	4	1		

- Molecule 5 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	1	Total	Zn	0	0
			1	1		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Cl	0	0
			1	1		
8	A	1	Total	Cl	0	0
			1	1		
8	D	1	Total	Cl	0	0
			1	1		
8	C	1	Total	Cl	0	0
			1	1		



- Molecule 9 is GADOLINIUM ATOM (three-letter code: GD) (formula: Gd).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	2	Total 2	Gd 2	0	0
9	A	1	Total 1	Gd 1	0	0
9	D	1	Total 1	Gd 1	0	0

- Molecule 10 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	66	Total 66	O 66	0	0
10	B	168	Total 168	O 168	0	0
10	C	121	Total 121	O 121	0	0
10	D	168	Total 168	O 168	0	0

- Molecule 1: Nitric oxide synthase, endothelial





● Molecule 1: Nitric oxide synthase, endothelial



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.87Å 152.08Å 108.58Å 90.00° 90.91° 90.00°	Depositor
Resolution (Å)	49.86 – 1.95 49.86 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.86-1.95) 99.8 (49.86-1.95)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 1.95Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, R_{free}	0.211 , 0.260 0.202 , 0.252	Depositor DCC
R_{free} test set	7064 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	36.0	Xtriage
Anisotropy	0.552	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.107 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13906	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, CL, OS7, GD, BTB, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3313	0.51	0/4513
1	B	0.41	0/3329	0.56	0/4536
1	C	0.37	0/3307	0.51	0/4507
1	D	0.44	0/3304	0.57	0/4503
All	All	0.39	0/13253	0.54	0/18059

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3215	0	3118	62	0
1	B	3225	0	3131	47	0
1	C	3209	0	3109	25	1
1	D	3206	0	3108	27	0
2	A	43	0	30	3	0
2	B	43	0	30	3	0
2	C	43	0	30	3	0
2	D	43	0	30	1	0
3	A	17	0	15	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	17	0	15	1	0
3	C	17	0	15	1	0
3	D	17	0	15	0	0
4	A	28	0	0	1	0
4	B	28	0	0	2	0
4	C	28	0	0	4	0
4	D	28	0	0	1	0
5	A	42	0	56	7	0
5	B	70	0	93	10	1
5	C	14	0	19	3	0
5	D	28	0	37	6	0
6	A	1	0	0	0	0
6	C	1	0	0	0	0
7	A	6	0	8	0	0
7	C	6	0	8	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	A	1	0	0	0	0
9	B	2	0	0	0	0
9	D	1	0	0	0	0
10	A	66	0	0	2	0
10	B	168	0	0	0	0
10	C	121	0	0	1	0
10	D	168	0	0	4	0
All	All	13906	0	12867	178	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 178 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:257:GLN:HA	1:B:259:GLY:H	1.38	0.87
1:C:128:ARG:O	1:C:132:ASN:ND2	2.13	0.81
1:A:147:GLU:O	1:A:151:GLN:NE2	2.15	0.79
1:A:312:GLU:OE2	1:A:329:ARG:NH1	2.14	0.78
1:A:322:TRP:CD1	5:A:504:BTB:H62	2.21	0.76

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:152:GLU:OE2	5:B:505:BTB:O3[2_842]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/440 (91%)	373 (94%)	20 (5%)	6 (2%)	10	3
1	B	402/440 (91%)	393 (98%)	8 (2%)	1 (0%)	47	38
1	C	399/440 (91%)	385 (96%)	13 (3%)	1 (0%)	41	30
1	D	399/440 (91%)	392 (98%)	7 (2%)	0	100	100
All	All	1599/1760 (91%)	1543 (96%)	48 (3%)	8 (0%)	29	17

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	GLN
1	A	239	GLY
1	B	259	GLY
1	A	90	GLN
1	A	276	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/373 (92%)	322 (94%)	21 (6%)	18	7
1	B	345/373 (92%)	333 (96%)	12 (4%)	36	24
1	C	342/373 (92%)	332 (97%)	10 (3%)	42	31
1	D	342/373 (92%)	335 (98%)	7 (2%)	55	48
All	All	1372/1492 (92%)	1322 (96%)	50 (4%)	35	23

5 of 50 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	98	ARG
1	B	176	GLN
1	D	200	ASP
1	B	122	GLN
1	B	168[A]	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	122	GLN
1	C	89	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 35 ligands modelled in this entry, 10 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	BTB	A	504	9	13,13,13	0.48	0	7,16,16	1.11	1 (14%)
3	H4B	D	502	-	16,18,18	0.89	1 (6%)	11,26,26	2.53	5 (45%)
7	GOL	A	508	-	5,5,5	0.36	0	5,5,5	0.30	0
2	HEM	B	501	1	27,50,50	1.98	5 (18%)	17,82,82	2.10	5 (29%)
5	BTB	D	504	9	13,13,13	0.41	0	7,16,16	0.34	0
7	GOL	C	506	-	5,5,5	0.39	0	5,5,5	0.27	0
5	BTB	C	504	-	13,13,13	0.43	0	7,16,16	0.44	0
5	BTB	D	505	-	13,13,13	0.59	0	7,16,16	0.96	0
2	HEM	D	501	1	27,50,50	1.73	4 (14%)	17,82,82	1.68	4 (23%)
2	HEM	A	501	1	27,50,50	1.85	4 (14%)	17,82,82	1.70	4 (23%)
4	OS7	B	503	-	31,31,31	0.94	2 (6%)	42,43,43	1.95	10 (23%)
3	H4B	B	502	-	16,18,18	0.92	0	11,26,26	2.56	6 (54%)
5	BTB	B	505	-	13,13,13	0.42	0	7,16,16	0.54	0
3	H4B	A	502	-	16,18,18	0.96	1 (6%)	11,26,26	2.57	5 (45%)
5	BTB	B	509	9	13,13,13	0.36	0	7,16,16	0.94	1 (14%)
5	BTB	B	506	-	13,13,13	0.38	0	7,16,16	0.41	0
4	OS7	C	503	-	31,31,31	0.78	0	42,43,43	1.51	6 (14%)
2	HEM	C	501	1	27,50,50	1.96	5 (18%)	17,82,82	1.89	5 (29%)
4	OS7	A	503	-	31,31,31	0.82	1 (3%)	42,43,43	1.60	8 (19%)
5	BTB	A	505	-	13,13,13	0.46	0	7,16,16	0.60	0
4	OS7	D	503	-	31,31,31	0.88	2 (6%)	42,43,43	1.71	8 (19%)
3	H4B	C	502	-	16,18,18	0.93	0	11,26,26	2.64	4 (36%)
5	BTB	B	504	9	13,13,13	0.36	0	7,16,16	0.43	0
5	BTB	A	506	-	13,13,13	0.33	0	7,16,16	0.44	0
5	BTB	B	510	-	13,13,13	0.84	1 (7%)	7,16,16	1.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BTB	A	504	9	-	6/21/21/21	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	H4B	D	502	-	-	0/8/17/17	0/2/2/2
7	GOL	A	508	-	-	4/4/4/4	-
2	HEM	B	501	1	-	0/6/54/54	-
5	BTB	D	504	9	-	6/21/21/21	-
7	GOL	C	506	-	-	2/4/4/4	-
5	BTB	C	504	-	-	2/21/21/21	-
5	BTB	D	505	-	-	12/21/21/21	-
2	HEM	D	501	1	-	0/6/54/54	-
2	HEM	A	501	1	-	1/6/54/54	-
4	OS7	B	503	-	-	9/11/11/11	0/4/4/4
3	H4B	B	502	-	-	0/8/17/17	0/2/2/2
5	BTB	B	505	-	-	4/21/21/21	-
3	H4B	A	502	-	-	0/8/17/17	0/2/2/2
5	BTB	B	509	9	-	3/21/21/21	-
5	BTB	B	506	-	-	6/21/21/21	-
4	OS7	C	503	-	-	8/11/11/11	0/4/4/4
2	HEM	C	501	1	-	0/6/54/54	-
4	OS7	A	503	-	-	8/11/11/11	0/4/4/4
5	BTB	A	505	-	-	13/21/21/21	-
4	OS7	D	503	-	-	7/11/11/11	0/4/4/4
3	H4B	C	502	-	-	0/8/17/17	0/2/2/2
5	BTB	B	504	9	-	1/21/21/21	-
5	BTB	A	506	-	-	6/21/21/21	-
5	BTB	B	510	-	-	5/21/21/21	-

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	HEM	C3B-C2B	-5.19	1.33	1.40
2	C	501	HEM	C3B-C2B	-4.64	1.33	1.40
2	A	501	HEM	C3B-C2B	-4.34	1.34	1.40
2	C	501	HEM	C3B-CAB	4.01	1.56	1.47
2	A	501	HEM	C3B-CAB	3.86	1.55	1.47

The worst 5 of 72 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	H4B	C4-C4A-C8A	6.46	120.31	114.57
3	A	502	H4B	C4-C4A-C8A	5.92	119.83	114.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	CBA-CAA-C2A	-5.43	102.48	112.49
4	B	503	OS7	C05-C10-N01	-5.35	117.13	122.81
3	D	502	H4B	C4-C4A-C8A	5.25	119.23	114.57

There are no chirality outliers.

5 of 103 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	504	BTB	C1-C2-C3-O3
5	A	504	BTB	N-C2-C3-O3
7	A	508	GOL	C1-C2-C3-O3
5	D	504	BTB	O1-C1-C2-C3
5	D	504	BTB	O1-C1-C2-C4


There are no ring outliers.


21 monomers are involved in 47 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	504	BTB	4	0
2	B	501	HEM	3	0
5	D	504	BTB	3	0
5	C	504	BTB	3	0
5	D	505	BTB	3	0
2	D	501	HEM	1	0
2	A	501	HEM	3	0
4	B	503	OS7	2	0
3	B	502	H4B	1	0
5	B	505	BTB	3	1
3	A	502	H4B	1	0
5	B	509	BTB	3	0
4	C	503	OS7	4	0
2	C	501	HEM	3	0
4	A	503	OS7	1	0
5	A	505	BTB	2	0
4	D	503	OS7	1	0
3	C	502	H4B	1	0
5	B	504	BTB	1	0
5	A	506	BTB	1	0
5	B	510	BTB	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand OS7 C 503



Ligand HEM C 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	401/440 (91%)	0.65	44 (10%) 5 9	31, 66, 122, 156	0
1	B	402/440 (91%)	0.08	6 (1%) 73 81	27, 42, 78, 111	0
1	C	401/440 (91%)	0.23	8 (1%) 65 73	30, 54, 98, 137	0
1	D	401/440 (91%)	0.01	1 (0%) 95 97	27, 40, 65, 126	0
All	All	1605/1760 (91%)	0.24	59 (3%) 41 51	27, 49, 102, 156	0

The worst 5 of 59 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	480	TRP	6.7
1	A	259	GLY	5.7
1	C	238	ARG	5.7
1	A	153	VAL	5.5
1	A	120	PRO	5.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	BTB	B	506	14/14	0.74	0.17	82,98,104,106	0
4	OS7	B	503	28/28	0.77	0.25	49,87,108,110	0
4	OS7	A	503	28/28	0.79	0.23	59,104,108,111	0
4	OS7	C	503	28/28	0.80	0.23	69,87,97,102	0
4	OS7	D	503	28/28	0.81	0.20	44,79,101,104	0
5	BTB	A	506	14/14	0.83	0.17	98,107,113,114	0
5	BTB	C	504	14/14	0.84	0.11	70,97,104,106	0
5	BTB	D	504	14/14	0.85	0.17	39,67,89,90	0
7	GOL	C	506	6/6	0.90	0.16	57,68,75,81	0
5	BTB	B	505	14/14	0.91	0.17	44,69,80,83	0
5	BTB	B	504	14/14	0.91	0.12	31,58,76,77	0
5	BTB	A	505	14/14	0.91	0.18	63,71,80,83	0
5	BTB	D	505	14/14	0.92	0.18	48,68,96,99	0
7	GOL	A	508	6/6	0.92	0.13	58,79,84,88	0
8	CL	A	509	1/1	0.94	0.09	58,58,58,58	0
9	GD	A	510	1/1	0.94	0.11	94,94,94,94	0
3	H4B	B	502	17/17	0.95	0.11	35,41,48,49	0
3	H4B	C	502	17/17	0.95	0.13	35,47,56,60	0
5	BTB	B	510	14/14	0.95	0.19	32,63,73,76	0
5	BTB	A	504	14/14	0.96	0.11	38,73,82,83	0
3	H4B	A	502	17/17	0.96	0.12	43,50,65,75	0
2	HEM	A	501	43/43	0.97	0.14	42,58,75,78	0
5	BTB	B	509	14/14	0.97	0.12	25,66,74,76	0
3	H4B	D	502	17/17	0.97	0.08	31,39,45,48	0
8	CL	B	507	1/1	0.97	0.08	54,54,54,54	0
8	CL	C	507	1/1	0.97	0.05	65,65,65,65	0
8	CL	D	506	1/1	0.97	0.09	55,55,55,55	0
2	HEM	C	501	43/43	0.98	0.13	31,43,67,79	0
9	GD	B	511	1/1	0.98	0.12	84,84,84,84	0
2	HEM	D	501	43/43	0.98	0.12	24,34,45,51	0
2	HEM	B	501	43/43	0.99	0.12	21,33,47,67	0
6	ZN	A	507	1/1	0.99	0.14	46,46,46,46	0
9	GD	D	507	1/1	0.99	0.15	48,48,48,48	0
9	GD	B	508	1/1	0.99	0.17	47,47,47,47	0
6	ZN	C	505	1/1	1.00	0.13	36,36,36,36	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OS7 B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OS7 A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OS7 C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OS7 D 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.