



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 03:49 pm BST

PDB ID : 2PRC  
Title : PHOTOSYNTHETIC REACTION CENTER FROM RHODOPSEUDOMONAS VIRIDIS (UBIQUINONE-2 COMPLEX)  
Authors : Lancaster, C.R.D.; Michel, H.  
Deposited on : 1997-07-29  
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	336	<div> <div>77%</div> <div>20%</div> <div>..</div> </div>
2	L	273	<div> <div>82%</div> <div>17%</div> <div>.</div> </div>
3	M	323	<div> <div>78%</div> <div>19%</div> <div>.</div> </div>
4	H	258	<div> <div>%</div> <div>71%</div> <div>27%</div> <div>.</div> </div>

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 10528 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	332	Total	C	N	O	S	53	4	0
			2630	1655	470	485	20			

- Molecule 2 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	273	Total	C	N	O	S	14	2	0
			2193	1471	358	357	7			

- Molecule 3 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	323	Total	C	N	O	S	19	2	0
			2577	1720	421	425	11			

- Molecule 4 is a protein called PHOTOSYNTHETIC REACTION CENTER.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	258	Total	C	N	O	S	124	0	0
			2018	1292	344	380	2			

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is BACTERIOCHLOROPHYLL B (three-letter code: BCB) (formula:  $C_{55}H_{72}MgN_4O_6$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
6	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
6	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
6	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 7 is BACTERIOPHEOPHYTIN B (three-letter code: BPB) (formula:  $C_{55}H_{74}N_4O_6$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	L	1	Total	C	N	O	0	0
			65	55	4	6		
7	M	1	Total	C	N	O	7	0
			65	55	4	6		

- Molecule 8 is UBIQUINONE-2 (three-letter code: UQ2) (formula:  $C_{19}H_{26}O_4$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	L	1	Total	C	O	0	0
			23	19	4		

- Molecule 9 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:  $C_{14}H_{31}NO$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	L	1	Total	C	N	O	5	0
			16	14	1	1		
9	M	1	Total	C	N	O	0	0
			16	14	1	1		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	N	O	0	0
			16	14	1	1		
9	M	1	Total	C	N	O	0	0
			16	14	1	1		
9	M	1	Total	C	N	O	4	0
			16	14	1	1		
9	H	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 10 is FE (II) ION (three-letter code: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	1	Total	Fe	0	0
			1	1		

- Molecule 11 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	M	1	Total	O	S	0	0
			5	4	1		
11	M	1	Total	O	S	0	0
			5	4	1		
11	M	1	Total	O	S	0	0
			5	4	1		
11	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 12 is MENAQUINONE-7 (three-letter code: MQ7) (formula:  $C_{46}H_{64}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	M	1	Total	C	O	0	0
			48	46	2		

- Molecule 13 is 15-cis-1,2-dihydroneurosporene (three-letter code: NS5) (formula:  $C_{40}H_{60}$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	M	1	Total	C	14	0
			40	40		

- Molecule 14 is water.




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	C	121	Total 121	O 121	0	0
14	L	48	Total 48	O 48	0	0
14	M	76	Total 76	O 76	0	0
14	H	71	Total 71	O 71	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: PHOTOSYNTHETIC REACTION CENTER




#### • Molecule 2: PHOTOSYNTHETIC REACTION CENTER



#### • Molecule 3: PHOTOSYNTHETIC REACTION CENTER



#### • Molecule 4: PHOTOSYNTHETIC REACTION CENTER



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	223.50 Å   223.50 Å   113.60 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	10.00 – 2.45 21.62 – 2.43	Depositor EDS
% Data completeness (in resolution range)	76.5 (10.00-2.45) 75.1 (21.62-2.43)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.07 (at 2.44 Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.182 ,   0.229 0.174 ,   (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.6	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 94.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	10528	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LDA, BPB, BCB, FE2, SO4, MQ7, HEM, FME, UQ2, NS5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	C	0.53	0/2697	0.62	0/3675
2	L	0.55	0/2281	0.57	0/3112
3	M	0.54	0/2683	0.59	0/3669
4	H	0.52	0/2055	0.64	1/2807 (0.0%)
All	All	0.53	0/9716	0.60	1/13263 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	3
2	L	0	2
4	H	0	1
All	All	0	6

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	45	GLU	CB-CA-C	-5.62	99.17	110.40

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	147	TYR	Sidechain
1	C	220	ARG	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	C	227	TYR	Sidechain
4	H	18	TYR	Sidechain
2	L	160	PHE	Sidechain
2	L	164	TYR	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2630	0	2594	49	0
2	L	2193	0	2122	34	0
3	M	2577	0	2468	52	0
4	H	2018	0	2020	39	0
5	C	172	0	120	3	0
6	L	132	0	144	13	0
6	M	132	0	144	12	0
7	L	65	0	74	6	0
7	M	65	0	74	8	0
8	L	23	0	26	2	0
9	H	16	0	31	1	0
9	L	16	0	31	0	0
9	M	64	0	124	2	0
10	M	1	0	0	0	0
11	H	5	0	0	0	0
11	M	15	0	0	0	0
12	M	48	0	64	1	0
13	M	40	0	60	6	0
14	C	121	0	0	1	0
14	H	71	0	0	0	0
14	L	48	0	0	0	0
14	M	76	0	0	0	0
All	All	10528	0	10096	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:L:402:BPB:HBBB	7:L:402:BPB:HHC	1.42	1.02
7:M:401:BPB:HBBB	7:M:401:BPB:HHC	1.59	0.84
6:M:805:BCB:HBB2	6:M:805:BCB:HHC	1.60	0.84
4:H:161:ASP:HB3	4:H:214:LEU:HD22	1.59	0.83
7:L:402:BPB:HHC	7:L:402:BPB:CBB	2.12	0.79
3:M:160:CYS:SG	13:M:600:NS5:H322	2.25	0.76
2:L:181:PHE:HB3	7:M:401:BPB:CBB	2.16	0.75
2:L:226:ALA:HA	8:L:502:UQ2:H3M2	1.70	0.73
6:M:805:BCB:HBB3	6:M:806:BCB:H62	1.73	0.71
1:C:52:VAL:HB	1:C:56:TYR:HD2	1.56	0.68
4:H:10:LEU:HD11	4:H:15:LEU:HG	1.75	0.68
3:M:23:TRP:CZ2	9:M:704:LDA:HM23	2.29	0.67
3:M:107:LEU:HA	3:M:111:GLY:HA3	1.78	0.66
7:M:401:BPB:CHC	7:M:401:BPB:HBBB	2.23	0.65
3:M:160:CYS:C	3:M:163:PRO:HD2	2.19	0.63
7:L:402:BPB:HBBA	3:M:208:TYR:HB3	1.81	0.63
2:L:178:SER:O	2:L:182:VAL:HG23	1.99	0.62
1:C:121:TRP:CG	1:C:273:MET:HG3	2.35	0.62
1:C:1[A]:CYS:SG	2:L:265:TRP:HB3	2.40	0.61
1:C:161:THR:OG1	1:C:164:GLU:HG3	2.00	0.61
1:C:65:LEU:HD11	1:C:327:GLU:HG2	1.82	0.60
6:M:806:BCB:HBD	6:M:806:BCB:HAA2	1.83	0.60
3:M:315:PRO:HA	3:M:318:LEU:HG	1.84	0.60
2:L:181:PHE:HB3	7:M:401:BPB:HBBA	1.83	0.60
1:C:102:TYR:CD2	1:C:103:PRO:HD3	2.37	0.59
6:L:304:BCB:HBB2	6:L:304:BCB:HMB1	1.84	0.58
1:C:290:PRO:HG2	1:C:293:ARG:HG2	1.83	0.58
4:H:160:ALA:HB3	4:H:214:LEU:HD23	1.85	0.58
2:L:205:LYS:HA	4:H:69:VAL:HG22	1.85	0.58
2:L:80:LEU:HA	2:L:84:GLY:HA3	1.83	0.58
1:C:224:SER:HA	1:C:227:TYR:HD1	1.69	0.58
1:C:52:VAL:HB	1:C:56:TYR:CD2	2.38	0.57
1:C:163:VAL:HG12	1:C:171:GLY:HA3	1.85	0.57
1:C:52:VAL:HG13	1:C:65:LEU:O	2.05	0.57
4:H:136:PRO:HG2	4:H:139:VAL:HG23	1.87	0.56
4:H:117:TYR:HB2	4:H:236:ASP:HB3	1.85	0.56
2:L:21:LEU:HD23	2:L:22:PHE:CZ	2.41	0.56
3:M:226:ARG:HD3	4:H:200:PHE:CZ	2.41	0.56
3:M:147:ASN:HD22	7:M:401:BPB:HMDA	1.71	0.56
1:C:181:ALA:O	1:C:182:TYR:HB2	2.06	0.55
1:C:192[A]:MET:O	1:C:199:ARG:HD2	2.05	0.55
1:C:192[B]:MET:O	1:C:199:ARG:HD2	2.05	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:289:LEU:HD22	1:C:293:ARG:HG3	1.88	0.55
3:M:69:ILE:HA	3:M:93:LEU:HD22	1.88	0.55
3:M:200:HIS:CE1	3:M:204:ILE:HD11	2.41	0.55
2:L:182:VAL:HG22	6:M:805:BCB:H12	1.88	0.55
2:L:181:PHE:CD2	7:M:401:BPB:HBB	2.42	0.55
2:L:177:VAL:HG13	6:L:302:BCB:HMB3	1.89	0.55
1:C:18:SER:HB2	2:L:156:TRP:CD1	2.41	0.54
1:C:153:PRO:HG2	1:C:158:GLU:CB	2.37	0.54
3:M:202:PHE:CE2	4:H:20:GLN:HG2	2.41	0.54
1:C:123[A]:GLN:H	1:C:123[A]:GLN:NE2	2.05	0.53
3:M:160:CYS:SG	13:M:600:NS5:C31	2.96	0.53
2:L:167:TRP:HE1	2:L:173:HIS:CD2	2.27	0.53
3:M:71:PHE:HB3	9:M:706:LDA:H61	1.90	0.53
1:C:152:LEU:HD22	1:C:175:ARG:HA	1.90	0.52
4:H:90:LEU:HA	4:H:102:GLN:O	2.10	0.52
4:H:114:PRO:HB2	4:H:244:GLY:HA2	1.92	0.52
2:L:7[B]:ARG:NH2	4:H:101:LEU:HD21	2.24	0.52
3:M:32:PRO:HG3	3:M:48:PRO:HD3	1.91	0.52
3:M:160:CYS:SG	13:M:600:NS5:C30	2.98	0.52
1:C:153:PRO:HG2	1:C:158:GLU:HB2	1.92	0.51
4:H:90:LEU:HB3	4:H:101:LEU:HB3	1.92	0.51
4:H:152:PRO:HD2	4:H:171:LEU:HD11	1.92	0.51
4:H:10:LEU:HD11	4:H:15:LEU:CG	2.39	0.51
1:C:258:LYS:HG2	3:M:307:ALA:HB2	1.93	0.51
3:M:17:ILE:HD11	4:H:178:HIS:HE1	1.76	0.51
2:L:197:VAL:HG13	2:L:207:LYS:HB2	1.93	0.51
1:C:123[A]:GLN:HE21	1:C:123[A]:GLN:H	1.59	0.51
6:L:302:BCB:HMB1	6:L:302:BCB:HBB3	1.93	0.51
6:M:805:BCB:HBB2	6:M:805:BCB:CHC	2.37	0.51
3:M:160:CYS:SG	13:M:600:NS5:C32	2.98	0.50
1:C:102:TYR:CG	1:C:103:PRO:HD3	2.47	0.50
4:H:139:VAL:HG21	4:H:228:ASP:HB3	1.93	0.50
2:L:73:TYR:CE1	2:L:79:PRO:HD2	2.47	0.50
4:H:152:PRO:O	4:H:168:VAL:HB	2.10	0.50
4:H:82:ARG:HH22	4:H:119:GLU:HB2	1.77	0.50
7:L:402:BPB:HBB	3:M:208:TYR:CD2	2.47	0.49
1:C:163:VAL:HG12	1:C:171:GLY:CA	2.42	0.49
3:M:34:TYR:HA	3:M:44:ALA:O	2.13	0.49
1:C:8:THR:HB	1:C:23:LEU:HB2	1.94	0.49
6:L:302:BCB:OBB	6:L:302:BCB:HHC	2.13	0.49
1:C:176:LEU:HD11	1:C:187:TYR:O	2.13	0.49

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:80:TRP:CD1	1:C:133:TYR:HB2	2.48	0.48
2:L:218:ASP:HB3	3:M:134:ARG:HD2	1.95	0.48
6:M:806:BCB:HHC	6:M:806:BCB:OBB	2.12	0.48
1:C:233:MET:HB3	5:C:339:HEM:C4B	2.48	0.48
6:L:304:BCB:HMD2	6:M:806:BCB:HBB3	1.96	0.48
1:C:72:ARG:HG2	1:C:72:ARG:HH11	1.77	0.48
3:M:185:THR:HG22	3:M:189:ILE:HD12	1.96	0.48
2:L:269:ILE:HB	2:L:272:TRP:NE1	2.28	0.48
3:M:11:GLN:NE2	3:M:40:LYS:HG2	2.29	0.48
3:M:178:TRP:HA	3:M:178:TRP:CE3	2.49	0.48
3:M:52:GLY:O	3:M:56:ILE:HD13	2.14	0.47
3:M:195:TYR:CE2	6:M:806:BCB:HMC2	2.49	0.47
1:C:23:LEU:HD22	1:C:23:LEU:N	2.30	0.47
1:C:210:PRO:HB2	4:H:3:HIS:HD2	1.79	0.47
1:C:76:ALA:O	1:C:79[A]:GLU:HG2	2.14	0.47
4:H:138:ARG:HG3	4:H:139:VAL:HG23	1.97	0.47
3:M:275:MET:HG2	7:M:401:BPB:HBCA	1.97	0.47
6:M:805:BCB:H62	6:M:805:BCB:H41	1.70	0.47
1:C:52:VAL:HA	1:C:55:VAL:HB	1.97	0.46
4:H:121:ALA:HB1	4:H:123:VAL:HG13	1.96	0.46
3:M:202:PHE:CZ	4:H:20:GLN:HG2	2.50	0.46
6:L:304:BCB:HMB1	6:L:304:BCB:CBB	2.45	0.46
4:H:33:ARG:HD2	4:H:33:ARG:HA	1.78	0.46
2:L:62:PHE:HB3	2:L:151:LEU:HD12	1.97	0.46
1:C:72:ARG:NH1	1:C:72:ARG:HG2	2.31	0.46
4:H:6:LEU:HB2	4:H:10:LEU:HG	1.98	0.46
1:C:147:TYR:OH	1:C:301:PRO:HG3	2.16	0.46
4:H:68:PHE:O	4:H:75:THR:HA	2.16	0.46
1:C:10:THR:O	1:C:20:GLY:HA3	2.16	0.46
6:M:806:BCB:CBD	6:M:806:BCB:HAA2	2.45	0.45
2:L:224:ILE:HG12	2:L:228:SER:HB2	1.97	0.45
3:M:107:LEU:HD22	3:M:112:TRP:CE2	2.51	0.45
2:L:107:ILE:HG23	3:M:252:TRP:HE3	1.82	0.45
3:M:231:ARG:HH22	4:H:235:GLU:CD	2.19	0.45
1:C:110:MET:HB3	5:C:338:HEM:C4B	2.52	0.45
3:M:62:GLY:O	3:M:66:ILE:HD12	2.17	0.45
1:C:224:SER:HA	1:C:227:TYR:CD1	2.50	0.45
7:M:401:BPB:H6	7:M:401:BPB:H4	1.63	0.44
6:M:805:BCB:CBB	6:M:805:BCB:HHC	2.38	0.44
2:L:224:ILE:HG22	8:L:502:UQ2:H8	1.99	0.44
2:L:94:LEU:HD23	2:L:94:LEU:HA	1.77	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:L:304:BCB:HBC3	6:L:304:BCB:HMC1	1.99	0.44
3:M:69:ILE:HG12	3:M:93:LEU:HD23	1.99	0.44
1:C:263:GLN:HA	1:C:266:ILE:HD12	1.99	0.44
1:C:35:ASP:HB3	1:C:316:LEU:HA	1.99	0.44
3:M:291:ASN:HB3	3:M:294:LEU:HB2	2.00	0.44
1:C:113:MET:HB2	1:C:281:TYR:CD2	2.52	0.44
4:H:37:ARG:HD3	4:H:61:GLU:HG3	2.00	0.44
3:M:114:LEU:HD11	13:M:600:NS5:H331	2.00	0.44
6:L:302:BCB:H2C	6:M:806:BCB:H2C	1.99	0.44
3:M:80:ASP:HA	3:M:81:PRO:HD3	1.76	0.44
4:H:224:LEU:HD21	4:H:230:ILE:HD12	1.98	0.44
3:M:176:GLY:N	13:M:600:NS5:H13	2.33	0.44
3:M:87:GLN:O	3:M:91:LEU:HG	2.18	0.44
2:L:146:PHE:HB3	2:L:156:TRP:CD2	2.53	0.43
4:H:27:VAL:O	4:H:31:TYR:HB3	2.18	0.43
4:H:10:LEU:HD11	4:H:15:LEU:CD2	2.48	0.43
6:L:304:BCB:HBB3	7:L:402:BPB:H14	2.00	0.43
6:L:304:BCB:HHC	6:L:304:BCB:OBB	2.18	0.43
4:H:136:PRO:HG2	4:H:138:ARG:HG2	2.00	0.43
1:C:33:GLU:O	1:C:36:ALA:HB3	2.19	0.43
7:L:402:BPB:ND	7:L:402:BPB:NC	2.66	0.43
3:M:96:PRO:HG3	3:M:105:PRO:HB3	2.01	0.43
1:C:82:SER:HB2	1:C:85:GLU:HB2	2.01	0.43
4:H:138:ARG:CG	4:H:139:VAL:HG23	2.48	0.43
2:L:153:HIS:O	2:L:157:VAL:HG23	2.18	0.43
9:H:703:LDA:H42	9:H:703:LDA:H11	1.78	0.42
4:H:190:SER:HB3	4:H:192:ARG:HG2	2.00	0.42
4:H:34:ARG:HG2	4:H:61:GLU:O	2.20	0.42
4:H:81:ARG:O	4:H:83:PRO:HD3	2.19	0.42
3:M:178:TRP:HA	3:M:178:TRP:HE3	1.83	0.42
1:C:331:ILE:HG22	1:C:331:ILE:O	2.19	0.42
4:H:204:LYS:HB2	4:H:207:LYS:O	2.20	0.42
1:C:268:TRP:CE3	3:M:315:PRO:HB2	2.54	0.42
4:H:65:PRO:HA	4:H:79:PRO:HD2	2.02	0.42
3:M:67:LEU:O	3:M:71:PHE:HB2	2.20	0.42
1:C:220:ARG:NH2	14:C:362:HOH:O	2.52	0.42
1:C:38:TYR:HD1	1:C:39:PRO:HD2	1.85	0.42
2:L:115:TRP:O	2:L:118:PRO:HG2	2.20	0.42
3:M:233:ILE:O	3:M:236:ILE:HB	2.20	0.42
2:L:161:GLY:HA3	6:L:302:BCB:HAC1	2.03	0.41
3:M:96:PRO:HD3	3:M:110:GLY:HA3	2.01	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:106:VAL:HG11	5:C:338:HEM:HAA2	2.02	0.41
4:H:90:LEU:HD21	4:H:112:VAL:HB	2.03	0.41
3:M:192:GLY:O	3:M:193:ASN:HB3	2.20	0.41
2:L:42:ILE:O	2:L:46:VAL:HG23	2.20	0.41
3:M:160:CYS:O	3:M:163:PRO:HD2	2.21	0.41
3:M:63:SER:O	3:M:67:LEU:HG	2.20	0.41
2:L:38:ALA:O	2:L:42:ILE:HG13	2.20	0.41
1:C:153:PRO:HG2	1:C:158:GLU:HB3	2.03	0.41
2:L:150:ILE:O	6:L:304:BCB:HED1	2.21	0.41
3:M:318:LEU:HA	3:M:319:PRO:HD2	1.72	0.41
2:L:205:LYS:HB3	4:H:71:PRO:HA	2.03	0.41
3:M:162:HIS:HB3	3:M:163:PRO:HD3	2.03	0.41
2:L:215:TYR:O	2:L:219:VAL:HG23	2.21	0.41
3:M:11:GLN:OE1	3:M:39:GLY:HA3	2.21	0.41
2:L:146:PHE:HB3	2:L:156:TRP:CE3	2.56	0.40
6:L:302:BCB:H161	6:L:302:BCB:H203	1.82	0.40
3:M:99:GLN:HA	3:M:99:GLN:OE1	2.22	0.40
2:L:83:GLY:O	2:L:87:GLN:HG3	2.21	0.40
3:M:106:PRO:HB2	3:M:108:HIS:CE1	2.57	0.40
12:M:501:MQ7:H2M1	12:M:501:MQ7:H111	1.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	333/336 (99%)	320 (96%)	13 (4%)	0	100	100
2	L	273/273 (100%)	256 (94%)	16 (6%)	1 (0%)	34	41
3	M	323/323 (100%)	310 (96%)	10 (3%)	3 (1%)	17	19
4	H	256/258 (99%)	243 (95%)	11 (4%)	2 (1%)	19	22
All	All	1185/1190 (100%)	1129 (95%)	50 (4%)	6 (0%)	29	34

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	46	PRO
3	M	322	PRO
4	H	55	GLU
3	M	193	ASN
2	L	31	VAL
3	M	96	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	284/282 (101%)	267 (94%)	17 (6%)	19	24
2	L	220/218 (101%)	213 (97%)	7 (3%)	39	50
3	M	251/249 (101%)	236 (94%)	15 (6%)	19	24
4	H	212/212 (100%)	188 (89%)	24 (11%)	6	5
All	All	967/961 (101%)	904 (94%)	63 (6%)	17	21

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	15	ARG
1	C	33	GLU
1	C	38	TYR
1	C	53	SER
1	C	88	THR
1	C	108	ARG
1	C	115	ARG
1	C	123[A]	GLN
1	C	123[B]	GLN
1	C	146	ARG
1	C	152	LEU
1	C	168	THR
1	C	206	GLN
1	C	220	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	252	THR
1	C	288	SER
1	C	292	SER
2	L	16	LEU
2	L	21	LEU
2	L	44	LEU
2	L	119	LEU
2	L	160	PHE
2	L	185	MET
2	L	272	TRP
3	M	17	ILE
3	M	20	SER
3	M	31	LYS
3	M	37	TRP
3	M	40	LYS
3	M	71	PHE
3	M	97	LYS
3	M	114	LEU
3	M	147	ASN
3	M	178	TRP
3	M	179	PRO
3	M	203	SER
3	M	214	PHE
3	M	287	THR
3	M	290	ASP
4	H	9	HIS
4	H	42	PRO
4	H	55	GLU
4	H	69	VAL
4	H	84	GLU
4	H	85	THR
4	H	86	ARG
4	H	89	LYS
4	H	96	PHE
4	H	141	THR
4	H	147	GLU
4	H	169	THR
4	H	175	ARG
4	H	178	HIS
4	H	185	LEU
4	H	195	LEU
4	H	198	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	H	211	THR
4	H	212	SER
4	H	216	GLU
4	H	226	SER
4	H	227	ARG
4	H	236	ASP
4	H	258	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	37	GLN
1	C	206	GLN
2	L	214	GLN
2	L	239	ASN
3	M	147	ASN
4	H	58	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	FME	H	1	4	8,9,10	0.66	0	7,9,11	3.24	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FME	H	1	4	-	3/7/9/11	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1	FME	CA-N-CN	-6.31	113.11	122.82
4	H	1	FME	O1-CN-N	-4.40	113.69	125.27
4	H	1	FME	CE-SD-CG	3.19	111.35	100.40

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	1	FME	CA-CB-CG-SD
4	H	1	FME	O1-CN-N-CA
4	H	1	FME	CB-CG-SD-CE

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 1 is monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	LDA	M	702	-	12,15,15	2.40	1 (8%)	14,17,17	0.50	0
9	LDA	M	701	-	12,15,15	2.27	1 (8%)	14,17,17	0.69	0
9	LDA	H	703	-	12,15,15	2.13	1 (8%)	14,17,17	0.60	0
13	NS5	M	600	-	39,39,39	0.97	2 (5%)	44,46,46	1.27	6 (13%)
5	HEM	C	340	1	27,50,50	1.86	6 (22%)	17,82,82	2.23	3 (17%)
9	LDA	M	704	-	12,15,15	1.74	1 (8%)	14,17,17	0.74	0
11	SO4	M	804	-	4,4,4	0.97	0	6,6,6	0.67	0
6	BCB	L	302	2	60,74,74	3.72	23 (38%)	48,115,115	2.39	17 (35%)
11	SO4	M	803	-	4,4,4	0.58	0	6,6,6	0.66	0
6	BCB	M	805	3	60,74,74	3.67	23 (38%)	48,115,115	2.47	17 (35%)
5	HEM	C	339	1	27,50,50	1.67	5 (18%)	17,82,82	1.36	1 (5%)
6	BCB	L	304	2	60,74,74	3.64	22 (36%)	48,115,115	2.59	17 (35%)
5	HEM	C	338	1	27,50,50	1.66	6 (22%)	17,82,82	1.74	4 (23%)
7	BPB	M	401	-	64,70,70	1.16	6 (9%)	64,101,101	1.82	12 (18%)
8	UQ2	L	502	-	23,23,23	3.04	6 (26%)	28,31,31	1.35	4 (14%)
12	MQ7	M	501	-	49,49,49	1.67	16 (32%)	60,63,63	1.33	6 (10%)
9	LDA	M	706	-	12,15,15	2.27	1 (8%)	14,17,17	0.54	0
5	HEM	C	337	1	27,50,50	1.66	5 (18%)	17,82,82	1.58	4 (23%)
11	SO4	H	801	-	4,4,4	0.62	0	6,6,6	0.21	0
9	LDA	L	705	-	12,15,15	2.14	1 (8%)	14,17,17	0.57	0
6	BCB	M	806	3	60,74,74	3.83	27 (45%)	48,115,115	2.82	17 (35%)
11	SO4	M	802	-	4,4,4	0.69	0	6,6,6	0.98	0
7	BPB	L	402	-	64,70,70	1.42	8 (12%)	64,101,101	1.73	10 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BCB	L	304	2	-	11/41/177/177	-
12	MQ7	M	501	-	-	1/41/61/61	0/2/2/2
9	LDA	L	705	-	-	1/13/13/13	-
6	BCB	L	302	2	-	9/41/177/177	-
6	BCB	M	805	3	-	12/41/177/177	-
6	BCB	M	806	3	-	9/41/177/177	-
9	LDA	M	702	-	-	3/13/13/13	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	C	339	1	-	0/6/54/54	-
9	LDA	M	706	-	-	5/13/13/13	-
5	HEM	C	337	1	-	0/6/54/54	-
9	LDA	M	701	-	-	2/13/13/13	-
9	LDA	H	703	-	-	4/13/13/13	-
13	NS5	M	600	-	-	13/43/43/43	-
7	BPB	M	401	-	-	7/47/105/105	0/5/6/6
5	HEM	C	340	1	-	0/6/54/54	-
9	LDA	M	704	-	-	3/13/13/13	-
8	UQ2	L	502	-	-	5/15/39/39	0/1/1/1
7	BPB	L	402	-	-	6/47/105/105	0/5/6/6
5	HEM	C	338	1	-	0/6/54/54	-

All (161) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	L	502	UQ2	C7-C8	-12.81	1.32	1.50
6	M	806	BCB	CHB-C1B	-10.10	1.37	1.53
6	L	302	BCB	CHD-C1D	-9.52	1.38	1.53
6	M	805	BCB	CHB-C1B	-8.99	1.39	1.53
6	M	805	BCB	CHC-C4B	-8.98	1.39	1.53
6	M	806	BCB	CHC-C4B	-8.68	1.39	1.53
6	L	304	BCB	CHB-C1B	-8.66	1.39	1.53
6	L	304	BCB	CHD-C1D	-8.66	1.39	1.53
6	M	806	BCB	CHD-C1D	-8.59	1.40	1.53
6	L	302	BCB	CHC-C4B	-8.58	1.40	1.53
6	L	302	BCB	CHB-C1B	-8.50	1.40	1.53
6	L	304	BCB	CHD-C4C	-8.47	1.39	1.53
6	M	805	BCB	CHD-C1D	-8.47	1.40	1.53
6	L	304	BCB	C1A-CHA	-8.32	1.41	1.54
6	M	805	BCB	C1A-CHA	-8.17	1.41	1.54
6	M	806	BCB	C1A-CHA	-8.14	1.41	1.54
9	M	702	LDA	O1-N1	-8.08	1.23	1.42
6	L	302	BCB	CHD-C4C	-7.88	1.40	1.53
6	M	805	BCB	CHD-C4C	-7.86	1.40	1.53
9	M	706	LDA	O1-N1	-7.82	1.23	1.42
6	L	304	BCB	CHC-C4B	-7.80	1.41	1.53
9	M	701	LDA	O1-N1	-7.80	1.23	1.42
6	M	806	BCB	CHD-C4C	-7.42	1.40	1.53
6	L	304	BCB	C3D-C2D	-7.39	1.35	1.55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	L	705	LDA	O1-N1	-7.35	1.25	1.42
9	H	703	LDA	O1-N1	-7.32	1.25	1.42
6	L	302	BCB	C1A-CHA	-7.27	1.42	1.54
6	L	302	BCB	C3D-C2D	-7.21	1.36	1.55
6	M	806	BCB	C3B-C2B	-7.10	1.36	1.55
6	L	304	BCB	C3B-C2B	-7.05	1.36	1.55
6	M	805	BCB	C3B-C2B	-7.03	1.36	1.55
6	L	302	BCB	C3B-C2B	-7.02	1.36	1.55
6	M	806	BCB	C3B-CAB	-6.91	1.44	1.52
6	M	806	BCB	C4D-ND	-6.75	1.36	1.50
6	L	302	BCB	C4D-ND	-6.73	1.36	1.50
6	M	806	BCB	C3D-C2D	-6.53	1.38	1.55
6	M	805	BCB	C3D-C2D	-6.40	1.38	1.55
6	L	304	BCB	C4D-ND	-6.29	1.37	1.50
6	M	805	BCB	CHC-C1C	-6.20	1.38	1.52
6	M	806	BCB	C4B-NB	-6.10	1.37	1.50
6	M	805	BCB	CHB-C4A	-6.06	1.39	1.52
6	L	304	BCB	C1D-ND	-6.06	1.37	1.50
6	M	805	BCB	C4D-ND	-6.04	1.37	1.50
6	M	806	BCB	C2B-C1B	-6.02	1.42	1.53
9	M	704	LDA	O1-N1	-5.98	1.28	1.42
6	L	302	BCB	C4B-NB	-5.97	1.37	1.50
6	M	806	BCB	CHB-C4A	-5.91	1.39	1.52
6	L	302	BCB	C1D-ND	-5.84	1.38	1.50
6	L	302	BCB	CHB-C4A	-5.81	1.39	1.52
6	M	805	BCB	C1D-ND	-5.81	1.38	1.50
6	M	806	BCB	C1B-NB	-5.79	1.38	1.50
6	M	805	BCB	C4B-NB	-5.72	1.38	1.50
6	L	304	BCB	CHB-C4A	-5.69	1.39	1.52
6	M	806	BCB	C1D-ND	-5.64	1.38	1.50
6	L	302	BCB	C3B-CAB	-5.56	1.46	1.52
6	L	302	BCB	CHC-C1C	-5.56	1.40	1.52
6	L	304	BCB	CHC-C1C	-5.52	1.40	1.52
6	M	805	BCB	C1B-NB	-5.50	1.38	1.50
6	L	302	BCB	C1B-NB	-5.48	1.38	1.50
6	L	304	BCB	C3B-CAB	-5.46	1.46	1.52
6	L	304	BCB	C4B-NB	-5.45	1.38	1.50
6	L	304	BCB	C1B-NB	-5.45	1.38	1.50
6	M	806	BCB	CHC-C1C	-5.20	1.40	1.52
6	L	302	BCB	C2B-C1B	-5.11	1.44	1.53
6	L	302	BCB	C1-C2	-5.09	1.34	1.49
6	M	805	BCB	C2B-C1B	-4.85	1.44	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	L	402	BPB	C3B-C4B	4.83	1.47	1.41
6	M	805	BCB	C3B-CAB	-4.80	1.46	1.52
7	L	402	BPB	O2D-CED	-4.35	1.35	1.45
5	C	340	HEM	C3B-C2B	-4.10	1.34	1.40
6	M	806	BCB	C3D-CAD	-4.04	1.43	1.51
7	L	402	BPB	O2D-CGD	4.02	1.43	1.33
6	L	304	BCB	C3D-CAD	-4.00	1.44	1.51
6	L	304	BCB	C2B-C1B	-3.96	1.46	1.53
5	C	339	HEM	CBC-CAC	3.92	1.55	1.29
6	L	302	BCB	C2D-C1D	-3.86	1.46	1.53
5	C	337	HEM	CBC-CAC	3.83	1.54	1.29
5	C	340	HEM	CBC-CAC	3.78	1.54	1.29
5	C	340	HEM	CBB-CAB	3.78	1.54	1.29
5	C	337	HEM	C3B-C2B	-3.76	1.35	1.40
6	L	304	BCB	C2D-C1D	-3.75	1.46	1.53
5	C	338	HEM	CBC-CAC	3.69	1.53	1.29
6	M	805	BCB	O2A-CGA	3.66	1.44	1.33
6	M	806	BCB	C2D-C1D	-3.66	1.46	1.53
5	C	338	HEM	CBB-CAB	3.63	1.53	1.29
5	C	339	HEM	C3B-CAB	3.60	1.55	1.47
5	C	338	HEM	C3C-C2C	-3.60	1.35	1.40
6	M	805	BCB	C2D-C1D	-3.58	1.46	1.53
6	L	304	BCB	C4C-C3C	-3.57	1.40	1.50
6	M	805	BCB	O2D-CED	-3.55	1.37	1.45
7	M	401	BPB	C3B-C4B	3.52	1.45	1.41
5	C	337	HEM	CBB-CAB	3.52	1.52	1.29
6	L	304	BCB	O2A-CGA	3.52	1.43	1.33
6	L	302	BCB	C3D-CAD	-3.45	1.45	1.51
6	L	302	BCB	O2D-CED	-3.38	1.37	1.45
7	L	402	BPB	O2A-CGA	3.35	1.43	1.33
5	C	340	HEM	C3C-CAC	3.34	1.54	1.47
5	C	339	HEM	CBB-CAB	3.27	1.51	1.29
6	L	304	BCB	O2D-CED	-3.25	1.37	1.45
7	M	401	BPB	O2A-CGA	3.23	1.42	1.33
5	C	340	HEM	C3B-CAB	3.22	1.54	1.47
5	C	337	HEM	C3C-C2C	-3.17	1.36	1.40
12	M	501	MQ7	C32-C33	3.17	1.40	1.33
6	M	805	BCB	C3D-CAD	-3.12	1.45	1.51
6	M	806	BCB	C4C-C3C	-3.11	1.41	1.50
12	M	501	MQ7	C10-C5	-3.03	1.35	1.40
6	L	302	BCB	O2D-CGD	3.02	1.40	1.33
6	M	806	BCB	C2A-C3A	-3.02	1.49	1.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	L	302	BCB	C4C-C3C	-3.00	1.41	1.50
8	L	502	UQ2	O4-C4	2.98	1.29	1.23
8	L	502	UQ2	O3-CM3	-2.93	1.38	1.45
5	C	339	HEM	C3C-C2C	-2.92	1.36	1.40
7	L	402	BPB	C2-C3	2.91	1.40	1.33
6	M	805	BCB	C4C-C3C	-2.91	1.42	1.50
5	C	340	HEM	C3C-C2C	-2.90	1.36	1.40
5	C	338	HEM	C3B-C2B	-2.83	1.36	1.40
6	M	806	BCB	O2D-CED	-2.83	1.38	1.45
6	M	806	BCB	CAA-CBA	-2.82	1.44	1.52
7	M	401	BPB	C2-C3	2.79	1.39	1.33
6	M	806	BCB	C2-C3	2.76	1.39	1.33
8	L	502	UQ2	C13-C14	2.74	1.40	1.32
12	M	501	MQ7	C17-C18	2.73	1.39	1.33
7	M	401	BPB	O2D-CGD	2.67	1.39	1.33
12	M	501	MQ7	C27-C28	2.65	1.39	1.33
13	M	600	NS5	C12-C10	2.64	1.36	1.34
12	M	501	MQ7	C11-C12	-2.64	1.46	1.50
6	L	304	BCB	C2-C3	2.64	1.39	1.33
12	M	501	MQ7	C37-C38	2.62	1.39	1.33
5	C	339	HEM	C3B-C2B	-2.62	1.36	1.40
13	M	600	NS5	C30-C31	2.62	1.36	1.34
12	M	501	MQ7	C41-C42	-2.57	1.42	1.50
12	M	501	MQ7	C42-C43	2.56	1.39	1.32
7	M	401	BPB	CAC-C3C	2.56	1.40	1.33
5	C	337	HEM	C3C-CAC	2.56	1.53	1.47
7	L	402	BPB	C4C-C3C	-2.54	1.40	1.45
12	M	501	MQ7	C26-C27	-2.49	1.42	1.50
6	M	806	BCB	O2A-CGA	2.47	1.40	1.33
7	L	402	BPB	C1-C2	-2.46	1.41	1.49
8	L	502	UQ2	C16-C14	2.43	1.56	1.50
6	M	806	BCB	C4A-C3A	-2.41	1.50	1.53
6	M	805	BCB	C2-C3	2.39	1.38	1.33
6	M	806	BCB	CMB-C2B	-2.38	1.48	1.53
7	L	402	BPB	C5-C3	2.36	1.56	1.51
12	M	501	MQ7	C21-C22	-2.30	1.42	1.50
6	M	805	BCB	O2D-CGD	2.30	1.38	1.33
6	L	304	BCB	C2A-C3A	-2.26	1.50	1.54
12	M	501	MQ7	C36-C37	-2.25	1.43	1.50
12	M	501	MQ7	C12-C13	2.24	1.38	1.33
7	M	401	BPB	C3B-C2B	-2.24	1.35	1.39
12	M	501	MQ7	C45-C43	2.21	1.56	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	M	501	MQ7	C10-C1	-2.18	1.44	1.48
6	M	805	BCB	C2A-C3A	-2.17	1.50	1.54
5	C	338	HEM	CAA-C2A	-2.15	1.48	1.52
6	L	302	BCB	OBD-CAD	2.14	1.25	1.21
5	C	338	HEM	C3B-CAB	2.13	1.52	1.47
8	L	502	UQ2	CM5-C5	2.12	1.55	1.50
12	M	501	MQ7	C22-C23	2.12	1.38	1.33
6	M	806	BCB	O2D-CGD	2.04	1.38	1.33
12	M	501	MQ7	C34-C33	2.03	1.55	1.50
6	M	806	BCB	C1-C2	-2.02	1.43	1.49
6	L	302	BCB	C2-C3	2.02	1.37	1.33

All (118) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	806	BCB	CMB-C2B-C3B	9.25	137.26	114.29
5	C	340	HEM	CBD-CAD-C3D	7.79	126.83	112.48
7	M	401	BPB	O2D-CGD-CBD	7.70	124.96	111.27
6	L	304	BCB	C1D-CHD-C4C	7.45	128.25	112.37
6	M	806	BCB	C1D-CHD-C4C	7.30	127.93	112.37
7	L	402	BPB	O2D-CGD-CBD	7.16	123.99	111.27
6	M	805	BCB	C1D-CHD-C4C	7.00	127.29	112.37
6	L	302	BCB	C1D-CHD-C4C	6.95	127.19	112.37
6	L	302	BCB	CMB-C2B-C3B	6.59	130.64	114.29
6	M	806	BCB	CMD-C2D-C3D	6.50	130.44	114.29
6	M	805	BCB	CMB-C2B-C3B	6.44	130.27	114.29
6	L	304	BCB	CMB-C2B-C3B	6.18	129.63	114.29
6	M	805	BCB	CMD-C2D-C3D	5.86	128.83	114.29
6	M	806	BCB	OBB-CAB-C3B	5.63	127.45	121.52
6	L	304	BCB	O2D-CGD-CBD	5.49	124.00	111.11
6	L	304	BCB	CMD-C2D-C3D	5.38	127.66	114.29
7	M	401	BPB	O1D-CGD-CBD	-5.17	113.92	124.48
6	L	302	BCB	CMD-C2D-C3D	4.85	126.32	114.29
6	L	304	BCB	O1D-CGD-CBD	-4.83	114.97	124.54
7	L	402	BPB	O1D-CGD-CBD	-4.75	114.76	124.48
7	M	401	BPB	C1-C2-C3	4.61	134.01	126.04
6	M	805	BCB	O2D-CGD-CBD	4.61	121.93	111.11
6	L	302	BCB	CHA-CBD-CGD	-4.61	104.60	115.02
6	M	805	BCB	CHA-CBD-CGD	-4.50	104.83	115.02
6	M	806	BCB	CHA-CBD-CGD	-4.42	105.02	115.02
6	M	806	BCB	O2D-CGD-CBD	4.40	121.44	111.11
6	L	304	BCB	C4-C3-C5	-4.26	108.10	115.27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	338	HEM	CBA-CAA-C2A	-4.25	104.65	112.49
12	M	501	MQ7	C11-C12-C13	4.19	133.77	126.79
6	M	805	BCB	O1D-CGD-CBD	-4.19	116.25	124.54
13	M	600	NS5	C19-C18-C17	4.17	132.01	123.47
6	L	304	BCB	OBB-CAB-C3B	4.15	125.89	121.52
6	L	302	BCB	O1D-CGD-CBD	-4.08	116.46	124.54
5	C	337	HEM	CBD-CAD-C3D	-4.07	104.98	112.48
6	M	806	BCB	O1D-CGD-CBD	-4.04	116.55	124.54
6	M	805	BCB	CBB-CAB-C3B	4.03	120.91	116.80
6	L	304	BCB	CHA-CBD-CGD	-3.95	106.09	115.02
6	M	806	BCB	O2A-CGA-CBA	3.93	124.25	111.91
6	L	302	BCB	O2D-CGD-CBD	3.81	120.06	111.11
7	L	402	BPB	C3C-C2C-C1C	3.78	105.86	100.72
8	L	502	UQ2	CM3-O3-C3	3.78	129.86	116.47
6	M	806	BCB	CBB-CAB-C3B	-3.68	113.04	116.80
13	M	600	NS5	C16-C15-C14	-3.57	112.45	118.08
6	L	304	BCB	O2A-CGA-CBA	3.55	123.04	111.91
5	C	338	HEM	CBD-CAD-C3D	3.53	118.98	112.48
7	L	402	BPB	CED-O2D-CGD	3.52	123.90	115.94
7	M	401	BPB	OBB-CAB-C3B	3.47	126.16	119.99
5	C	339	HEM	CMB-C2B-C3B	3.45	131.14	124.68
6	M	806	BCB	CHC-C4B-C3B	3.44	126.59	118.17
6	M	805	BCB	C4-C3-C5	3.38	120.96	115.27
13	M	600	NS5	C18-C19-C20	3.29	130.21	123.47
6	L	302	BCB	CHC-C4B-C3B	3.28	126.22	118.17
6	L	302	BCB	C15-C13-C12	-3.24	95.11	112.13
6	M	805	BCB	O2A-CGA-CBA	3.24	122.06	111.91
6	M	806	BCB	CHC-C1C-C2C	3.23	126.94	117.19
7	M	401	BPB	C3C-C2C-C1C	3.22	105.10	100.72
7	M	401	BPB	CBB-CAB-C3B	-3.19	110.86	120.34
6	L	304	BCB	C5-C3-C2	3.18	127.56	121.12
12	M	501	MQ7	C41-C42-C43	3.18	138.63	127.75
7	M	401	BPB	C4B-C3B-CAB	-3.18	120.29	127.19
6	L	302	BCB	O2A-CGA-CBA	3.18	121.89	111.91
5	C	337	HEM	CMC-C2C-C3C	3.16	130.58	124.68
6	L	304	BCB	CHC-C1C-C2C	3.11	126.58	117.19
6	L	302	BCB	O2A-CGA-O1A	-3.10	115.77	123.59
12	M	501	MQ7	C26-C25-C23	-3.07	102.89	112.98
8	L	502	UQ2	C12-C13-C14	3.05	138.17	127.75
6	L	304	BCB	CHC-C4B-C3B	3.05	125.64	118.17
6	M	805	BCB	CHC-C4B-C3B	2.96	125.44	118.17
12	M	501	MQ7	C40-C41-C42	-2.94	102.22	111.88

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	806	BCB	OBD-CAD-CBD	-2.93	120.45	127.49
5	C	338	HEM	CMC-C2C-C3C	2.92	130.14	124.68
6	M	805	BCB	CHC-C1C-C2C	2.87	125.87	117.19
6	M	806	BCB	O2A-CGA-O1A	-2.79	116.56	123.59
6	L	302	BCB	OBB-CAB-C3B	2.74	124.41	121.52
6	M	805	BCB	C3B-C4B-NB	2.74	108.75	103.75
6	L	302	BCB	C4-C3-C5	2.74	119.87	115.27
6	M	805	BCB	OBD-CAD-CBD	-2.73	120.95	127.49
7	L	402	BPB	CBD-CHA-C4D	-2.72	105.47	108.54
6	L	304	BCB	OBD-CAD-CBD	-2.72	120.97	127.49
7	L	402	BPB	O2A-CGA-CBA	2.71	120.40	111.91
5	C	340	HEM	CMD-C2D-C1D	-2.69	124.33	128.46
6	L	304	BCB	C3B-C4B-NB	2.69	108.66	103.75
6	L	302	BCB	C3B-C4B-NB	2.69	108.65	103.75
6	L	302	BCB	CHC-C1C-C2C	2.65	125.21	117.19
7	M	401	BPB	O2A-CGA-CBA	2.63	120.15	111.91
7	L	402	BPB	C4B-C3B-CAB	-2.61	121.53	127.19
6	L	304	BCB	O2A-CGA-O1A	-2.60	117.03	123.59
6	L	302	BCB	OBD-CAD-CBD	-2.51	121.47	127.49
6	M	806	BCB	C4-C3-C2	-2.51	117.25	123.68
8	L	502	UQ2	C7-C8-C9	-2.49	122.65	126.79
5	C	340	HEM	CMC-C2C-C3C	2.48	129.32	124.68
5	C	337	HEM	CMB-C2B-C3B	2.44	129.25	124.68
7	M	401	BPB	CBD-CHA-C4D	-2.40	105.83	108.54
7	L	402	BPB	C3A-C2A-C1A	2.40	104.93	101.34
6	M	805	BCB	O2A-CGA-O1A	-2.38	117.57	123.59
8	L	502	UQ2	C10-C9-C11	2.38	119.27	115.27
6	M	805	BCB	OBD-CAD-C3D	2.34	130.86	126.73
6	M	806	BCB	C3B-C4B-NB	2.33	108.00	103.75
7	L	402	BPB	O2A-CGA-O1A	-2.29	117.80	123.59
12	M	501	MQ7	C29-C28-C30	-2.27	111.45	115.27
6	L	302	BCB	OBD-CAD-C3D	2.22	130.64	126.73
6	M	805	BCB	OBB-CAB-CBB	-2.22	117.21	121.15
5	C	337	HEM	CAA-C2A-C3A	-2.21	120.90	127.25
7	M	401	BPB	CBD-CHA-C1A	2.16	130.29	126.84
6	L	304	BCB	OBD-CAD-C3D	2.13	130.49	126.73
6	M	806	BCB	C1-C2-C3	-2.13	122.36	126.04
12	M	501	MQ7	C35-C33-C32	2.12	125.41	121.12
7	L	402	BPB	C4B-CHC-C1C	2.12	131.30	128.57
6	L	302	BCB	C1-C2-C3	-2.11	122.40	126.04
6	M	805	BCB	C10-C8-C7	2.09	123.14	112.13
13	M	600	NS5	C14-C15-C17	2.09	122.16	118.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	304	BCB	CMA-C3A-C2A	-2.05	109.89	115.73
13	M	600	NS5	C19-C20-C21	-2.05	124.39	127.31
7	M	401	BPB	CED-O2D-CGD	2.05	120.56	115.94
13	M	600	NS5	C22-C21-C23	-2.04	114.86	118.08
7	M	401	BPB	O2A-CGA-O1A	-2.02	118.49	123.59
5	C	338	HEM	CMA-C3A-C4A	-2.01	125.38	128.46
6	M	806	BCB	OBD-CAD-C3D	2.01	130.27	126.73

There are no chirality outliers.

All (91) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	M	600	NS5	C3-C4-C5-C6
13	M	600	NS5	C10-C12-C13-C14
13	M	600	NS5	C13-C14-C15-C16
13	M	600	NS5	C13-C14-C15-C17
13	M	600	NS5	C22-C21-C23-C24
6	L	302	BCB	C2B-C3B-CAB-CBB
6	L	304	BCB	C2B-C3B-CAB-CBB
8	L	502	UQ2	C9-C11-C12-C13
6	M	806	BCB	C2B-C3B-CAB-OB
6	M	806	BCB	C2B-C3B-CAB-CBB
6	M	806	BCB	CAD-CBD-CGD-O1D
6	M	806	BCB	CAD-CBD-CGD-O2D
6	M	806	BCB	C14-C13-C15-C16
7	L	402	BPB	O2A-C1-C2-C3
6	M	805	BCB	C3-C5-C6-C7
8	L	502	UQ2	C12-C11-C9-C10
8	L	502	UQ2	C12-C11-C9-C8
6	L	302	BCB	CBD-CGD-O2D-CED
6	L	304	BCB	CBD-CGD-O2D-CED
6	L	302	BCB	C4-C3-C5-C6
6	M	805	BCB	C4-C3-C5-C6
7	M	401	BPB	C4-C3-C5-C6
13	M	600	NS5	C3-C4-C5-C7
6	L	302	BCB	C2-C3-C5-C6
6	M	805	BCB	C2-C3-C5-C6
7	M	401	BPB	C2-C3-C5-C6
13	M	600	NS5	C7-C8-C9-C10
6	L	302	BCB	O1D-CGD-O2D-CED
6	L	304	BCB	C14-C13-C15-C16
7	L	402	BPB	C8-C10-C11-C12

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	M	806	BCB	C2A-CAA-CBA-CGA
6	M	805	BCB	C15-C16-C17-C18
9	M	704	LDA	C7-C8-C9-C10
6	L	304	BCB	O1D-CGD-O2D-CED
9	M	704	LDA	C2-C3-C4-C5
9	M	701	LDA	C2-C3-C4-C5
6	L	304	BCB	C16-C17-C18-C19
6	L	304	BCB	C16-C17-C18-C20
9	M	706	LDA	C6-C7-C8-C9
9	M	706	LDA	C11-C10-C9-C8
6	M	805	BCB	C10-C11-C12-C13
6	L	304	BCB	C12-C13-C15-C16
7	M	401	BPB	O1A-CGA-O2A-C1
7	L	402	BPB	C16-C17-C18-C19
7	M	401	BPB	CBA-CGA-O2A-C1
6	M	806	BCB	C13-C15-C16-C17
9	M	702	LDA	C2-C3-C4-C5
7	M	401	BPB	C5-C6-C7-C8
9	M	706	LDA	C5-C6-C7-C8
13	M	600	NS5	C20-C21-C23-C24
6	M	806	BCB	CBD-CGD-O2D-CED
13	M	600	NS5	C34-C35-C36-CM3
9	H	703	LDA	C3-C4-C5-C6
7	L	402	BPB	C16-C17-C18-C20
9	M	704	LDA	C3-C4-C5-C6
7	M	401	BPB	C3-C5-C6-C7
6	L	302	BCB	C2B-C3B-CAB-OBB
6	L	304	BCB	C2B-C3B-CAB-OBB
6	L	304	BCB	C11-C12-C13-C14
13	M	600	NS5	C17-C18-C19-C20
6	L	304	BCB	C11-C12-C13-C15
6	M	806	BCB	C12-C13-C15-C16
6	M	805	BCB	C2C-C3C-CAC-CBC
7	L	402	BPB	CAD-CBD-CGD-O2D
6	M	805	BCB	C3A-C2A-CAA-CBA
9	M	701	LDA	C5-C6-C7-C8
6	L	302	BCB	C15-C16-C17-C18
6	M	805	BCB	C11-C10-C8-C7
13	M	600	NS5	C23-C24-C25-C26
9	M	706	LDA	C2-C3-C4-C5
9	M	702	LDA	C3-C4-C5-C6
7	L	402	BPB	C4-C3-C5-C6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
13	M	600	NS5	C14-C15-C17-C18
9	M	702	LDA	C4-C5-C6-C7
6	M	805	BCB	C4B-C3B-CAB-OBB
9	H	703	LDA	C11-C10-C9-C8
9	H	703	LDA	C7-C8-C9-C10
6	L	302	BCB	C1A-C2A-CAA-CBA
6	M	805	BCB	C6-C7-C8-C10
9	H	703	LDA	C5-C6-C7-C8
12	M	501	MQ7	C39-C38-C40-C41
6	M	805	BCB	C16-C17-C18-C20
8	L	502	UQ2	C4-C3-O3-CM3
13	M	600	NS5	C18-C19-C20-C21
9	M	706	LDA	C9-C10-C11-C12
6	L	304	BCB	CHA-CBD-CGD-O1D
9	L	705	LDA	C1-C2-C3-C4
6	L	302	BCB	C11-C12-C13-C14
7	M	401	BPB	C11-C12-C13-C14
6	M	805	BCB	CBA-CGA-O2A-C1
8	L	502	UQ2	C11-C12-C13-C14


There are no ring outliers.



14 monomers are involved in 51 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	H	703	LDA	1	0
13	M	600	NS5	6	0
9	M	704	LDA	1	0
6	L	302	BCB	6	0
6	M	805	BCB	6	0
5	C	339	HEM	1	0
6	L	304	BCB	7	0
5	C	338	HEM	2	0
7	M	401	BPB	8	0
8	L	502	UQ2	2	0
12	M	501	MQ7	1	0
9	M	706	LDA	1	0
6	M	806	BCB	7	0
7	L	402	BPB	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













## Ligand BCB L 304




## Ligand HEM C 338











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	C	332/336 (98%)	-0.88	1 (0%) 94 94	10, 27, 50, 65	19 (5%)
2	L	273/273 (100%)	-1.06	0 100 100	10, 21, 44, 60	6 (2%)
3	M	323/323 (100%)	-1.00	1 (0%) 94 94	8, 24, 51, 65	10 (3%)
4	H	249/258 (96%)	-0.74	3 (1%) 79 77	12, 32, 56, 64	21 (8%)
All	All	1177/1190 (98%)	-0.92	5 (0%) 92 93	8, 25, 51, 65	56 (4%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	H	54	PRO	4.0
1	C	47	ALA	2.7
4	H	82	ARG	2.4
3	M	78	HIS	2.2
4	H	96	PHE	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	FME	H	1	10/11	0.98	0.10	30,34,36,40	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	LDA	M	702	16/16	0.82	0.23	17,49,67,67	0
9	LDA	M	704	16/16	0.83	0.25	56,60,79,79	0
9	LDA	M	706	16/16	0.87	0.23	60,64,68,68	4
9	LDA	L	705	16/16	0.87	0.20	54,55,60,62	5
9	LDA	H	703	16/16	0.92	0.19	33,39,60,61	0
8	UQ2	L	502	23/23	0.94	0.13	21,25,38,40	0
13	NS5	M	600	40/40	0.94	0.12	32,42,52,53	14
6	BCB	M	805	66/66	0.94	0.12	11,19,48,49	0
7	BPB	M	401	65/65	0.95	0.11	8,24,59,61	7
9	LDA	M	701	16/16	0.96	0.10	26,29,31,31	0
12	MQ7	M	501	48/48	0.96	0.10	13,19,39,42	0
11	SO4	H	801	5/5	0.97	0.08	61,62,64,64	0
11	SO4	M	803	5/5	0.97	0.10	77,77,79,79	0
5	HEM	C	340	43/43	0.98	0.10	13,21,30,39	0
5	HEM	C	337	43/43	0.98	0.10	23,29,34,41	0
6	BCB	L	302	66/66	0.98	0.08	2,12,17,22	0
6	BCB	L	304	66/66	0.98	0.07	7,14,29,34	0
6	BCB	M	806	66/66	0.98	0.07	3,13,30,32	0
7	BPB	L	402	65/65	0.98	0.09	2,10,17,20	0
5	HEM	C	339	43/43	0.99	0.09	10,17,25,30	0
11	SO4	M	804	5/5	0.99	0.07	46,48,48,48	0
11	SO4	M	802	5/5	0.99	0.07	34,34,36,38	0
5	HEM	C	338	43/43	0.99	0.11	15,27,31,32	0
10	FE2	M	500	1/1	1.00	0.02	18,18,18,18	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around UQ2 L 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NS5 M 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCB M 805:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BPB M 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MQ7 M 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM C 340:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM C 337:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BCB L 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BCB L 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCB M 806:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BPB L 402:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM C 339:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.