



# Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 12:37 pm BST

PDB ID : 1PS6  
Title : Crystal structure of E.coli PdxA  
Authors : Sivaraman, J.; Li, Y.; Banks, J.; Cane, D.E.; Matte, A.; Cygler, M.  
Deposited on : 2003-06-20  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	<div> <div>3%</div> <div> <div></div> <div>74%</div> <div>22%</div> <div>•</div> </div> </div>
1	B	328	<div> <div>5%</div> <div> <div></div> <div>73%</div> <div>25%</div> <div>•</div> </div> </div>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5007 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 4-hydroxythreonine-4-phosphate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	0	0
			2402	1529	419	443	11			
1	B	328	Total	C	N	O	S	0	0	0
			2402	1529	422	440	11			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 4-HYDROXY-L-THREONINE-5-MONOPHOSPHATE (three-letter code: 4TP) (formula:  $C_4H_{10}NO_7P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			13	4	1	7	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	96	Total	O	0	0
			96	96		
4	B	92	Total	O	0	0
			92	92		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 4-hydroxythreonine-4-phosphate dehydrogenase



- Molecule 1: 4-hydroxythreonine-4-phosphate dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	75.72Å 79.14Å 114.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.25 29.30 – 2.25	Depositor EDS
% Data completeness (in resolution range)	90.3 (50.00-2.25) 90.4 (29.30-2.25)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.71 (at 2.24Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.206 , 0.258 0.203 , 0.253	Depositor DCC
$R_{free}$ test set	2087 reflections (6.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.9	Xtriage
Anisotropy	0.368	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 31.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.034 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5007	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 4TP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.37	0/2449	0.67	0/3347
1	B	0.35	0/2450	0.65	1/3347 (0.0%)
All	All	0.36	0/4899	0.66	1/6694 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	215	GLY	N-CA-C	-6.43	97.02	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2402	0	2430	73	0
1	B	2402	0	2434	68	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	13	0	5	2	0
4	A	96	0	0	3	0
4	B	92	0	0	3	0
All	All	5007	0	4869	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:GLN:HE22	1:A:309:ALA:HB2	1.32	0.90
1:B:301:LEU:H	1:B:301:LEU:HD22	1.36	0.90
1:A:24:GLN:HE22	1:A:309:ALA:CB	1.90	0.84
1:B:204:LEU:HD23	1:B:241:ASN:HB3	1.65	0.79
1:A:89:LEU:HD12	1:A:125:VAL:HB	1.65	0.79
1:A:264:MET:H	1:A:268:GLN:HE22	1.36	0.73
1:A:195:LYS:HB3	1:A:324:MET:CE	2.20	0.72
1:A:264:MET:H	1:A:268:GLN:NE2	1.88	0.72
1:B:29:GLU:OE1	1:B:69:THR:HA	1.92	0.69
1:B:234:ARG:NH2	1:B:242:GLY:HA2	2.11	0.66
1:B:301:LEU:H	1:B:301:LEU:CD2	2.08	0.66
1:A:117:ILE:N	1:A:117:ILE:HD12	2.11	0.65
1:A:155:THR:HG23	1:A:273:LEU:CD1	2.26	0.65
1:B:198:ILE:O	1:B:201:PRO:HG3	1.97	0.64
1:A:275:TYR:OH	1:B:276:GLN:NE2	2.30	0.64
1:B:82:ALA:H	1:B:93:ASN:HD21	1.44	0.62
1:B:301:LEU:N	1:B:301:LEU:HD22	2.12	0.62
1:A:273:LEU:O	1:A:276:GLN:HB3	2.00	0.61
1:B:230:LEU:HD12	1:B:243:PRO:HD3	1.82	0.61
1:A:218:MET:SD	1:B:166:HIS:HB3	2.40	0.61
1:B:172:ILE:HD11	4:B:360:HOH:O	2.01	0.61
1:B:169:LEU:HD22	1:B:172:ILE:HD12	1.83	0.61
1:B:266:HIS:CE1	1:B:270:LEU:HD12	2.36	0.60
1:B:232:GLU:O	1:B:235:ALA:HB3	2.01	0.60
1:A:89:LEU:CD1	1:A:125:VAL:HB	2.31	0.59
1:B:11:PRO:HG3	1:B:22:VAL:HG21	1.83	0.59
1:A:204:LEU:HD11	1:A:254:TYR:HB3	1.85	0.58
1:A:284:ILE:HD11	1:A:320:LEU:HD21	1.84	0.58
1:B:311:VAL:HG22	1:B:311:VAL:O	2.04	0.58
1:A:11:PRO:HD2	4:A:345:HOH:O	2.04	0.58
1:A:169:LEU:HD12	1:A:172:ILE:HD12	1.86	0.58
1:A:179:ALA:O	1:A:183:GLU:HG3	2.04	0.58
1:A:189:HIS:CD2	1:A:201:PRO:HG2	2.40	0.57
1:B:153:LEU:HD12	1:B:283:ASN:HA	1.87	0.57
1:B:180:LEU:O	1:B:184:VAL:HG23	2.05	0.57
1:A:195:LYS:HB3	1:A:324:MET:HE2	1.87	0.56
1:B:200:GLU:N	1:B:201:PRO:HD3	2.20	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:HIS:HD2	4:B:457:HOH:O	1.89	0.56
1:A:82:ALA:HB1	1:A:83:PRO:HD2	1.87	0.56
1:B:153:LEU:HD22	1:B:270:LEU:HD22	1.86	0.56
1:A:195:LYS:HB3	1:A:324:MET:HE3	1.88	0.56
1:A:14:PRO:HG3	1:A:96:TYR:CE2	2.42	0.55
1:B:241:ASN:O	1:B:242:GLY:O	2.24	0.55
1:A:225:THR:HG23	4:A:409:HOH:O	2.06	0.54
1:B:137:THR:HG22	1:B:292:ARG:HH12	1.72	0.54
1:B:234:ARG:NH2	1:B:242:GLY:CA	2.70	0.54
1:A:89:LEU:HD21	1:A:301:LEU:HD11	1.90	0.54
1:B:117:ILE:HD12	1:B:117:ILE:N	2.24	0.53
1:B:203:ILE:HB	1:B:240:LEU:HD23	1.91	0.53
1:B:264:MET:H	1:B:268:GLN:NE2	2.06	0.53
1:A:266:HIS:CE1	1:A:270:LEU:HD12	2.44	0.53
1:B:17:ILE:HD11	1:B:297:HIS:CD2	2.44	0.52
1:B:234:ARG:HH22	1:B:242:GLY:HA2	1.74	0.52
1:A:206:CYS:SG	1:A:249:LEU:HD13	2.49	0.52
1:A:227:ILE:HB	1:A:228:PRO:HD3	1.92	0.52
1:A:301:LEU:H	1:A:301:LEU:HD22	1.75	0.52
1:A:160:VAL:CG2	1:A:273:LEU:HD23	2.40	0.52
1:A:158:LEU:HG	1:A:273:LEU:HD21	1.92	0.51
1:A:309:ALA:O	1:A:310:ASP:HB3	2.11	0.51
1:B:190:HIS:HD2	1:B:191:ASP:OD1	1.93	0.51
1:A:25:LEU:HD11	1:A:314:PHE:CD1	2.45	0.51
1:A:309:ALA:O	1:A:310:ASP:CB	2.58	0.51
1:A:24:GLN:NE2	1:A:309:ALA:CB	2.69	0.51
1:B:16:GLY:HA2	1:B:301:LEU:HD13	1.93	0.50
1:A:160:VAL:HG23	1:A:273:LEU:HD23	1.94	0.50
1:B:236:GLN:HE21	1:B:236:GLN:HA	1.77	0.49
1:B:81:ARG:H	1:B:93:ASN:ND2	2.10	0.49
1:B:137:THR:HG22	4:B:337:HOH:O	2.13	0.49
1:B:228:PRO:O	1:B:232:GLU:HG3	2.12	0.49
1:A:107:GLY:HA3	1:A:113:PHE:CE2	2.47	0.49
1:A:213:GLY:O	1:A:214:GLU:C	2.50	0.49
1:A:275:TYR:CE1	1:B:276:GLN:HG3	2.48	0.49
1:A:148:LYS:HG3	1:A:149:VAL:N	2.28	0.48
1:B:144:SER:O	1:B:145:GLN:HB2	2.13	0.48
1:A:189:HIS:NE2	1:A:201:PRO:HG2	2.28	0.48
1:A:155:THR:HG23	1:A:273:LEU:HD13	1.96	0.48
1:B:151:MET:HG3	1:B:151:MET:O	2.13	0.47
1:B:21:LEU:HD21	1:B:297:HIS:NE2	2.29	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:THR:CG2	4:A:409:HOH:O	2.61	0.47
1:A:19:PRO:O	1:A:23:VAL:HG23	2.14	0.47
1:A:40:ALA:HB2	1:A:75:LEU:CD2	2.44	0.47
1:B:249:LEU:HD23	1:B:249:LEU:C	2.34	0.47
1:B:17:ILE:O	1:B:21:LEU:HD13	2.15	0.47
1:B:225:THR:O	1:B:229:VAL:HG23	2.15	0.47
1:B:234:ARG:HH21	1:B:242:GLY:N	2.13	0.47
1:A:13:GLU:OE1	1:A:14:PRO:HD2	2.15	0.47
1:A:203:ILE:HB	1:A:240:LEU:HD23	1.96	0.47
1:A:8:VAL:HG13	1:A:116:LEU:HD13	1.96	0.47
1:A:158:LEU:HG	1:A:273:LEU:CD2	2.45	0.47
1:B:8:VAL:HG13	1:B:116:LEU:HD13	1.96	0.46
1:A:16:GLY:O	1:A:19:PRO:HD2	2.15	0.46
1:B:182:HIS:CE1	1:B:233:LEU:HD11	2.51	0.45
1:A:264:MET:N	1:A:268:GLN:NE2	2.62	0.45
1:B:21:LEU:HD23	1:B:314:PHE:HD2	1.80	0.45
1:B:153:LEU:CD2	1:B:270:LEU:HD22	2.47	0.45
1:A:141:GLU:OE1	1:A:149:VAL:HG22	2.17	0.45
1:B:273:LEU:C	1:B:273:LEU:HD13	2.37	0.45
1:A:17:ILE:O	1:A:21:LEU:HG	2.16	0.45
1:B:95:HIS:ND1	1:B:131:ILE:HD11	2.32	0.44
1:A:275:TYR:HE2	1:B:255:LEU:CD1	2.31	0.44
1:A:249:LEU:C	1:A:249:LEU:HD23	2.37	0.44
1:B:204:LEU:HD11	1:B:254:TYR:HB3	2.00	0.44
1:A:276:GLN:O	1:A:276:GLN:HG3	2.17	0.43
1:B:204:LEU:HD23	1:B:241:ASN:CB	2.43	0.43
1:A:151:MET:HE3	1:A:151:MET:HB2	1.74	0.43
1:A:283:ASN:HD21	3:A:332:4TP:C	2.31	0.43
1:B:230:LEU:O	1:B:234:ARG:HG3	2.18	0.43
1:A:198:ILE:O	1:A:201:PRO:HD3	2.19	0.43
1:A:118:THR:OG1	1:A:294:SER:HB2	2.19	0.42
1:B:46:ARG:O	1:B:50:LEU:HD13	2.19	0.42
1:B:8:VAL:HG13	1:B:116:LEU:CD1	2.49	0.42
1:A:20:ASP:OD1	1:A:46:ARG:NH1	2.44	0.42
1:B:2:VAL:HB	1:B:3:LYS:H	1.57	0.42
1:A:297:HIS:HD2	1:A:298:GLY:O	2.03	0.42
1:B:29:GLU:CD	1:B:70:ALA:H	2.24	0.42
1:A:192:LEU:O	1:A:196:PHE:HB2	2.20	0.41
1:B:252:PRO:O	1:B:256:ASP:HB2	2.20	0.41
1:A:60:SER:HA	1:A:61:PRO:HD2	1.91	0.41
1:B:134:THR:OG1	1:B:138:GLU:HG2	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:311:VAL:O	1:A:311:VAL:HG22	2.21	0.41
1:B:242:GLY:O	1:B:244:LEU:HG	2.20	0.41
1:A:231:ASN:HA	1:A:231:ASN:HD22	1.76	0.41
1:A:36:VAL:HG21	1:A:73:LEU:HD13	2.03	0.41
1:B:225:THR:C	1:B:228:PRO:HD2	2.42	0.41
1:A:40:ALA:HB2	1:A:75:LEU:HD21	2.02	0.41
1:B:209:ASN:HB3	1:B:210:PRO:HD2	2.03	0.41
1:B:233:LEU:HD12	1:B:233:LEU:HA	1.88	0.41
1:A:153:LEU:HD21	1:A:283:ASN:ND2	2.36	0.40
1:A:283:ASN:ND2	3:A:332:4TP:O	2.54	0.40
1:A:284:ILE:CD1	1:A:320:LEU:HD21	2.51	0.40
1:B:181:LEU:HD11	1:B:226:ILE:HG12	2.03	0.40
1:B:189:HIS:CD2	1:B:238:MET:HG2	2.56	0.40
1:A:117:ILE:CD1	1:A:117:ILE:N	2.81	0.40
1:A:230:LEU:HD12	1:A:243:PRO:HD3	2.04	0.40
1:A:169:LEU:CD2	1:B:208:LEU:HD11	2.52	0.40
1:B:121:VAL:HG22	1:B:136:HIS:ND1	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/328 (99%)	308 (94%)	14 (4%)	4 (1%)	13	9
1	B	326/328 (99%)	304 (93%)	15 (5%)	7 (2%)	7	3
All	All	652/656 (99%)	612 (94%)	29 (4%)	11 (2%)	9	4

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	156	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	309	ALA
1	A	310	ASP
1	B	242	GLY
1	B	278	PHE
1	B	309	ALA
1	B	310	ASP
1	B	214	GLU
1	B	277	GLY
1	B	156	GLU
1	A	214	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	248/261 (95%)	237 (96%)	11 (4%)	28	32
1	B	249/261 (95%)	240 (96%)	9 (4%)	35	42
All	All	497/522 (95%)	477 (96%)	20 (4%)	31	37

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	ASP
1	A	57	ARG
1	A	76	LEU
1	A	89	LEU
1	A	148	LYS
1	A	153	LEU
1	A	204	LEU
1	A	225	THR
1	A	273	LEU
1	A	283	ASN
1	A	314	PHE
1	B	57	ARG
1	B	134	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	137	THR
1	B	148	LYS
1	B	151	MET
1	B	233	LEU
1	B	236	GLN
1	B	274	LYS
1	B	314	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	27	GLN
1	A	45	ASN
1	A	231	ASN
1	A	268	GLN
1	A	283	ASN
1	A	297	HIS
1	B	27	GLN
1	B	93	ASN
1	B	127	ASN
1	B	190	HIS
1	B	231	ASN
1	B	236	GLN
1	B	268	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	4TP	A	332	2	8,12,12	1.39	2 (25%)	10,17,17	1.18	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	4TP	A	332	2	-	4/10/14/14	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	332	4TP	CG2-CB	2.96	1.56	1.51
3	A	332	4TP	OP4-CG2	2.36	1.53	1.44

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	332	4TP	OP3-P-OP4	2.02	112.11	106.73

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	332	4TP	N-CA-CB-OG1
3	A	332	4TP	N-CA-CB-CG2
3	A	332	4TP	C-CA-CB-OG1
3	A	332	4TP	C-CA-CB-CG2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	332	4TP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	328/328 (100%)	-0.22	9 (2%) 54 57	19, 30, 44, 59	0
1	B	328/328 (100%)	-0.08	17 (5%) 27 30	20, 32, 52, 62	0
All	All	656/656 (100%)	-0.15	26 (3%) 38 40	19, 31, 49, 62	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	278	PHE	3.9
1	B	217	HIS	3.8
1	B	237	GLY	3.6
1	B	281	GLY	3.6
1	B	307	GLY	3.6
1	B	303	LEU	3.6
1	A	329	GLN	3.6
1	B	278	PHE	3.5
1	A	130	GLY	2.9
1	B	297	HIS	2.9
1	A	132	PRO	2.8
1	A	275	TYR	2.8
1	B	2	VAL	2.7
1	B	306	ARG	2.7
1	B	147	LYS	2.6
1	B	305	GLY	2.5
1	A	216	GLY	2.4
1	B	327	ASN	2.4
1	A	279	GLY	2.2
1	B	279	GLY	2.2
1	B	252	PRO	2.2
1	B	242	GLY	2.2
1	B	309	ALA	2.2
1	A	308	LYS	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	216	GLY	2.0
1	A	276	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	4TP	A	332	13/13	0.87	0.21	37,41,47,48	0
2	ZN	A	330	1/1	0.98	0.03	39,39,39,39	0
2	ZN	B	331	1/1	0.98	0.04	37,37,37,37	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.