



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 22, 2020 – 05:39 AM BST

PDB ID : 6PWK
Title : Vibrio cholerae LapD S helix-GGDEF-EAL (bound to c-di-GMP)
Authors : Giglio, K.M.; Cooley, R.B.; Sondermann, H.
Deposited on : 2019-07-23
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	418	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>••</div> </div> </div>
1	B	418	<div> <div>%</div> <div> <div></div> <div>86%</div> <div>11%</div> <div>•</div> </div> </div>

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 6651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GGDEF and EAL domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	406	3206	2042	544	613	7	0	0	0
1	B	405	3219	2049	543	620	7	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	637	ALA	-	expression tag	UNP A0A0H6T0A6
A	638	ALA	-	expression tag	UNP A0A0H6T0A6
B	637	ALA	-	expression tag	UNP A0A0H6T0A6
B	638	ALA	-	expression tag	UNP A0A0H6T0A6

- Molecule 2 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidoctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (three-letter code: C2E) (formula: C₂₀H₂₄N₁₀O₁₄P₂) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	B	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	B	1	Total	C	N	O	P	0	0
			46	20	10	14	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	21	Total	O	0	0
			21	21		
4	B	19	Total	O	0	0
			19	19		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: GGDEF and EAL domain-containing protein



- Molecule 1: GGDEF and EAL domain-containing protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	77.38 Å 90.22 Å 82.75 Å 90.00° 115.49° 90.00°	Depositor
Resolution (Å)	33.77 – 2.61 45.11 – 2.61	Depositor EDS
% Data completeness (in resolution range)	98.5 (33.77-2.61) 91.2 (45.11-2.61)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 2.61 Å)	Xtriage
Refinement program	PHENIX 1.13 _2998	Depositor
R, R_{free}	0.197 , 0.248 0.197 , 0.248	Depositor DCC
R_{free} test set	1999 reflections (6.45%)	wwPDB-VP
Wilson B-factor (Å ²)	64.0	Xtriage
Anisotropy	0.352	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 61.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.023 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6651	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, C2E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/3272	0.40	0/4435
1	B	0.24	0/3285	0.40	0/4450
All	All	0.24	0/6557	0.40	0/8885

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3206	0	3100	35	0
1	B	3219	0	3112	28	0
2	A	92	0	42	5	0
2	B	92	0	40	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	21	0	0	1	0
4	B	19	0	0	0	0
All	All	6651	0	6294	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:LYS:H	1:B:395:SER:HB3	1.58	0.69
2:A:702:C2E:H81	2:A:702:C2E:O5A	1.96	0.65
1:A:613:GLU:HG2	2:A:701:C2E:HN1	1.63	0.64
1:A:404:LYS:HE2	1:A:461:GLN:HG2	1.79	0.64
1:B:580:PHE:HA	1:B:584:LEU:HD13	1.80	0.63
1:A:556:TYR:HE1	1:A:566:ILE:HD11	1.63	0.62
1:B:255:LEU:HD23	1:B:368:THR:HG23	1.81	0.62
1:B:302:ILE:HD11	1:B:336:ILE:HG12	1.82	0.62
1:A:340:VAL:HG13	1:A:343:ILE:HD11	1.82	0.62
1:A:267:VAL:HG12	1:A:360:VAL:HG22	1.82	0.61
1:A:374:LEU:HD23	1:A:401:ILE:HG12	1.84	0.59
1:B:533:GLU:HG3	1:B:536:TYR:HD2	1.67	0.59
1:B:613:GLU:HG2	2:B:701:C2E:HN1	1.68	0.57
1:B:316:GLU:OE1	2:B:702:C2E:N1	2.32	0.56
1:A:567:ASN:O	1:A:570:ARG:NH1	2.38	0.55
1:B:608:ILE:HG12	1:B:628:VAL:HG22	1.89	0.55
1:A:507:ILE:HG13	1:A:540:PHE:HE1	1.72	0.54
1:B:567:ASN:OD1	1:B:570:ARG:NH1	2.32	0.54
1:B:556:TYR:HE1	1:B:566:ILE:HD11	1.72	0.54
1:A:306:ASP:HB3	1:A:322:PRO:HG2	1.90	0.54
1:A:584:LEU:HB3	1:A:620:PHE:HD2	1.74	0.52
1:B:269:ILE:HB	1:B:375:LEU:HG	1.91	0.52
1:A:613:GLU:CG	2:A:701:C2E:HN1	2.22	0.51
1:A:336:ILE:O	1:A:340:VAL:HG23	2.10	0.51
1:A:502:SER:HB3	1:B:535:HIS:CD2	2.48	0.49
1:A:344:ASN:HB3	1:A:345:PRO:HD3	1.95	0.48
1:B:613:GLU:CG	2:B:701:C2E:HN1	2.27	0.48
1:A:538:ALA:HB3	1:B:505:ARG:HD2	1.95	0.48
1:A:313:SER:OG	1:A:314:THR:N	2.46	0.47
1:A:232:GLN:HA	1:A:235:GLU:HG2	1.97	0.47
1:A:246:GLY:HA3	1:A:250:TYR:CD2	2.49	0.47
1:B:313:SER:HB3	1:B:316:GLU:CG	2.45	0.47
1:B:232:GLN:O	1:B:236:ARG:HG2	2.14	0.47
1:A:608:ILE:HG12	1:A:628:VAL:HG22	1.97	0.46
1:B:245:LEU:HD13	1:B:309:ILE:HG22	1.97	0.46
1:B:369:THR:HG22	2:B:702:C2E:O1P	2.16	0.46
2:A:701:C2E:H2'	2:A:701:C2E:H8	1.28	0.45
1:A:581:THR:HG22	1:A:621:LEU:HD11	1.98	0.45
1:A:444:GLU:HG2	1:A:449:ARG:HA	1.98	0.45
1:A:507:ILE:HG13	1:A:540:PHE:CE1	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:438:GLU:HA	1:A:490:ALA:HB3	1.98	0.45
1:B:336:ILE:O	1:B:340:VAL:HG23	2.17	0.45
1:A:500:GLN:HG3	4:A:809:HOH:O	2.17	0.44
1:B:267:VAL:HG12	1:B:360:VAL:HG22	1.98	0.44
1:A:593:LEU:O	1:A:597:SER:OG	2.31	0.44
1:A:304:ILE:HG22	1:A:305:LYS:N	2.33	0.44
2:B:702:C2E:H8	2:B:702:C2E:C4'	2.38	0.43
1:A:304:ILE:HG22	1:A:305:LYS:H	1.83	0.43
1:A:274:PHE:HB3	1:A:354:ASN:HB3	1.99	0.43
1:B:297:ARG:HG3	1:B:343:ILE:HD13	2.00	0.43
1:B:611:ARG:HG2	2:B:701:C2E:C4	2.49	0.43
2:B:701:C2E:H2'	2:B:701:C2E:H8	1.29	0.43
1:B:248:ARG:O	1:B:252:MET:HG2	2.19	0.42
1:A:326:GLU:CD	1:A:326:GLU:H	2.22	0.42
1:A:485:LEU:HD12	1:A:489:LEU:HD11	2.00	0.42
1:A:506:TRP:CZ2	1:A:510:THR:HG21	2.55	0.42
1:B:438:GLU:HA	1:B:490:ALA:HB3	2.00	0.42
1:A:420:PHE:HE2	1:A:468:PHE:HE1	1.67	0.41
1:B:309:ILE:HD13	1:B:319:ILE:HG12	2.02	0.41
1:A:611:ARG:HG2	2:A:701:C2E:C4	2.50	0.41
1:B:274:PHE:HB3	1:B:354:ASN:HB3	2.02	0.41
1:A:470:GLN:HG2	1:A:506:TRP:CD2	2.56	0.41
1:B:238:TYR:HB3	1:B:250:TYR:HB2	2.03	0.40
1:A:536:TYR:CE2	1:B:501:PRO:HG3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	402/418 (96%)	392 (98%)	9 (2%)	1 (0%)	47 69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	401/418 (96%)	392 (98%)	9 (2%)	0	100	100
All	All	803/836 (96%)	784 (98%)	18 (2%)	1 (0%)	51	74

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	344	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/360 (94%)	332 (98%)	8 (2%)	49	72
1	B	344/360 (96%)	339 (98%)	5 (2%)	65	82
All	All	684/720 (95%)	671 (98%)	13 (2%)	57	78

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	267	VAL
1	A	300	ASN
1	A	313	SER
1	A	360	VAL
1	A	434	THR
1	A	531	VAL
1	A	582	HIS
1	A	633	ILE
1	B	267	VAL
1	B	375	LEU
1	B	434	THR
1	B	508	SER
1	B	531	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	624	HIS
1	B	582	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	C2E	A	702	-	44,52,52	5.65	27 (61%)	54,82,82	3.40	19 (35%)
2	C2E	A	701	3	44,52,52	5.60	28 (63%)	54,82,82	3.07	16 (29%)
2	C2E	B	702	-	44,52,52	5.64	29 (65%)	54,82,82	3.36	23 (42%)
2	C2E	B	701	3	44,52,52	5.59	28 (63%)	54,82,82	3.13	18 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C2E	A	702	-	-	7/22/62/62	0/6/7/7
2	C2E	A	701	3	-	5/22/62/62	0/6/7/7
2	C2E	B	702	-	-	5/22/62/62	0/6/7/7
2	C2E	B	701	3	-	6/22/62/62	0/6/7/7

All (112) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	C2E	O4'-C1'	15.25	1.62	1.41
2	A	701	C2E	C2'-C1'	-15.18	1.30	1.53
2	B	701	C2E	C2'-C1'	-15.14	1.30	1.53
2	A	701	C2E	O4'-C1'	14.87	1.61	1.41
2	B	701	C2E	O4'-C1'	14.84	1.61	1.41
2	A	702	C2E	O4'-C1'	14.79	1.61	1.41
2	A	702	C2E	C2'-C1'	-14.78	1.31	1.53
2	B	702	C2E	C2'-C1'	-14.44	1.31	1.53
2	A	702	C2E	C2A-C3A	-13.77	1.22	1.52
2	B	702	C2E	C2A-C3A	-13.62	1.22	1.52
2	A	701	C2E	C2A-C3A	-13.50	1.22	1.52
2	B	701	C2E	C2A-C3A	-13.49	1.22	1.52
2	A	702	C2E	C41-N31	9.45	1.50	1.35
2	B	702	C2E	C41-N31	9.38	1.50	1.35
2	A	702	C2E	C4-N3	9.01	1.49	1.35
2	A	701	C2E	C41-N31	9.01	1.49	1.35
2	B	701	C2E	C41-N31	8.86	1.49	1.35
2	B	702	C2E	C4-N3	8.64	1.49	1.35
2	B	701	C2E	C4-N3	8.53	1.49	1.35
2	A	701	C2E	C4-N3	8.46	1.48	1.35
2	A	702	C2E	C6-C5	8.05	1.55	1.41
2	A	702	C2E	O4A-C1A	7.67	1.51	1.41
2	B	702	C2E	C6-C5	7.67	1.54	1.41
2	A	701	C2E	O4A-C1A	7.54	1.51	1.41
2	B	701	C2E	C6-C5	7.54	1.54	1.41
2	A	701	C2E	C6-C5	7.52	1.54	1.41
2	B	701	C2E	O4A-C1A	7.44	1.51	1.41
2	B	702	C2E	O4A-C1A	7.22	1.51	1.41
2	B	702	C2E	C61-C51	6.81	1.53	1.41
2	A	702	C2E	C61-C51	6.79	1.53	1.41
2	B	701	C2E	C61-C51	6.70	1.52	1.41
2	A	701	C2E	C61-C51	6.68	1.52	1.41
2	A	702	C2E	C6-N1	6.51	1.44	1.33
2	B	702	C2E	O4'-C4'	-6.50	1.30	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	C2E	O4'-C4'	-6.49	1.30	1.45
2	B	701	C2E	O4'-C4'	-6.48	1.30	1.45
2	B	702	C2E	C6-N1	6.42	1.44	1.33
2	A	702	C2E	O4'-C4'	-6.36	1.30	1.45
2	B	702	C2E	C61-N11	6.30	1.44	1.33
2	B	701	C2E	C2-N2	6.29	1.46	1.33
2	B	701	C2E	O4A-C4A	-6.29	1.30	1.45
2	A	701	C2E	C2-N2	6.27	1.46	1.33
2	A	702	C2E	C2-N2	6.26	1.46	1.33
2	A	701	C2E	O4A-C4A	-6.22	1.31	1.45
2	B	702	C2E	O4A-C4A	-6.20	1.31	1.45
2	B	702	C2E	C21-N21	6.18	1.46	1.33
2	B	702	C2E	C3A-C4A	6.16	1.69	1.52
2	A	702	C2E	C21-N21	6.16	1.46	1.33
2	A	702	C2E	C61-N11	6.15	1.43	1.33
2	B	702	C2E	C2-N2	6.12	1.46	1.33
2	B	701	C2E	C2A-C1A	6.10	1.63	1.53
2	B	701	C2E	C21-N21	6.09	1.46	1.33
2	A	701	C2E	C2A-C1A	6.07	1.63	1.53
2	A	701	C2E	C6-N1	6.05	1.43	1.33
2	A	701	C2E	C21-N21	6.04	1.46	1.33
2	A	702	C2E	O4A-C4A	-6.02	1.31	1.45
2	B	701	C2E	C6-N1	6.00	1.43	1.33
2	A	701	C2E	C61-N11	5.98	1.43	1.33
2	A	701	C2E	C3A-C4A	5.96	1.68	1.52
2	B	701	C2E	C61-N11	5.96	1.43	1.33
2	B	702	C2E	C2A-C1A	5.94	1.62	1.53
2	A	702	C2E	C2A-C1A	5.93	1.62	1.53
2	B	701	C2E	C3A-C4A	5.90	1.68	1.52
2	A	702	C2E	C3A-C4A	5.81	1.68	1.52
2	B	702	C2E	C2-N1	5.58	1.45	1.35
2	A	702	C2E	C2-N1	5.40	1.45	1.35
2	A	701	C2E	C2-N1	5.11	1.44	1.35
2	B	701	C2E	C2-N1	5.09	1.44	1.35
2	B	702	C2E	C21-N11	5.02	1.44	1.35
2	A	702	C2E	C21-N11	4.99	1.44	1.35
2	B	701	C2E	C21-N11	4.95	1.44	1.35
2	A	701	C2E	C21-N11	4.88	1.44	1.35
2	B	701	C2E	O2A-C2A	3.52	1.51	1.43
2	B	702	C2E	O2A-C2A	3.48	1.51	1.43
2	A	701	C2E	O2A-C2A	3.44	1.51	1.43
2	A	702	C2E	O2A-C2A	3.43	1.51	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	C2E	O2'-C2'	2.96	1.49	1.43
2	B	701	C2E	O2'-C2'	2.83	1.49	1.43
2	A	702	C2E	O2'-C2'	2.81	1.49	1.43
2	A	701	C2E	O2'-C2'	2.77	1.49	1.43
2	A	702	C2E	C21-N31	2.64	1.47	1.34
2	A	701	C2E	C21-N31	2.59	1.46	1.34
2	B	702	C2E	C21-N31	2.58	1.46	1.34
2	B	702	C2E	O61-C61	-2.54	1.18	1.24
2	B	702	C2E	O3'-C3'	-2.53	1.34	1.44
2	A	701	C2E	O3'-C3'	-2.53	1.34	1.44
2	A	702	C2E	O61-C61	-2.52	1.18	1.24
2	B	701	C2E	C21-N31	2.51	1.46	1.34
2	B	702	C2E	P1-O3A	2.50	1.67	1.60
2	A	702	C2E	P11-O3'	2.50	1.67	1.60
2	B	701	C2E	O3'-C3'	-2.48	1.35	1.44
2	B	701	C2E	O61-C61	-2.47	1.18	1.24
2	A	701	C2E	O61-C61	-2.44	1.18	1.24
2	B	702	C2E	P11-O3'	2.44	1.66	1.60
2	A	702	C2E	O3'-C3'	-2.43	1.35	1.44
2	A	702	C2E	C2-N3	2.42	1.46	1.34
2	B	701	C2E	C2-N3	2.40	1.45	1.34
2	A	701	C2E	C2-N3	2.36	1.45	1.34
2	B	702	C2E	C2-N3	2.30	1.45	1.34
2	B	701	C2E	P11-O3'	2.27	1.66	1.60
2	B	701	C2E	O6-C6	-2.25	1.18	1.24
2	A	701	C2E	P11-O3'	2.22	1.66	1.60
2	A	701	C2E	O6-C6	-2.22	1.19	1.24
2	A	702	C2E	O6-C6	-2.20	1.19	1.24
2	A	701	C2E	P1-O3A	2.17	1.66	1.60
2	B	702	C2E	O6-C6	-2.16	1.19	1.24
2	A	701	C2E	C5-C4	-2.09	1.35	1.40
2	A	702	C2E	P1-O3A	2.08	1.66	1.60
2	B	702	C2E	O3A-C3A	2.07	1.51	1.44
2	B	701	C2E	P1-O3A	2.07	1.65	1.60
2	B	701	C2E	C5-C4	-2.03	1.35	1.40
2	B	702	C2E	C51-C41	-2.00	1.35	1.40

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	702	C2E	C1'-N9-C4	17.16	156.80	126.64
2	B	702	C2E	C1'-N9-C4	16.69	155.97	126.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	C2E	C1'-N9-C4	15.06	153.10	126.64
2	A	701	C2E	C1'-N9-C4	14.76	152.57	126.64
2	A	701	C2E	N3-C2-N1	-7.41	117.34	127.22
2	B	701	C2E	N3-C2-N1	-7.35	117.42	127.22
2	A	702	C2E	N3-C2-N1	-7.06	117.81	127.22
2	B	702	C2E	N31-C21-N11	-7.04	117.84	127.22
2	A	702	C2E	N31-C21-N11	-6.75	118.22	127.22
2	B	701	C2E	N31-C21-N11	-6.61	118.40	127.22
2	B	702	C2E	N3-C2-N1	-6.48	118.58	127.22
2	A	701	C2E	N31-C21-N11	-6.43	118.65	127.22
2	A	702	C2E	C2-N3-C4	6.20	122.44	115.36
2	B	701	C2E	C2-N3-C4	5.73	121.90	115.36
2	A	702	C2E	C21-N31-C41	5.65	121.81	115.36
2	A	701	C2E	C2-N3-C4	5.54	121.69	115.36
2	B	702	C2E	C21-N31-C41	5.52	121.67	115.36
2	B	702	C2E	C2-N3-C4	5.42	121.55	115.36
2	B	702	C2E	N2-C2-N1	5.13	125.24	117.25
2	B	701	C2E	C21-N31-C41	4.96	121.02	115.36
2	A	701	C2E	C21-N31-C41	4.93	120.98	115.36
2	A	702	C2E	N2-C2-N1	4.90	124.88	117.25
2	B	701	C2E	C1A-N91-C41	-4.54	118.66	126.64
2	B	702	C2E	C1A-N91-C41	-4.50	118.73	126.64
2	A	701	C2E	N2-C2-N1	4.18	123.76	117.25
2	B	701	C2E	N2-C2-N1	3.98	123.45	117.25
2	A	701	C2E	C1A-N91-C41	-3.76	120.04	126.64
2	B	702	C2E	C5'-C4'-C3'	-3.68	102.21	114.40
2	A	701	C2E	C6-N1-C2	3.47	121.44	115.93
2	A	702	C2E	C1A-N91-C41	-3.36	120.73	126.64
2	B	701	C2E	C6-N1-C2	3.31	121.19	115.93
2	B	701	C2E	P1-O3A-C3A	-3.18	107.82	119.41
2	A	702	C2E	P1-O3A-C3A	-3.16	107.90	119.41
2	A	702	C2E	O21-P11-O3'	3.08	118.94	106.78
2	B	702	C2E	O5'-C5'-C4'	2.95	119.13	108.99
2	B	701	C2E	O21-P11-O3'	2.88	118.17	106.78
2	A	701	C2E	O21-P11-O3'	2.83	117.95	106.78
2	B	702	C2E	C61-C51-C41	-2.80	118.13	120.80
2	A	702	C2E	C3'-C2'-C1'	2.78	106.05	99.89
2	A	702	C2E	C5'-C4'-C3'	-2.72	105.38	114.40
2	A	701	C2E	C5-C6-N1	-2.66	119.79	123.43
2	B	701	C2E	C61-N11-C21	2.62	120.09	115.93
2	B	702	C2E	C3A-C2A-C1A	2.62	105.69	99.89
2	A	702	C2E	C6-N1-C2	2.61	120.07	115.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	C2E	P1-O3A-C3A	-2.60	109.95	119.41
2	A	702	C2E	C6-C5-C4	-2.58	118.33	120.80
2	B	702	C2E	C6-N1-C2	2.58	120.02	115.93
2	A	701	C2E	C61-N11-C21	2.54	119.97	115.93
2	B	701	C2E	C5-C6-N1	-2.50	120.01	123.43
2	B	702	C2E	P11-O3'-C3'	-2.50	110.32	119.41
2	B	702	C2E	C3'-C2'-C1'	2.48	105.38	99.89
2	B	702	C2E	C61-N11-C21	2.46	119.83	115.93
2	B	702	C2E	C5-C6-N1	-2.41	120.13	123.43
2	A	701	C2E	C6-C5-C4	-2.40	118.50	120.80
2	B	702	C2E	N21-C21-N11	2.40	120.98	117.25
2	B	702	C2E	O21-P11-O3'	2.40	116.23	106.78
2	A	701	C2E	N21-C21-N31	2.32	121.58	117.79
2	B	702	C2E	P1-O5'-C5'	-2.32	108.06	121.68
2	B	702	C2E	P1-O3A-C3A	-2.27	111.13	119.41
2	A	702	C2E	C61-N11-C21	2.27	119.53	115.93
2	A	701	C2E	C3A-C2A-C1A	2.26	104.90	99.89
2	B	701	C2E	C3A-C2A-C1A	2.25	104.88	99.89
2	A	702	C2E	O21-P11-O5A	2.25	118.20	107.75
2	A	702	C2E	N21-C21-N31	2.25	121.45	117.79
2	B	701	C2E	C6-C5-C4	-2.22	118.68	120.80
2	B	702	C2E	O21-P11-O5A	2.19	117.93	107.75
2	A	702	C2E	C3A-C2A-C1A	2.13	104.61	99.89
2	B	701	C2E	C61-C51-C41	-2.13	118.77	120.80
2	B	701	C2E	N21-C21-N31	2.11	121.23	117.79
2	A	702	C2E	O2P-P1-O3A	2.10	115.06	106.78
2	B	702	C2E	N21-C21-N31	2.08	121.18	117.79
2	A	701	C2E	C4-C5-N7	-2.06	107.25	109.40
2	A	702	C2E	C4-C5-N7	-2.05	107.27	109.40
2	B	702	C2E	C4-C5-N7	-2.03	107.28	109.40
2	B	701	C2E	C4-C5-N7	-2.03	107.28	109.40
2	B	701	C2E	N21-C21-N11	2.00	120.37	117.25

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	702	C2E	C5A-O5A-P11-O11
2	B	701	C2E	C5'-O5'-P1-O1P
2	A	701	C2E	C5'-O5'-P1-O2P
2	A	701	C2E	C5'-O5'-P1-O1P
2	A	702	C2E	C2'-C3'-O3'-P11

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	A	702	C2E	C5A-O5A-P11-O3'
2	B	702	C2E	C3'-C4'-C5'-O5'
2	A	701	C2E	C5'-O5'-P1-O3A
2	B	702	C2E	C3A-O3A-P1-O1P
2	A	702	C2E	O4A-C4A-C5A-O5A
2	B	702	C2E	C3A-O3A-P1-O5'
2	B	701	C2E	C4'-C5'-O5'-P1
2	A	701	C2E	C4'-C5'-O5'-P1
2	B	701	C2E	C5'-O5'-P1-O2P
2	B	702	C2E	C5A-O5A-P11-O21
2	B	701	C2E	C5'-O5'-P1-O3A
2	A	702	C2E	C4'-C3'-O3'-P11
2	A	702	C2E	C3A-C4A-C5A-O5A
2	A	701	C2E	O4'-C4'-C5'-O5'
2	A	702	C2E	C3'-O3'-P11-O5A
2	B	701	C2E	C5A-O5A-P11-O21
2	B	701	C2E	O4'-C4'-C5'-O5'
2	B	702	C2E	O4'-C4'-C5'-O5'


There are no ring outliers.

4 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	702	C2E	1	0
2	A	701	C2E	4	0
2	B	702	C2E	3	0
2	B	701	C2E	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	406/418 (97%)	0.28	16 (3%) 39 33	46, 78, 134, 172	0
1	B	405/418 (96%)	0.20	5 (1%) 79 76	47, 75, 121, 154	0
All	All	811/836 (97%)	0.24	21 (2%) 56 50	46, 77, 128, 172	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	343	ILE	3.6
1	B	280	GLU	3.2
1	A	306	ASP	3.1
1	A	222	ALA	3.1
1	A	264	ILE	3.0
1	A	625	PHE	2.9
1	B	625	PHE	2.9
1	A	258	TRP	2.8
1	A	345	PRO	2.8
1	A	226	GLN	2.8
1	A	302	ILE	2.8
1	A	363	LYS	2.5
1	B	342	ASP	2.3
1	A	225	ALA	2.3
1	B	584	LEU	2.3
1	A	263	GLY	2.3
1	A	244	HIS	2.2
1	A	360	VAL	2.1
1	B	483	GLY	2.1
1	A	259	LEU	2.1
1	A	366	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	C2E	A	701	46/46	0.95	0.20	38,58,73,81	0
3	MG	A	703	1/1	0.95	0.21	45,45,45,45	0
2	C2E	A	702	46/46	0.96	0.15	53,68,85,95	0
2	C2E	B	702	46/46	0.96	0.17	55,68,84,96	0
2	C2E	B	701	46/46	0.97	0.18	45,56,67,78	0
3	MG	B	703	1/1	0.98	0.20	43,43,43,43	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around C2E A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C2E A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around C2E B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around C2E B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.