



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 08:30 am BST

PDB ID : 2PZA
Title : NAD⁺ Synthetase from *Bacillus anthracis* with AMP + PPi and Mg²⁺
Authors : McDonald, H.M.; Pruetz, P.S.; Deivanayagam, C.; Protasevich, I.I.; Carson, W.M.; DeLucas, L.J.; Brouillette, W.J.; Brouillette, C.G.
Deposited on : 2007-05-17
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	284	<div> <div style="width: 70%; background-color: green;"></div> <div style="width: 27%; background-color: yellow;"></div> <div style="width: 3%; background-color: grey;"></div> <div>70% 27% ..</div> </div>
1	B	284	<div> <div style="width: 68%; background-color: green;"></div> <div style="width: 30%; background-color: yellow;"></div> <div style="width: 2%; background-color: grey;"></div> <div>68% 30% .</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	B	3308	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NH(3)-dependent NAD(+) synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total	C	N	O	S	16	0	0
			2170	1371	370	424	5			
1	B	279	Total	C	N	O	S	16	0	0
			2170	1371	370	424	5			


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	273	LEU	-	CLONING ARTIFACT	UNP Q81RP3
A	274	ALA	-	CLONING ARTIFACT	UNP Q81RP3
A	275	ALA	-	CLONING ARTIFACT	UNP Q81RP3
A	276	ALA	-	CLONING ARTIFACT	UNP Q81RP3
A	277	LEU	-	CLONING ARTIFACT	UNP Q81RP3
A	278	GLU	-	CLONING ARTIFACT	UNP Q81RP3
A	279	HIS	-	CLONING ARTIFACT	UNP Q81RP3
A	280	HIS	-	CLONING ARTIFACT	UNP Q81RP3
A	281	HIS	-	CLONING ARTIFACT	UNP Q81RP3
A	282	HIS	-	CLONING ARTIFACT	UNP Q81RP3
A	283	HIS	-	CLONING ARTIFACT	UNP Q81RP3
A	284	HIS	-	CLONING ARTIFACT	UNP Q81RP3
B	273	LEU	-	CLONING ARTIFACT	UNP Q81RP3
B	274	ALA	-	CLONING ARTIFACT	UNP Q81RP3
B	275	ALA	-	CLONING ARTIFACT	UNP Q81RP3
B	276	ALA	-	CLONING ARTIFACT	UNP Q81RP3
B	277	LEU	-	CLONING ARTIFACT	UNP Q81RP3
B	278	GLU	-	CLONING ARTIFACT	UNP Q81RP3
B	279	HIS	-	CLONING ARTIFACT	UNP Q81RP3
B	280	HIS	-	CLONING ARTIFACT	UNP Q81RP3
B	281	HIS	-	CLONING ARTIFACT	UNP Q81RP3
B	282	HIS	-	CLONING ARTIFACT	UNP Q81RP3
B	283	HIS	-	CLONING ARTIFACT	UNP Q81RP3
B	284	HIS	-	CLONING ARTIFACT	UNP Q81RP3

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mg	0	0
			2	2		
2	A	2	Total	Mg	0	0
			2	2		

- Molecule 3 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C₁₀H₁₄N₅O₇P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
3	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 4 is PYROPHOSPHATE 2- (three-letter code: POP) (formula: H₂O₇P₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			9	7	2		
4	B	1	Total	O	P	0	0
			9	7	2		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	119	Total 119	O 119	0	0
6	B	112	Total 112	O 112	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NH(3)-dependent NAD(+) synthetase



- Molecule 1: NH(3)-dependent NAD(+) synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	107.05Å 96.38Å 68.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.77 – 2.40 71.62 – 2.00	Depositor EDS
% Data completeness (in resolution range)	91.7 (24.77-2.40) 97.1 (71.62-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.216 , 0.259 0.240 , 0.235	Depositor DCC
R_{free} test set	4537 reflections (9.30%)	wwPDB-VP
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.634	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 43.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4651	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.96 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6349e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, POP, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2204	0.62	0/2976
1	B	0.41	0/2204	0.62	0/2976
All	All	0.40	0/4408	0.62	0/5952

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2170	0	2169	71	0
1	B	2170	0	2169	86	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	23	0	12	0	0
3	B	23	0	12	0	0
4	A	9	0	0	0	0
4	B	9	0	0	0	0
5	A	6	0	8	0	0
5	B	6	0	8	9	0
6	A	119	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	112	0	0	1	0
All	All	4651	0	4378	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:LYS:HG2	5:B:3308:GOL:H12	1.48	0.95
1:A:131:ASN:HD22	1:B:150:GLN:NE2	1.65	0.92
1:A:141:MET:HE1	1:A:142:VAL:HA	1.54	0.88
1:A:150:GLN:HE21	1:B:131:ASN:HD22	1.16	0.88
1:A:150:GLN:HE22	1:B:128:THR:H	1.22	0.88
1:A:131:ASN:HD22	1:B:150:GLN:HE21	1.20	0.85
1:A:141:MET:O	1:A:141:MET:HE2	1.77	0.84
1:A:65:GLU:O	1:A:69:GLU:HG3	1.79	0.82
1:B:120:GLU:HA	1:B:125:GLU:O	1.80	0.81
1:A:37:THR:HG22	1:B:277:LEU:HB2	1.64	0.78
1:A:246:ALA:O	1:A:250:GLU:HG3	1.83	0.78
1:A:120:GLU:HA	1:A:125:GLU:O	1.84	0.76
1:A:141:MET:C	1:A:141:MET:HE2	2.06	0.75
1:A:74:THR:HG21	1:A:102:GLN:HE21	1.52	0.75
1:A:150:GLN:NE2	1:B:131:ASN:HD22	1.85	0.74
1:B:86:LYS:HG2	5:B:3308:GOL:C1	2.17	0.74
1:B:228:THR:OG1	1:B:231:GLN:HG3	1.88	0.73
1:B:74:THR:HG21	1:B:102:GLN:NE2	2.07	0.69
1:B:246:ALA:O	1:B:250:GLU:HG3	1.92	0.69
1:B:74:THR:HG21	1:B:102:GLN:HE21	1.56	0.69
1:A:141:MET:CE	1:A:142:VAL:HA	2.22	0.69
1:B:60:GLN:O	1:B:64:GLU:HG3	1.93	0.69
1:A:60:GLN:O	1:A:64:GLU:HG3	1.94	0.68
1:A:131:ASN:ND2	1:B:150:GLN:HE21	1.92	0.67
1:A:128:THR:H	1:B:150:GLN:HE22	1.42	0.67
1:A:186:THR:OG1	1:A:189:GLN:HG3	1.94	0.66
1:A:150:GLN:NE2	1:B:128:THR:H	1.92	0.65
1:B:4:GLN:O	1:B:8:MET:HG3	1.98	0.64
1:B:86:LYS:CG	5:B:3308:GOL:H12	2.25	0.63
1:A:141:MET:HE1	1:A:142:VAL:CA	2.28	0.63
1:A:150:GLN:HE22	1:B:128:THR:HG23	1.64	0.61
1:B:186:THR:OG1	1:B:189:GLN:HG3	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:GLU:HA	1:B:204:TYR:CE2	2.36	0.61
1:A:44:LEU:HD12	1:A:45:GLY:H	1.66	0.60
1:B:209:THR:HA	1:B:221:ASP:OD1	2.02	0.59
1:A:277:LEU:O	1:B:37:THR:HA	2.03	0.57
1:A:209:THR:HA	1:A:221:ASP:OD1	2.04	0.57
1:B:3:LEU:HD23	1:B:250:GLU:OE1	2.05	0.57
1:A:74:THR:HG21	1:A:102:GLN:NE2	2.20	0.56
1:B:171:LYS:HG2	1:B:172:PHE:CD1	2.40	0.56
1:B:141:MET:HE1	1:B:142:VAL:HA	1.88	0.56
1:B:116:SER:O	1:B:120:GLU:HG3	2.06	0.56
1:A:119:TYR:CE2	1:A:123:LEU:HD12	2.41	0.55
1:A:31:LYS:O	1:A:35:LYS:HG3	2.05	0.55
1:A:266:MET:HE1	1:B:26:ARG:CZ	2.37	0.55
1:A:106:PHE:HA	1:B:122:LEU:CD1	2.38	0.54
1:A:222:GLU:HG3	6:A:6308:HOH:O	2.08	0.54
1:A:150:GLN:NE2	1:B:128:THR:HG23	2.23	0.53
1:B:120:GLU:HG2	1:B:126:SER:HA	1.89	0.53
1:A:180:LEU:HD11	1:B:263:PRO:HB2	1.91	0.53
1:B:141:MET:O	1:B:141:MET:HE2	2.09	0.53
1:A:160:HIS:CD2	1:A:162:ALA:HB3	2.43	0.53
1:B:80:LEU:HD23	1:B:106:PHE:HB3	1.90	0.53
1:B:33:TYR:O	1:B:37:THR:HG23	2.08	0.52
1:A:74:THR:CG2	1:A:102:GLN:HE21	2.20	0.52
1:A:141:MET:C	1:A:141:MET:CE	2.77	0.52
1:B:85:GLN:HG2	1:B:87:ASP:OD1	2.10	0.52
1:B:77:ALA:O	1:B:103:SER:HA	2.09	0.52
1:A:119:TYR:OH	1:B:150:GLN:HG3	2.09	0.52
1:B:119:TYR:CE1	1:B:123:LEU:HD13	2.46	0.51
1:A:44:LEU:HD12	1:A:45:GLY:N	2.25	0.51
1:B:74:THR:CG2	1:B:102:GLN:HE21	2.23	0.51
1:B:171:LYS:NZ	1:B:258:HIS:HD2	2.08	0.51
1:A:201:GLU:HA	1:A:204:TYR:CE2	2.46	0.51
1:B:23:ILE:HD13	1:B:197:LEU:HD21	1.92	0.51
1:B:222:GLU:HG3	6:B:7093:HOH:O	2.11	0.50
1:A:276:ALA:O	1:A:277:LEU:HG	2.12	0.50
1:A:186:THR:HB	1:A:233:ASP:OD1	2.13	0.49
1:B:51:ASP:OD2	1:B:160:HIS:HE1	1.95	0.49
1:A:43:VAL:HG23	6:A:6319:HOH:O	2.12	0.49
1:A:207:MET:SD	1:A:220:ALA:HB2	2.52	0.48
1:A:251:LYS:O	1:A:255:VAL:HG13	2.13	0.48
1:A:33:TYR:CD2	1:A:179:LEU:HD13	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:LEU:CD1	1:B:263:PRO:HB2	2.44	0.48
1:B:86:LYS:HE2	5:B:3308:GOL:C3	2.44	0.47
1:A:94:ALA:O	1:A:98:ILE:HG13	2.15	0.47
1:B:262:VAL:HB	1:B:263:PRO:HD2	1.97	0.47
1:B:33:TYR:CD2	1:B:179:LEU:HD13	2.49	0.47
1:A:106:PHE:HA	1:B:122:LEU:HD12	1.97	0.47
1:A:228:THR:OG1	1:A:231:GLN:HG3	2.15	0.47
1:B:23:ILE:HD13	1:B:197:LEU:CD2	2.45	0.46
1:B:3:LEU:HD23	1:B:250:GLU:HB3	1.98	0.46
1:B:2:THR:OG1	1:B:5:GLU:HG3	2.15	0.46
1:A:165:VAL:HG13	1:A:166:THR:HG23	1.97	0.46
1:B:42:PHE:O	1:B:153:LEU:HD13	2.16	0.46
1:B:251:LYS:O	1:B:255:VAL:HG13	2.16	0.46
1:B:60:GLN:OE1	1:B:100:ALA:HA	2.16	0.46
1:A:206:LYS:HE3	6:A:6301:HOH:O	2.16	0.45
1:A:4:GLN:HA	1:A:235:TYR:OH	2.15	0.45
1:B:123:LEU:O	1:B:124:ASP:C	2.55	0.45
1:B:160:HIS:CD2	1:B:162:ALA:HB3	2.52	0.45
1:B:3:LEU:CD2	1:B:250:GLU:HB3	2.46	0.45
1:B:45:GLY:HA2	1:B:78:VAL:HG13	1.99	0.45
1:B:78:VAL:HG22	1:B:80:LEU:HG	1.98	0.44
1:A:23:ILE:HD13	1:A:197:LEU:HD21	1.99	0.44
1:A:150:GLN:HE22	1:B:128:THR:N	2.02	0.44
1:B:165:VAL:HG13	1:B:166:THR:HG23	2.00	0.44
1:B:171:LYS:HZ2	1:B:258:HIS:HD2	1.66	0.44
1:B:201:GLU:HA	1:B:204:TYR:CZ	2.53	0.43
1:B:135:VAL:O	1:B:139:ILE:HG12	2.19	0.43
1:B:119:TYR:CZ	1:B:123:LEU:HD13	2.52	0.43
1:B:30:LEU:HD21	1:B:181:PRO:HB3	2.00	0.43
1:A:227:ILE:HA	6:A:6315:HOH:O	2.19	0.43
1:B:86:LYS:HE2	5:B:3308:GOL:H31	2.00	0.43
1:B:17:ILE:HD13	1:B:189:GLN:HB3	2.00	0.43
1:B:62:ALA:O	1:B:66:ILE:HG13	2.18	0.43
1:A:87:ASP:CG	1:A:206:LYS:HZ1	2.18	0.43
1:A:13:VAL:HG11	1:A:236:LEU:O	2.19	0.43
1:B:228:THR:HG1	1:B:231:GLN:HG3	1.84	0.43
1:B:43:VAL:HG13	1:B:43:VAL:O	2.18	0.43
1:B:200:ASP:OD2	1:B:202:ARG:NH2	2.46	0.42
1:A:242:PRO:O	1:A:245:VAL:N	2.53	0.42
1:A:105:ALA:O	1:B:122:LEU:HD13	2.19	0.42
1:B:24:ARG:HD3	1:B:24:ARG:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:GLY:HA2	1:A:78:VAL:HG13	2.02	0.42
1:B:84:VAL:O	5:B:3308:GOL:H11	2.20	0.42
1:A:1:MET:HG2	1:A:6:GLN:HG3	2.01	0.41
1:B:86:LYS:CD	5:B:3308:GOL:H12	2.50	0.41
1:A:48:GLY:CA	1:A:91:ALA:HA	2.50	0.41
1:B:46:ILE:HG13	1:B:77:ALA:HB1	2.03	0.41
1:A:117:ASN:HA	1:A:117:ASN:HD22	1.70	0.41
1:A:77:ALA:O	1:A:103:SER:HA	2.20	0.41
1:B:240:THR:HG22	1:B:241:VAL:N	2.34	0.41
1:A:216:LYS:N	1:A:217:PRO:CD	2.83	0.41
1:B:211:ASP:OD2	5:B:3308:GOL:O1	2.39	0.41
1:B:43:VAL:HG12	1:B:154:LEU:O	2.20	0.41
1:A:119:TYR:CD2	1:A:123:LEU:HD12	2.56	0.41
1:A:274:ALA:O	1:B:36:LYS:HD3	2.21	0.41
1:B:85:GLN:HA	5:B:3308:GOL:H11	2.03	0.40
1:A:74:THR:HG22	1:A:75:PHE:N	2.36	0.40
1:A:171:LYS:HZ1	1:A:258:HIS:HD2	1.70	0.40
1:B:87:ASP:OD2	1:B:206:LYS:NZ	2.43	0.40
1:A:136:LYS:O	1:A:140:ARG:HG3	2.21	0.40
1:A:23:ILE:CD1	1:A:197:LEU:HG	2.50	0.40
1:A:263:PRO:HG3	1:B:177:ALA:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	277/284 (98%)	268 (97%)	9 (3%)	0	100	100
1	B	277/284 (98%)	272 (98%)	5 (2%)	0	100	100
All	All	554/568 (98%)	540 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	226/231 (98%)	223 (99%)	3 (1%)	69	84
1	B	226/231 (98%)	224 (99%)	2 (1%)	78	90
All	All	452/462 (98%)	447 (99%)	5 (1%)	73	87

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	124	ASP
1	A	141	MET
1	B	141	MET
1	B	193	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	GLN
1	A	117	ASN
1	A	121	ASN
1	A	150	GLN
1	A	160	HIS
1	A	258	HIS
1	B	102	GLN
1	B	121	ASN
1	B	150	GLN
1	B	160	HIS
1	B	258	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	AMP	A	4000	2	22,25,25	1.21	4 (18%)	25,38,38	1.11	2 (8%)
4	POP	B	7000	2	6,8,8	1.09	0	13,13,13	0.80	0
5	GOL	B	3308	-	5,5,5	1.05	0	5,5,5	0.96	0
5	GOL	A	3309	-	5,5,5	0.76	0	5,5,5	1.27	1 (20%)
3	AMP	B	5000	2	22,25,25	1.08	2 (9%)	25,38,38	1.15	2 (8%)
4	POP	A	6000	2	6,8,8	1.09	0	13,13,13	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AMP	A	4000	2	-	2/6/26/26	0/3/3/3
4	POP	B	7000	2	-	0/6/6/6	-
5	GOL	B	3308	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	3309	-	-	0/4/4/4	-
3	AMP	B	5000	2	-	0/6/26/26	0/3/3/3
4	POP	A	6000	2	-	0/6/6/6	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	4000	AMP	C8-N7	-2.76	1.29	1.34
3	A	4000	AMP	P-O5'	-2.63	1.51	1.60
3	B	5000	AMP	C8-N7	-2.61	1.30	1.34
3	B	5000	AMP	P-O5'	-2.59	1.51	1.60
3	A	4000	AMP	C2-N3	2.38	1.35	1.32
3	A	4000	AMP	P-O3P	2.12	1.63	1.54

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	5000	AMP	C5-C6-N6	2.96	124.86	120.35
5	A	3309	GOL	O3-C3-C2	-2.53	98.09	110.20
3	A	4000	AMP	C5-C6-N6	2.48	124.12	120.35
3	B	5000	AMP	O3'-C3'-C2'	2.20	118.94	111.82
3	A	4000	AMP	O3'-C3'-C2'	2.14	118.74	111.82

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	3308	GOL	C1-C2-C3-O3
3	A	4000	AMP	C5'-O5'-P-O2P
3	A	4000	AMP	C5'-O5'-P-O3P
5	B	3308	GOL	O2-C2-C3-O3
5	B	3308	GOL	O1-C1-C2-O2
5	B	3308	GOL	O1-C1-C2-C3


There are no ring outliers.


1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	3308	GOL	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around AMP B 5000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.