



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 12:07 pm BST

PDB ID : 3Q23
Title : X-ray crystal structure of the N4 mini-VRNAP and P2_7a promoter transcription initiation complex with GMPCPP and Manganese: sustrate complex II
Authors : Gleghorn, M.L.; Murakami, K.S.
Deposited on : 2010-12-19
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1118	<div> <div>5%</div> <div> <div></div> <div>87%</div> <div>9%</div> <div>••</div> </div> </div>
1	B	1118	<div> <div>5%</div> <div> <div></div> <div>87%</div> <div>10%</div> <div>••</div> </div> </div>
2	C	36	<div> <div>3%</div> <div> <div></div> <div>47%</div> <div>8%</div> <div>44%</div> </div> </div>
2	D	36	<div> <div>3%</div> <div> <div></div> <div>56%</div> <div>•</div> <div>42%</div> </div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 20493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Virion RNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1095	Total	C	N	O	S	0	0	0
			8454	5306	1435	1672	41			
1	B	1094	Total	C	N	O	S	0	0	0
			8443	5299	1432	1671	41			


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	EXPRESSION TAG	UNP Q859P9
A	-10	GLY	-	EXPRESSION TAG	UNP Q859P9
A	-9	GLY	-	EXPRESSION TAG	UNP Q859P9
A	-8	SER	-	EXPRESSION TAG	UNP Q859P9
A	-7	HIS	-	EXPRESSION TAG	UNP Q859P9
A	-6	HIS	-	EXPRESSION TAG	UNP Q859P9
A	-5	HIS	-	EXPRESSION TAG	UNP Q859P9
A	-4	HIS	-	EXPRESSION TAG	UNP Q859P9
A	-3	HIS	-	EXPRESSION TAG	UNP Q859P9
A	-2	HIS	-	EXPRESSION TAG	UNP Q859P9
A	-1	ARG	-	EXPRESSION TAG	UNP Q859P9
A	0	SER	-	EXPRESSION TAG	UNP Q859P9
B	-11	MET	-	EXPRESSION TAG	UNP Q859P9
B	-10	GLY	-	EXPRESSION TAG	UNP Q859P9
B	-9	GLY	-	EXPRESSION TAG	UNP Q859P9
B	-8	SER	-	EXPRESSION TAG	UNP Q859P9
B	-7	HIS	-	EXPRESSION TAG	UNP Q859P9
B	-6	HIS	-	EXPRESSION TAG	UNP Q859P9
B	-5	HIS	-	EXPRESSION TAG	UNP Q859P9
B	-4	HIS	-	EXPRESSION TAG	UNP Q859P9
B	-3	HIS	-	EXPRESSION TAG	UNP Q859P9
B	-2	HIS	-	EXPRESSION TAG	UNP Q859P9
B	-1	ARG	-	EXPRESSION TAG	UNP Q859P9
B	0	SER	-	EXPRESSION TAG	UNP Q859P9

- Molecule 2 is a DNA chain called DNA (5'-D(*TP*GP*CP*CP*TP*CP*CP*CP*AP*GP*GP*CP*AP*TP*CP*CP*AP*AP*AP*AP*GP*AP*AP*GP*CP*GP*GP*AP*GP*CP*TP*TP*CP*TP*TP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	20	Total	C	N	O	P	0	0	0
			396	185	79	112	20			
2	D	21	Total	C	N	O	P	0	0	0
			432	205	83	123	21			


- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: G2P) (formula: C₁₁H₁₈N₅O₁₃P₃).



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mn	0	0
			2	2		

- Molecule 5 is DIHYDROGENPHOSPHATE ION (three-letter code: 2HP) (formula: $\text{H}_2\text{O}_4\text{P}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1187	Total	O	0	0
			1187	1187		
6	C	92	Total	O	0	0
			92	92		
6	B	1240	Total	O	0	0
			1240	1240		
6	D	107	Total	O	0	0
			107	107		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Virion RNA polymerase




• Molecule 1: Virion RNA polymerase






- Molecule 2: DNA (5'-D(*TP*GP*CP*CP*TP*CP*CP*CP*AP*GP*GP*CP*AP*TP*CP*CP*AP*AP*AP*AP*GP*AP*AP*GP*CP*GP*GP*AP*GP*CP*TP*TP*CP*TP*TP*C)-3')



- Molecule 2: DNA (5'-D(*TP*GP*CP*CP*TP*CP*CP*CP*AP*GP*GP*CP*AP*TP*CP*CP*AP*AP*AP*AP*GP*AP*AP*GP*CP*GP*GP*AP*GP*CP*TP*TP*CP*TP*TP*C)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.83Å 111.86Å 276.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.80 42.56 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.0 (50.00-1.80) 99.0 (42.56-1.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.2.0019, CNS	Depositor
R, R_{free}	0.200 , 0.231 0.198 , 0.230	Depositor DCC
R_{free} test set	11758 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	23.9	Xtriage
Anisotropy	0.288	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	20493	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2HP, MN, G2P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/8583	0.51	1/11609 (0.0%)
1	B	0.36	0/8572	0.51	0/11596
2	C	0.61	0/445	1.13	1/685 (0.1%)
2	D	0.61	0/485	1.18	1/746 (0.1%)
All	All	0.37	0/18085	0.57	3/24636 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	673	LEU	CA-CB-CG	5.85	128.75	115.30
2	D	15	DG	P-O3'-C3'	5.32	126.08	119.70
2	C	15	DG	P-O3'-C3'	5.25	126.00	119.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8454	0	8479	84	0
1	B	8443	0	8465	83	0
2	C	396	0	211	2	0
2	D	432	0	236	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	64	0	27	4	0
3	B	64	0	27	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	5	0	0	0	0
5	B	5	0	0	1	0
6	A	1187	0	0	9	0
6	B	1240	0	0	13	0
6	C	92	0	0	2	0
6	D	107	0	0	1	0
All	All	20493	0	17445	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:ARG:HG2	1:B:385:ARG:HH11	1.14	1.12
1:B:469:GLN:HE22	1:B:557:GLU:H	1.10	1.00
1:A:469:GLN:HE22	1:A:557:GLU:H	1.13	0.97
1:A:603:ARG:NH1	1:A:608:ASN:OD1	2.06	0.89
1:A:753:ARG:HH11	1:A:753:ARG:HG2	1.41	0.85
1:A:972:TYR:OH	1:A:1051:ASP:OD1	1.95	0.84
1:B:336:GLN:HE21	1:B:417:TYR:H	1.22	0.83
1:A:336:GLN:HE21	1:A:417:TYR:H	1.24	0.82
1:B:673:LEU:HD13	1:B:801:ILE:HG23	1.61	0.81
1:B:385:ARG:NH1	1:B:385:ARG:HG2	1.91	0.79
1:A:767:LYS:HE3	1:A:768:GLY:H	1.47	0.78
1:B:385:ARG:CG	1:B:385:ARG:HH11	1.95	0.77
1:B:932:MET:SD	6:B:2682:HOH:O	2.43	0.76
1:A:603:ARG:HH11	1:A:603:ARG:HB3	1.50	0.73
1:B:721:PHE:HA	1:B:724:GLN:HE21	1.54	0.72
1:A:968:ASN:HD21	1:A:1060:MET:H	1.37	0.72
1:B:654:ILE:HD11	1:B:668:ILE:HG21	1.72	0.71
1:A:850:LYS:HB3	6:A:2255:HOH:O	1.93	0.68
1:B:449:THR:H	1:B:958:ASN:HD21	1.40	0.68
1:B:616:THR:HG23	1:B:664:LEU:HB2	1.75	0.68
1:A:178:VAL:HG21	1:A:194:VAL:HA	1.73	0.68
1:A:721:PHE:HA	1:A:724:GLN:HE21	1.59	0.67
1:A:421:ARG:HD2	6:C:29:HOH:O	1.93	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:753:ARG:HG2	1:A:753:ARG:NH1	2.08	0.66
1:A:958:ASN:HD22	1:A:958:ASN:H	1.43	0.66
1:B:968:ASN:HD21	1:B:1060:MET:H	1.44	0.66
1:B:995:ASP:OD2	1:B:998:LYS:HG2	1.95	0.65
1:A:418:ASN:HB2	6:A:1738:HOH:O	1.96	0.65
1:A:195:GLU:O	1:A:199:THR:HG23	1.95	0.65
1:A:364:ALA:H	1:A:384:ASN:ND2	1.96	0.64
1:A:402:ARG:HA	1:A:408:ILE:HG22	1.78	0.64
1:A:364:ALA:H	1:A:384:ASN:HD21	1.44	0.64
1:B:795:GLU:HB3	1:B:796:PRO:HD3	1.81	0.63
1:B:364:ALA:H	1:B:384:ASN:HD21	1.47	0.63
1:A:753:ARG:HH21	1:A:760:GLN:HE22	1.47	0.62
1:B:364:ALA:H	1:B:384:ASN:ND2	1.96	0.62
1:B:91:GLU:HG3	6:B:2109:HOH:O	2.00	0.62
1:A:830:MET:O	1:A:834:ARG:HG3	1.99	0.61
1:B:127:ASN:H	1:B:127:ASN:HD22	1.48	0.61
1:A:45:LYS:HE3	6:A:1226:HOH:O	2.02	0.60
1:B:650:PHE:HE2	1:B:700:ARG:HG3	1.67	0.60
1:A:603:ARG:HB3	1:A:603:ARG:NH1	2.17	0.60
1:A:968:ASN:ND2	1:A:1060:MET:H	1.99	0.60
1:A:82:ASN:HD22	1:A:82:ASN:C	2.05	0.59
1:A:670:LYS:NZ	3:A:1108:G2P:H3A1	2.17	0.59
1:A:207:VAL:HG11	1:A:905:VAL:HG21	1.82	0.59
1:B:196:GLN:O	1:B:199:THR:HG22	2.02	0.59
1:B:16:TYR:O	1:B:35:LYS:HE3	2.03	0.58
1:B:13:ASP:HA	1:B:35:LYS:HE2	1.86	0.58
1:A:886:GLU:O	2:C:8:DA:H4'	2.02	0.58
1:B:492:GLU:HG3	6:B:2683:HOH:O	2.03	0.58
1:B:476:HIS:ND1	5:B:1111:2HP:O2	2.32	0.57
1:B:816:LEU:HD13	1:B:983:VAL:HG21	1.86	0.57
1:A:616:THR:CG2	1:A:664:LEU:HB2	2.33	0.57
1:A:469:GLN:NE2	1:A:557:GLU:H	1.94	0.56
1:A:1012:LEU:HD11	1:A:1025:ILE:HG22	1.87	0.56
1:A:790:LEU:O	1:A:795:GLU:HG2	2.07	0.55
1:B:162:TRP:HE1	1:B:209:SER:HB2	1.70	0.55
1:A:597:LYS:NZ	1:A:602:HIS:HD2	2.05	0.54
1:B:597:LYS:NZ	1:B:602:HIS:HD2	2.05	0.54
1:B:616:THR:CG2	1:B:664:LEU:HB2	2.38	0.54
1:A:653:ASP:HB2	1:A:668:ILE:HG23	1.89	0.54
1:A:795:GLU:HB2	1:A:796:PRO:HD3	1.89	0.54
1:B:848:TRP:CH2	1:B:850:LYS:HA	2.42	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:447:LYS:HE2	6:B:1947:HOH:O	2.06	0.54
1:B:469:GLN:HE22	1:B:557:GLU:N	1.93	0.53
1:A:127:ASN:H	1:A:127:ASN:HD22	1.54	0.53
1:B:968:ASN:ND2	1:B:1060:MET:H	2.04	0.53
1:B:520:ASN:HD21	1:B:527:LYS:NZ	2.06	0.53
1:A:822:ILE:HG12	1:A:1007:ILE:HG23	1.91	0.52
1:B:207:VAL:HG11	1:B:905:VAL:HG21	1.92	0.52
1:B:1045:ILE:HD12	1:B:1094:GLU:HG3	1.91	0.52
1:B:309:ILE:HB	6:B:2853:HOH:O	2.09	0.52
1:B:469:GLN:NE2	1:B:557:GLU:H	1.93	0.52
1:A:150:GLN:HG2	6:A:2213:HOH:O	2.09	0.51
1:A:469:GLN:HE22	1:A:557:GLU:N	1.95	0.51
1:A:343:HIS:HE1	1:A:537:GLU:OE2	1.92	0.51
1:A:570:MET:O	1:A:1047:HIS:HE1	1.94	0.51
1:A:816:LEU:HD13	1:A:983:VAL:HG21	1.91	0.51
1:B:178:VAL:HG21	1:B:194:VAL:HA	1.91	0.51
1:A:88:ARG:HD3	1:A:282:ASP:OD1	2.11	0.51
1:A:725:ALA:HB1	1:A:730:HIS:HB3	1.94	0.50
1:A:355:LYS:HD2	1:A:388:GLU:HG3	1.94	0.50
1:A:1047:HIS:HD2	6:A:1227:HOH:O	1.94	0.49
1:B:562:THR:HG22	1:B:612:TYR:CE1	2.47	0.49
1:B:229:GLY:O	1:B:233:GLY:HA3	2.13	0.49
3:B:1108:G2P:N7	6:B:1719:HOH:O	2.35	0.49
1:B:82:ASN:C	1:B:82:ASN:HD22	2.16	0.49
1:A:600:ASN:H	1:A:600:ASN:ND2	2.11	0.49
3:A:1111:G2P:N7	6:A:2285:HOH:O	2.35	0.48
1:A:52:GLU:H	1:A:52:GLU:CD	2.15	0.48
1:A:563:ASN:HD21	1:A:929:ASP:HB3	1.78	0.48
1:B:725:ALA:HB1	1:B:730:HIS:HB3	1.95	0.48
1:B:849:LYS:HE3	6:B:2173:HOH:O	2.13	0.48
1:B:822:ILE:HG12	1:B:1007:ILE:HG23	1.97	0.47
1:B:995:ASP:CG	1:B:998:LYS:HG2	2.35	0.47
6:A:1403:HOH:O	2:C:10:DG:H5'	2.14	0.47
1:A:393:GLN:HG2	1:A:431:TYR:HB2	1.97	0.47
1:B:343:HIS:HE1	1:B:537:GLU:OE2	1.97	0.47
1:A:670:LYS:HZ1	3:A:1108:G2P:H3A1	1.79	0.46
1:B:50:GLY:H	1:B:150:GLN:NE2	2.13	0.46
1:A:849:LYS:HE3	6:A:1340:HOH:O	2.15	0.46
1:B:816:LEU:CD1	1:B:983:VAL:HG21	2.45	0.46
1:A:1012:LEU:HB3	1:A:1016:GLN:HB2	1.97	0.46
1:A:50:GLY:H	1:A:150:GLN:NE2	2.13	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1061:ALA:O	1:B:1062:ALA:HB2	2.16	0.46
1:B:344:THR:HG23	6:B:2334:HOH:O	2.16	0.46
1:B:673:LEU:CD1	1:B:801:ILE:HG23	2.39	0.46
1:B:1047:HIS:HD2	6:B:1777:HOH:O	1.98	0.46
1:B:91:GLU:HG2	6:B:1977:HOH:O	2.15	0.46
1:A:1061:ALA:O	1:A:1062:ALA:HB2	2.17	0.45
1:B:763:GLY:HA2	6:B:2238:HOH:O	2.16	0.45
2:D:15:DG:H5"	6:D:2496:HOH:O	2.16	0.45
1:A:958:ASN:HD22	1:A:958:ASN:N	2.13	0.45
1:B:764:THR:HG23	6:B:2337:HOH:O	2.16	0.45
1:A:654:ILE:CD1	1:A:668:ILE:HG21	2.47	0.45
1:B:778:LYS:HD3	1:B:779:GLY:H	1.82	0.45
1:A:665:LYS:O	1:A:668:ILE:HG13	2.17	0.44
1:B:449:THR:H	1:B:958:ASN:ND2	2.13	0.44
1:A:306:GLY:O	1:A:414:HIS:HE1	2.00	0.44
1:B:1094:GLU:O	1:B:1098:ARG:HG3	2.17	0.44
1:B:677:ILE:HD11	1:B:805:VAL:HG11	1.99	0.44
1:A:654:ILE:HD11	1:A:668:ILE:HG21	1.98	0.44
1:B:24:ASP:HB3	1:B:27:ALA:HB2	2.00	0.44
1:A:319:ASN:OD1	1:A:421:ARG:HG2	2.18	0.44
1:B:418:ASN:HB2	6:B:2165:HOH:O	2.18	0.44
1:B:267:LYS:HE2	1:B:267:LYS:HA	1.99	0.43
1:A:1012:LEU:HD22	1:A:1016:GLN:NE2	2.33	0.43
1:A:384:ASN:HD22	1:A:384:ASN:HA	1.65	0.43
1:A:421:ARG:CD	6:C:29:HOH:O	2.60	0.43
1:B:842:LYS:HB3	1:B:848:TRP:CD2	2.53	0.43
1:B:890:VAL:HG11	1:B:909:ILE:HD11	1.99	0.43
1:B:597:LYS:HZ1	1:B:602:HIS:HD2	1.66	0.43
1:B:563:ASN:HD21	1:B:929:ASP:HB3	1.83	0.43
1:A:603:ARG:NE	6:A:2211:HOH:O	2.42	0.43
1:A:616:THR:CG2	1:A:664:LEU:CB	2.96	0.43
1:B:520:ASN:HD21	1:B:527:LYS:HZ3	1.67	0.43
1:B:570:MET:O	1:B:1047:HIS:HE1	2.02	0.43
1:B:619:LEU:HD22	1:B:797:LEU:HD13	1.99	0.43
1:A:267:LYS:HE2	1:A:267:LYS:HB2	1.76	0.43
1:A:306:GLY:O	1:A:414:HIS:CE1	2.72	0.43
1:B:50:GLY:H	1:B:150:GLN:HE22	1.66	0.42
1:B:598:THR:HG22	1:B:1066:PRO:HD3	2.01	0.42
1:B:89:TYR:CZ	1:B:290:ALA:HB3	2.54	0.42
1:B:306:GLY:O	1:B:414:HIS:CE1	2.73	0.42
1:B:376:HIS:HD2	1:B:702:SER:OG	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:373:ASN:HD22	1:A:376:HIS:H	1.67	0.42
1:A:514:ASN:H	1:A:514:ASN:HD22	1.67	0.42
1:A:190:PRO:HD2	1:A:193:LEU:HD22	2.02	0.42
1:A:1041:LEU:O	1:A:1045:ILE:HG12	2.20	0.42
1:A:603:ARG:HH11	1:A:603:ARG:CB	2.25	0.42
1:B:322:VAL:HG22	1:B:872:MET:CE	2.49	0.42
1:A:319:ASN:HD22	1:A:319:ASN:HA	1.71	0.41
1:B:82:ASN:ND2	1:B:85:VAL:H	2.19	0.41
1:A:791:HIS:HA	1:A:795:GLU:HG3	2.03	0.41
1:B:650:PHE:CE2	1:B:700:ARG:HG3	2.51	0.41
1:B:767:LYS:O	1:B:767:LYS:HE2	2.20	0.41
1:A:600:ASN:H	1:A:600:ASN:HD22	1.68	0.41
1:A:197:PHE:HA	1:A:272:LEU:HD21	2.02	0.41
1:B:873:ILE:HD13	1:B:983:VAL:HG22	2.02	0.41
1:B:612:TYR:CE1	1:B:670:LYS:HG3	2.55	0.41
1:A:677:ILE:HD11	1:A:805:VAL:HG11	2.03	0.41
1:A:113:THR:HG22	1:A:114:LYS:HG3	2.02	0.40
1:A:267:LYS:N	1:A:267:LYS:HD3	2.37	0.40
1:A:95:HIS:HA	1:B:248:GLU:O	2.22	0.40
1:B:654:ILE:CD1	1:B:668:ILE:HG21	2.47	0.40
1:A:437:LYS:NZ	3:A:1111:G2P:O1A	2.46	0.40
1:A:82:ASN:ND2	1:A:82:ASN:C	2.73	0.40
1:B:127:ASN:N	1:B:127:ASN:HD22	2.15	0.40
1:A:823:GLN:HE21	1:A:823:GLN:HB2	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1093/1118 (98%)	1072 (98%)	20 (2%)	1 (0%)	51 36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	1092/1118 (98%)	1074 (98%)	17 (2%)	1 (0%)	51 36
All	All	2185/2236 (98%)	2146 (98%)	37 (2%)	2 (0%)	51 36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1062	ALA
1	A	1062	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	916/935 (98%)	876 (96%)	40 (4%)	28 14
1	B	915/935 (98%)	886 (97%)	29 (3%)	39 25
All	All	1831/1870 (98%)	1762 (96%)	69 (4%)	33 18

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	GLU
1	A	70	LEU
1	A	82	ASN
1	A	88	ARG
1	A	127	ASN
1	A	163	ARG
1	A	176	LYS
1	A	210	LEU
1	A	250	THR
1	A	267	LYS
1	A	272	LEU
1	A	284	ILE
1	A	319	ASN
1	A	368	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	390	SER
1	A	405	SER
1	A	421	ARG
1	A	471	LEU
1	A	472	ASP
1	A	494	ASN
1	A	514	ASN
1	A	603	ARG
1	A	629	ASN
1	A	649	LEU
1	A	654	ILE
1	A	673	LEU
1	A	708	ARG
1	A	730	HIS
1	A	764	THR
1	A	767	LYS
1	A	780	GLU
1	A	816	LEU
1	A	958	ASN
1	A	1004	LEU
1	A	1025	ILE
1	A	1036	LEU
1	A	1041	LEU
1	A	1050	LEU
1	A	1055	LEU
1	A	1095	LEU
1	B	8	LEU
1	B	52	GLU
1	B	70	LEU
1	B	82	ASN
1	B	124	THR
1	B	127	ASN
1	B	163	ARG
1	B	319	ASN
1	B	368	ASN
1	B	385	ARG
1	B	427	MET
1	B	514	ASN
1	B	520	ASN
1	B	623	LEU
1	B	649	LEU
1	B	656	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	673	LEU
1	B	706	LYS
1	B	728	GLU
1	B	767	LYS
1	B	778	LYS
1	B	859	LEU
1	B	869	LEU
1	B	909	ILE
1	B	936	LEU
1	B	944	LYS
1	B	1036	LEU
1	B	1041	LEU
1	B	1050	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (83) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	82	ASN
1	A	127	ASN
1	A	140	GLN
1	A	150	GLN
1	A	212	GLN
1	A	316	GLN
1	A	319	ASN
1	A	324	ASN
1	A	336	GLN
1	A	343	HIS
1	A	348	GLN
1	A	368	ASN
1	A	373	ASN
1	A	375	ASN
1	A	384	ASN
1	A	414	HIS
1	A	426	GLN
1	A	455	GLN
1	A	457	ASN
1	A	469	GLN
1	A	494	ASN
1	A	514	ASN
1	A	563	ASN
1	A	600	ASN
1	A	602	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	613	GLN
1	A	629	ASN
1	A	639	GLN
1	A	724	GLN
1	A	760	GLN
1	A	781	GLN
1	A	815	GLN
1	A	817	GLN
1	A	823	GLN
1	A	833	GLN
1	A	863	GLN
1	A	878	GLN
1	A	954	ASN
1	A	958	ASN
1	A	968	ASN
1	A	1035	ASN
1	A	1038	ASN
1	A	1047	HIS
1	A	1059	GLN
1	B	82	ASN
1	B	127	ASN
1	B	150	GLN
1	B	196	GLN
1	B	255	ASN
1	B	314	ASN
1	B	316	GLN
1	B	319	ASN
1	B	324	ASN
1	B	336	GLN
1	B	343	HIS
1	B	348	GLN
1	B	368	ASN
1	B	376	HIS
1	B	384	ASN
1	B	393	GLN
1	B	414	HIS
1	B	469	GLN
1	B	506	ASN
1	B	514	ASN
1	B	520	ASN
1	B	563	ASN
1	B	602	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	629	ASN
1	B	639	GLN
1	B	724	GLN
1	B	786	GLN
1	B	815	GLN
1	B	817	GLN
1	B	833	GLN
1	B	878	GLN
1	B	893	GLN
1	B	914	GLN
1	B	954	ASN
1	B	958	ASN
1	B	968	ASN
1	B	1035	ASN
1	B	1047	HIS
1	B	1059	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	G2P	B	1109	4	26,34,34	2.90	9 (34%)	30,54,54	1.30	4 (13%)
3	G2P	A	1111	4	26,34,34	2.84	8 (30%)	30,54,54	1.20	3 (10%)
5	2HP	B	1111	-	4,4,4	5.66	2 (50%)	6,6,6	0.90	0
3	G2P	B	1108	4	26,34,34	2.92	8 (30%)	30,54,54	1.17	3 (10%)
3	G2P	A	1108	4	26,34,34	2.93	7 (26%)	30,54,54	1.34	5 (16%)
5	2HP	A	1110	-	4,4,4	5.60	2 (50%)	6,6,6	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G2P	A	1111	4	-	5/18/38/38	0/3/3/3
3	G2P	B	1108	4	-	8/18/38/38	0/3/3/3
3	G2P	A	1108	4	-	8/18/38/38	0/3/3/3
3	G2P	B	1109	4	-	9/18/38/38	0/3/3/3

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1108	G2P	C4-N9	-10.66	1.33	1.47
3	B	1108	G2P	C4-N9	-10.41	1.33	1.47
3	B	1109	G2P	C4-N9	-10.12	1.34	1.47
3	A	1111	G2P	C4-N9	-9.96	1.34	1.47
5	B	1111	2HP	P-O4	8.02	1.78	1.54
5	B	1111	2HP	P-O3	7.93	1.78	1.54
5	A	1110	2HP	P-O3	7.88	1.78	1.54
5	A	1110	2HP	P-O4	7.86	1.78	1.54
3	B	1108	G2P	C5-C6	-7.75	1.39	1.52
3	A	1111	G2P	C5-C6	-7.70	1.39	1.52
3	A	1108	G2P	C5-C6	-7.60	1.39	1.52
3	B	1109	G2P	C5-C6	-7.26	1.40	1.52
3	B	1109	G2P	PB-O3B	3.32	1.62	1.58
3	A	1108	G2P	PB-O3B	3.26	1.62	1.58
3	B	1108	G2P	C8-N9	-3.11	1.34	1.45
3	B	1109	G2P	C8-N9	-3.10	1.34	1.45
3	A	1111	G2P	C8-N9	-3.08	1.35	1.45
3	A	1111	G2P	PB-O3B	3.06	1.61	1.58
3	A	1108	G2P	C8-N9	-3.05	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1109	G2P	PA-O5'	2.97	1.61	1.57
3	B	1108	G2P	PB-O3B	2.97	1.61	1.58
3	B	1108	G2P	PA-O5'	2.94	1.61	1.57
3	A	1108	G2P	PA-O5'	2.93	1.61	1.57
3	A	1111	G2P	PA-O5'	2.78	1.61	1.57
3	B	1109	G2P	C5'-C4'	2.71	1.60	1.51
3	B	1109	G2P	PA-O1A	-2.32	1.50	1.56
3	B	1109	G2P	C5-C4	-2.23	1.39	1.53
3	B	1108	G2P	C5-C4	-2.22	1.39	1.53
3	A	1108	G2P	C5-C4	-2.20	1.39	1.53
3	B	1108	G2P	PA-O1A	-2.20	1.51	1.56
3	A	1111	G2P	C5-C4	-2.19	1.39	1.53
3	A	1108	G2P	PA-O1A	-2.17	1.51	1.56
3	B	1109	G2P	PB-O1B	-2.13	1.51	1.56
3	A	1111	G2P	PA-O1A	-2.12	1.51	1.56
3	A	1111	G2P	PB-O1B	-2.09	1.51	1.56
3	B	1108	G2P	PB-O1B	-2.08	1.51	1.56

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1108	G2P	C4-C5-N7	3.63	107.27	102.46
3	B	1108	G2P	C4-C5-N7	3.47	107.06	102.46
3	A	1111	G2P	C4-C5-N7	3.42	106.99	102.46
3	B	1109	G2P	C4-C5-N7	3.29	106.82	102.46
3	A	1111	G2P	O1A-PA-O2A	2.60	118.76	110.07
3	B	1109	G2P	O1A-PA-O2A	2.54	118.56	110.07
3	A	1108	G2P	O4'-C1'-N9	2.50	112.77	109.04
3	A	1111	G2P	O1B-PB-O2B	2.49	118.38	110.07
3	B	1108	G2P	O1B-PB-O2B	2.40	118.07	110.07
3	A	1108	G2P	PG-O3B-PB	-2.35	124.33	132.62
3	B	1109	G2P	PG-O3B-PB	-2.35	124.35	132.62
3	A	1108	G2P	O6-C6-N1	-2.29	119.61	122.69
3	B	1108	G2P	O1A-PA-O2A	2.16	117.27	110.07
3	B	1109	G2P	O4'-C1'-N9	2.03	112.06	109.04
3	A	1108	G2P	O1B-PB-O2B	2.02	116.81	110.07

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	1109	G2P	PB-O3B-PG-O1G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	1109	G2P	PB-O3B-PG-O3G
3	B	1109	G2P	PA-C3A-PB-O3B
3	B	1109	G2P	PA-C3A-PB-O1B
3	B	1109	G2P	PA-C3A-PB-O2B
3	B	1109	G2P	O4'-C1'-N9-C4
3	B	1109	G2P	C2'-C1'-N9-C8
3	B	1109	G2P	C2'-C1'-N9-C4
3	A	1111	G2P	C5'-O5'-PA-O2A
3	A	1111	G2P	O4'-C1'-N9-C4
3	A	1111	G2P	C2'-C1'-N9-C8
3	A	1111	G2P	C2'-C1'-N9-C4
3	B	1108	G2P	PB-C3A-PA-O1A
3	B	1108	G2P	PB-C3A-PA-O5'
3	B	1108	G2P	O4'-C1'-N9-C4
3	B	1108	G2P	C2'-C1'-N9-C8
3	B	1108	G2P	C2'-C1'-N9-C4
3	A	1108	G2P	PB-O3B-PG-O1G
3	A	1108	G2P	PB-O3B-PG-O3G
3	A	1108	G2P	PA-C3A-PB-O3B
3	A	1108	G2P	PA-C3A-PB-O2B
3	A	1108	G2P	O4'-C1'-N9-C4
3	A	1108	G2P	C2'-C1'-N9-C8
3	A	1108	G2P	C2'-C1'-N9-C4
3	B	1108	G2P	C5'-O5'-PA-O2A
3	A	1111	G2P	PB-C3A-PA-O1A
3	A	1108	G2P	PA-C3A-PB-O1B
3	B	1108	G2P	PB-C3A-PA-O2A
3	B	1108	G2P	C5'-O5'-PA-O1A
3	B	1109	G2P	PB-O3B-PG-O2G


There are no ring outliers.


4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1111	G2P	2	0
5	B	1111	2HP	1	0
3	B	1108	G2P	1	0
3	A	1108	G2P	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1095/1118 (97%)	0.17	56 (5%) 28 22	13, 25, 47, 75	0
1	B	1094/1118 (97%)	0.19	57 (5%) 27 22	14, 23, 44, 71	0
2	C	20/36 (55%)	-0.31	1 (5%) 28 23	19, 29, 50, 55	0
2	D	21/36 (58%)	-0.11	1 (4%) 30 25	21, 25, 43, 75	0
All	All	2230/2308 (96%)	0.17	115 (5%) 27 22	13, 24, 46, 75	0

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	725	ALA	7.3
1	A	1018	GLU	6.3
1	A	1014	TYR	5.9
1	A	1016	GLN	5.8
1	A	1019	ASN	5.4
2	D	23	DT	5.2
1	A	8	LEU	4.9
1	A	726	ALA	4.8
1	A	7	GLU	4.8
1	B	264	PRO	4.7
1	A	1020	ALA	4.7
1	A	1099	LYS	4.5
1	B	1014	TYR	4.5
1	B	722	GLY	4.4
1	B	730	HIS	4.4
1	A	1017	ARG	4.3
1	A	1100	GLN	4.2
1	B	708	ARG	4.2
1	B	726	ALA	4.1
1	A	725	ALA	4.0
1	A	729	ALA	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1098	ARG	3.9
1	A	1095	LEU	3.8
1	A	28	GLU	3.8
1	A	264	PRO	3.8
1	A	10	GLU	3.6
1	A	267	LYS	3.6
1	B	281	PHE	3.6
1	B	755	GLY	3.5
1	B	42	GLU	3.5
1	B	729	ALA	3.5
1	B	1098	ARG	3.4
1	B	713	ASN	3.4
1	A	658	GLU	3.4
1	B	1018	GLU	3.4
1	B	5	THR	3.4
1	A	730	HIS	3.3
1	A	767	LYS	3.3
1	A	713	ASN	3.3
1	A	281	PHE	3.2
1	B	707	ALA	3.2
1	A	710	LYS	3.2
1	A	1096	GLU	3.2
1	A	42	GLU	3.2
1	A	1015	ASP	3.2
1	A	406	GLU	3.1
1	B	6	GLU	3.1
1	B	723	LYS	3.1
1	A	708	ARG	3.1
1	A	265	ASP	3.1
1	A	714	ILE	3.1
1	B	191	GLU	3.0
1	B	1019	ASN	2.9
1	B	769	LYS	2.9
1	B	910	TYR	2.9
1	B	727	SER	2.9
1	A	910	TYR	2.8
1	A	727	SER	2.8
1	A	6	GLU	2.8
1	B	710	LYS	2.8
1	B	767	LYS	2.8
1	B	768	GLY	2.7
1	B	712	PRO	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1015	ASP	2.7
1	A	191	GLU	2.7
1	A	370	GLU	2.6
1	B	8	LEU	2.6
1	B	763	GLY	2.6
1	A	709	ALA	2.6
1	A	753	ARG	2.6
1	B	754	LYS	2.5
1	A	733	GLU	2.5
2	C	23	DT	2.5
1	B	265	ASP	2.5
1	B	1013	GLU	2.5
1	B	1097	ALA	2.4
1	B	267	LYS	2.4
1	A	754	LYS	2.4
1	A	778	LYS	2.4
1	B	724	GLN	2.4
1	B	704	VAL	2.4
1	A	768	GLY	2.3
1	B	711	ASP	2.3
1	B	75	GLU	2.3
1	B	1095	LEU	2.3
1	A	657	GLY	2.3
1	B	764	THR	2.3
1	A	712	PRO	2.3
1	B	7	GLU	2.3
1	A	1004	LEU	2.3
1	B	26	LYS	2.3
1	B	371	LEU	2.3
1	B	406	GLU	2.2
1	A	1005	GLU	2.2
1	B	774	THR	2.2
1	B	654	ILE	2.2
1	B	545	GLU	2.2
1	B	1096	GLU	2.2
1	B	766	ALA	2.2
1	B	28	GLU	2.1
1	B	714	ILE	2.1
1	B	734	LEU	2.1
1	A	26	LYS	2.1
1	A	711	ASP	2.1
1	A	1070	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	371	LEU	2.1
1	B	770	ILE	2.1
1	A	43	GLU	2.1
1	A	369	LYS	2.1
1	B	778	LYS	2.1
1	B	111	LEU	2.1
1	B	705	LEU	2.0
1	A	447	LYS	2.0
1	A	731	ALA	2.0
1	A	261	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	G2P	B	1108	32/32	0.93	0.11	21,24,34,34	0
5	2HP	B	1111	5/5	0.95	0.13	33,33,34,34	0
3	G2P	A	1111	32/32	0.95	0.10	18,20,27,28	0
5	2HP	A	1110	5/5	0.96	0.12	30,30,31,31	0
3	G2P	B	1109	32/32	0.97	0.10	17,19,22,22	0
3	G2P	A	1108	32/32	0.97	0.10	15,17,18,19	0
4	MN	A	1109	1/1	0.99	0.07	17,17,17,17	0
4	MN	B	1107	1/1	1.00	0.05	20,20,20,20	0
4	MN	B	1110	1/1	1.00	0.05	19,19,19,19	0
4	MN	A	1107	1/1	1.00	0.05	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around G2P B 1108:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G2P A 1111:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G2P B 1109:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around G2P A 1108:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.