



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 03:53 am BST

PDB ID : 3Q3E  
Title : Crystal structure of the Actinobacillus pleuropneumoniae HMW1C glycosyltransferase  
Authors : Kawai, F.; Yeo, H.J.  
Deposited on : 2010-12-21  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	631	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <span>%</span> <span>80%</span> <span>16%</span> <span>• •</span> </div> </div>
1	B	631	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <span>%</span> <span>78%</span> <span>14%</span> <span>• 6%</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	621	-	-	X	-
2	GOL	A	622	-	-	X	-

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10244 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HMW1C-like glycosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	620	Total	C	N	O	S	0	0	0
			4967	3170	852	920	25			
1	B	596	Total	C	N	O	S	0	0	0
			4775	3055	816	880	24			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	EXPRESSION TAG	UNP E0EAD4
A	-9	ALA	-	EXPRESSION TAG	UNP E0EAD4
A	-8	HIS	-	EXPRESSION TAG	UNP E0EAD4
A	-7	HIS	-	EXPRESSION TAG	UNP E0EAD4
A	-6	HIS	-	EXPRESSION TAG	UNP E0EAD4
A	-5	HIS	-	EXPRESSION TAG	UNP E0EAD4
A	-4	HIS	-	EXPRESSION TAG	UNP E0EAD4
A	-3	HIS	-	EXPRESSION TAG	UNP E0EAD4
A	-2	VAL	-	EXPRESSION TAG	UNP E0EAD4
A	-1	GLY	-	EXPRESSION TAG	UNP E0EAD4
A	0	THR	-	EXPRESSION TAG	UNP E0EAD4
A	428	PRO	SER	SEE REMARK 999	UNP E0EAD4
B	-10	MET	-	EXPRESSION TAG	UNP E0EAD4
B	-9	ALA	-	EXPRESSION TAG	UNP E0EAD4
B	-8	HIS	-	EXPRESSION TAG	UNP E0EAD4
B	-7	HIS	-	EXPRESSION TAG	UNP E0EAD4
B	-6	HIS	-	EXPRESSION TAG	UNP E0EAD4
B	-5	HIS	-	EXPRESSION TAG	UNP E0EAD4
B	-4	HIS	-	EXPRESSION TAG	UNP E0EAD4
B	-3	HIS	-	EXPRESSION TAG	UNP E0EAD4
B	-2	VAL	-	EXPRESSION TAG	UNP E0EAD4
B	-1	GLY	-	EXPRESSION TAG	UNP E0EAD4
B	0	THR	-	EXPRESSION TAG	UNP E0EAD4
B	428	PRO	SER	SEE REMARK 999	UNP E0EAD4

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	217	Total	O	0	0
			217	217		
3	B	267	Total	O	0	0
			267	267		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: HMW1C-like glycosyltransferase



#### • Molecule 1: HMW1C-like glycosyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	80.37Å 94.68Å 176.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10 47.54 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (50.00-2.10) 93.1 (47.54-2.10)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.26 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.184 , 0.226 0.185 , 0.228	Depositor DCC
$R_{free}$ test set	3720 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.1	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 41.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	10244	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.75	0/5088	0.77	0/6908
1	B	0.77	0/4891	0.80	3/6638 (0.0%)
All	All	0.76	0/9979	0.78	3/13546 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	252	ARG	NE-CZ-NH2	-7.05	116.77	120.30
1	B	260	ARG	NE-CZ-NH2	-6.55	117.02	120.30
1	B	252	ARG	NE-CZ-NH1	6.01	123.31	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	469	GLN	Peptide
1	A	470	SER	Peptide



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4967	0	4883	83	0
1	B	4775	0	4692	66	0
2	A	12	0	16	11	0
2	B	6	0	8	1	0
3	A	217	0	0	2	0
3	B	267	0	0	4	0
All	All	10244	0	9599	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:ARG:H	1:A:124:LYS:HA	1.35	0.92
1:A:227:ASN:HD22	1:A:227:ASN:H	1.16	0.90
1:A:520:THR:H	2:A:622:GOL:H12	1.38	0.88
1:A:123:ARG:N	1:A:124:LYS:HA	1.92	0.84
1:B:243:ILE:HD11	1:B:355:PHE:CD1	2.14	0.83
1:B:243:ILE:HD11	1:B:355:PHE:HD1	1.42	0.82
1:B:480:ARG:HH21	1:B:480:ARG:HB2	1.47	0.80
1:A:122:ASN:HB2	1:A:123:ARG:HA	1.62	0.79
1:B:205:LEU:H	1:B:242:HIS:HD2	1.32	0.76
1:A:274:HIS:HD2	1:A:276:ALA:H	1.34	0.75
1:A:367:ILE:CD1	1:A:383:VAL:HG22	2.17	0.74
1:A:281:ARG:HH22	2:A:621:GOL:C1	2.01	0.73
1:A:122:ASN:CB	1:A:123:ARG:HA	2.18	0.73
1:B:205:LEU:H	1:B:242:HIS:CD2	2.08	0.71
1:A:462:HIS:HE1	1:A:491:THR:OG1	1.73	0.71
1:B:266:MET:HB3	1:B:296:LEU:HD22	1.72	0.71
1:B:204:ASN:HB2	1:B:242:HIS:HD2	1.56	0.71
1:B:274:HIS:HD2	1:B:276:ALA:H	1.39	0.71
1:B:480:ARG:HH21	1:B:480:ARG:CB	2.05	0.69
1:B:480:ARG:NH2	1:B:480:ARG:HB2	2.07	0.69
1:B:100:LEU:HD13	1:B:474:THR:HG22	1.74	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:521:ASN:HB2	2:A:622:GOL:H2	1.75	0.68
1:A:367:ILE:HD11	1:A:383:VAL:HG22	1.77	0.67
1:A:122:ASN:HD22	1:A:123:ARG:HA	1.59	0.67
1:A:323:MET:HG2	1:A:355:PHE:CD1	2.29	0.67
1:B:474:THR:HG21	3:B:873:HOH:O	1.94	0.67
1:A:274:HIS:CD2	1:A:276:ALA:H	2.14	0.66
1:A:321:ASP:H	1:A:325:GLN:NE2	1.94	0.66
1:B:204:ASN:HB2	1:B:242:HIS:CD2	2.31	0.65
1:B:359:THR:CG2	1:B:361:LEU:HG	2.26	0.65
1:A:426:GLU:O	1:A:428:PRO:HD3	1.96	0.65
1:A:584:LEU:O	1:A:588:ILE:HG13	1.96	0.65
1:B:69:ALA:O	1:B:73:THR:HG23	1.97	0.65
1:A:520:THR:HB	2:A:622:GOL:H31	1.78	0.65
1:A:592:ASN:HB2	3:A:674:HOH:O	1.97	0.64
1:B:521:ASN:H	2:B:621:GOL:H32	1.62	0.64
1:A:42:ILE:HD12	1:A:47:PHE:CE2	2.35	0.62
1:A:439:THR:HG23	1:A:469:GLN:HB2	1.82	0.62
1:A:438:THR:HB	1:A:469:GLN:HG2	1.81	0.61
1:A:58:GLN:HE22	1:A:476:PRO:HD3	1.65	0.61
1:A:247:TYR:HA	1:A:324:LYS:HE2	1.83	0.61
1:B:69:ALA:O	1:B:73:THR:CG2	2.49	0.61
1:B:252:ARG:HD2	1:B:335:GLU:OE1	2.00	0.61
1:B:471:ASN:ND2	3:B:769:HOH:O	2.27	0.60
1:B:62:VAL:O	1:B:66:THR:CG2	2.49	0.60
1:A:214:HIS:CD2	1:A:214:HIS:H	2.19	0.60
1:A:541:VAL:O	1:A:545:ILE:HG13	2.01	0.59
1:B:58:GLN:HE21	1:B:476:PRO:HG3	1.67	0.59
1:B:480:ARG:HH21	1:B:480:ARG:CG	2.14	0.59
1:A:342:PHE:HB3	1:A:365:GLN:HG2	1.83	0.59
1:A:237:HIS:O	1:A:241:ARG:HG2	2.02	0.59
1:A:521:ASN:HD22	2:A:622:GOL:H2	1.68	0.58
1:B:541:VAL:O	1:B:545:ILE:HG12	2.03	0.58
1:B:277:HIS:CG	1:B:278:SER:H	2.21	0.58
1:A:281:ARG:HH22	2:A:621:GOL:H11	1.68	0.58
1:A:254:VAL:HB	1:A:363:PRO:HD3	1.85	0.58
1:B:341:ILE:HD13	1:B:609:PHE:HB3	1.86	0.58
1:B:367:ILE:HD13	1:B:375:THR:HG21	1.86	0.58
1:A:42:ILE:HD12	1:A:47:PHE:HE2	1.68	0.58
1:A:573:ARG:NH2	1:A:580:GLU:OE2	2.34	0.57
1:A:123:ARG:H	1:A:124:LYS:CA	2.13	0.57
1:B:523:ILE:HB	1:B:549:LEU:HD13	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:566:GLU:O	1:B:570:ARG:HG2	2.04	0.57
1:B:274:HIS:CD2	1:B:276:ALA:H	2.22	0.56
1:B:62:VAL:O	1:B:66:THR:HG23	2.06	0.56
1:B:565:ASP:O	1:B:569:GLU:HG2	2.07	0.55
1:A:382:TYR:HB3	1:A:401:LEU:HD22	1.88	0.55
1:A:438:THR:HB	1:A:469:GLN:CG	2.37	0.55
1:A:564:VAL:HG11	3:A:838:HOH:O	2.05	0.55
1:B:323:MET:O	1:B:323:MET:HE2	2.07	0.55
1:B:297:ILE:HG12	1:B:314:GLU:HG2	1.90	0.54
1:B:356:ALA:O	1:B:359:THR:HB	2.08	0.54
1:A:227:ASN:ND2	1:A:227:ASN:H	1.98	0.53
1:B:243:ILE:CD1	1:B:355:PHE:CD1	2.89	0.53
1:A:430:VAL:HG22	1:A:460:LYS:HG2	1.90	0.52
1:B:202:LEU:O	1:B:241:ARG:NH1	2.41	0.52
1:B:252:ARG:NH2	3:B:704:HOH:O	2.30	0.52
1:A:120:GLU:HG2	1:A:122:ASN:HD21	1.75	0.52
1:A:278:SER:H	2:A:621:GOL:H32	1.75	0.52
1:A:566:GLU:O	1:A:570:ARG:HG2	2.09	0.51
1:A:359:THR:CG2	1:A:361:LEU:HG	2.41	0.50
1:A:521:ASN:HD22	2:A:622:GOL:C2	2.25	0.49
1:B:62:VAL:O	1:B:66:THR:HG22	2.13	0.49
1:A:308:GLY:O	1:A:311:VAL:HG13	2.12	0.49
1:B:277:HIS:CG	1:B:278:SER:N	2.80	0.49
1:B:372:PRO:HG2	1:B:542:HIS:HB3	1.95	0.48
1:B:161:ILE:HG13	1:B:162:SER:N	2.27	0.48
1:B:43:GLN:O	1:B:44:GLU:HB2	2.12	0.48
1:A:122:ASN:ND2	1:A:123:ARG:HA	2.26	0.48
1:B:291:ARG:HG3	1:B:296:LEU:HG	1.94	0.48
1:A:154:ASN:O	1:A:157:VAL:HG12	2.14	0.48
1:B:341:ILE:CD1	1:B:609:PHE:HB3	2.44	0.48
1:A:123:ARG:N	1:A:124:LYS:CA	2.73	0.48
1:A:521:ASN:H	2:A:622:GOL:H31	1.78	0.47
1:B:595:ASN:HB2	3:B:666:HOH:O	2.15	0.47
1:B:480:ARG:NH2	1:B:480:ARG:CB	2.71	0.47
1:B:295:TYR:CE1	1:B:313:ASP:HB3	2.50	0.47
1:B:359:THR:HG22	1:B:361:LEU:HG	1.96	0.46
1:B:532:VAL:HG23	1:B:555:LEU:CD2	2.44	0.46
1:A:443:ASN:HB2	1:A:444:PRO:CD	2.45	0.46
1:B:214:HIS:CD2	1:B:214:HIS:H	2.33	0.46
1:A:424:LEU:HD23	1:A:585:ARG:CZ	2.46	0.46
1:A:84:SER:O	1:A:88:VAL:HG23	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:PHE:CE2	1:A:71:ALA:HB3	2.51	0.45
1:A:367:ILE:HD13	1:A:383:VAL:HG22	1.98	0.45
1:B:175:SER:N	1:B:176:PRO:HD3	2.32	0.45
1:A:202:LEU:HD12	1:A:208:ILE:HD13	1.98	0.45
1:A:372:PRO:HG2	1:A:542:HIS:HB3	1.98	0.45
1:B:367:ILE:CD1	1:B:375:THR:HG21	2.46	0.45
1:A:540:GLU:HB2	1:A:543:GLU:HG3	1.99	0.45
1:B:411:VAL:HA	1:B:412:PRO:HD3	1.82	0.45
1:A:227:ASN:HB2	1:A:230:ASP:OD2	2.17	0.45
1:A:93:VAL:HG12	1:A:209:PRO:HB3	1.97	0.45
1:B:367:ILE:HD13	1:B:375:THR:CG2	2.46	0.45
1:B:154:ASN:OD1	1:B:157:VAL:HG12	2.16	0.44
1:B:273:PHE:CZ	1:B:287:MET:HE2	2.53	0.44
1:A:424:LEU:HB3	1:A:582:LEU:HD22	2.00	0.44
1:A:122:ASN:HD22	1:A:123:ARG:CA	2.29	0.44
1:A:227:ASN:HD22	1:A:227:ASN:N	1.90	0.44
1:B:175:SER:N	1:B:176:PRO:CD	2.81	0.44
1:A:227:ASN:ND2	1:A:227:ASN:N	2.63	0.43
1:A:277:HIS:HB3	2:A:621:GOL:H32	2.00	0.43
1:B:344:MET:O	1:B:367:ILE:HA	2.18	0.43
1:A:214:HIS:H	1:A:214:HIS:HD2	1.62	0.43
1:A:214:HIS:CD2	1:A:214:HIS:N	2.87	0.43
1:A:103:ALA:O	1:A:480:ARG:NH2	2.52	0.43
1:A:512:VAL:HB	1:A:567:TYR:OH	2.19	0.42
1:B:179:ILE:O	1:B:179:ILE:HG22	2.19	0.42
1:A:418:GLU:HG3	1:A:418:GLU:H	1.57	0.42
1:A:439:THR:H	1:A:469:GLN:HB2	1.84	0.42
1:A:311:VAL:HG22	1:A:312:PHE:CE2	2.55	0.41
1:B:175:SER:HB3	1:B:212:ILE:HD12	2.02	0.41
1:A:217:TYR:CG	1:A:354:ILE:HD13	2.55	0.41
1:A:584:LEU:HA	1:A:584:LEU:HD23	1.83	0.41
1:B:100:LEU:CD1	1:B:474:THR:HG22	2.46	0.41
1:A:389:TYR:O	1:A:544:HIS:HB3	2.20	0.41
1:A:521:ASN:ND2	2:A:622:GOL:H32	2.35	0.41
1:A:65:CYS:HB3	1:A:101:ILE:O	2.21	0.41
1:A:384:ILE:HG23	1:A:403:LEU:HD22	2.03	0.41
1:B:83:ILE:HG22	1:B:84:SER:O	2.21	0.41
1:A:532:VAL:HG23	1:A:555:LEU:CD2	2.51	0.41
1:B:294:PHE:CE1	1:B:341:ILE:HD12	2.56	0.41
1:B:384:ILE:HG23	1:B:403:LEU:HD22	2.03	0.41
1:A:468:GLY:O	1:A:495:HIS:ND1	2.53	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:HIS:HB3	1:A:610:LEU:HG	2.03	0.40
1:A:270:LEU:HD22	1:A:273:PHE:CG	2.56	0.40
1:B:287:MET:HE3	1:B:312:PHE:CE1	2.57	0.40
1:B:158:MET:HB3	1:B:158:MET:HE2	1.71	0.40
1:A:305:ASP:O	1:A:309:GLN:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	618/631 (98%)	587 (95%)	30 (5%)	1 (0%)	47	49
1	B	590/631 (94%)	572 (97%)	18 (3%)	0	100	100
All	All	1208/1262 (96%)	1159 (96%)	48 (4%)	1 (0%)	51	54

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	428	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	546/555 (98%)	512 (94%)	34 (6%)	18	15
1	B	524/555 (94%)	478 (91%)	46 (9%)	10	6
All	All	1070/1110 (96%)	990 (92%)	80 (8%)	13	10

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	44	GLU
1	A	53	LEU
1	A	75	LEU
1	A	82	GLU
1	A	86	LEU
1	A	120	GLU
1	A	122	ASN
1	A	123	ARG
1	A	124	LYS
1	A	153	LEU
1	A	158	MET
1	A	182	SER
1	A	202	LEU
1	A	216	VAL
1	A	227	ASN
1	A	241	ARG
1	A	250	LYS
1	A	253	ASP
1	A	311	VAL
1	A	318	VAL
1	A	351	MET
1	A	352	THR
1	A	359	THR
1	A	367	ILE
1	A	394	GLU
1	A	401	LEU
1	A	403	LEU
1	A	418	GLU
1	A	460	LYS
1	A	470	SER
1	A	592	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	610	LEU
1	A	619	GLU
1	B	5	ASN
1	B	29	LEU
1	B	44	GLU
1	B	48	GLU
1	B	57	GLU
1	B	58	GLN
1	B	60	LYS
1	B	66	THR
1	B	73	THR
1	B	85	ASP
1	B	93	VAL
1	B	115	GLN
1	B	136	SER
1	B	137	SER
1	B	153	LEU
1	B	155	LEU
1	B	157	VAL
1	B	158	MET
1	B	161	ILE
1	B	187	LYS
1	B	233	ARG
1	B	243	ILE
1	B	254	VAL
1	B	260	ARG
1	B	296	LEU
1	B	351	MET
1	B	353	THR
1	B	359	THR
1	B	392	SER
1	B	394	GLU
1	B	400	LEU
1	B	403	LEU
1	B	413	SER
1	B	419	LYS
1	B	421	ASP
1	B	424	LEU
1	B	440	MET
1	B	474	THR
1	B	480	ARG
1	B	486	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	501	TYR
1	B	532	VAL
1	B	549	LEU
1	B	595	ASN
1	B	618	LYS
1	B	619	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	58	GLN
1	A	122	ASN
1	A	193	GLN
1	A	214	HIS
1	A	227	ASN
1	A	261	ASN
1	A	274	HIS
1	A	462	HIS
1	A	521	ASN
1	A	592	ASN
1	B	11	ASN
1	B	54	GLN
1	B	58	GLN
1	B	214	HIS
1	B	242	HIS
1	B	274	HIS
1	B	521	ASN
1	B	595	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GOL	A	621	-	5,5,5	0.55	0	5,5,5	0.59	0
2	GOL	B	621	-	5,5,5	0.37	0	5,5,5	0.51	0
2	GOL	A	622	-	5,5,5	0.52	0	5,5,5	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	621	-	-	4/4/4/4	-
2	GOL	B	621	-	-	2/4/4/4	-
2	GOL	A	622	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	621	GOL	C1-C2-C3-O3
2	B	621	GOL	C1-C2-C3-O3
2	A	621	GOL	O1-C1-C2-C3
2	A	621	GOL	O2-C2-C3-O3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	621	GOL	O2-C2-C3-O3
2	A	621	GOL	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	621	GOL	4	0
2	B	621	GOL	1	0
2	A	622	GOL	7	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	620/631 (98%)	-0.38	9 (1%) 73 77	12, 26, 44, 61	0
1	B	596/631 (94%)	-0.48	9 (1%) 73 77	10, 21, 37, 61	0
All	All	1216/1262 (96%)	-0.43	18 (1%) 73 77	10, 23, 43, 61	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	419	LYS	3.6
1	B	134	SER	3.1
1	B	4	GLU	3.1
1	B	413	SER	3.0
1	A	122	ASN	3.0
1	A	125	ASN	3.0
1	B	420	VAL	2.9
1	B	426	GLU	2.8
1	A	256	HIS	2.7
1	A	124	LYS	2.7
1	A	427	ASN	2.7
1	A	86	LEU	2.5
1	B	421	ASP	2.4
1	A	1	MET	2.3
1	B	428	PRO	2.2
1	B	619	GLU	2.2
1	A	133	SER	2.1
1	A	394	GLU	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	A	622	6/6	0.84	0.18	41,43,44,48	0
2	GOL	B	621	6/6	0.90	0.11	35,41,43,44	0
2	GOL	A	621	6/6	0.93	0.14	42,43,45,46	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.