



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 11:14 AM BST

PDB ID : 3Q4B
Title : Clinically Useful Alkyl Amine Renin Inhibitors
Authors : Wu, Z.; McKeever, B.M.
Deposited on : 2010-12-23
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	<div> <div>4%</div> <div>82%</div> <div>14%</div> <div>• •</div> </div>
1	B	340	<div> <div>8%</div> <div>73%</div> <div>21%</div> <div>• • •</div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5480 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Renin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	0	0	0
			2598	1656	421	507	14			
1	B	337	Total	C	N	O	S	0	1	0
			2604	1660	421	509	14			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Cl	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total Cl 4 4	0	0

- Molecule 4 is methyl (2-{(R)-(3-chlorophenyl)[(3R)-1-({(2S)-2-(methylamino)-3-[(3R)-tetrahydro-2H-pyran-3-yl]propyl}carbamoyl)piperidin-3-yl] methoxy}ethyl)carbamate (three-letter code: RX5) (formula: C₂₆H₄₁ClN₄O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C Cl N O 36 26 1 4 5	0	0
4	B	1	Total C Cl N O 36 26 1 4 5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	105	Total O 105 105	0	0
5	B	81	Total O 81 81	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Renin



• Molecule 1: Renin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.43 Å 98.06 Å 148.84 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.81 – 2.19 24.81 – 2.19	Depositor EDS
% Data completeness (in resolution range)	89.6 (24.81-2.19) 89.6 (24.81-2.19)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.91 (at 2.19 Å)	Xtriage
Refinement program	REFMAC 5.5.0102, CNS	Depositor
R, R_{free}	0.209 , 0.263 0.207 , 0.252	Depositor DCC
R_{free} test set	1885 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 29.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5480	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RX5, NAG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	2/2658 (0.1%)	0.90	4/3604 (0.1%)
1	B	0.95	1/2667 (0.0%)	0.87	3/3616 (0.1%)
All	All	0.99	3/5325 (0.1%)	0.88	7/7220 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	150	VAL	CB-CG1	-5.42	1.41	1.52
1	A	91	VAL	CB-CG1	-5.31	1.41	1.52
1	A	46	SER	CB-OG	-5.15	1.35	1.42

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	307	ARG	NE-CZ-NH1	-8.44	116.08	120.30
1	B	316	ARG	NE-CZ-NH2	7.39	124.00	120.30
1	B	316	ARG	NE-CZ-NH1	-6.51	117.04	120.30
1	A	204	LEU	CA-CB-CG	6.04	129.18	115.30
1	A	307	ARG	NE-CZ-NH2	5.40	123.00	120.30
1	B	213	LEU	CA-CB-CG	5.18	127.20	115.30
1	A	71	LEU	CA-CB-CG	5.06	126.95	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2598	0	2526	36	0
1	B	2604	0	2533	70	0
2	A	14	0	13	0	0
3	A	4	0	0	0	0
3	B	2	0	0	0	0
4	A	36	0	41	1	0
4	B	36	0	41	1	0
5	A	105	0	0	1	0
5	B	81	0	0	1	0
All	All	5480	0	5154	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:ASN:HD21	1:B:11:ASP:H	1.14	0.96
1:B:252:GLY:HA3	1:B:277:GLN:HE22	1.46	0.81
1:B:1:THR:O	1:B:1:THR:HG22	1.82	0.80
1:A:261:HIS:CE1	1:A:266:GLU:HG3	2.18	0.78
1:B:8:ASN:C	1:B:8:ASN:HD22	1.87	0.77
1:B:66:HIS:CD2	1:B:67:ASN:N	2.53	0.77
1:B:81:SER:HB2	1:B:106[A]:GLU:HB2	1.67	0.77
1:B:159:SER:C	1:B:160(A):ASN:H	1.92	0.72
1:B:64:TYR:OH	1:B:66:HIS:HA	1.90	0.71
1:A:77:THR:HB	1:A:111:PRO:HG3	1.73	0.69
1:B:81:SER:HB2	1:B:106[B]:GLU:HB2	1.74	0.68
1:B:8:ASN:HD21	1:B:11:ASP:N	1.91	0.67
1:B:210:CYS:HB2	5:B:1144:HOH:O	1.94	0.67
1:B:160(A):ASN:OD1	1:B:160(A):ASN:N	2.29	0.66
1:B:159:SER:O	1:B:160(A):ASN:N	2.29	0.66
1:B:67:ASN:ND2	1:B:100:MET:HE1	2.12	0.65
1:B:8:ASN:ND2	1:B:8:ASN:C	2.50	0.65
1:B:67:ASN:ND2	1:B:100:MET:CE	2.63	0.62
1:B:58:ALA:O	1:B:60:ASP:N	2.29	0.62
1:B:69:THR:HB	1:B:84:LEU:HD12	1.81	0.62
1:A:252:GLY:HA2	1:A:255:LEU:HD22	1.81	0.61
1:B:63:SER:HB2	1:B:87:ASP:OD1	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:ASN:HD22	1:B:100:MET:HE1	1.65	0.61
1:A:202:SER:HB2	1:A:204:LEU:HD23	1.83	0.60
1:A:252:GLY:HA3	1:A:277:GLN:HE22	1.67	0.60
1:B:8:ASN:HD22	1:B:9:TYR:N	2.01	0.58
1:B:77:THR:HB	1:B:111:PRO:HG3	1.86	0.58
1:B:99:GLN:HE22	1:B:136:ILE:HA	1.69	0.58
1:B:0:THR:HG23	1:B:145:VAL:O	2.04	0.57
1:A:11:ASP:O	1:A:307:ARG:NH1	2.38	0.56
1:B:252:GLY:HA3	1:B:277:GLN:NE2	2.16	0.56
1:B:42:SER:HB2	1:B:103:GLU:HB3	1.87	0.56
1:B:5:ILE:HD12	1:B:161:LEU:HD11	1.88	0.56
1:B:99:GLN:NE2	1:B:136:ILE:HA	2.21	0.55
1:B:67:ASN:OD1	1:B:67:ASN:C	2.46	0.54
1:B:87:ASP:OD1	1:B:88:ILE:N	2.34	0.54
1:B:8:ASN:ND2	1:B:11:ASP:H	1.96	0.54
1:B:232:MET:HG3	1:B:245:TYR:CE1	2.43	0.54
1:A:185:ILE:HD11	1:A:211:LEU:HD22	1.89	0.54
1:B:73:LEU:HB2	1:B:80:VAL:HG12	1.92	0.52
1:B:291:ILE:O	1:B:296:GLY:HA3	2.09	0.52
1:A:41:PRO:HB3	1:A:107:MET:HE1	1.91	0.52
1:A:111:PRO:HG2	4:A:335:RX5:CL2	2.47	0.51
1:B:150:VAL:HG22	1:B:314:ASP:HA	1.93	0.51
1:B:190:TRP:CZ2	1:B:315:ARG:HD3	2.46	0.51
1:A:160:GLU:O	1:A:160(A):ASN:C	2.49	0.50
1:B:159:SER:O	1:B:159:SER:OG	2.29	0.50
1:A:110:LEU:HD11	1:B:242:PHE:CD2	2.47	0.50
1:A:150:VAL:HG12	1:A:314:ASP:HA	1.93	0.50
1:B:67:ASN:O	1:B:67:ASN:OD1	2.30	0.49
1:B:159:SER:C	1:B:160(A):ASN:N	2.57	0.49
1:A:275:VAL:HG22	1:A:284:LEU:CD2	2.42	0.48
1:B:66:HIS:CG	1:B:67:ASN:N	2.81	0.48
1:B:36:SER:OG	1:B:128:GLN:HB3	2.13	0.48
1:A:153:PHE:CE2	1:A:165:ILE:HD12	2.48	0.48
1:B:64:TYR:CZ	1:B:66:HIS:HA	2.49	0.48
1:A:202:SER:HB2	1:A:204:LEU:CD2	2.44	0.47
1:A:107:MET:HB2	1:A:107:MET:HE3	1.68	0.47
1:B:53:HIS:HB3	1:B:118:ASP:OD2	2.14	0.47
1:A:153:PHE:CE2	1:A:165:ILE:CD1	2.98	0.47
1:A:89:ILE:HD12	1:A:99:GLN:HB3	1.97	0.47
1:B:65:LYS:O	1:B:66:HIS:O	2.33	0.47
1:B:110:LEU:HA	1:B:111:PRO:HA	1.69	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:TYR:CG	1:B:65:LYS:N	2.84	0.46
1:B:66:HIS:CD2	1:B:66:HIS:C	2.88	0.46
1:A:110:LEU:C	1:A:110:LEU:HD13	2.37	0.46
1:A:6:LEU:HD11	1:A:165:ILE:CD1	2.46	0.46
1:B:99:GLN:HG3	1:B:100:MET:N	2.32	0.45
1:B:47(B):TYR:OH	1:B:106[B]:GLU:HG3	2.17	0.45
1:A:20:ILE:HG12	1:A:89:ILE:HG12	1.99	0.45
1:B:140:ILE:HG22	1:B:146:LEU:HD11	1.99	0.45
1:B:261:HIS:ND1	1:B:266:GLU:OE2	2.45	0.45
1:A:-1:ASN:H	1:A:-1:ASN:HD22	1.63	0.44
1:B:171:ASP:OD2	1:B:173:GLN:HB2	2.17	0.44
1:A:-1:ASN:N	1:A:-1:ASN:HD22	2.15	0.44
1:B:232:MET:HG3	1:B:245:TYR:CD1	2.52	0.44
1:B:275:VAL:HG22	1:B:284:LEU:HD22	1.98	0.44
1:A:77:THR:O	1:A:111:PRO:HD3	2.18	0.44
1:B:59:SER:OG	1:B:59:SER:O	2.29	0.44
1:B:289:MET:HG3	1:B:291:ILE:HG13	2.00	0.44
1:B:88:ILE:CG2	1:B:95:THR:CG2	2.96	0.43
1:B:190:TRP:HZ2	1:B:315:ARG:HD3	1.83	0.43
1:B:22:THR:OG1	1:B:63:SER:OG	2.19	0.43
1:B:58:ALA:C	1:B:60:ASP:N	2.72	0.43
1:A:75:TYR:OH	5:A:1004:HOH:O	2.22	0.43
1:B:159:SER:C	1:B:160(A):ASN:OD1	2.57	0.43
1:A:261:HIS:CE1	1:A:266:GLU:CG	2.96	0.43
1:A:95:THR:O	1:A:143:GLN:NE2	2.40	0.43
1:A:9:TYR:CE2	1:A:10:MET:HG3	2.54	0.43
1:B:49:ALA:HB3	1:B:107:MET:HG3	2.01	0.42
1:B:137:PHE:O	1:B:141:ILE:HG23	2.20	0.41
1:B:160(B):SER:HB3	1:B:160(C):GLN:H	1.43	0.41
1:A:252:GLY:O	1:A:255:LEU:HB2	2.20	0.41
1:B:5:ILE:HD12	1:B:161:LEU:CD1	2.49	0.41
1:B:261:HIS:HD1	1:B:266:GLU:CD	2.23	0.41
1:A:1:THR:O	1:A:1:THR:OG1	2.35	0.41
1:A:275:VAL:HG22	1:A:284:LEU:HD22	2.02	0.41
1:A:82:GLY:HA3	1:A:103:GLU:O	2.21	0.41
1:A:6:LEU:HD11	1:A:165:ILE:HD11	2.02	0.41
1:A:222:SER:HA	1:A:287:HIS:O	2.21	0.41
1:B:86:GLN:O	1:B:87:ASP:HB2	2.21	0.41
1:A:253:PRO:HD3	1:A:277:GLN:NE2	2.36	0.40
1:B:111:PRO:HG2	4:B:335:RX5:CL2	2.58	0.40
1:A:221:ILE:HD11	1:A:269:LEU:HD11	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:255:LEU:HB2	1:B:271:SER:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/340 (98%)	327 (98%)	8 (2%)	0	100	100
1	B	336/340 (99%)	320 (95%)	9 (3%)	7 (2%)	7	4
All	All	671/680 (99%)	647 (96%)	17 (2%)	7 (1%)	15	14

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	66	HIS
1	B	160(B)	SER
1	B	60	ASP
1	B	132	ARG
1	B	160	GLU
1	B	160(C)	GLN
1	B	67	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/290 (99%)	264 (92%)	23 (8%)	12	12
1	B	288/290 (99%)	259 (90%)	29 (10%)	7	7
All	All	575/580 (99%)	523 (91%)	52 (9%)	9	9

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	ASN
1	A	10	MET
1	A	26	THR
1	A	47	ARG
1	A	71	LEU
1	A	96	VAL
1	A	110	LEU
1	A	111	PRO
1	A	132	ARG
1	A	160	GLU
1	A	160(B)	SER
1	A	160(C)	GLN
1	A	160(D)	SER
1	A	202	SER
1	A	204	LEU
1	A	238	LYS
1	A	241	LEU
1	A	247	VAL
1	A	248	LYS
1	A	255	LEU
1	A	287	HIS
1	A	289	MET
1	A	295	THR
1	B	0	THR
1	B	1	THR
1	B	8	ASN
1	B	44	LYS
1	B	54	LYS
1	B	60	ASP
1	B	63	SER
1	B	71	LEU
1	B	73	LEU
1	B	80	VAL
1	B	100	MET
1	B	114	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	116	GLU
1	B	120	VAL
1	B	159	SER
1	B	160	GLU
1	B	160(A)	ASN
1	B	160(B)	SER
1	B	160(C)	GLN
1	B	160(D)	SER
1	B	193	GLN
1	B	195	LYS
1	B	204	LEU
1	B	208	ASP
1	B	213	LEU
1	B	235	LEU
1	B	278	GLU
1	B	287	HIS
1	B	316	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	-1	ASN
1	A	66	HIS
1	A	99	GLN
1	A	139	ASN
1	A	183	ASN
1	A	277	GLN
1	B	8	ASN
1	B	66	HIS
1	B	99	GLN
1	B	139	ASN
1	B	143	GLN
1	B	193	GLN
1	B	277	GLN
1	B	318	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	600	1	14,14,15	2.29	2 (14%)	17,19,21	3.65	5 (29%)
4	RX5	B	335	-	38,38,38	1.38	2 (5%)	42,49,49	1.83	12 (28%)
4	RX5	A	335	-	38,38,38	1.25	2 (5%)	42,49,49	2.08	9 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	600	1	-	2/6/23/26	0/1/1/1
4	RX5	B	335	-	-	8/32/50/50	0/3/3/3
4	RX5	A	335	-	-	7/32/50/50	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	NAG	O5-C1	7.06	1.55	1.43
4	A	335	RX5	O4-C20	5.68	1.44	1.34
4	B	335	RX5	O4-C20	5.46	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	NAG	O5-C5	4.56	1.52	1.43
4	B	335	RX5	C23-CL2	4.14	1.83	1.74
4	A	335	RX5	O3-C20	2.75	1.26	1.21

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	NAG	O5-C5-C6	-11.58	89.06	107.20
4	A	335	RX5	N2-C4-N3	8.57	121.79	117.67
2	A	600	NAG	C1-C2-N2	-8.02	96.79	110.49
4	A	335	RX5	O4-C20-N4	4.69	115.99	110.93
4	B	335	RX5	C27-O4-C20	4.67	121.17	115.66
4	B	335	RX5	O4-C20-N4	4.54	115.84	110.93
4	A	335	RX5	O4-C20-O3	-4.45	118.04	124.58
4	B	335	RX5	O4-C20-O3	-3.72	119.11	124.58
4	B	335	RX5	C8-C9-N3	-3.58	103.58	110.66
4	A	335	RX5	O2-C10-C21	-3.39	106.62	111.48
4	B	335	RX5	C7-C6-C5	3.22	112.23	108.91
4	A	335	RX5	C19-N4-C20	-2.98	117.11	121.89
4	B	335	RX5	N2-C4-N3	2.87	119.05	117.67
4	A	335	RX5	C27-O4-C20	2.68	118.83	115.66
4	A	335	RX5	O1-C4-N2	-2.66	116.42	123.53
4	B	335	RX5	C6-C5-N3	-2.64	106.63	111.79
4	A	335	RX5	C6-C5-N3	-2.62	106.67	111.79
4	B	335	RX5	C17-C12-C13	-2.59	105.07	108.64
2	A	600	NAG	C1-O5-C5	2.44	115.50	112.19
4	B	335	RX5	C17-C16-C15	2.29	114.65	110.30
4	B	335	RX5	C18-C19-N4	-2.28	106.42	111.83
4	A	335	RX5	C18-C19-N4	-2.23	106.55	111.83
4	B	335	RX5	C21-C10-C6	-2.21	108.92	113.62
2	A	600	NAG	O3-C3-C2	-2.18	104.95	109.47
4	B	335	RX5	C19-N4-C20	-2.11	118.50	121.89
2	A	600	NAG	C4-C3-C2	2.01	113.97	111.02

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	335	RX5	C3-C2-N1-C1
4	B	335	RX5	N1-C2-C3-N2
4	A	335	RX5	C3-C2-N1-C1
4	A	335	RX5	N1-C2-C3-N2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	600	NAG	C4-C5-C6-O6
2	A	600	NAG	O5-C5-C6-O6
4	B	335	RX5	C2-C11-C12-C17
4	B	335	RX5	C2-C3-N2-C4
4	A	335	RX5	C12-C11-C2-C3
4	A	335	RX5	C2-C3-N2-C4
4	A	335	RX5	C12-C11-C2-N1
4	A	335	RX5	C2-C11-C12-C17
4	B	335	RX5	C11-C2-C3-N2
4	B	335	RX5	C12-C11-C2-C3
4	A	335	RX5	C11-C2-C3-N2
4	B	335	RX5	C12-C11-C2-N1
4	B	335	RX5	C2-C11-C12-C13


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	335	RX5	1	0
4	A	335	RX5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	337/340 (99%)	0.02	12 (3%) 42 41	19, 33, 53, 75	0
1	B	337/340 (99%)	0.29	27 (8%) 12 11	22, 38, 64, 81	0
All	All	674/680 (99%)	0.15	39 (5%) 23 22	19, 35, 60, 81	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	160(B)	SER	6.5
1	B	160(C)	GLN	6.2
1	B	160(A)	ASN	5.4
1	B	47(A)	LEU	5.3
1	A	160(B)	SER	5.1
1	B	132	ARG	4.7
1	A	202	SER	4.7
1	B	159	SER	4.7
1	B	160	GLU	4.4
1	A	160(A)	ASN	4.3
1	A	160	GLU	4.2
1	A	203	THR	3.8
1	A	160(C)	GLN	3.8
1	B	38	VAL	3.6
1	B	208	ASP	3.4
1	B	22	THR	3.4
1	B	160(D)	SER	3.2
1	B	47	ARG	2.9
1	B	5	ILE	2.8
1	B	46	SER	2.7
1	B	121	VAL	2.6
1	A	281(B)	LYS	2.5
1	B	45	CYS	2.5
1	B	214	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	121	VAL	2.4
1	B	66	HIS	2.4
1	B	122	GLY	2.3
1	B	-1	ASN	2.3
1	B	44	LYS	2.3
1	B	173	GLN	2.3
1	B	62	SER	2.3
1	B	301	LEU	2.2
1	A	301	LEU	2.2
1	A	151	PHE	2.2
1	B	306	ILE	2.1
1	B	40	VAL	2.1
1	B	123	MET	2.1
1	A	33	THR	2.0
1	A	173	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	A	338	1/1	0.81	0.25	69,69,69,69	0
3	CL	B	336	1/1	0.91	0.20	62,62,62,62	0
3	CL	A	336	1/1	0.91	0.19	47,47,47,47	0
3	CL	B	500	1/1	0.91	0.19	57,57,57,57	0
3	CL	A	337	1/1	0.91	0.14	58,58,58,58	0
2	NAG	A	600	14/15	0.91	0.14	54,59,73,80	0
4	RX5	A	335	36/36	0.95	0.13	17,26,32,34	0
4	RX5	B	335	36/36	0.95	0.11	24,28,31,36	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CL	A	500	1/1	0.99	0.13	55,55,55,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around RX5 A 335:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around RX5 B 335:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.