



# Full wwPDB NMR Structure Validation Report ⓘ

Sep 14, 2020 – 06:24 AM BST

PDB ID : 6QAM  
Title : Solution NMR structure of outer membrane protein AlkL  
Authors : Schubeis, T.; Andreas, L.B.; Pintacuda, G.  
Deposited on : 2018-12-19

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.14.4.dev1  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.14.4.dev1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 39%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	219	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 11 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:13-A:26, A:53-A:74, A:101-A:107, A:116-A:125, A:146-A:155, A:161-A:168, A:194-A:205 (83)	0.34	11

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 4 single-model clusters were found.

Cluster number	Models
1	1, 3, 4, 7, 8, 9, 11, 13, 16, 19
2	2, 5, 6, 20
3	12, 15
Single-model clusters	10; 14; 17; 18

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3202 atoms, of which 1574 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Outer membrane protein AlkL.

Mol	Chain	Residues	Atoms						Trace
1	A	211	Total	C	H	N	O	S	0
			3202	1056	1574	258	312	2	

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q00595
A	205	LYS	-	expression tag	UNP Q00595
A	206	LEU	-	expression tag	UNP Q00595
A	207	ALA	-	expression tag	UNP Q00595
A	208	ALA	-	expression tag	UNP Q00595
A	209	ALA	-	expression tag	UNP Q00595
A	210	LEU	-	expression tag	UNP Q00595
A	211	GLU	-	expression tag	UNP Q00595
A	212	HIS	-	expression tag	UNP Q00595
A	213	HIS	-	expression tag	UNP Q00595
A	214	HIS	-	expression tag	UNP Q00595
A	215	HIS	-	expression tag	UNP Q00595
A	216	HIS	-	expression tag	UNP Q00595
A	217	HIS	-	expression tag	UNP Q00595
A	218	HIS	-	expression tag	UNP Q00595
A	219	HIS	-	expression tag	UNP Q00595






### 4.2.5 Score per residue for model 5

- Molecule 1: Outer membrane protein AlkL




### 4.2.6 Score per residue for model 6

- Molecule 1: Outer membrane protein AlkL




### 4.2.7 Score per residue for model 7

- Molecule 1: Outer membrane protein AlkL




### 4.2.8 Score per residue for model 8

- Molecule 1: Outer membrane protein AlkL




### 4.2.9 Score per residue for model 9

- Molecule 1: Outer membrane protein AlkL



### 4.2.10 Score per residue for model 10


- Molecule 1: Outer membrane protein AlkL





## 4.2.14 Score per residue for model 14

- Molecule 1: Outer membrane protein AlkL




## 4.2.15 Score per residue for model 15

- Molecule 1: Outer membrane protein AlkL




## 4.2.16 Score per residue for model 16

- Molecule 1: Outer membrane protein AlkL




## 4.2.17 Score per residue for model 17

- Molecule 1: Outer membrane protein AlkL




## 4.2.18 Score per residue for model 18

- Molecule 1: Outer membrane protein AlkL




## 4.2.19 Score per residue for model 19

- Molecule 1: Outer membrane protein AlkL



4.2.20 Score per residue for model 20

- Molecule 1: Outer membrane protein AlkL



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 500 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	614
Number of shifts mapped to atoms	614
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	39%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality ⓘ

### 6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	660	644	644	10±3
All	All	13200	12880	12880	190

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:119:VAL:HG12	1:A:151:VAL:HG12	0.86	1.47	6	2
1:A:18:VAL:HG13	1:A:60:ALA:HB3	0.80	1.51	20	1
1:A:67:ILE:HD11	1:A:105:LEU:HD13	0.80	1.54	4	1
1:A:167:VAL:HG23	1:A:196:LEU:HD23	0.71	1.61	15	1
1:A:18:VAL:HG12	1:A:203:VAL:HG23	0.68	1.66	16	2
1:A:167:VAL:HG12	1:A:196:LEU:HD13	0.67	1.66	2	1
1:A:18:VAL:HG22	1:A:203:VAL:HG23	0.67	1.66	8	4
1:A:62:PHE:CD1	1:A:68:ALA:HB2	0.65	2.27	10	1
1:A:105:LEU:HD13	1:A:107:TYR:CE1	0.62	2.29	20	1
1:A:102:ILE:HG23	1:A:124:GLY:CA	0.62	2.24	12	4
1:A:71:PHE:CZ	1:A:101:ALA:HB1	0.62	2.30	10	7
1:A:66:ASN:OD1	1:A:67:ILE:HD12	0.61	1.95	13	1
1:A:119:VAL:HG22	1:A:151:VAL:HG13	0.60	1.73	11	1
1:A:18:VAL:CG2	1:A:60:ALA:HB3	0.60	2.26	10	4

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:167:VAL:HG22	1:A:196:LEU:CD1	0.60	2.26	5	1
1:A:167:VAL:HG23	1:A:196:LEU:HD22	0.60	1.74	9	1
1:A:119:VAL:HG12	1:A:151:VAL:CG1	0.59	2.25	6	1
1:A:21:PHE:CZ	1:A:200:ALA:HB3	0.59	2.32	20	1
1:A:69:VAL:HA	1:A:105:LEU:HD13	0.59	1.71	10	1
1:A:152:GLY:O	1:A:153:LEU:HD23	0.59	1.98	14	1
1:A:123:VAL:HG12	1:A:147:PRO:HA	0.59	1.75	19	7
1:A:54:THR:O	1:A:56:THR:HG23	0.58	1.99	1	1
1:A:68:ALA:HB3	1:A:106:GLN:CG	0.58	2.27	12	2
1:A:167:VAL:HG13	1:A:196:LEU:HD11	0.57	1.75	14	1
1:A:18:VAL:HG12	1:A:203:VAL:HA	0.57	1.76	15	4
1:A:102:ILE:HG23	1:A:124:GLY:HA2	0.57	1.77	2	3
1:A:18:VAL:HB	1:A:60:ALA:HB3	0.57	1.77	19	3
1:A:24:SER:OG	1:A:56:THR:HG21	0.57	1.99	11	1
1:A:19:ALA:HB3	1:A:202:TYR:CZ	0.57	2.35	17	5
1:A:18:VAL:HG23	1:A:60:ALA:HB3	0.56	1.75	13	2
1:A:105:LEU:O	1:A:105:LEU:HD12	0.56	2.00	20	2
1:A:119:VAL:HG13	1:A:151:VAL:HG12	0.56	1.76	5	1
1:A:155:TYR:CZ	1:A:163:LEU:HD12	0.56	2.35	9	1
1:A:102:ILE:HG23	1:A:124:GLY:HA3	0.56	1.76	16	2
1:A:153:LEU:HD13	1:A:153:LEU:N	0.55	2.16	8	1
1:A:71:PHE:CE2	1:A:101:ALA:HB1	0.55	2.36	16	4
1:A:166:ASP:O	1:A:196:LEU:HD12	0.53	2.03	6	1
1:A:55:LEU:HD13	1:A:57:PHE:CZ	0.52	2.39	2	1
1:A:68:ALA:HB3	1:A:106:GLN:HG2	0.52	1.81	12	2
1:A:167:VAL:HG22	1:A:196:LEU:HD12	0.51	1.81	5	1
1:A:107:TYR:O	1:A:119:VAL:HG22	0.51	2.05	17	1
1:A:58:ASP:O	1:A:59:ILE:HD13	0.51	2.05	4	1
1:A:18:VAL:CG1	1:A:203:VAL:HG23	0.51	2.35	16	2
1:A:67:ILE:CD1	1:A:105:LEU:HD13	0.51	2.31	4	1
1:A:167:VAL:HB	1:A:196:LEU:HD12	0.51	1.83	19	1
1:A:153:LEU:HD12	1:A:155:TYR:CE1	0.51	2.41	18	1
1:A:152:GLY:O	1:A:153:LEU:HD22	0.50	2.05	1	1
1:A:152:GLY:C	1:A:153:LEU:HD13	0.50	2.26	8	1
1:A:163:LEU:HD23	1:A:164:ASN:N	0.50	2.21	7	1
1:A:117:PRO:HA	1:A:153:LEU:HD13	0.50	1.83	1	1
1:A:67:ILE:HD11	1:A:105:LEU:CD1	0.50	2.33	4	1
1:A:66:ASN:HB2	1:A:67:ILE:HD12	0.49	1.82	2	2
1:A:25:LYS:O	1:A:195:ILE:HD12	0.49	2.07	1	1
1:A:19:ALA:HB3	1:A:202:TYR:CE2	0.49	2.42	16	4
1:A:163:LEU:HD13	1:A:164:ASN:N	0.49	2.23	10	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:107:TYR:CE1	1:A:119:VAL:HG13	0.48	2.43	7	1
1:A:71:PHE:CE2	1:A:103:LEU:HD23	0.48	2.43	20	1
1:A:66:ASN:OD1	1:A:67:ILE:HG22	0.48	2.08	8	2
1:A:195:ILE:O	1:A:196:LEU:HD23	0.48	2.08	12	1
1:A:67:ILE:HD12	1:A:106:GLN:O	0.48	2.09	19	1
1:A:19:ALA:HB3	1:A:202:TYR:CE1	0.48	2.44	17	1
1:A:197:SER:C	1:A:198:LEU:HD12	0.47	2.29	12	3
1:A:116:TYR:C	1:A:153:LEU:HD12	0.47	2.30	16	1
1:A:67:ILE:HG23	1:A:107:TYR:CE2	0.47	2.44	12	1
1:A:71:PHE:CE1	1:A:103:LEU:HD21	0.47	2.45	14	1
1:A:102:ILE:HD11	1:A:148:ALA:HB3	0.46	1.87	19	1
1:A:18:VAL:CG1	1:A:60:ALA:HB3	0.46	2.32	20	1
1:A:67:ILE:HD11	1:A:105:LEU:HD22	0.46	1.88	4	1
1:A:25:LYS:O	1:A:196:LEU:HD23	0.45	2.11	1	1
1:A:17:TRP:CZ2	1:A:59:ILE:HD11	0.45	2.47	12	1
1:A:18:VAL:HG22	1:A:203:VAL:HA	0.45	1.89	14	3
1:A:71:PHE:CD2	1:A:73:VAL:HG13	0.45	2.47	16	1
1:A:167:VAL:HG12	1:A:196:LEU:HA	0.45	1.88	18	1
1:A:68:ALA:HB3	1:A:106:GLN:HG3	0.45	1.88	13	1
1:A:153:LEU:HD23	1:A:155:TYR:CE2	0.44	2.47	8	1
1:A:18:VAL:HG13	1:A:202:TYR:C	0.44	2.31	1	3
1:A:17:TRP:NE1	1:A:59:ILE:HG23	0.44	2.27	19	1
1:A:121:VAL:HG12	1:A:149:PHE:CD1	0.44	2.47	1	1
1:A:146:ALA:HB1	1:A:147:PRO:HD2	0.44	1.90	2	15
1:A:121:VAL:HG13	1:A:149:PHE:HB3	0.44	1.89	18	1
1:A:151:VAL:HG13	1:A:167:VAL:HG13	0.44	1.88	9	1
1:A:105:LEU:HD13	1:A:107:TYR:CD1	0.44	2.47	20	1
1:A:55:LEU:O	1:A:55:LEU:HD12	0.44	2.13	2	1
1:A:151:VAL:O	1:A:167:VAL:HG12	0.43	2.13	8	1
1:A:55:LEU:HD12	1:A:55:LEU:O	0.43	2.14	6	1
1:A:59:ILE:HG22	1:A:61:TYR:CE1	0.43	2.48	11	1
1:A:153:LEU:HD21	1:A:155:TYR:CD1	0.43	2.49	7	1
1:A:69:VAL:HA	1:A:105:LEU:HD23	0.43	1.91	12	1
1:A:17:TRP:HE1	1:A:59:ILE:HG23	0.42	1.74	19	2
1:A:67:ILE:HD11	1:A:105:LEU:HB3	0.42	1.92	18	1
1:A:19:ALA:HB1	1:A:21:PHE:CZ	0.42	2.49	2	1
1:A:167:VAL:HG22	1:A:196:LEU:CD2	0.42	2.44	3	1
1:A:17:TRP:HE1	1:A:59:ILE:HD12	0.42	1.74	19	1
1:A:71:PHE:CE1	1:A:101:ALA:HB1	0.42	2.49	17	1
1:A:71:PHE:HZ	1:A:101:ALA:HB1	0.42	1.75	7	2
1:A:167:VAL:HG13	1:A:196:LEU:CD1	0.42	2.42	14	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:105:LEU:N	1:A:105:LEU:HD22	0.42	2.30	15	2
1:A:102:ILE:HG22	1:A:124:GLY:CA	0.42	2.45	9	1
1:A:151:VAL:O	1:A:167:VAL:HG22	0.42	2.15	2	1
1:A:55:LEU:HD21	1:A:57:PHE:CE2	0.42	2.50	18	1
1:A:67:ILE:HD11	1:A:105:LEU:HB2	0.42	1.92	7	1
1:A:71:PHE:CD1	1:A:103:LEU:HD13	0.41	2.50	19	1
1:A:67:ILE:HG23	1:A:107:TYR:HE2	0.41	1.75	6	1
1:A:63:VAL:O	1:A:63:VAL:HG22	0.41	2.16	17	1
1:A:102:ILE:HD12	1:A:124:GLY:HA3	0.41	1.91	11	1
1:A:18:VAL:HG22	1:A:203:VAL:CG2	0.41	2.44	3	1
1:A:18:VAL:HG13	1:A:202:TYR:O	0.41	2.16	14	3
1:A:63:VAL:HG22	1:A:63:VAL:O	0.41	2.16	10	1
1:A:121:VAL:HG22	1:A:149:PHE:CD2	0.41	2.51	20	1
1:A:14:GLN:HB2	1:A:63:VAL:HG13	0.41	1.93	7	1
1:A:67:ILE:HD11	1:A:105:LEU:CB	0.41	2.46	7	1
1:A:105:LEU:HD22	1:A:105:LEU:N	0.40	2.32	16	1
1:A:18:VAL:HG12	1:A:203:VAL:CG2	0.40	2.43	16	1
1:A:67:ILE:HG22	1:A:107:TYR:CD2	0.40	2.51	17	1
1:A:15:GLY:N	1:A:63:VAL:HG12	0.40	2.31	3	1
1:A:153:LEU:HD21	1:A:165:SER:OG	0.40	2.17	15	1

## 6.3 Torsion angles ⓘ

### 6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	83/219 (38%)	80±1 (96±1%)	3±1 (4±1%)	0±0 (0±0%)	100	100
All	All	1660/4380 (38%)	1601 (96%)	59 (4%)	0 (0%)	100	100

There are no Ramachandran outliers.

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	69/181 (38%)	61±3 (88±4%)	8±3 (12±4%)	9	52
All	All	1380/3620 (38%)	1220 (88%)	160 (12%)	9	52

All 43 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	197	SER	11
1	A	64	SER	10
1	A	16	ASP	9
1	A	103	LEU	9
1	A	56	THR	8
1	A	205	LYS	8
1	A	153	LEU	8
1	A	62	PHE	7
1	A	163	LEU	6
1	A	165	SER	6
1	A	58	ASP	6
1	A	22	ASN	5
1	A	150	GLN	5
1	A	166	ASP	5
1	A	20	SER	5
1	A	125	ARG	4
1	A	168	ARG	4
1	A	61	TYR	4
1	A	164	ASN	3
1	A	106	GLN	3
1	A	24	SER	3
1	A	154	ARG	2
1	A	66	ASN	2
1	A	70	ASP	2
1	A	161	TRP	2
1	A	116	TYR	2
1	A	118	TYR	2
1	A	25	LYS	2
1	A	72	PHE	2
1	A	54	THR	2
1	A	67	ILE	1
1	A	194	PHE	1
1	A	204	PHE	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	71	PHE	1
1	A	13	ASN	1
1	A	162	MET	1
1	A	196	LEU	1
1	A	195	ILE	1
1	A	65	SER	1
1	A	102	ILE	1
1	A	201	SER	1
1	A	105	LEU	1
1	A	155	TYR	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 39% for the well-defined parts and 25% for the entire structure.

### 7.1 Chemical shift list 1

File name: `working_cs.cif`

Chemical shift list name: *starch\_output*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	614
Number of shifts mapped to atoms	614
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	135	$0.38 \pm 0.13$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	106	$0.17 \pm 0.12$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	119	$0.55 \pm 0.14$	Should be applied
$^{15}\text{N}$	127	$-0.78 \pm 0.35$	Should be applied

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 39%, i.e. 394 atoms were assigned a chemical shift out of a possible 1010. 0 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	324/411 (79%)	81/164 (49%)	162/166 (98%)	81/81 (100%)
Sidechain	70/446 (16%)	0/259 (0%)	70/169 (41%)	0/18 (0%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	0/153 (0%)	0/81 (0%)	0/70 (0%)	0/2 (0%)
Overall	394/1010 (39%)	81/504 (16%)	232/405 (57%)	81/101 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 25%, i.e. 614 atoms were assigned a chemical shift out of a possible 2474. 0 out of 40 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	508/1035 (49%)	127/412 (31%)	254/422 (60%)	127/201 (63%)
Sidechain	106/1165 (9%)	0/678 (0%)	106/445 (24%)	0/42 (0%)
Aromatic	0/274 (0%)	0/145 (0%)	0/125 (0%)	0/4 (0%)
Overall	614/2474 (25%)	127/1235 (10%)	360/992 (36%)	127/247 (51%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

