



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 12:11 am BST

PDB ID : 4QD8  
Title : Crystal structure of Thioesterase PA1618 from *Pseudomonas aeruginosa* in complex with phenacyl-CoA  
Authors : Ji, T.; Allen, K.N.; Dunaway-Mariano, D.  
Deposited on : 2014-05-13  
Resolution : 1.62 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4693 (1.64-1.60)
Clashscore	141614	5002 (1.64-1.60)
Ramachandran outliers	138981	4888 (1.64-1.60)
Sidechain outliers	138945	4887 (1.64-1.60)
RSRZ outliers	127900	4609 (1.64-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	152	<div> <div>2%</div> <div> <div></div> <div>84%</div> <div>7%</div> <div>9%</div> </div> </div>
1	B	152	<div> <div>2%</div> <div> <div></div> <div>89%</div> <div>•</div> <div>9%</div> </div> </div>
1	C	152	<div> <div>3%</div> <div> <div></div> <div>86%</div> <div>5%</div> <div>•</div> <div>9%</div> </div> </div>
1	D	152	<div> <div>•</div> <div> <div></div> <div>87%</div> <div>5%</div> <div>9%</div> </div> </div>
1	E	152	<div> <div>3%</div> <div> <div></div> <div>82%</div> <div>9%</div> <div>9%</div> </div> </div>
1	F	152	<div> <div>3%</div> <div> <div></div> <div>87%</div> <div>5%</div> <div>9%</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7082 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioesterase PA1618.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	139	Total	C	N	O	S	0	0	0
			1055	656	192	201	6			
1	B	139	Total	C	N	O	S	0	0	0
			1055	656	192	201	6			
1	C	139	Total	C	N	O	S	0	0	0
			1055	656	192	201	6			
1	D	139	Total	C	N	O	S	0	0	0
			1055	656	192	201	6			
1	E	139	Total	C	N	O	S	0	0	0
			1055	656	192	201	6			
1	F	139	Total	C	N	O	S	0	0	0
			1055	656	192	201	6			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	145	LEU	-	EXPRESSION TAG	UNP Q9I3A4
A	146	GLU	-	EXPRESSION TAG	UNP Q9I3A4
A	147	HIS	-	EXPRESSION TAG	UNP Q9I3A4
A	148	HIS	-	EXPRESSION TAG	UNP Q9I3A4
A	149	HIS	-	EXPRESSION TAG	UNP Q9I3A4
A	150	HIS	-	EXPRESSION TAG	UNP Q9I3A4
A	151	HIS	-	EXPRESSION TAG	UNP Q9I3A4
A	152	HIS	-	EXPRESSION TAG	UNP Q9I3A4
B	145	LEU	-	EXPRESSION TAG	UNP Q9I3A4
B	146	GLU	-	EXPRESSION TAG	UNP Q9I3A4
B	147	HIS	-	EXPRESSION TAG	UNP Q9I3A4
B	148	HIS	-	EXPRESSION TAG	UNP Q9I3A4
B	149	HIS	-	EXPRESSION TAG	UNP Q9I3A4
B	150	HIS	-	EXPRESSION TAG	UNP Q9I3A4
B	151	HIS	-	EXPRESSION TAG	UNP Q9I3A4
B	152	HIS	-	EXPRESSION TAG	UNP Q9I3A4
C	145	LEU	-	EXPRESSION TAG	UNP Q9I3A4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	146	GLU	-	EXPRESSION TAG	UNP Q9I3A4
C	147	HIS	-	EXPRESSION TAG	UNP Q9I3A4
C	148	HIS	-	EXPRESSION TAG	UNP Q9I3A4
C	149	HIS	-	EXPRESSION TAG	UNP Q9I3A4
C	150	HIS	-	EXPRESSION TAG	UNP Q9I3A4
C	151	HIS	-	EXPRESSION TAG	UNP Q9I3A4
C	152	HIS	-	EXPRESSION TAG	UNP Q9I3A4
D	145	LEU	-	EXPRESSION TAG	UNP Q9I3A4
D	146	GLU	-	EXPRESSION TAG	UNP Q9I3A4
D	147	HIS	-	EXPRESSION TAG	UNP Q9I3A4
D	148	HIS	-	EXPRESSION TAG	UNP Q9I3A4
D	149	HIS	-	EXPRESSION TAG	UNP Q9I3A4
D	150	HIS	-	EXPRESSION TAG	UNP Q9I3A4
D	151	HIS	-	EXPRESSION TAG	UNP Q9I3A4
D	152	HIS	-	EXPRESSION TAG	UNP Q9I3A4
E	145	LEU	-	EXPRESSION TAG	UNP Q9I3A4
E	146	GLU	-	EXPRESSION TAG	UNP Q9I3A4
E	147	HIS	-	EXPRESSION TAG	UNP Q9I3A4
E	148	HIS	-	EXPRESSION TAG	UNP Q9I3A4
E	149	HIS	-	EXPRESSION TAG	UNP Q9I3A4
E	150	HIS	-	EXPRESSION TAG	UNP Q9I3A4
E	151	HIS	-	EXPRESSION TAG	UNP Q9I3A4
E	152	HIS	-	EXPRESSION TAG	UNP Q9I3A4
F	145	LEU	-	EXPRESSION TAG	UNP Q9I3A4
F	146	GLU	-	EXPRESSION TAG	UNP Q9I3A4
F	147	HIS	-	EXPRESSION TAG	UNP Q9I3A4
F	148	HIS	-	EXPRESSION TAG	UNP Q9I3A4
F	149	HIS	-	EXPRESSION TAG	UNP Q9I3A4
F	150	HIS	-	EXPRESSION TAG	UNP Q9I3A4
F	151	HIS	-	EXPRESSION TAG	UNP Q9I3A4
F	152	HIS	-	EXPRESSION TAG	UNP Q9I3A4

- Molecule 2 is phenacyl coenzyme A (three-letter code: 0FQ) (formula: C<sub>29</sub>H<sub>42</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	C	1	Total 57	C 29	N 7	O 17	P 3	S 1	4	0
2	C	1	Total 57	C 29	N 7	O 17	P 3	S 1	1	0
2	D	1	Total 57	C 29	N 7	O 17	P 3	S 1	0	0
2	D	1	Total 57	C 29	N 7	O 17	P 3	S 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	93	Total	O	0	0
			93	93		
3	B	96	Total	O	0	0
			96	96		
3	C	71	Total	O	0	0
			71	71		
3	D	110	Total	O	0	0
			110	110		
3	E	65	Total	O	0	0
			65	65		
3	F	89	Total	O	0	0
			89	89		



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Thioesterase PA1618




#### • Molecule 1: Thioesterase PA1618




#### • Molecule 1: Thioesterase PA1618




#### • Molecule 1: Thioesterase PA1618



#### • Molecule 1: Thioesterase PA1618



#### • Molecule 1: Thioesterase PA1618



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.69Å 202.00Å 91.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.79 – 1.62 47.79 – 1.62	Depositor EDS
% Data completeness (in resolution range)	99.2 (47.79-1.62) 99.2 (47.79-1.62)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.44 (at 1.62Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, $R_{free}$	0.204 , 0.236 0.204 , 0.235	Depositor DCC
$R_{free}$ test set	2000 reflections (1.69%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.1	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 45.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7082	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.17 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8328e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 0FQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/1074	0.58	0/1458
1	B	0.40	0/1074	0.56	0/1458
1	C	0.33	0/1074	0.55	0/1458
1	D	0.36	0/1074	0.58	0/1458
1	E	0.32	0/1074	0.53	0/1458
1	F	0.32	0/1074	0.56	0/1458
All	All	0.35	0/6444	0.56	0/8748

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1055	0	1045	6	0
1	B	1055	0	1045	1	0
1	C	1055	0	1044	5	0
1	D	1055	0	1045	3	0
1	E	1055	0	1045	8	0
1	F	1055	0	1045	3	0
2	C	114	0	76	7	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	114	0	75	2	0
3	A	93	0	0	2	1
3	B	96	0	0	0	0
3	C	71	0	0	4	0
3	D	110	0	0	1	1
3	E	65	0	0	3	0
3	F	89	0	0	0	0
All	All	7082	0	6420	30	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:96:ARG:HE	2:C:202:0FQ:HN6A	1.36	0.73
2:C:202:0FQ:O7A	2:C:202:0FQ:O2D	2.10	0.68
1:E:2:SER:OG	1:E:3:LEU:N	2.28	0.67
2:C:202:0FQ:H5D	1:E:111:ARG:HH21	1.63	0.64
2:C:201:0FQ:H1D	3:C:307:HOH:O	1.98	0.62
1:C:2:SER:OG	1:C:35:GLU:O	2.18	0.61
1:A:28:ARG:NE	3:A:267:HOH:O	2.31	0.61
2:C:202:0FQ:P3D	2:C:202:0FQ:HO2D	2.25	0.59
1:D:108:HIS:CE1	2:D:201:0FQ:O8A	2.59	0.55
1:E:29:PHE:CZ	1:E:69:MET:HG3	2.41	0.55
1:C:29:PHE:CZ	1:C:69:MET:HG3	2.42	0.54
1:A:28:ARG:NH2	1:A:30:GLU:OE1	2.39	0.52
1:A:46:ARG:NH1	3:A:277:HOH:O	2.30	0.52
1:C:93:ARG:NH1	3:C:367:HOH:O	2.45	0.50
1:D:29:PHE:CZ	1:D:69:MET:HG3	2.48	0.49
1:F:29:PHE:CZ	1:F:69:MET:HG3	2.47	0.49
1:C:2:SER:OG	3:C:306:HOH:O	2.10	0.48
1:E:51:PHE:O	3:E:223:HOH:O	2.19	0.48
1:D:117:ASP:OD2	3:D:371:HOH:O	2.20	0.47
2:D:202:0FQ:H5D	1:F:108:HIS:HE1	1.79	0.47
2:C:201:0FQ:H4D	3:C:307:HOH:O	2.14	0.46
1:E:28:ARG:NH2	3:E:249:HOH:O	2.17	0.45
1:E:120:LEU:HB2	1:E:129:CYS:HB3	2.01	0.43
1:F:79:GLN:HB2	1:F:80:TYR:CD2	2.54	0.43
1:A:30:GLU:OE1	1:A:40:SER:OG	2.37	0.43
1:A:72:TYR:OH	1:A:81:TYR:HB2	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:44:ASP:HB2	3:E:237:HOH:O	2.19	0.42
2:C:202:0FQ:C5D	1:E:111:ARG:HH21	2.32	0.41
1:B:30:GLU:OE2	1:B:40:SER:OG	2.23	0.41
1:A:9:ASP:HB3	1:A:12:GLN:OE1	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:285:HOH:O	3:D:333:HOH:O[3_655]	2.07	0.13

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	137/152 (90%)	134 (98%)	3 (2%)	0	100	100
1	B	137/152 (90%)	135 (98%)	2 (2%)	0	100	100
1	C	137/152 (90%)	134 (98%)	3 (2%)	0	100	100
1	D	137/152 (90%)	135 (98%)	2 (2%)	0	100	100
1	E	137/152 (90%)	134 (98%)	3 (2%)	0	100	100
1	F	137/152 (90%)	134 (98%)	3 (2%)	0	100	100
All	All	822/912 (90%)	806 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	115/125 (92%)	112 (97%)	3 (3%)	46	19
1	B	115/125 (92%)	113 (98%)	2 (2%)	60	36
1	C	115/125 (92%)	111 (96%)	4 (4%)	36	11
1	D	115/125 (92%)	112 (97%)	3 (3%)	46	19
1	E	115/125 (92%)	111 (96%)	4 (4%)	36	11
1	F	115/125 (92%)	113 (98%)	2 (2%)	60	36
All	All	690/750 (92%)	672 (97%)	18 (3%)	46	19

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	6	GLN
1	A	49	GLN
1	B	49	GLN
1	B	79	GLN
1	C	2	SER
1	C	3	LEU
1	C	28	ARG
1	C	49	GLN
1	D	6	GLN
1	D	7	THR
1	D	49	GLN
1	E	6	GLN
1	E	24	LEU
1	E	49	GLN
1	E	78	SER
1	F	3	LEU
1	F	49	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	12	GLN
1	F	108	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	0FQ	C	202	-	52,60,60	1.92	16 (30%)	66,88,88	1.42	12 (18%)
2	0FQ	C	201	-	52,60,60	1.90	16 (30%)	66,88,88	1.41	10 (15%)
2	0FQ	D	201	-	52,60,60	1.76	14 (26%)	66,88,88	1.76	15 (22%)
2	0FQ	D	202	-	52,60,60	1.96	18 (34%)	66,88,88	1.34	9 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0FQ	C	202	-	-	16/52/72/72	0/4/4/4
2	0FQ	C	201	-	-	14/52/72/72	0/4/4/4
2	0FQ	D	201	-	-	15/52/72/72	0/4/4/4
2	0FQ	D	202	-	-	8/52/72/72	0/4/4/4

All (64) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	202	0FQ	C5P-N4P	6.17	1.47	1.33
2	C	201	0FQ	C5P-N4P	5.69	1.46	1.33
2	D	202	0FQ	C5P-N4P	5.55	1.46	1.33
2	D	201	0FQ	C5P-N4P	5.45	1.45	1.33
2	C	201	0FQ	C2D-C3D	-4.80	1.42	1.52
2	C	201	0FQ	C9P-N8P	3.76	1.41	1.33
2	D	202	0FQ	C2D-C1D	-3.55	1.48	1.53
2	C	201	0FQ	C6A-N6A	3.40	1.46	1.34
2	D	202	0FQ	C2D-C3D	-3.38	1.45	1.52
2	D	201	0FQ	C6A-N6A	3.36	1.46	1.34
2	C	202	0FQ	C2D-C3D	-3.31	1.45	1.52
2	C	202	0FQ	CB-C1B	-3.26	1.48	1.51
2	D	202	0FQ	P2A-O5A	-3.26	1.40	1.55
2	C	202	0FQ	C9P-N8P	3.22	1.40	1.33
2	C	202	0FQ	O4D-C4D	-3.20	1.37	1.45
2	D	202	0FQ	O9P-C9P	-3.19	1.17	1.23
2	C	201	0FQ	C2D-C1D	-3.15	1.49	1.53
2	D	201	0FQ	CB-S1P	-3.07	1.73	1.81
2	C	202	0FQ	P3D-O3D	3.03	1.65	1.59
2	C	202	0FQ	C6A-N6A	3.02	1.45	1.34
2	D	201	0FQ	C2D-C3D	-2.93	1.46	1.52
2	C	201	0FQ	CB-S1P	-2.91	1.74	1.81
2	D	201	0FQ	P3D-O3D	2.89	1.64	1.59
2	D	201	0FQ	P2A-O5A	-2.80	1.42	1.55
2	D	202	0FQ	CB-S1P	-2.79	1.74	1.81
2	C	201	0FQ	O9P-C9P	-2.75	1.17	1.23
2	C	202	0FQ	P2A-O5A	-2.75	1.42	1.55
2	D	202	0FQ	O4D-C4D	-2.65	1.39	1.45
2	D	201	0FQ	C7B-C2B	-2.65	1.34	1.39
2	C	201	0FQ	C3D-C4D	-2.63	1.45	1.52
2	D	201	0FQ	P2A-O4A	-2.63	1.41	1.50
2	D	202	0FQ	C7B-C2B	-2.62	1.34	1.39
2	D	202	0FQ	C9P-N8P	2.62	1.39	1.33
2	C	201	0FQ	CEP-CBP	-2.59	1.48	1.53
2	C	202	0FQ	C6P-C5P	-2.58	1.46	1.51
2	D	202	0FQ	P2A-O4A	-2.57	1.41	1.50
2	D	202	0FQ	O2D-C2D	-2.53	1.37	1.43
2	C	202	0FQ	O1B-C1B	-2.52	1.18	1.22
2	D	201	0FQ	P1A-O5D	-2.52	1.49	1.59
2	D	201	0FQ	C3D-C4D	-2.51	1.46	1.52
2	C	201	0FQ	P2A-O5A	-2.50	1.43	1.55
2	D	202	0FQ	O4D-C1D	-2.50	1.37	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	202	0FQ	C6P-C5P	-2.49	1.46	1.51
2	D	201	0FQ	C9P-N8P	2.42	1.38	1.33
2	C	201	0FQ	P2A-O4A	-2.39	1.42	1.50
2	C	202	0FQ	CEP-CBP	-2.37	1.48	1.53
2	D	202	0FQ	CB-C1B	-2.35	1.49	1.51
2	D	202	0FQ	O1B-C1B	-2.22	1.18	1.22
2	C	202	0FQ	C2P-S1P	-2.19	1.73	1.81
2	D	201	0FQ	CEP-CBP	-2.19	1.49	1.53
2	C	202	0FQ	CB-S1P	-2.17	1.76	1.81
2	C	201	0FQ	P1A-O5D	-2.16	1.50	1.59
2	C	201	0FQ	O5D-C5D	-2.15	1.36	1.44
2	C	202	0FQ	C2D-C1D	-2.15	1.50	1.53
2	C	201	0FQ	CB-C1B	-2.12	1.49	1.51
2	C	201	0FQ	C6P-C5P	-2.11	1.47	1.51
2	D	202	0FQ	C6A-N6A	2.09	1.41	1.34
2	D	201	0FQ	O5D-C5D	-2.06	1.36	1.44
2	C	202	0FQ	C7B-C2B	-2.05	1.35	1.39
2	D	202	0FQ	CEP-CBP	-2.05	1.49	1.53
2	C	202	0FQ	C2A-N3A	2.04	1.35	1.32
2	C	201	0FQ	C2A-N3A	2.02	1.35	1.32
2	D	201	0FQ	O4D-C4D	-2.02	1.40	1.45
2	D	202	0FQ	P1A-O2A	-2.01	1.45	1.55

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	201	0FQ	C1D-N9A-C4A	5.49	136.28	126.64
2	C	202	0FQ	N3A-C2A-N1A	-4.89	121.03	128.68
2	C	201	0FQ	C4A-C5A-N7A	-4.39	104.83	109.40
2	C	201	0FQ	N3A-C2A-N1A	-4.09	122.28	128.68
2	D	201	0FQ	O5D-C5D-C4D	4.02	122.81	108.99
2	D	201	0FQ	C2D-C3D-C4D	-3.93	96.26	103.22
2	D	202	0FQ	C5A-C6A-N6A	-3.53	114.99	120.35
2	D	201	0FQ	O4D-C1D-C2D	-3.41	101.94	106.93
2	D	201	0FQ	N3A-C2A-N1A	-3.30	123.52	128.68
2	C	202	0FQ	O5D-C5D-C4D	3.27	120.23	108.99
2	C	201	0FQ	O4D-C1D-C2D	-3.25	102.18	106.93
2	D	202	0FQ	N6A-C6A-N1A	3.22	125.26	118.57
2	D	201	0FQ	C7P-C6P-C5P	3.17	117.64	112.36
2	D	201	0FQ	O3D-C3D-C4D	2.89	120.55	110.08
2	D	202	0FQ	C3P-N4P-C5P	-2.88	117.48	122.84
2	C	202	0FQ	C4A-C5A-N7A	-2.88	106.40	109.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	201	0FQ	C4A-C5A-N7A	-2.74	106.55	109.40
2	D	201	0FQ	C5D-C4D-C3D	2.73	123.46	114.40
2	C	201	0FQ	C2P-C3P-N4P	2.71	118.11	112.42
2	D	201	0FQ	C2P-C3P-N4P	2.65	117.99	112.42
2	D	201	0FQ	O1B-C1B-CB	2.62	124.10	120.55
2	C	202	0FQ	C2P-C3P-N4P	2.59	117.86	112.42
2	C	202	0FQ	CDP-CBP-CAP	2.59	113.31	108.82
2	D	201	0FQ	C2P-S1P-CB	2.56	105.98	101.71
2	C	201	0FQ	O4D-C4D-C3D	2.51	110.26	104.87
2	D	201	0FQ	CB-C1B-C2B	-2.50	115.62	117.94
2	C	201	0FQ	C7P-C6P-C5P	2.47	116.47	112.36
2	D	202	0FQ	O3D-P3D-O7A	2.45	118.84	109.39
2	D	202	0FQ	C7B-C2B-C3B	2.38	121.98	118.59
2	C	202	0FQ	O3D-C3D-C4D	2.36	118.63	110.08
2	C	202	0FQ	CDP-CBP-CCP	-2.30	104.48	108.23
2	D	202	0FQ	C7P-N8P-C9P	-2.28	118.51	122.59
2	D	202	0FQ	O3D-C3D-C4D	2.26	118.26	110.08
2	C	201	0FQ	O5P-C5P-C6P	-2.23	117.93	122.02
2	C	201	0FQ	CEP-CBP-CAP	2.22	112.67	108.82
2	D	202	0FQ	CDP-CBP-CAP	2.21	112.65	108.82
2	C	201	0FQ	C5A-C6A-N6A	2.19	123.68	120.35
2	C	202	0FQ	C3P-N4P-C5P	-2.17	118.82	122.84
2	D	202	0FQ	O2D-C2D-C1D	-2.16	102.88	110.85
2	C	201	0FQ	CAP-C9P-N8P	2.14	120.84	116.58
2	C	202	0FQ	C7P-N8P-C9P	-2.09	118.86	122.59
2	C	202	0FQ	C7P-C6P-C5P	2.07	115.81	112.36
2	C	202	0FQ	C3D-C2D-C1D	2.06	104.46	99.89
2	C	202	0FQ	P2A-O3A-P1A	-2.03	125.88	132.83
2	D	201	0FQ	C7P-N8P-C9P	-2.01	119.01	122.59
2	D	201	0FQ	O4D-C4D-C3D	-2.00	100.58	104.87

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	202	0FQ	O1B-C1B-CB-S1P
2	C	202	0FQ	CCP-O6A-P2A-O4A
2	C	202	0FQ	CCP-O6A-P2A-O5A
2	C	201	0FQ	O1B-C1B-CB-S1P
2	C	201	0FQ	C2B-C1B-CB-S1P
2	C	201	0FQ	CCP-O6A-P2A-O4A
2	C	201	0FQ	CCP-O6A-P2A-O5A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	201	0FQ	O1B-C1B-CB-S1P
2	D	201	0FQ	C2B-C1B-CB-S1P
2	D	201	0FQ	C5D-O5D-P1A-O1A
2	D	201	0FQ	C5D-O5D-P1A-O2A
2	D	201	0FQ	CCP-O6A-P2A-O3A
2	D	201	0FQ	C3D-O3D-P3D-O7A
2	D	202	0FQ	CCP-O6A-P2A-O4A
2	D	202	0FQ	CCP-O6A-P2A-O5A
2	D	202	0FQ	C3D-O3D-P3D-O7A
2	C	201	0FQ	C3D-C4D-C5D-O5D
2	C	201	0FQ	O4D-C4D-C5D-O5D
2	C	202	0FQ	C4D-C5D-O5D-P1A
2	C	202	0FQ	C2D-C3D-O3D-P3D
2	D	201	0FQ	C3D-C4D-C5D-O5D
2	D	201	0FQ	O4D-C4D-C5D-O5D
2	C	202	0FQ	C4D-C3D-O3D-P3D
2	C	202	0FQ	C3D-C4D-C5D-O5D
2	D	202	0FQ	O1B-C1B-CB-S1P
2	C	202	0FQ	C2B-C1B-CB-S1P
2	D	202	0FQ	C2B-C1B-CB-S1P
2	C	202	0FQ	P1A-O3A-P2A-O4A
2	D	202	0FQ	P1A-O3A-P2A-O4A
2	C	202	0FQ	O4D-C4D-C5D-O5D
2	C	201	0FQ	C4D-C5D-O5D-P1A
2	C	202	0FQ	P2A-O3A-P1A-O5D
2	C	201	0FQ	O1B-C1B-C2B-C7B
2	D	202	0FQ	C3D-O3D-P3D-O8A
2	C	201	0FQ	O1B-C1B-C2B-C3B
2	C	201	0FQ	P1A-O3A-P2A-O5A
2	D	201	0FQ	CCP-O6A-P2A-O4A
2	C	202	0FQ	O1B-C1B-C2B-C3B
2	C	201	0FQ	CB-C1B-C2B-C7B
2	D	201	0FQ	CB-C1B-C2B-C7B
2	D	201	0FQ	O1B-C1B-C2B-C3B
2	D	201	0FQ	O1B-C1B-C2B-C7B
2	C	201	0FQ	CB-C1B-C2B-C3B
2	C	202	0FQ	O1B-C1B-C2B-C7B
2	D	201	0FQ	CB-C1B-C2B-C3B
2	C	202	0FQ	C5D-O5D-P1A-O3A
2	C	202	0FQ	CCP-O6A-P2A-O3A
2	C	201	0FQ	CCP-O6A-P2A-O3A
2	D	201	0FQ	C5D-O5D-P1A-O3A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	201	0FQ	C3D-O3D-P3D-O9A
2	D	202	0FQ	CCP-O6A-P2A-O3A
2	C	201	0FQ	P1A-O3A-P2A-O4A
2	C	202	0FQ	C5D-O5D-P1A-O1A


There are no ring outliers.

4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	202	0FQ	5	0
2	C	201	0FQ	2	0
2	D	201	0FQ	1	0
2	D	202	0FQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


## Ligand 0FQ C 202




## Ligand 0FQ C 201



## Ligand 0FQ D 201



## Ligand 0FQ D 202



## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	139/152 (91%)	-0.14	3 (2%) 62 60	14, 20, 32, 36	0
1	B	139/152 (91%)	-0.09	3 (2%) 62 60	15, 25, 37, 42	0
1	C	139/152 (91%)	0.19	4 (2%) 51 48	16, 27, 39, 48	0
1	D	139/152 (91%)	0.12	2 (1%) 75 74	13, 20, 37, 44	0
1	E	139/152 (91%)	0.16	5 (3%) 42 39	17, 28, 41, 50	0
1	F	139/152 (91%)	-0.02	5 (3%) 42 39	14, 23, 41, 44	0
All	All	834/912 (91%)	0.04	22 (2%) 56 53	13, 24, 39, 50	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	2	SER	9.8
1	C	111	ARG	3.8
1	E	2	SER	3.6
1	E	6	GLN	3.2
1	A	72	TYR	2.8
1	D	78	SER	2.7
1	E	18	LYS	2.6
1	E	124	ASP	2.6
1	F	111	ARG	2.5
1	B	51	PHE	2.3
1	F	81	TYR	2.3
1	C	28	ARG	2.3
1	E	96	ARG	2.2
1	A	6	GLN	2.2
1	F	2	SER	2.2
1	C	18	LYS	2.2
1	F	6	GLN	2.1
1	B	18	LYS	2.1
1	B	11	GLU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	140	LEU	2.1
1	A	2	SER	2.1
1	D	51	PHE	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	0FQ	C	201	57/57	0.85	0.22	25,39,61,65	18
2	0FQ	C	202	57/57	0.90	0.21	23,33,64,66	20
2	0FQ	D	202	57/57	0.93	0.14	20,31,43,49	14
2	0FQ	D	201	57/57	0.94	0.16	21,30,66,68	23




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 0FQ C 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 0FQ C 202:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around 0FQ D 202:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 0FQ D 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.