



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 09:42 AM BST

PDB ID : 1QFC
Title : STRUCTURE OF RAT PURPLE ACID PHOSPHATASE
Authors : Uppenberg, J.; Lindqvist, F.; Svensson, C.; Ek-Rylander, B.; Andersson, G.
Deposited on : 1999-04-08
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	306	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	A	410	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 2290 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (PURPLE ACID PHOSPHATASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2269	1451	399	409	10			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Fe	0	0
			2	2		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PROTEIN (PURPLE ACID PHOSPHATASE)



4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	116.38 Å 116.38 Å 63.27 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 82.29 – 2.69	Depositor EDS
% Data completeness (in resolution range)	89.0 (15.00-2.70) 97.9 (82.29-2.69)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 2.69 Å)	Xtriage
Refinement program	CNS 0.4	Depositor
R, R_{free}	0.234 , 0.281 0.287 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	52.8	Xtriage
Anisotropy	1.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 62.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	0.012 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	2290	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NAG, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/2330	0.72	1/3160 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	55	TYR	N-CA-C	8.52	134.01	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2269	0	2213	170	0
2	A	14	0	13	6	0
3	A	2	0	0	0	0
4	A	5	0	0	2	0
All	All	2290	0	2226	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:ALA:HB2	1:A:178:GLU:HG3	1.23	1.12
1:A:31:ASN:OD1	1:A:271:GLY:HA3	1.71	0.90
1:A:15:TRP:HA	1:A:243:ASN:HB2	1.57	0.85
1:A:23:PHE:HB3	1:A:70:THR:CG2	2.06	0.85
1:A:23:PHE:HB3	1:A:70:THR:HG21	1.59	0.83
1:A:19:PRO:HD3	1:A:56:PHE:HB2	1.62	0.81
1:A:23:PHE:HE2	1:A:71:PHE:HA	1.45	0.80
1:A:18:VAL:HG13	1:A:23:PHE:HD1	1.45	0.80
1:A:228:LEU:HB2	1:A:236:TYR:HB2	1.65	0.77
1:A:16:GLY:O	1:A:55:TYR:HB2	1.85	0.76
1:A:124:VAL:CG2	1:A:129:ILE:HB	2.16	0.75
1:A:18:VAL:HG13	1:A:23:PHE:CD1	2.23	0.74
1:A:132:ALA:CB	1:A:178:GLU:HG3	2.13	0.74
1:A:39:VAL:HG11	1:A:80:LEU:HD23	1.70	0.73
1:A:124:VAL:HG21	1:A:129:ILE:HB	1.71	0.72
1:A:62:ALA:HB2	2:A:400:NAG:O5	1.90	0.71
1:A:59:VAL:HA	1:A:65:LYS:HG3	1.74	0.70
1:A:31:ASN:HD21	1:A:272:GLY:H	1.39	0.69
1:A:123:LYS:HG3	1:A:130:THR:HG22	1.74	0.68
1:A:195:HIS:NE2	4:A:410:PO4:O1	2.26	0.68
1:A:228:LEU:HD13	1:A:260:LEU:HA	1.76	0.67
1:A:30:ALA:HB2	1:A:270:LEU:HD13	1.77	0.66
1:A:129:ILE:HG13	1:A:280:SER:HA	1.76	0.66
1:A:14:ASP:HB3	1:A:55:TYR:OH	1.95	0.66
1:A:63:ASN:HB3	1:A:107:ILE:HD12	1.77	0.66
1:A:30:ALA:CB	1:A:270:LEU:HD13	2.27	0.65
1:A:124:VAL:HG23	1:A:126:ARG:H	1.60	0.64
1:A:187:TYR:HB3	1:A:198:THR:HG21	1.79	0.64
1:A:249:VAL:O	1:A:252:GLN:HG3	1.98	0.64
1:A:23:PHE:CE2	1:A:71:PHE:HA	2.31	0.64
1:A:192:ILE:HG22	1:A:255:VAL:HG21	1.80	0.62
1:A:170:LYS:HE2	1:A:212:TYR:OH	2.00	0.62
1:A:31:ASN:HD21	1:A:272:GLY:N	1.96	0.62
1:A:132:ALA:HB2	1:A:178:GLU:CG	2.16	0.62
1:A:72:GLU:HA	1:A:110:ARG:HH21	1.65	0.61
1:A:60:HIS:H	1:A:65:LYS:CG	2.14	0.61
1:A:18:VAL:HB	1:A:19:PRO:HA	1.82	0.61
1:A:63:ASN:HB3	1:A:107:ILE:CD1	2.31	0.61
1:A:65:LYS:HD3	1:A:66:ARG:N	2.16	0.61
1:A:134:PHE:CE2	1:A:172:GLN:HB3	2.35	0.60
1:A:62:ALA:HB1	2:A:400:NAG:O6	2.01	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:PHE:CZ	1:A:295:LEU:HD13	2.39	0.57
1:A:70:THR:O	1:A:74:VAL:HG23	2.05	0.57
1:A:58:GLY:O	1:A:59:VAL:HB	2.05	0.57
1:A:227:TYR:OH	1:A:300:LEU:HD21	2.05	0.57
1:A:129:ILE:HD11	1:A:302:ARG:CZ	2.36	0.56
1:A:63:ASN:OD1	1:A:104:TYR:N	2.38	0.56
1:A:124:VAL:HG22	1:A:129:ILE:HB	1.86	0.56
1:A:36:ALA:O	1:A:40:GLN:HG3	2.04	0.56
1:A:194:GLU:HG2	1:A:195:HIS:N	2.21	0.56
1:A:8:ARG:HG2	1:A:277:GLU:HG3	1.88	0.55
1:A:61:ASP:HB3	1:A:64:ASP:HB2	1.89	0.55
1:A:239:SER:HB3	1:A:274:THR:HG23	1.89	0.55
1:A:7:LEU:HD12	1:A:45:ASP:OD2	2.06	0.55
1:A:131:VAL:HG22	1:A:180:TYR:HB2	1.88	0.54
1:A:262:PHE:HZ	1:A:295:LEU:HD13	1.72	0.54
1:A:23:PHE:HB3	1:A:70:THR:CB	2.38	0.54
1:A:18:VAL:CG1	1:A:23:PHE:HD1	2.20	0.54
1:A:60:HIS:HD2	1:A:65:LYS:HE2	1.72	0.53
1:A:18:VAL:HA	1:A:19:PRO:O	2.08	0.53
1:A:23:PHE:HD2	1:A:70:THR:O	1.91	0.53
1:A:78:ARG:HA	1:A:81:ARG:HB2	1.90	0.53
1:A:188:PRO:O	1:A:198:THR:HG23	2.09	0.53
1:A:72:GLU:HA	1:A:110:ARG:NH2	2.23	0.53
1:A:52:ASP:H	1:A:90:GLY:HA3	1.73	0.53
1:A:193:ALA:HB3	1:A:222:ASP:CG	2.29	0.53
1:A:52:ASP:HB3	1:A:55:TYR:CE1	2.44	0.53
1:A:120:LEU:HB2	1:A:133:ILE:HB	1.91	0.52
1:A:62:ALA:HA	1:A:100:ALA:CB	2.39	0.52
1:A:5:SER:OG	1:A:125:PRO:HB2	2.09	0.52
1:A:62:ALA:HB1	2:A:400:NAG:C6	2.39	0.52
1:A:23:PHE:CB	1:A:70:THR:HB	2.40	0.51
1:A:8:ARG:CG	1:A:277:GLU:HG3	2.40	0.51
1:A:48:MET:HA	1:A:86:TYR:O	2.11	0.51
1:A:102:ILE:HG23	1:A:113:PHE:O	2.11	0.51
1:A:62:ALA:O	1:A:63:ASN:CB	2.58	0.51
1:A:18:VAL:HB	1:A:67:PHE:CE2	2.46	0.51
1:A:23:PHE:O	1:A:23:PHE:CG	2.64	0.51
1:A:91:ASN:ND2	4:A:410:PO4:O2	2.36	0.51
1:A:68:GLN:HB3	1:A:104:TYR:CZ	2.46	0.51
1:A:87:VAL:HG12	1:A:88:LEU:N	2.26	0.51
1:A:18:VAL:HG11	1:A:67:PHE:CD1	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:PHE:CE2	1:A:71:PHE:CA	2.94	0.50
1:A:85:TRP:O	1:A:112:ASN:HB2	2.12	0.50
1:A:60:HIS:H	1:A:65:LYS:HG3	1.75	0.50
1:A:39:VAL:HG23	1:A:44:ALA:N	2.26	0.50
1:A:60:HIS:H	1:A:65:LYS:HG2	1.76	0.50
1:A:39:VAL:HG11	1:A:80:LEU:CD2	2.40	0.50
1:A:23:PHE:CD2	1:A:70:THR:C	2.85	0.50
1:A:23:PHE:CD2	1:A:70:THR:HB	2.47	0.49
1:A:140:MET:O	1:A:162:ALA:HB3	2.13	0.49
1:A:194:GLU:HG2	1:A:195:HIS:H	1.77	0.49
1:A:62:ALA:O	1:A:63:ASN:HB2	2.12	0.49
1:A:97:ASN:O	1:A:100:ALA:HB3	2.12	0.49
1:A:207:PRO:O	1:A:211:ALA:HB2	2.13	0.49
1:A:228:LEU:HD22	1:A:228:LEU:N	2.28	0.49
1:A:23:PHE:CD2	1:A:70:THR:O	2.66	0.49
1:A:186:HIS:O	1:A:221:HIS:HB2	2.13	0.48
1:A:191:SER:HB2	1:A:238:LEU:CD1	2.44	0.48
1:A:162:ALA:HB1	1:A:165:GLN:CB	2.44	0.47
1:A:53:ASN:HD22	1:A:101:GLN:HE22	1.63	0.47
1:A:218:LEU:HG	1:A:237:VAL:HB	1.96	0.47
1:A:87:VAL:HG21	1:A:111:TRP:CZ2	2.49	0.47
1:A:35:ILE:O	1:A:39:VAL:HG12	2.13	0.47
1:A:127:SER:O	1:A:129:ILE:N	2.47	0.47
1:A:228:LEU:CD1	1:A:260:LEU:HA	2.44	0.47
1:A:249:VAL:HB	1:A:252:GLN:HG2	1.97	0.47
1:A:162:ALA:HB1	1:A:165:GLN:HB2	1.98	0.46
1:A:124:VAL:HG23	1:A:126:ARG:N	2.30	0.46
1:A:228:LEU:HD13	1:A:260:LEU:HD12	1.98	0.46
1:A:227:TYR:HB2	1:A:287:TYR:CZ	2.51	0.46
1:A:239:SER:HB3	1:A:274:THR:CG2	2.46	0.46
1:A:19:PRO:O	1:A:20:ASN:HB2	2.16	0.45
1:A:226:GLN:HG3	1:A:238:LEU:HB3	1.96	0.45
1:A:36:ALA:HA	1:A:80:LEU:HD21	1.97	0.45
1:A:88:LEU:HG	1:A:135:MET:CE	2.46	0.45
1:A:51:GLY:HA3	1:A:186:HIS:ND1	2.32	0.45
1:A:87:VAL:HG21	1:A:111:TRP:CE2	2.51	0.45
1:A:23:PHE:CG	1:A:70:THR:HB	2.51	0.45
1:A:285:ILE:HD12	1:A:285:ILE:N	2.31	0.45
1:A:209:LEU:HA	1:A:214:VAL:CG2	2.47	0.45
1:A:62:ALA:CB	2:A:400:NAG:O6	2.64	0.45
1:A:88:LEU:HA	1:A:88:LEU:HD23	1.77	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:ARG:HB3	1:A:207:PRO:HD3	1.99	0.45
1:A:245:MET:CE	1:A:265:GLY:HA2	2.47	0.45
1:A:134:PHE:HE2	1:A:172:GLN:HB3	1.78	0.45
1:A:230:ASP:OD1	1:A:232:ASN:HB2	2.17	0.45
1:A:71:PHE:CD2	1:A:72:GLU:N	2.86	0.45
1:A:278:ILE:HG12	1:A:283:MET:HG3	1.99	0.44
1:A:227:TYR:HB2	1:A:287:TYR:OH	2.16	0.44
1:A:14:ASP:HA	1:A:52:ASP:HB2	2.00	0.44
1:A:218:LEU:HA	1:A:237:VAL:O	2.17	0.44
1:A:14:ASP:O	1:A:243:ASN:HB3	2.18	0.44
1:A:62:ALA:CB	2:A:400:NAG:H4	2.48	0.44
1:A:23:PHE:HB3	1:A:70:THR:HB	1.98	0.44
1:A:225:LEU:HD11	1:A:272:GLY:HA3	2.00	0.44
1:A:5:SER:OG	1:A:126:ARG:HG2	2.18	0.44
1:A:120:LEU:HB3	1:A:122:PHE:CE1	2.52	0.43
1:A:198:THR:OG1	1:A:201:LEU:HB2	2.18	0.43
1:A:223:HIS:HA	1:A:240:GLY:O	2.18	0.43
1:A:228:LEU:HA	1:A:259:TYR:O	2.17	0.43
1:A:59:VAL:HG13	1:A:65:LYS:HB2	1.99	0.43
1:A:188:PRO:HD2	1:A:198:THR:CG2	2.48	0.43
1:A:129:ILE:HA	1:A:179:ASP:OD2	2.18	0.42
1:A:250:ARG:O	1:A:250:ARG:HG2	2.19	0.42
1:A:65:LYS:HD2	1:A:67:PHE:H	1.85	0.42
1:A:142:CYS:HB3	1:A:143:GLY:H	1.19	0.42
1:A:227:TYR:C	1:A:228:LEU:HD22	2.40	0.42
1:A:61:ASP:HB2	1:A:65:LYS:N	2.34	0.42
1:A:109:LYS:HG3	1:A:110:ARG:N	2.35	0.42
1:A:129:ILE:CD1	1:A:302:ARG:CZ	2.98	0.42
1:A:18:VAL:HG13	1:A:23:PHE:HA	2.01	0.41
1:A:10:VAL:HG13	1:A:273:PHE:HD2	1.85	0.41
1:A:37:ARG:HG2	1:A:37:ARG:HH11	1.85	0.41
1:A:14:ASP:C	1:A:55:TYR:HE1	2.23	0.41
1:A:18:VAL:HG13	1:A:23:PHE:CB	2.51	0.41
1:A:31:ASN:O	1:A:35:ILE:HG13	2.20	0.41
1:A:80:LEU:O	1:A:82:ASN:N	2.53	0.41
1:A:87:VAL:CG1	1:A:88:LEU:N	2.83	0.41
1:A:123:LYS:CG	1:A:130:THR:HG22	2.49	0.41
1:A:60:HIS:CD2	1:A:65:LYS:HE2	2.54	0.41
1:A:189:ILE:O	1:A:197:PRO:HA	2.21	0.41
1:A:15:TRP:NE1	1:A:49:SER:OG	2.50	0.41
1:A:62:ALA:HA	1:A:100:ALA:HB1	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:SER:O	1:A:128:ASN:C	2.60	0.41
1:A:2:ALA:O	1:A:4:ALA:N	2.46	0.41
1:A:62:ALA:CB	2:A:400:NAG:O5	2.65	0.41
1:A:39:VAL:O	1:A:43:GLY:HA2	2.21	0.40
1:A:88:LEU:HG	1:A:135:MET:HE3	2.03	0.40
1:A:129:ILE:CD1	1:A:302:ARG:NH2	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/306 (92%)	232 (82%)	43 (15%)	8 (3%)	5	11

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	128	ASN
1	A	78	ARG
1	A	81	ARG
1	A	59	VAL
1	A	193	ALA
1	A	270	LEU
1	A	271	GLY
1	A	3	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/256 (93%)	228 (96%)	10 (4%)	30	58

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	VAL
1	A	55	TYR
1	A	68	GLN
1	A	71	PHE
1	A	113	PHE
1	A	206	ARG
1	A	228	LEU
1	A	282	GLU
1	A	286	THR
1	A	295	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	40	GLN
1	A	60	HIS
1	A	68	GLN
1	A	101	GLN
1	A	204	ASN
1	A	229	GLN
1	A	232	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	400	1	14,14,15	0.87	1 (7%)	17,19,21	0.76	0
4	PO4	A	410	3	4,4,4	1.06	0	6,6,6	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	400	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	NAG	C1-C2	2.18	1.55	1.52

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	400	NAG	C4-C5-C6-O6
2	A	400	NAG	O5-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	NAG	6	0
4	A	410	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.