



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 11, 2021 – 02:23 AM EDT

PDB ID : 2QJY
Title : Crystal structure of rhodobacter sphaeroides double mutant with stigmatellin and UQ2
Authors : Esser, L.; Xia, D.
Deposited on : 2007-07-09
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	<div> <div>2%</div> <div>77%</div> <div>17%</div> <div>• •</div> </div>
1	D	445	<div> <div>2%</div> <div>77%</div> <div>18%</div> <div>• •</div> </div>
1	G	445	<div> <div>6%</div> <div>75%</div> <div>20%</div> <div>• •</div> </div>
1	J	445	<div> <div>7%</div> <div>73%</div> <div>21%</div> <div>• •</div> </div>
1	M	445	<div> <div>10%</div> <div>72%</div> <div>23%</div> <div>• •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	P	445	
2	B	269	
2	E	269	
2	H	269	
2	K	269	
2	N	269	
2	Q	269	
3	C	187	
3	F	187	
3	I	187	
3	L	187	
3	O	187	
3	R	187	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	UQ2	A	1101	-	-	-	X
8	UQ2	J	1104	-	-	-	X
8	UQ2	M	1105	-	-	-	X

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 42656 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	0	0
			3440	2322	548	555	15			
1	D	428	Total	C	N	O	S	0	0	0
			3440	2322	548	555	15			
1	G	428	Total	C	N	O	S	0	0	0
			3440	2322	548	555	15			
1	J	428	Total	C	N	O	S	0	0	0
			3440	2322	548	555	15			
1	M	428	Total	C	N	O	S	0	0	0
			3440	2322	548	555	15			
1	P	428	Total	C	N	O	S	0	0	0
			3440	2322	548	555	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	287	ARG	SER	engineered mutation	UNP Q02761
D	287	ARG	SER	engineered mutation	UNP Q02761
G	287	ARG	SER	engineered mutation	UNP Q02761
J	287	ARG	SER	engineered mutation	UNP Q02761
M	287	ARG	SER	engineered mutation	UNP Q02761
P	287	ARG	SER	engineered mutation	UNP Q02761

- Molecule 2 is a protein called Cytochrome c1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	0	0
			1953	1240	326	374	13			
2	E	256	Total	C	N	O	S	0	0	0
			1953	1240	326	374	13			
2	H	256	Total	C	N	O	S	0	0	0
			1953	1240	326	374	13			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	K	256	Total 1953	C 1240	N 326	O 374	S 13	0	0	0
2	N	256	Total 1953	C 1240	N 326	O 374	S 13	0	0	0
2	Q	256	Total 1953	C 1240	N 326	O 374	S 13	0	0	0

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	264	HIS	-	expression tag	UNP Q3IY11
B	265	HIS	-	expression tag	UNP Q3IY11
B	266	HIS	-	expression tag	UNP Q3IY11
B	267	HIS	-	expression tag	UNP Q3IY11
B	268	HIS	-	expression tag	UNP Q3IY11
B	269	HIS	-	expression tag	UNP Q3IY11
E	264	HIS	-	expression tag	UNP Q3IY11
E	265	HIS	-	expression tag	UNP Q3IY11
E	266	HIS	-	expression tag	UNP Q3IY11
E	267	HIS	-	expression tag	UNP Q3IY11
E	268	HIS	-	expression tag	UNP Q3IY11
E	269	HIS	-	expression tag	UNP Q3IY11
H	264	HIS	-	expression tag	UNP Q3IY11
H	265	HIS	-	expression tag	UNP Q3IY11
H	266	HIS	-	expression tag	UNP Q3IY11
H	267	HIS	-	expression tag	UNP Q3IY11
H	268	HIS	-	expression tag	UNP Q3IY11
H	269	HIS	-	expression tag	UNP Q3IY11
K	264	HIS	-	expression tag	UNP Q3IY11
K	265	HIS	-	expression tag	UNP Q3IY11
K	266	HIS	-	expression tag	UNP Q3IY11
K	267	HIS	-	expression tag	UNP Q3IY11
K	268	HIS	-	expression tag	UNP Q3IY11
K	269	HIS	-	expression tag	UNP Q3IY11
N	264	HIS	-	expression tag	UNP Q3IY11
N	265	HIS	-	expression tag	UNP Q3IY11
N	266	HIS	-	expression tag	UNP Q3IY11
N	267	HIS	-	expression tag	UNP Q3IY11
N	268	HIS	-	expression tag	UNP Q3IY11
N	269	HIS	-	expression tag	UNP Q3IY11
Q	264	HIS	-	expression tag	UNP Q3IY11
Q	265	HIS	-	expression tag	UNP Q3IY11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	266	HIS	-	expression tag	UNP Q3IY11
Q	267	HIS	-	expression tag	UNP Q3IY11
Q	268	HIS	-	expression tag	UNP Q3IY11
Q	269	HIS	-	expression tag	UNP Q3IY11

- Molecule 3 is a protein called Ubiquinol-cytochrome c reductase iron-sulfur subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	179	Total	C	N	O	S	0	0	0
			1340	843	237	254	6			
3	F	179	Total	C	N	O	S	0	0	0
			1340	843	237	254	6			
3	I	179	Total	C	N	O	S	0	0	0
			1340	843	237	254	6			
3	L	179	Total	C	N	O	S	0	0	0
			1340	843	237	254	6			
3	O	179	Total	C	N	O	S	0	0	0
			1340	843	237	254	6			
3	R	179	Total	C	N	O	S	0	0	0
			1340	843	237	254	6			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	135	SER	VAL	engineered mutation	UNP Q02762
F	135	SER	VAL	engineered mutation	UNP Q02762
I	135	SER	VAL	engineered mutation	UNP Q02762
L	135	SER	VAL	engineered mutation	UNP Q02762
O	135	SER	VAL	engineered mutation	UNP Q02762
R	135	SER	VAL	engineered mutation	UNP Q02762

- Molecule 4 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Sr	0	0
			1	1		
4	B	1	Total	Sr	0	0
			1	1		
4	E	1	Total	Sr	0	0
			1	1		
4	G	1	Total	Sr	0	0
			1	1		

Continued on next page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	1	Total 1	Sr 1	0	0
4	K	1	Total 1	Sr 1	0	0
4	M	1	Total 1	Sr 1	0	0
4	N	1	Total 1	Sr 1	0	0
4	Q	1	Total 1	Sr 1	0	0


-
- The diagram illustrates the chemical structure of the Heme (HEM) molecule. It features a central iron atom (Fe) coordinated by four nitrogen atoms (N) in a porphyrin-like ring. The structure includes various side chains and functional groups, such as hydroxyl groups (OH) and carboxylate groups (COO⁻). The atoms are color-coded: Carbon (C) is green, Nitrogen (N) is blue, Iron (Fe) is purple, and Oxygen (O) is red. The labels for the atoms are as follows:
- Central Iron: FE
 - Nitrogen Atoms: NA, NB, NC, ND
 - Carbon Atoms: C1A, C1B, C1C, C1D, C2A, C2B, C2C, C2D, C3A, C3B, C3C, C3D, C4A, C4B, C4C, C4D, C5A, C5B, C5C, C5D, C6A, C6B, C6C, C6D, C7A, C7B, C7C, C7D, C8A, C8B, C8C, C8D, C9A, C9B, C9C, C9D, C10A, C10B, C10C, C10D, C11A, C11B, C11C, C11D, C12A, C12B, C12C, C12D, C13A, C13B, C13C, C13D, C14A, C14B, C14C, C14D, C15A, C15B, C15C, C15D, C16A, C16B, C16C, C16D, C17A, C17B, C17C, C17D, C18A, C18B, C18C, C18D, C19A, C19B, C19C, C19D, C20A, C20B, C20C, C20D, C21A, C21B, C21C, C21D, C22A, C22B, C22C, C22D, C23A, C23B, C23C, C23D, C24A, C24B, C24C, C24D, C25A, C25B, C25C, C25D, C26A, C26B, C26C, C26D, C27A, C27B, C27C, C27D, C28A, C28B, C28C, C28D, C29A, C29B, C29C, C29D, C30A, C30B, C30C, C30D, C31A, C31B, C31C, C31D, C32A, C32B, C32C, C32D, C33A, C33B, C33C, C33D, C34A, C34B, C34C, C34D, C35A, C35B, C35C, C35D, C36A, C36B, C36C, C36D, C37A, C37B, C37C, C37D, C38A, C38B, C38C, C38D, C39A, C39B, C39C, C39D, C40A, C40B, C40C, C40D, C41A, C41B, C41C, C41D, C42A, C42B, C42C, C42D, C43A, C43B, C43C, C43D, C44A, C44B, C44C, C44D, C45A, C45B, C45C, C45D, C46A, C46B, C46C, C46D, C47A, C47B, C47C, C47D, C48A, C48B, C48C, C48D, C49A, C49B, C49C, C49D, C50A, C50B, C50C, C50D, C51A, C51B, C51C, C51D, C52A, C52B, C52C, C52D, C53A, C53B, C53C, C53D, C54A, C54B, C54C, C54D, C55A, C55B, C55C, C55D, C56A, C56B, C56C, C56D, C57A, C57B, C57C, C57D, C58A, C58B, C58C, C58D, C59A, C59B, C59C, C59D, C60A, C60B, C60C, C60D, C61A, C61B, C61C, C61D, C62A, C62B, C62C, C62D, C63A, C63B, C63C, C63D, C64A, C64B, C64C, C64D, C65A, C65B, C65C, C65D, C66A, C66B, C66C, C66D, C67A, C67B, C67C, C67D, C68A, C68B, C68C, C68D, C69A, C69B, C69C, C69D, C70A, C70B, C70C, C70D, C71A, C71B, C71C, C71D, C72A, C72B, C72C, C72D, C73A, C73B, C73C, C73D, C74A, C74B, C74C, C74D, C75A, C75B, C75C, C75D, C76A, C76B, C76C, C76D, C77A, C77B, C77C, C77D, C78A, C78B, C78C, C78D, C79A, C79B, C79C, C79D, C80A, C80B, C80C, C80D, C81A, C81B, C81C, C81D, C82A, C82B, C82C, C82D, C83A, C83B, C83C, C83D, C84A, C84B, C84C, C84D, C85A, C85B, C85C, C85D, C86A, C86B, C86C, C86D, C87A, C87B, C87C, C87D, C88A, C88B, C88C, C88D, C89A, C89B, C89C, C89D, C90A, C90B, C90C, C90D, C91A, C91B, C91C, C91D, C92A, C92B, C92C, C92D, C93A, C93B, C93C, C93D, C94A, C94B, C94C, C94D, C95A, C95B, C95C, C95D, C96A, C96B, C96C, C96D, C97A, C97B, C97C, C97D, C98A, C98B, C98C, C98D, C99A, C99B, C99C, C99D, C100A, C100B, C100C, C100D, C101A, C101B, C101C, C101D, C102A, C102B, C102C, C102D, C103A, C103B, C103C, C103D, C104A, C104B, C104C, C104D, C105A, C105B, C105C, C105D, C106A, C106B, C106C, C106D, C107A, C107B, C107C, C107D, C108A, C108B, C108C, C108D, C109A, C109B, C109C, C109D, C110A, C110B, C110C, C110D, C111A, C111B, C111C, C111D, C112A, C112B, C112C, C112D, C113A, C113B, C113C, C113D, C114A, C114B, C114C, C114D, C115A, C115B, C115C, C115D, C116A, C116B, C116C, C116D, C117A, C117B, C117C, C117D, C118A, C118B, C118C, C118D, C119A, C119B, C119C, C119D, C120A, C120B, C120C, C120D, C121A, C121B, C121C, C121D, C122A, C122B, C122C, C122D, C123A, C123B, C123C, C123D, C124A, C124B, C124C, C124D, C125A, C125B, C125C, C125D, C126A, C126B, C126C, C126D, C127A, C127B, C127C, C127D, C128A, C128B, C128C, C128D, C129A, C129B, C129C, C129D, C130A, C130B, C130C, C130D, C131A, C131B, C131C, C131D, C132A, C132B, C132C, C132D, C133A, C133B, C133C, C133D, C134A, C134B, C134C, C134D, C135A, C135B, C135C, C135D, C136A, C136B, C136C, C136D, C137A, C137B, C137C, C137D, C138A, C138B, C138C, C138D, C139A, C139B, C139C, C139D, C140A, C140B, C140C, C140D, C141A, C141B, C141C, C141D, C142A, C142B, C142C, C142D, C143A, C143B, C143C, C143D, C144A, C144B, C144C, C144D, C145A, C145B, C145C, C145D, C146A, C146B, C146C, C146D, C147A, C147B, C147C, C147D, C148A, C148B, C148C, C148D, C149A, C149B, C149C, C149D, C150A, C150B, C150C, C150D, C151A, C151B, C151C, C151D, C152A, C152B, C152C, C152D, C153A, C153B, C153C, C153D, C154A, C154B, C154C, C154D, C155A, C155B, C155C, C155D, C156A, C156B, C156C, C156D, C157A, C157B, C157C, C157D, C158A, C158B, C158C, C158D, C159A, C159B, C159C, C159D, C160A, C160B, C160C, C160D, C161A, C161B, C161C, C161D, C162A, C162B, C162C, C162D, C163A, C163B, C163C, C163D, C164A, C164B, C164C, C164D, C165A, C165B, C165C, C165D, C166A, C166B, C166C, C166D, C167A, C167B, C167C, C167D, C168A, C168B, C168C, C168D, C169A, C169B, C169C, C169D, C170A, C170B, C170C, C170D, C171A, C171B, C171C, C171D, C172A, C172B, C172C, C172D, C173A, C173B, C173C, C173D, C174A, C174B, C174C, C174D, C175A, C175B, C175C, C175D, C176A, C176B, C176C, C176D, C177A, C177B, C177C, C177D, C178A, C178B, C178C, C178D, C179A, C179B, C179C, C17

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	H	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	J	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	J	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	K	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	M	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	M	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	N	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	P	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	P	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	Q	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is STIGMATELLIN A (three-letter code: SMA) (formula: $C_{30}H_{42}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			37	30	7		
6	D	1	Total	C	O	0	0
			37	30	7		
6	G	1	Total	C	O	0	0
			37	30	7		
6	J	1	Total	C	O	0	0
			37	30	7		
6	M	1	Total	C	O	0	0
			37	30	7		
6	P	1	Total	C	O	0	0
			37	30	7		

- Molecule 7 is (1R)-2-{[(R)-(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(DODECANOYLOXY)METHYL]ETHYL (9Z)-OCTADEC-9-ENOATE (three-letter code: LOP) (formula: C₃₅H₆₈NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	P	0	0
			45	35	1	8	1		
7	D	1	Total	C	N	O	P	0	0
			45	35	1	8	1		
7	G	1	Total	C	N	O	P	0	0
			45	35	1	8	1		
7	J	1	Total	C	N	O	P	0	0
			45	35	1	8	1		
7	M	1	Total	C	N	O	P	0	0
			45	35	1	8	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	P	1	Total	C	N	O	P	0	0
			45	35	1	8	1		

- Molecule 8 is UBIQUINONE-2 (three-letter code: UQ2) (formula: $C_{19}H_{26}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			23	19	4		
8	D	1	Total	C	O	0	0
			23	19	4		
8	G	1	Total	C	O	0	0
			23	19	4		
8	J	1	Total	C	O	0	0
			23	19	4		
8	M	1	Total	C	O	0	0
			23	19	4		
8	P	1	Total	C	O	0	0
			23	19	4		

- Molecule 9 is 2-O-octyl-beta-D-glucopyranose (three-letter code: BGL) (formula: $C_{14}H_{28}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			20	14	6		
9	E	1	Total	C	O	0	0
			20	14	6		
9	G	1	Total	C	O	0	0
			20	14	6		
9	K	1	Total	C	O	0	0
			20	14	6		
9	N	1	Total	C	O	0	0
			20	14	6		
9	P	1	Total	C	O	0	0
			20	14	6		

- Molecule 10 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	C	1	Total	Fe	S	0	0
			4	2	2		
10	F	1	Total	Fe	S	0	0
			4	2	2		
10	I	1	Total	Fe	S	0	0
			4	2	2		
10	L	1	Total	Fe	S	0	0
			4	2	2		
10	O	1	Total	Fe	S	0	0
			4	2	2		
10	R	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 11 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	I	1	Total	Cl	0	0
			1	1		
11	R	1	Total	Cl	0	0
			1	1		

- Molecule 12 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	R	1	Total	Na	0	0
			1	1		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	A	73	Total O 73 73	0	0
13	B	19	Total O 19 19	0	0
13	C	47	Total O 47 47	0	0
13	D	64	Total O 64 64	0	0
13	E	14	Total O 14 14	0	0
13	F	36	Total O 36 36	0	0
13	G	68	Total O 68 68	0	0
13	H	35	Total O 35 35	0	0
13	I	42	Total O 42 42	0	0
13	J	55	Total O 55 55	0	0
13	K	17	Total O 17 17	0	0
13	L	42	Total O 42 42	0	0
13	M	34	Total O 34 34	0	0
13	N	11	Total O 11 11	0	0
13	O	41	Total O 41 41	0	0
13	P	60	Total O 60 60	0	0
13	Q	16	Total O 16 16	0	0
13	R	24	Total O 24 24	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cytochrome b




• Molecule 1: Cytochrome b




• Molecule 1: Cytochrome b







- Molecule 1: Cytochrome b




- Molecule 1: Cytochrome b




- Molecule 1: Cytochrome b







• Molecule 2: Cytochrome c1



• Molecule 2: Cytochrome c1




• Molecule 2: Cytochrome c1







• Molecule 2: Cytochrome c1



• Molecule 2: Cytochrome c1





• Molecule 2: Cytochrome c1




ASN
VAL
HIS
HIS
HIS
HIS
HIS


• Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit

Chain C: 





• Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit

Chain F: 





• Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit

Chain I: 




• Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit


Chain L: 





• Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit

Chain O: 





● Molecule 3: Ubiquinol-cytochrome c reductase iron-sulfur subunit



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	351.89Å 147.04Å 161.31Å 90.00° 104.25° 90.00°	Depositor
Resolution (Å)	18.00 – 2.40 47.10 – 2.35	Depositor EDS
% Data completeness (in resolution range)	93.7 (18.00-2.40) 91.9 (47.10-2.35)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 2.34Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.226 , 0.251 0.229 , 0.243	Depositor DCC
R_{free} test set	9798 reflections (1.70%)	wwPDB-VP
Wilson B-factor (Å ²)	51.5	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 60.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	42656	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SR, NA, HEM, LOP, SMA, BGL, UQ2, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/3570	0.66	0/4897
1	D	0.39	0/3570	0.66	0/4897
1	G	0.38	0/3570	0.66	1/4897 (0.0%)
1	J	0.40	0/3570	0.66	0/4897
1	M	0.38	0/3570	0.65	0/4897
1	P	0.38	0/3570	0.65	1/4897 (0.0%)
2	B	0.37	0/2010	0.67	0/2733
2	E	0.36	0/2010	0.68	0/2733
2	H	0.37	0/2010	0.68	0/2733
2	K	0.36	0/2010	0.67	0/2733
2	N	0.36	0/2010	0.67	0/2733
2	Q	0.35	0/2010	0.66	0/2733
3	C	0.38	0/1370	0.74	1/1866 (0.1%)
3	F	0.39	0/1370	0.74	2/1866 (0.1%)
3	I	0.39	0/1370	0.76	1/1866 (0.1%)
3	L	0.38	0/1370	0.72	1/1866 (0.1%)
3	O	0.38	0/1370	0.72	1/1866 (0.1%)
3	R	0.38	0/1370	0.73	2/1866 (0.1%)
All	All	0.38	0/41700	0.68	10/56976 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	E	0	1
2	H	0	1
2	K	0	1
All	All	0	4

There are no bond length outliers.

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	47	LEU	CA-CB-CG	7.62	132.83	115.30
3	R	47	LEU	CA-CB-CG	7.10	131.63	115.30
3	C	47	LEU	CA-CB-CG	6.99	131.38	115.30
3	L	47	LEU	CA-CB-CG	6.49	130.22	115.30
1	P	108	VAL	CB-CA-C	-5.59	100.78	111.40

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	32	TYR	Sidechain
2	E	32	TYR	Sidechain
2	H	32	TYR	Sidechain
2	K	32	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3440	0	3428	70	0
1	D	3440	0	3428	81	0
1	G	3440	0	3428	91	0
1	J	3440	0	3428	96	0
1	M	3440	0	3428	95	0
1	P	3440	0	3428	78	0
2	B	1953	0	1848	65	0
2	E	1953	0	1848	89	0
2	H	1953	0	1848	71	0
2	K	1953	0	1848	70	0
2	N	1953	0	1848	81	0
2	Q	1953	0	1848	78	0
3	C	1340	0	1303	26	0
3	F	1340	0	1303	27	0
3	I	1340	0	1303	27	0
3	L	1340	0	1303	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	O	1340	0	1303	27	0
3	R	1340	0	1303	26	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	K	1	0	0	0	0
4	M	1	0	0	0	0
4	N	1	0	0	0	0
4	Q	1	0	0	0	0
5	A	86	0	60	7	0
5	B	43	0	30	1	0
5	D	86	0	60	8	0
5	E	43	0	30	1	0
5	G	86	0	60	9	0
5	H	43	0	30	1	0
5	J	86	0	60	15	0
5	K	43	0	30	2	0
5	M	86	0	60	8	0
5	N	43	0	30	3	0
5	P	86	0	60	7	0
5	Q	43	0	30	2	0
6	A	37	0	42	0	0
6	D	37	0	42	0	0
6	G	37	0	42	0	0
6	J	37	0	42	1	0
6	M	37	0	42	0	0
6	P	37	0	42	1	0
7	A	45	0	67	6	0
7	D	45	0	67	1	0
7	G	45	0	67	3	0
7	J	45	0	67	1	0
7	M	45	0	67	3	0
7	P	45	0	67	2	0
8	A	23	0	26	2	0
8	D	23	0	26	2	0
8	G	23	0	26	3	0
8	J	23	0	26	1	0
8	M	23	0	26	2	0
8	P	23	0	26	4	0
9	B	20	0	28	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	E	20	0	28	3	0
9	G	20	0	28	2	0
9	K	20	0	28	2	0
9	N	20	0	28	1	0
9	P	20	0	28	2	0
10	C	4	0	0	0	0
10	F	4	0	0	0	0
10	I	4	0	0	0	0
10	L	4	0	0	0	0
10	O	4	0	0	0	0
10	R	4	0	0	0	0
11	I	1	0	0	0	0
11	R	1	0	0	0	0
12	R	1	0	0	0	0
13	A	73	0	0	1	0
13	B	19	0	0	2	0
13	C	47	0	0	0	0
13	D	64	0	0	4	0
13	E	14	0	0	1	0
13	F	36	0	0	0	0
13	G	68	0	0	2	0
13	H	35	0	0	3	0
13	I	42	0	0	0	0
13	J	55	0	0	3	0
13	K	17	0	0	0	0
13	L	42	0	0	1	0
13	M	34	0	0	1	0
13	N	11	0	0	1	0
13	O	41	0	0	1	0
13	P	60	0	0	1	0
13	Q	16	0	0	1	0
13	R	24	0	0	2	0
All	All	42656	0	40992	1025	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 1025 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Q:144:LYS:HA	2:Q:144:LYS:HZ3	1.06	1.14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:139:PRO:HG3	2:K:158:ARG:HH11	1.14	1.12
2:N:77:THR:HG22	2:N:79:GLU:H	1.25	1.02
2:Q:144:LYS:HA	2:Q:144:LYS:NZ	1.75	1.01
2:B:250:ARG:HD3	3:C:12:ARG:HG2	1.41	1.01

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/445 (96%)	412 (97%)	14 (3%)	0	100	100
1	D	426/445 (96%)	413 (97%)	13 (3%)	0	100	100
1	G	426/445 (96%)	412 (97%)	14 (3%)	0	100	100
1	J	426/445 (96%)	407 (96%)	18 (4%)	1 (0%)	47	62
1	M	426/445 (96%)	407 (96%)	19 (4%)	0	100	100
1	P	426/445 (96%)	408 (96%)	18 (4%)	0	100	100
2	B	254/269 (94%)	233 (92%)	18 (7%)	3 (1%)	13	19
2	E	254/269 (94%)	231 (91%)	20 (8%)	3 (1%)	13	19
2	H	254/269 (94%)	233 (92%)	18 (7%)	3 (1%)	13	19
2	K	254/269 (94%)	231 (91%)	18 (7%)	5 (2%)	7	9
2	N	254/269 (94%)	229 (90%)	20 (8%)	5 (2%)	7	9
2	Q	254/269 (94%)	231 (91%)	21 (8%)	2 (1%)	19	29
3	C	177/187 (95%)	163 (92%)	13 (7%)	1 (1%)	25	36
3	F	177/187 (95%)	161 (91%)	15 (8%)	1 (1%)	25	36
3	I	177/187 (95%)	162 (92%)	12 (7%)	3 (2%)	9	11
3	L	177/187 (95%)	161 (91%)	14 (8%)	2 (1%)	14	20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	O	177/187 (95%)	162 (92%)	12 (7%)	3 (2%)	9	11
3	R	177/187 (95%)	161 (91%)	15 (8%)	1 (1%)	25	36
All	All	5142/5406 (95%)	4817 (94%)	292 (6%)	33 (1%)	25	36

5 of 33 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	147	GLU
2	E	147	GLU
2	E	190	MET
2	H	77	THR
2	H	147	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/366 (96%)	338 (96%)	15 (4%)	30	47
1	D	353/366 (96%)	345 (98%)	8 (2%)	50	70
1	G	353/366 (96%)	343 (97%)	10 (3%)	43	63
1	J	353/366 (96%)	342 (97%)	11 (3%)	40	60
1	M	353/366 (96%)	340 (96%)	13 (4%)	34	53
1	P	353/366 (96%)	341 (97%)	12 (3%)	37	56
2	B	203/215 (94%)	191 (94%)	12 (6%)	19	32
2	E	203/215 (94%)	193 (95%)	10 (5%)	25	40
2	H	203/215 (94%)	197 (97%)	6 (3%)	41	61
2	K	203/215 (94%)	192 (95%)	11 (5%)	22	36
2	N	203/215 (94%)	194 (96%)	9 (4%)	28	45
2	Q	203/215 (94%)	193 (95%)	10 (5%)	25	40
3	C	138/144 (96%)	133 (96%)	5 (4%)	35	54
3	F	138/144 (96%)	131 (95%)	7 (5%)	24	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	I	138/144 (96%)	132 (96%)	6 (4%)	29	46
3	L	138/144 (96%)	133 (96%)	5 (4%)	35	54
3	O	138/144 (96%)	131 (95%)	7 (5%)	24	39
3	R	138/144 (96%)	133 (96%)	5 (4%)	35	54
All	All	4164/4350 (96%)	4002 (96%)	162 (4%)	32	50

5 of 162 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	199	TYR
1	P	199	TYR
2	N	72	VAL
3	O	70	LYS
2	Q	80	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 73 such sidechains are listed below:

Mol	Chain	Res	Type
3	O	36	ASN
3	R	112	GLN
3	O	112	GLN
2	Q	22	GLN
3	F	112	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 60 ligands modelled in this entry, 12 are monoatomic - leaving 48 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	UQ2	M	1105	-	23,23,23	1.57	5 (21%)	28,31,31	1.16	2 (7%)
9	BGL	B	1041	-	20,20,20	1.03	1 (5%)	24,25,25	0.87	1 (4%)
5	HEM	J	502	1	27,50,50	1.91	7 (25%)	17,82,82	0.99	0
7	LOP	J	1024	-	44,44,44	0.64	0	47,49,49	1.23	6 (12%)
10	FES	O	200	3	0,4,4	-	-	-	-	-
6	SMA	A	1001	-	35,38,38	2.00	6 (17%)	46,52,52	2.00	11 (23%)
5	HEM	H	301	2	27,50,50	1.70	6 (22%)	17,82,82	1.17	1 (5%)
5	HEM	M	501	1	27,50,50	1.62	6 (22%)	17,82,82	0.94	0
5	HEM	A	502	1	27,50,50	1.80	7 (25%)	17,82,82	1.04	0
9	BGL	N	1045	-	20,20,20	1.30	1 (5%)	24,25,25	0.74	0
5	HEM	J	501	1	27,50,50	1.74	6 (22%)	17,82,82	0.87	0
5	HEM	P	502	1	27,50,50	1.71	5 (18%)	17,82,82	1.15	0
8	UQ2	J	1104	-	23,23,23	1.32	4 (17%)	28,31,31	1.13	2 (7%)
6	SMA	P	1006	-	35,38,38	1.92	8 (22%)	46,52,52	2.28	14 (30%)
5	HEM	D	501	1	27,50,50	1.47	4 (14%)	17,82,82	1.06	1 (5%)
5	HEM	A	501	1	27,50,50	1.56	4 (14%)	17,82,82	1.11	0
5	HEM	K	301	2	27,50,50	1.63	5 (18%)	17,82,82	1.04	0
5	HEM	P	501	1	27,50,50	1.66	5 (18%)	17,82,82	0.85	0
9	BGL	K	1044	-	20,20,20	0.99	1 (5%)	24,25,25	1.09	2 (8%)
5	HEM	E	301	2	27,50,50	1.63	6 (22%)	17,82,82	0.98	0
10	FES	F	200	3	0,4,4	-	-	-	-	-
9	BGL	P	1046	-	20,20,20	1.15	1 (5%)	24,25,25	0.92	1 (4%)
10	FES	C	200	3	0,4,4	-	-	-	-	-
7	LOP	A	1021	-	44,44,44	0.62	0	47,49,49	1.17	5 (10%)
6	SMA	J	1004	-	35,38,38	1.88	4 (11%)	46,52,52	1.91	8 (17%)
5	HEM	B	301	2	27,50,50	1.81	6 (22%)	17,82,82	1.01	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	LOP	M	1025	-	44,44,44	0.68	0	47,49,49	1.15	3 (6%)
7	LOP	P	1026	-	44,44,44	0.61	0	47,49,49	1.17	5 (10%)
5	HEM	G	501	1	27,50,50	1.59	5 (18%)	17,82,82	0.87	0
8	UQ2	D	1102	-	23,23,23	1.45	5 (21%)	28,31,31	1.18	2 (7%)
10	FES	R	200	3	0,4,4	-	-	-	-	-
5	HEM	D	502	1	27,50,50	1.67	5 (18%)	17,82,82	1.05	0
7	LOP	D	1022	-	44,44,44	0.70	0	47,49,49	1.17	5 (10%)
5	HEM	G	502	1	27,50,50	1.89	6 (22%)	17,82,82	1.08	0
6	SMA	D	1002	-	35,38,38	1.89	6 (17%)	46,52,52	2.01	11 (23%)
9	BGL	E	1042	-	20,20,20	1.01	1 (5%)	24,25,25	0.95	1 (4%)
9	BGL	G	1043	-	20,20,20	1.29	1 (5%)	24,25,25	0.76	0
8	UQ2	G	1103	-	23,23,23	1.54	5 (21%)	28,31,31	1.09	1 (3%)
6	SMA	M	1005	-	35,38,38	2.00	6 (17%)	46,52,52	2.00	11 (23%)
5	HEM	N	301	2	27,50,50	1.71	6 (22%)	17,82,82	1.01	0
8	UQ2	P	1106	-	23,23,23	1.67	5 (21%)	28,31,31	1.20	4 (14%)
10	FES	L	200	3	0,4,4	-	-	-	-	-
7	LOP	G	1023	-	44,44,44	0.70	0	47,49,49	1.16	4 (8%)
8	UQ2	A	1101	-	23,23,23	1.59	5 (21%)	28,31,31	1.17	2 (7%)
10	FES	I	200	3	0,4,4	-	-	-	-	-
6	SMA	G	1003	-	35,38,38	1.97	7 (20%)	46,52,52	1.98	11 (23%)
5	HEM	Q	301	2	27,50,50	1.63	4 (14%)	17,82,82	1.02	0
5	HEM	M	502	1	27,50,50	1.70	5 (18%)	17,82,82	1.02	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	UQ2	M	1105	-	-	2/15/39/39	0/1/1/1
9	BGL	B	1041	-	-	0/11/31/31	0/1/1/1
5	HEM	J	502	1	-	0/6/54/54	-
7	LOP	J	1024	-	-	10/48/48/48	-
10	FES	O	200	3	-	-	0/1/1/1
6	SMA	A	1001	-	-	4/33/34/34	0/2/2/2
5	HEM	H	301	2	-	0/6/54/54	-
5	HEM	M	501	1	-	0/6/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	502	1	-	0/6/54/54	-
9	BGL	N	1045	-	-	0/11/31/31	0/1/1/1
5	HEM	J	501	1	-	0/6/54/54	-
5	HEM	P	502	1	-	0/6/54/54	-
8	UQ2	J	1104	-	-	0/15/39/39	0/1/1/1
6	SMA	P	1006	-	-	6/33/34/34	0/2/2/2
5	HEM	D	501	1	-	0/6/54/54	-
5	HEM	A	501	1	-	0/6/54/54	-
5	HEM	K	301	2	-	0/6/54/54	-
5	HEM	P	501	1	-	0/6/54/54	-
9	BGL	K	1044	-	-	0/11/31/31	0/1/1/1
5	HEM	E	301	2	-	0/6/54/54	-
10	FES	F	200	3	-	-	0/1/1/1
9	BGL	P	1046	-	-	0/11/31/31	0/1/1/1
10	FES	C	200	3	-	-	0/1/1/1
7	LOP	A	1021	-	-	12/48/48/48	-
6	SMA	J	1004	-	-	2/33/34/34	0/2/2/2
5	HEM	B	301	2	-	0/6/54/54	-
7	LOP	M	1025	-	-	6/48/48/48	-
7	LOP	P	1026	-	-	10/48/48/48	-
5	HEM	G	501	1	-	0/6/54/54	-
8	UQ2	D	1102	-	-	2/15/39/39	0/1/1/1
10	FES	R	200	3	-	-	0/1/1/1
5	HEM	D	502	1	-	0/6/54/54	-
7	LOP	D	1022	-	-	5/48/48/48	-
5	HEM	G	502	1	-	0/6/54/54	-
6	SMA	D	1002	-	-	6/33/34/34	0/2/2/2
9	BGL	E	1042	-	-	0/11/31/31	0/1/1/1
9	BGL	G	1043	-	-	0/11/31/31	0/1/1/1
8	UQ2	G	1103	-	-	5/15/39/39	0/1/1/1
6	SMA	M	1005	-	-	8/33/34/34	0/2/2/2
5	HEM	N	301	2	-	0/6/54/54	-
8	UQ2	P	1106	-	-	4/15/39/39	0/1/1/1
10	FES	L	200	3	-	-	0/1/1/1
7	LOP	G	1023	-	-	11/48/48/48	-
8	UQ2	A	1101	-	-	6/15/39/39	0/1/1/1
10	FES	I	200	3	-	-	0/1/1/1
6	SMA	G	1003	-	-	5/33/34/34	0/2/2/2
5	HEM	Q	301	2	-	0/6/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	M	502	1	-	0/6/54/54	-

The worst 5 of 170 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	1003	SMA	O5-C5	6.84	1.48	1.36
6	M	1005	SMA	O7-C7	6.65	1.47	1.37
6	A	1001	SMA	O5-C5	6.59	1.48	1.36
6	A	1001	SMA	O7-C7	6.52	1.47	1.37
6	J	1004	SMA	O5-C5	6.31	1.47	1.36

The worst 5 of 114 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	P	1006	SMA	C14-C15-C16	6.44	138.23	125.61
6	G	1003	SMA	O1-C2-C9	5.90	118.91	111.91
6	P	1006	SMA	O1-C2-C9	5.79	118.78	111.91
6	A	1001	SMA	O1-C2-C9	5.71	118.69	111.91
6	J	1004	SMA	C9-C10-C11	-5.55	107.25	114.72

There are no chirality outliers.

5 of 104 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1001	SMA	C4A-C5-O5-C5M
6	M	1005	SMA	C4A-C5-O5-C5M
6	M	1005	SMA	C6-C5-O5-C5M
6	P	1006	SMA	C13-C14-C15-C16
7	A	1021	LOP	C2-O1-P1-O2

There are no ring outliers.

38 monomers are involved in 107 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	M	1105	UQ2	2	0
9	B	1041	BGL	1	0
5	J	502	HEM	6	0
7	J	1024	LOP	1	0
5	H	301	HEM	1	0
5	M	501	HEM	3	0
5	A	502	HEM	4	0


Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	N	1045	BGL	1	0
5	J	501	HEM	9	0
5	P	502	HEM	3	0
8	J	1104	UQ2	1	0
6	P	1006	SMA	1	0
5	D	501	HEM	5	0
5	A	501	HEM	3	0
5	K	301	HEM	2	0
5	P	501	HEM	4	0
9	K	1044	BGL	2	0
5	E	301	HEM	1	0
9	P	1046	BGL	2	0
7	A	1021	LOP	6	0
6	J	1004	SMA	1	0
5	B	301	HEM	1	0
7	M	1025	LOP	3	0
7	P	1026	LOP	2	0
5	G	501	HEM	4	0
8	D	1102	UQ2	2	0
5	D	502	HEM	3	0
7	D	1022	LOP	1	0
5	G	502	HEM	5	0
9	E	1042	BGL	3	0
9	G	1043	BGL	2	0
8	G	1103	UQ2	3	0
5	N	301	HEM	3	0
8	P	1106	UQ2	4	0
7	G	1023	LOP	3	0
8	A	1101	UQ2	2	0
5	Q	301	HEM	2	0
5	M	502	HEM	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.












Ligand HEM M 501




Bond lengths





Bond angles






Torsions






Rings





































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/445 (96%)	0.41	10 (2%) 60 58	35, 53, 90, 117	0
1	D	428/445 (96%)	0.34	11 (2%) 56 54	35, 53, 93, 124	0
1	G	428/445 (96%)	0.58	26 (6%) 21 20	35, 56, 100, 124	0
1	J	428/445 (96%)	0.64	30 (7%) 16 15	36, 62, 101, 125	0
1	M	428/445 (96%)	0.69	43 (10%) 7 6	38, 67, 107, 130	0
1	P	428/445 (96%)	0.49	22 (5%) 28 26	35, 56, 100, 127	0
2	B	256/269 (95%)	0.78	31 (12%) 4 3	47, 78, 112, 134	0
2	E	256/269 (95%)	0.91	40 (15%) 2 1	50, 80, 117, 133	0
2	H	256/269 (95%)	0.57	20 (7%) 13 11	40, 72, 113, 135	0
2	K	256/269 (95%)	1.29	64 (25%) 0 0	49, 87, 120, 136	0
2	N	256/269 (95%)	1.70	87 (33%) 0 0	59, 95, 121, 135	0
2	Q	256/269 (95%)	1.14	59 (23%) 0 0	51, 87, 119, 134	0
3	C	179/187 (95%)	0.68	19 (10%) 6 5	37, 59, 101, 139	0
3	F	179/187 (95%)	0.70	29 (16%) 1 1	38, 63, 102, 140	0
3	I	179/187 (95%)	0.53	16 (8%) 9 9	41, 58, 105, 139	0
3	L	179/187 (95%)	0.54	16 (8%) 9 9	37, 59, 104, 139	0
3	O	179/187 (95%)	0.74	22 (12%) 4 3	34, 64, 108, 138	0
3	R	179/187 (95%)	1.08	39 (21%) 0 0	46, 70, 108, 138	0
All	All	5178/5406 (95%)	0.72	584 (11%) 5 4	34, 66, 112, 140	0

The worst 5 of 584 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Q	2	GLY	17.9
2	E	3	GLY	17.8
3	C	9	GLY	17.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	9	GLY	17.4
2	K	3	GLY	15.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	UQ2	J	1104	23/23	0.53	0.48	107,115,116,117	0
8	UQ2	D	1102	23/23	0.63	0.37	92,98,107,107	0
8	UQ2	M	1105	23/23	0.64	0.44	112,123,125,125	0
8	UQ2	A	1101	23/23	0.66	0.41	102,105,108,109	0
8	UQ2	G	1103	23/23	0.69	0.38	109,116,117,118	0
4	SR	Q	1016	1/1	0.70	0.08	137,137,137,137	0
8	UQ2	P	1106	23/23	0.70	0.32	101,104,107,108	0
9	BGL	N	1045	20/20	0.71	0.31	107,111,113,114	0
7	LOP	G	1023	45/45	0.77	0.28	88,102,112,113	0
4	SR	K	1014	1/1	0.77	0.11	145,145,145,145	0
9	BGL	G	1043	20/20	0.78	0.27	89,91,101,101	0
9	BGL	B	1041	20/20	0.79	0.23	87,97,101,102	0
4	SR	E	1012	1/1	0.79	0.04	138,138,138,138	0
4	SR	B	1011	1/1	0.79	0.04	132,132,132,132	0
7	LOP	M	1025	45/45	0.80	0.28	89,114,123,123	0
4	SR	G	1018	1/1	0.80	0.19	98,98,98,98	0
7	LOP	J	1024	45/45	0.82	0.36	93,113,125,126	0
7	LOP	P	1026	45/45	0.83	0.28	69,95,99,100	0
9	BGL	K	1044	20/20	0.86	0.20	95,99,101,101	0
4	SR	M	1019	1/1	0.86	0.08	154,154,154,154	0
7	LOP	D	1022	45/45	0.87	0.25	63,88,98,102	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	SR	H	1013	1/1	0.88	0.08	113,113,113,113	0
9	BGL	P	1046	20/20	0.88	0.26	87,93,95,95	0
7	LOP	A	1021	45/45	0.89	0.22	72,86,94,99	0
9	BGL	E	1042	20/20	0.90	0.20	80,85,102,102	0
11	CL	I	2004	1/1	0.93	0.16	67,67,67,67	0
6	SMA	D	1002	37/37	0.94	0.22	39,44,76,78	0
4	SR	N	1015	1/1	0.94	0.06	153,153,153,153	0
4	SR	A	1017	1/1	0.94	0.17	114,114,114,114	0
5	HEM	N	301	43/43	0.94	0.20	65,72,79,84	0
11	CL	R	2005	1/1	0.94	0.09	67,67,67,67	0
5	HEM	B	301	43/43	0.95	0.20	51,56,70,73	0
6	SMA	A	1001	37/37	0.95	0.21	38,47,54,56	0
5	HEM	J	501	43/43	0.95	0.18	67,75,79,81	0
6	SMA	J	1004	37/37	0.95	0.24	40,49,79,85	0
6	SMA	P	1006	37/37	0.95	0.22	34,45,76,77	0
12	NA	R	2001	1/1	0.95	0.10	62,62,62,62	0
5	HEM	H	301	43/43	0.96	0.17	33,42,47,50	0
6	SMA	M	1005	37/37	0.96	0.20	56,66,73,73	0
5	HEM	Q	301	43/43	0.96	0.15	56,65,73,78	0
5	HEM	E	301	43/43	0.96	0.17	53,62,73,76	0
5	HEM	K	301	43/43	0.96	0.17	49,55,67,69	0
6	SMA	G	1003	37/37	0.96	0.22	35,43,60,65	0
5	HEM	D	501	43/43	0.97	0.15	40,48,53,55	0
10	FES	I	200	4/4	0.97	0.17	47,48,48,48	0
5	HEM	G	501	43/43	0.97	0.17	50,59,62,62	0
5	HEM	M	501	43/43	0.97	0.18	63,69,75,78	0
5	HEM	D	502	43/43	0.97	0.22	32,37,49,58	0
5	HEM	G	502	43/43	0.98	0.23	32,36,45,49	0
5	HEM	A	502	43/43	0.98	0.25	32,37,49,49	0
5	HEM	M	502	43/43	0.98	0.21	47,49,59,63	0
5	HEM	A	501	43/43	0.98	0.18	43,47,51,53	0
10	FES	O	200	4/4	0.98	0.18	42,43,43,43	0
10	FES	R	200	4/4	0.98	0.15	55,57,58,58	0
5	HEM	P	501	43/43	0.98	0.16	48,54,57,57	0
5	HEM	P	502	43/43	0.98	0.24	35,40,49,53	0
5	HEM	J	502	43/43	0.98	0.22	37,41,54,57	0
10	FES	L	200	4/4	0.99	0.20	40,41,41,42	0
10	FES	F	200	4/4	0.99	0.18	43,43,44,45	0
10	FES	C	200	4/4	0.99	0.18	41,42,42,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around UQ2 J 1104:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ2 D 1102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ2 M 1105:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UQ2 A 1101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UQ2 G 1103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around UQ2 P 1106:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGL N 1045:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LOP G 1023:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGL G 1043:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BGL B 1041:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LOP M 1025:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LOP J 1024:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LOP P 1026:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BGL K 1044:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LOP D 1022:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BGL P 1046:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LOP A 1021:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BGL E 1042:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SMA D 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEM N 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SMA A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM J 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SMA J 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SMA P 1006:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SMA M 1005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM Q 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SMA G 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM M 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM M 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM P 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM P 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.